

1997




LOCAL CLIMATOLOGICAL DATA  
ANNUAL SUMMARY WITH COMPARATIVE DATA



ISSN 0198-1412

TALLAHASSEE,  
FLORIDA (TLH)

Daily Data



I CERTIFY THAT THIS IS AN OFFICIAL PUBLICATION OF THE NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION, AND IS COMPILED FROM RECORDS ON FILE AT THE NATIONAL CLIMATIC DATA CENTER.

NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION

NATIONAL ENVIRONMENTAL AND INFORMATION SERVICE  
NATIONAL SATELLITE, DATA, AND INFORMATION SERVICE  
NATIONAL CLIMATIC DATA CENTER  
ASHEVILLE, NORTH CAROLINA

*Fernando S. ...*  
ACTING DIRECTOR  
NATIONAL CLIMATIC DATA CENTER

# METEOROLOGICAL DATA FOR 1997

## TALLAHASSEE, FL (TLH)

LATITUDE: 30° 23' 35" N      LONGITUDE: 84° 21' 12" W      ELEVATION (FT): GRND: 55      BARO: 58      TIME ZONE: EASTERN (UTC+ 5)      WBAN: 93805

	ELEMENT	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	YEAR	
TEMPERATURE °F	MEAN DAILY MAXIMUM	65.6	69.0	78.7	78.0	83.7	86.4	91.7	91.5	92.0	81.0	69.6	62.9	79.2	
	HIGHEST DAILY MAXIMUM	81	80	87	88	92	93	100	98	99	91	84	83	100	
	DATE OF OCCURRENCE	05	27+	22	22	27	14	04	30	21	09+	22	10	JUL 04	
	MEAN DAILY MINIMUM	42.1	46.2	54.7	52.3	59.3	67.8	71.8	70.4	67.4	57.3	44.5	40.7	56.2	
	LOWEST DAILY MINIMUM	18	25	33	37	41	59	67	57	60	39	29	26	18	
	DATE OF OCCURRENCE	19	12	07	19	05	07+	16+	23	08	28+	18	07+	JAN 19	
	AVERAGE DRY BULB	53.9	57.6	66.7	65.2	71.5	77.1	81.8	81.0	79.7	69.2	57.1	51.8	67.7	
	MEAN WET BULB	49.2	53.4	60.8	58.6	65.6	71.3	75.7	74.2	71.8	63.0	52.9	48.3	62.1	
	MEAN DEW POINT	43.6	49.5	55.9	52.8	61.8	69.0	73.7	71.5	68.4	59.1	48.9	44.6	58.2	
	NUMBER OF DAYS WITH:														
	MAXIMUM ≥ 90°	0	0	0	0	2	8	22	24	23	4	0	0	83	
	MAXIMUM ≤ 32°	0	0	0	0	0	0	0	0	0	0	0	0	0	
	MINIMUM ≤ 32°	10	3	0	0	0	0	0	0	0	0	3	11	27	
MINIMUM ≤ 0°	0	0	0	0	0	0	0	0	0	0	0	0	0		
H/C	HEATING DEGREE DAYS	358	221	50	59	14	0	0	0	57	252	416	1427		
	COOLING DEGREE DAYS	23	20	112	71	220	369	528	504	448	192	16	2523		
RH	MEAN (PERCENT)	73	78	73	68	75	81	82	78	74	78	80	76		
	HOUR 01 LST	82	87	88	83	91	92	94	92	90	86	92	89		
	HOUR 07 LST	86	89	91	85	91	92	96	94	94	92	93	92		
	HOUR 13 LST	56	65	52	46	56	66	64	57	49	55	61	57		
	HOUR 19 LST	70	71	62	58	66	74	74	73	68	68	78	70		
S	PERCENT POSSIBLE SUNSHINE														
W/O	NUMBER OF DAYS WITH:														
	HEAVY FOG (VISBY ≤ 1/4 MI)	8	5	5	4	8	3	3	3	4	3	5	5	56	
	THUNDERSTORMS	4	2	1	6	10	18	18	11	3	3	2	2	80	
CLOUDINESS	SUNRISE-SUNSET: (OKTAS)														
	CEILOMETER (≤ 12,000 FT.)														
	SATELLITE (> 12,000 FT.)														
	MIDNIGHT-MIDNIGHT: (OKTAS)														
	CEILOMETER (≤ 12,000 FT.)														
	SATELLITE (> 12,000 FT.)														
NUMBER OF DAYS WITH:															
CLEAR															
PARTLY CLOUDY															
CLOUDY															
PR	MEAN STATION PRESS. (IN.)	30.07	30.11	30.01	29.91	29.96	29.88	29.94	29.95	29.88	29.97	29.96	29.93	29.96	
	MEAN SEA-LEVEL PRESS. (IN.)		30.18	30.08	29.98	30.03	29.95	30.01	30.02	29.95	30.04	30.03	30.00		
WINDS	RESULTANT SPEED (MPH)	1.5	1.7	0.3	1.2	0.7	1.6	1.8	0.6	0.7	2.7	1.4	2.2	0.5	
	RES. DIR. (TENS OF DEGS.)	36	04	25	28	02	25	18	35	26	07	31	32	34	
	MEAN SPEED (MPH)	6.2	6.3	6.2	7.5	5.7	5.5	4.0	4.8	4.6	6.2	5.6	5.9	5.7	
	PREVAIL. DIR. (TENS OF DEGS.)	35	18	22	24	11	07	21	07	07	11	34	32	34	
	MAXIMUM 2-MINUTE WIND:														
	SPEED (MPH)	36	30	24	26	30	28	28	26	29	32	29	28	36	
	DIR. (TENS OF DEGS.)	21	11	01	13	33	25	08	31	25	26	28	27	21	
	DATE OF OCCURRENCE	09	13	31	12	15	29+	17+	31	25	24	12	29	JAN 09	
	MAXIMUM 5-SECOND WIND:														
	SPEED (MPH)	45	36	31	38	36	40	38	31	36	38	36	32	45	
DIR. (TENS OF DEGS.)	22	27	04	15	32	28	07	31	25	26	27	27	22		
DATE OF OCCURRENCE	09	14	31	12	15	18	17	31+	25	24	12	29	JAN 09		
PRECIPITATION	WATER EQUIVALENT:														
	TOTAL (IN.)	4.17	5.56	2.23	5.98	8.15	9.79	7.24	4.87	1.40	4.99	6.36	3.51	64.25	
	GREATEST 24-HOUR (IN.)	1.40	2.85	0.89	2.72	2.54	1.90	2.97	1.49	0.73	2.24	2.79	1.28	2.97	
	DATE OF OCCURRENCE	08-09	14-15	20-21	27-28	25	19-20	17	09-10	25-26	26-27	12	23-24	JUL 17	
	NUMBER OF DAYS WITH:														
	PRECIPITATION ≥ 0.01	12	8	11	9	12	19	15	9	6	5	8	15	129	
PRECIPITATION ≥ 0.10	6	5	5	6	9	12	10	7	5	4	5	10	84		
PRECIPITATION ≥ 1.00	1	2	0	3	3	3	2	1	0	3	3	0	21		
SNOWFALL	SNOW, ICE PELLETS, HAIL:														
	TOTAL (IN.)														
	GREATEST 24-HOUR (IN.)														
	DATE OF OCCURRENCE														
	MAXIMUM SNOW DEPTH (IN.)														
	DATE OF OCCURRENCE														
NUMBER OF DAYS WITH:															
SNOWFALL ≥ 1.0															

# NORMALS, MEANS, AND EXTREMES

## TALLAHASSEE, FL (TLH)

LATITUDE: 30° 23' 35" N      LONGITUDE: 84° 21' 12" W      ELEVATION (FT): GRND: 55      BARO: 58      TIME ZONE: EASTERN (UTC+ 5)      WBAN: 93805

		POR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	YEAR
TEMPERATURE °F	NORMAL DAILY MAXIMUM	30	62.9	66.3	73.5	80.4	86.3	90.8	91.3	91.0	88.5	81.5	73.0	65.9	79.3
	MEAN DAILY MAXIMUM	50	63.7	66.9	73.1	79.9	86.4	90.4	91.1	90.9	88.1	80.8	72.1	65.4	79.1
	HIGHEST DAILY MAXIMUM	37	82	85	90	95	99	103	103	103	99	94	88	84	103
	YEAR OF OCCURRENCE		1993	1989	1967	1968	1996	1985	1980	1995	1997	1986	1961	1971	AUG 1995
	MEAN OF EXTREME MAXS.	50	77.5	79.4	84.6	89.3	93.9	97.0	97.1	96.7	94.9	89.4	83.2	78.6	88.5
	NORMAL DAILY MINIMUM	30	38.1	40.1	46.8	52.2	60.8	68.5	71.1	71.4	68.0	55.9	46.3	40.3	55.0
	MEAN DAILY MINIMUM	50	39.8	42.3	47.7	53.4	61.8	68.9	71.5	71.5	68.3	56.8	46.7	41.3	55.8
	LOWEST DAILY MINIMUM	37	6	14	20	29	34	46	57	57	40	30	13	10	6
	YEAR OF OCCURRENCE		1985	1971	1986	1987	1971	1984	1967	1997	1967	1993	1970	1962	JAN 1985
	MEAN OF EXTREME MINS.	50	20.9	24.4	29.7	37.3	48.1	60.2	66.5	65.7	56.9	38.4	28.6	23.2	41.7
	NORMAL DRY BULB	30	50.5	53.2	60.2	66.3	73.6	79.6	81.3	81.3	78.3	68.7	59.7	53.2	67.2
	MEAN DRY BULB	50	51.8	54.7	60.4	66.6	74.0	79.6	81.3	81.2	78.1	68.8	59.4	53.4	67.4
	MEAN WET BULB	14	46.9	50.1	54.7	58.6	66.5	72.2	74.7	74.4	71.2	62.3	55.4	49.0	61.3
	MEAN DEW POINT	14	41.6	44.4	49.0	53.0	62.0	69.3	72.3	72.1	68.0	58.2	51.0	44.4	57.1
	NORMAL NO. DAYS WITH:														
	MAXIMUM ≥ 90°	30	0.0	0.0	*	1.5	7.5	19.4	22.6	21.4	14.7	1.8	0.0	0.0	88.9
MAXIMUM ≤ 32°	30	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.2	
MINIMUM ≤ 32°	30	11.2	7.8	3.1	0.2	0.0	0.0	0.0	0.0	0.0	0.2	3.9	9.7	36.1	
MINIMUM ≤ 0°	30	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
H/C	NORMAL HEATING DEG. DAYS	30	471	344	191	59	0	0	0	0	0	48	203	389	1705
	NORMAL COOLING DEG. DAYS	30	21	13	42	98	267	438	505	505	399	163	44	23	2518
RH	NORMAL (PERCENT)	30	75	72	72	70	72	76	80	81	78	74	76	76	75
	HOUR 01 LST	30	85	84	86	88	89	90	93	93	90	88	88	87	88
	HOUR 07 LST	30	87	87	90	91	90	92	94	95	94	91	90	88	91
	HOUR 13 LST	30	58	54	52	47	50	55	61	62	59	52	55	58	55
	HOUR 19 LST	30	72	65	61	56	60	67	74	76	74	72	77	77	69
S	PERCENT POSSIBLE SUNSHINE														
W/O	MEAN NO. DAYS WITH:														
	HEAVY FOG (VISBY ≤ 1/4 MI)	36	6.7	5.3	5.3	4.7	4.6	2.7	2.0	1.8	1.8	2.9	5.1	6.5	49.4
	THUNDERSTORMS	36	1.9	2.3	3.9	3.6	7.7	13.6	19.3	16.2	8.0	2.0	1.6	1.6	81.7
CLOUDINESS	MEAN:														
	SUNRISE-SUNSET (OKTAS)	35	5.0	4.7	4.6	4.2	4.4	4.7	4.9	4.7	4.4	3.7	4.0	4.7	4.5
	MIDNIGHT-MIDNIGHT (OKTAS)	32	4.7	4.5	4.4	3.7	3.9	4.2	4.4	4.3	3.9	3.4	3.7	4.3	4.1
	MEAN NO. DAYS WITH:														
CLEAR	35	8.6	8.5	9.1	10.6	8.6	5.8	3.9	5.2	8.2	13.4	11.1	8.9	101.9	
PARTLY CLOUDY	35	7.2	7.2	8.6	10.3	12.9	14.4	16.8	16.0	11.8	8.0	8.1	7.9	129.2	
CLOUDY	35	15.1	12.6	13.2	9.1	9.6	9.8	10.3	9.8	10.0	9.6	10.8	14.2	134.1	
PR	MEAN STATION PRESSURE (IN)	25	30.07	30.04	29.98	29.96	29.92	29.94	29.98	29.96	29.95	29.99	30.04	30.07	29.99
	MEAN SEA-LEVEL PRES. (IN)	13	30.15	30.11	30.06	30.02	30.01	30.00	30.05	30.02	30.02	30.06	30.10	30.16	30.06
WINDS	MEAN SPEED (MPH)	38	6.5	7.1	7.5	6.9	6.1	5.4	4.9	5.0	5.9	6.1	6.2	6.2	6.1
	PREVAIL. DIR (TENS OF DEGS)	22	36	36	18	18	18	18	18	09	06	36	36	36	36
	MAXIMUM 2-MINUTE:														
	SPEED (MPH)	1	36	30	24	26	30	28	28	26	29	32	29	28	36
	DIR. (TENS OF DEGS)		21	11	01	13	33	25	08	31	25	26	28	27	21
	YEAR OF OCCURRENCE		1997	1997	1997	1997	1997	1997	1997	1997	1997	1997	1997	1997	JAN 1997
	MAXIMUM 5-SECOND:														
SPEED (MPH)	1	45	36	31	38	36	40	38	31	36	38	36	32	45	
DIR. (TENS OF DEGS)		22	27	04	15	32	28	07	31	25	26	27	27	22	
YEAR OF OCCURRENCE		1997	1997	1997	1997	1997	1997	1997	1997	1997	1997	1997	1997	JAN 1997	
PRECIPITATION	NORMAL (IN)	30	4.77	5.56	6.21	3.74	4.75	6.93	8.82	7.53	5.58	2.92	3.87	5.03	65.71
	MAXIMUM MONTHLY (IN)	37	18.94	11.50	13.57	13.13	11.66	17.41	20.12	15.73	15.92	11.79	10.44	12.65	20.12
	YEAR OF OCCURRENCE		1991	1964	1973	1973	1976	1989	1964	1977	1969	1976	1976	1964	JUL 1964
	MINIMUM MONTHLY (IN)	37	0.40	0.87	1.29	0.33	T	2.09	2.35	2.45	0.11	T	0.55	0.89	T
	YEAR OF OCCURRENCE		1969	1991	1967	1992	1965	1977	1983	1983	1972	1987	1990	1980	OCT 1987
	MAXIMUM IN 24 HOURS (IN)	37	5.36	6.04	8.91	4.73	5.85	6.75	8.94	6.54	9.47	7.79	4.98	9.26	9.47
	YEAR OF OCCURRENCE		1991	1981	1991	1964	1991	1966	1964	1994	1969	1996	1976	1964	SEP 1969
	NORMAL NO. DAYS WITH:														
PRECIPITATION ≥ 0.01	30	9.6	8.9	8.7	6.5	8.4	12.3	16.5	14.8	9.3	4.7	6.7	8.4	114.8	
PRECIPITATION ≥ 1.00	30	1.8	1.8	2.3	1.4	1.4	2.2	2.4	2.8	1.7	0.9	1.3	1.6	21.6	
SNOWFALL	NORMAL (IN)	30	T	0.*	T	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.*	0.0
	MAXIMUM MONTHLY (IN)	36	T	0.4	T	0.0	0.0	T	T	0.0	T	0.0	0.0	1.0	1.0
	YEAR OF OCCURRENCE		1996	1973	1996			1989	1993		1990			1989	DEC 1989
	MAXIMUM IN 24 HOURS (IN)	36	T	0.4	T	0.0	0.0	T	T	0.0	T	0.0	0.0	1.0	1.0
	YEAR OF OCCURRENCE		1996	1973	1996			1989	1993		1990			1989	DEC 1989
	MAXIMUM SNOW DEPTH (IN)	48	0	3	0	0	0	0	0	0	0	0	0	0	3
YEAR OF OCCURRENCE			1958											FEB 1958	
NORMAL NO. DAYS WITH:															
SNOWFALL ≥ 1.0	30	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	

PRECIPITATION (inches) 1997 TALLAHASSEE, FL (TLH)

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
1968	2.15	3.76	2.10	1.06	4.00	2.96	4.89	5.40	8.91	4.70	4.07	6.72	50.72
1969	0.40	5.17	9.13	2.02	4.38	4.88	18.83	4.88	15.92	1.21	1.93	5.77	74.52
1970	6.50	4.62	11.49	3.57	2.41	4.80	16.13	8.93	6.85	4.63	2.31	3.23	75.47
1971	3.04	5.48	4.81	1.85	4.08	7.44	10.80	10.75	1.57	3.46	0.88	4.11	58.27
1972	6.52	7.05	5.80	0.55	9.08	11.13	4.13	5.23	0.11	1.75	9.86	4.85	66.06
1973	4.96	7.16	13.57	13.13	8.38	7.09	4.41	10.78	5.30	2.35	3.21	7.46	87.80
1974	3.36	2.87	3.00	3.99	8.59	3.84	7.60	9.38	10.43	0.93	1.64	3.80	59.43
1975	11.68	2.85	6.18	7.17	10.34	4.77	17.52	6.80	4.88	4.41	1.50	7.83	85.93
1976	5.53	1.21	5.30	1.65	11.66	11.02	4.19	7.35	2.79	11.79	10.44	4.09	77.02
1977	6.40	3.10	6.07	2.73	3.41	2.09	3.19	15.73	5.27	0.80	3.50	6.02	58.31
1978	7.04	4.95	6.41	2.42	3.80	6.13	11.09	7.92	1.55	1.70	3.65	4.63	61.29
1979	10.49	4.09	1.89	10.44	9.24	2.49	15.19	6.75	10.16	0.35	3.64	5.72	80.45
1980	4.38	2.15	11.14	6.01	5.87	5.73	11.02	3.48	6.23	4.88	3.31	0.89	65.09
1981	1.83	8.17	8.83	1.19	1.38	6.17	5.77	2.97	4.86	1.85	2.47	5.15	50.64
1982	3.65	5.55	4.57	3.81	3.61	7.35	11.75	4.10	6.59	1.22	2.34	5.50	60.04
1983	3.89	6.76	13.04	7.62	3.35	9.39	2.35	2.45	4.36	1.03	6.42	6.20	66.86
1984	3.59	6.55	7.11	7.52	6.34	3.33	9.76	4.31	2.49	1.43	2.36	1.41	56.20
1985	3.09	1.49	4.57	0.98	2.57	7.50	9.56	10.15	2.23	7.53	6.05	7.21	62.93
1986	2.69	9.61	2.52	0.39	1.33	9.23	11.79	11.62	4.27	2.01	8.39	7.93	71.78
1987	6.45	6.15	9.46	0.44	6.17	12.54	6.34	8.95	3.96	T	6.35	1.01	67.82
1988	3.52	7.07	7.38	3.77	0.54	2.14	6.74	5.73	3.98	2.53	3.98	1.08	48.46
1989	0.47	2.93	4.35	3.64	5.00	17.41	6.48	6.26	4.51	3.37	4.58	4.59	63.59
1990	3.10	7.33	3.38	3.38	1.94	3.98	3.43	6.83	4.86	2.49	0.55	4.46	45.73
1991	18.94	0.87	12.55	5.96	9.73	6.39	9.60	3.89	0.56	1.54	0.63	1.59	72.25
1992	6.52	6.41	3.84	0.33	5.31	14.96	3.19	6.82	4.20	2.87	6.96	1.37	62.78
1993	9.63	4.50	6.86	0.43	1.79	2.31	8.05	6.13	1.75	5.37	2.12	2.99	51.93
1994	8.23	2.63	11.80	3.43	4.49	8.84	8.31	13.46	10.88	11.57	3.52	2.73	89.89
1995	3.30	2.64	5.61	2.12	4.01	7.60	9.64	2.73	3.71	3.91	3.36	3.77	52.40
1996	2.90	3.57	8.43	3.68	1.94	4.68	3.35	8.21	4.04	8.69	1.11	6.12	56.72
1997	4.17	5.56	2.23	5.98	8.15	9.79	7.24	4.87	1.40	4.99	6.36	3.51	64.25
POR= 113 YRS	4.28	4.69	5.33	3.83	4.18	6.71	7.85	6.89	5.26	2.87	2.91	4.21	59.01

WBAN : 93805

AVERAGE TEMPERATURE (°F) 1997 TALLAHASSEE, FL (TLH)

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
1968	51.9	47.0	56.6	70.4	74.3	82.1	81.8	82.9	77.9	69.3	54.8	50.0	66.6
1969	51.8	51.9	53.4	68.0	73.4	82.4	82.1	80.2	77.1	72.1	55.6	49.9	66.5
1970	46.0	49.6	60.7	69.1	73.2	78.0	80.6	80.4	79.9	70.9	52.3	53.5	66.2
1971	51.2	53.3	54.6	62.9	69.5	79.4	79.1	80.1	78.5	71.5	58.2	62.8	66.8
1972	59.0	53.4	59.8	68.2	73.0	78.0	80.2	82.0	79.3	70.2	59.2	57.2	68.3
1973	52.1	50.7	64.7	64.1	72.3	79.9	82.7	80.8	80.7	70.0	63.8	52.1	67.8
1974	66.6	53.7	64.2	64.9	74.5	77.9	80.3	80.6	78.8	64.9	56.7	52.3	68.0
1975	54.8	57.8	60.0	65.5	76.4	80.1	79.4	81.3	76.5	70.1	59.8	51.5	67.8
1976	47.4	56.8	62.9	66.8	72.4	78.0	82.1	81.7	76.9	63.4	53.3	50.2	66.0
1977	43.9	49.2	63.9	67.4	72.8	80.0	82.0	80.7	79.1	64.1	60.4	51.1	66.2
1978	44.8	45.2	56.3	66.3	73.9	80.0	80.9	80.7	79.4	68.1	63.6	53.9	66.1
1979	46.1	49.8	58.1	67.2	72.1	77.4	81.0	79.5	77.1	66.3	58.8	52.0	65.5
1980	52.4	50.1	60.9	64.1	73.7	79.7	83.0	82.6	81.3	66.6	58.5	50.3	66.9
1981	44.3	55.0	57.1	68.8	70.8	82.3	82.0	79.8	75.7	68.1	57.6	50.3	66.0
1982	50.8	57.5	63.3	66.5	74.4	80.6	80.8	81.3	76.5	69.9	64.2	59.7	68.8
1983	49.2	53.0	57.9	62.8	72.6	78.2	82.8	82.4	75.7	70.3	57.5	50.7	66.1
1984	49.8	53.9	58.8	65.2	73.5	78.9	79.7	81.1	77.9	73.5	57.9	62.9	67.8
1985	46.5	56.2	64.5	66.4	74.8	80.5	80.5	80.8	77.5	74.4	66.7	48.3	68.1
1986	48.9	56.5	58.7	64.1	73.8	80.7	82.4	80.0	80.0	69.6	67.0	55.0	68.1
1987	49.1	53.2	59.3	62.4	74.9	78.9	82.2	82.5	77.0	62.0	61.1	55.6	66.5
1988	46.5	49.7	57.8	66.4	70.4	78.2	80.5	81.3	79.1	64.5	61.9	51.1	65.6
1989	58.3	56.3	62.9	65.0	72.7	79.3	81.2	81.5	77.6	68.0	59.6	45.5	67.3
1990	55.8	61.1	63.4	66.1	74.8	81.4	82.4	83.2	79.1	71.0	61.0	58.7	69.8
1991	54.5	56.7	62.2	71.5	77.7	79.8	82.2	81.6	79.7	69.5	56.2	55.7	68.9
1992	50.5	56.2	59.4	64.4	71.8	79.5	82.6	80.0	78.5	66.2	61.7	55.5	67.2
1993	58.1	53.5	59.5	62.2	73.5	80.9	83.3	83.4	79.6	69.1	59.3	50.0	67.7
1994	49.5	58.3	61.8	69.4	73.7	80.2	79.9	80.4	76.8	70.2	65.2	56.4	68.5
1995	50.8	55.1	64.0	67.2	76.1	78.8	83.4	83.5	79.1	71.0	55.9	50.6	68.0
1996	50.7	54.4	56.0	62.5	76.1	79.4	82.2	80.2	77.2	67.0	59.0	53.9	66.6
1997	53.9	57.6	66.7	65.2	71.5	77.1	81.8	81.0	79.7	69.2	57.1	51.8	67.7
POR= 106 YRS	52.7	54.8	61.0	67.1	74.4	79.7	80.9	80.8	77.9	69.1	59.7	53.7	67.7

WBAN : 93805

HEATING DEGREE DAYS (base 65°F) 1997 TALLAHASSEE, FL (TLH)

YEAR	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	TOTAL
1968-69	0	0	0	75	306	462	410	372	355	15	3	0	1998
1969-70	0	0	0	2	286	464	589	424	186	41	4	0	1996
1970-71	0	0	1	1	374	357	423	335	338	129	26	0	1984
1971-72	0	0	0	8	226	134	219	337	167	42	0	0	1133
1972-73	0	0	0	13	228	275	409	393	106	89	15	0	1528
1973-74	0	0	0	47	101	409	31	335	94	89	0	0	1106
1974-75	0	0	0	56	272	398	319	217	201	84	0	0	1547
1975-76	0	0	5	22	237	417	537	234	110	32	4	0	1598
1976-77	0	0	0	100	359	456	649	434	116	46	0	0	2160
1977-78	0	0	0	93	175	433	620	548	271	42	0	0	2182
1978-79	0	0	0	41	76	364	581	424	217	28	13	0	1744
1979-80	0	0	0	54	213	399	385	442	169	74	0	0	1736
1980-81	0	0	0	55	212	448	636	288	243	17	5	0	1904
1981-82	0	0	7	36	234	456	442	204	155	50	0	0	1584
1982-83	0	0	1	53	106	208	482	332	249	102	1	0	1534
1983-84	0	0	4	34	231	446	464	320	212	80	3	1	1795
1984-85	0	0	0	14	254	107	573	263	82	61	0	0	1354
1985-86	0	0	0	10	59	525	492	259	222	80	0	0	1647
1986-87	0	0	0	53	62	316	487	324	203	126	0	0	1571
1987-88	0	0	0	114	171	303	567	439	234	54	8	0	1890
1988-89	0	0	0	80	133	426	218	276	135	89	14	0	1371
1989-90	0	0	0	74	186	599	281	128	97	68	0	0	1433
1990-91	0	0	0	58	142	228	327	232	149	19	0	0	1155
1991-92	0	0	0	34	292	299	447	262	195	99	24	0	1652
1992-93	0	0	0	39	182	291	230	315	193	102	0	0	1352
1993-94	0	0	2	41	204	456	475	216	147	36	2	0	1579
1994-95	0	0	0	12	89	272	435	282	84	36	1	0	1211
1995-96	0	0	0	31	294	451	440	327	301	136	5	0	1985
1996-97	0	0	0	50	206	342	358	221	50	59	14	0	1300
1997-	0	0	0	57	252	416							

WBAN : 93805

COOLING DEGREE DAYS (base 65°F) 1997 TALLAHASSEE, FL (TLH)

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
1969	7	8	4	113	272	533	540	479	370	227	10	5	2568
1970	4	0	61	174	267	395	490	482	454	190	0	7	2524
1971	3	13	22	70	174	439	443	476	414	214	30	74	2372
1972	40	6	16	146	254	395	477	533	433	181	62	40	2583
1973	15	0	101	69	247	453	557	496	480	209	72	15	2714
1974	88	22	77	94	302	396	482	491	420	60	27	13	2472
1975	6	23	53	101	361	459	455	513	352	189	89	3	2604
1976	0	4	51	94	241	395	537	526	367	57	14	6	2292
1977	0	0	87	123	249	455	536	494	428	73	46	7	2498
1978	0	0	11	87	280	459	498	497	437	143	41	27	2480
1979	0	2	10	103	241	378	503	456	366	102	35	2	2198
1980	0	15	48	54	278	448	566	554	497	110	26	0	2596
1981	0	14	5	136	194	528	537	467	334	140	21	6	2382
1982	11	2	108	102	295	476	497	511	353	214	88	50	2707
1983	0	0	35	43	242	400	558	548	328	203	14	9	2380
1984	0	4	30	94	275	424	464	508	391	285	48	48	2571
1985	8	23	72	111	314	473	486	498	380	310	120	12	2807
1986	0	25	34	56	274	480	544	473	456	206	127	12	2687
1987	0	2	35	56	314	426	541	550	368	30	62	20	2404
1988	0	2	15	104	181	401	488	513	431	73	48	5	2261
1989	15	37	75	94	261	435	505	517	386	174	30	1	2530
1990	0	26	53	108	308	499	544	572	430	251	30	38	2859
1991	7	7	70	222	401	451	542	525	443	184	33	18	2903
1992	3	15	29	85	243	441	549	472	411	85	92	3	2428
1993	23	0	30	26	271	483	570	580	448	173	40	0	2644
1994	1	34	54	174	280	466	470	481	359	180	101	16	2616
1995	1	10	62	110	351	423	576	581	430	223	28	10	2805
1996	3	25	26	66	358	442	540	480	372	120	31	7	2470
1997	23	20	112	71	220	369	528	504	448	192	20	16	2523

SNOWFALL (inches) 1997 TALLAHASSEE, FL (TLH)

YEAR	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	TOTAL
1971-72	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1972-73	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.0	0.4
1973-74	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1974-75	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	T	0.0	0.0	0.0	T
1975-76	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1976-77	0.0	0.0	0.0	0.0	0.0	T	T	T	0.0	0.0	0.0	0.0	T
1977-78	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1978-79	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1979-80	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	T	0.0	0.0	0.0	T
1980-81	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1981-82	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1982-83	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1983-84	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1984-85	0.0	0.0	0.0	0.0	0.0	0.0	T	0.0	0.0	0.0	0.0	0.0	T
1985-86	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1986-87	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1987-88	0.0	0.0	0.0	0.0	0.0	0.0	0.0	T	0.0	0.0	0.0	0.0	T
1988-89	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	T	T
1989-90	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0
1990-91	0.0	0.0	T	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	T
1991-92	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1992-93	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	T	0.0	0.0	0.0	T
1993-94	T	0.0	0.0	0.0	0.0	0.0	0.0	T	0.0	0.0	0.0	0.0	T
1994-95	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1995-96	0.0	0.0	0.0	0.0	0.0	T	T	0.0	T				
1996-97													
1997-													
POR= 34 YRS	T	0.0	T	0.0	0.0	0.0	T	0.0	T	0.0	0.0	T	0.0

WBAN : 93805

REFERENCE NOTES:

<p>PAGE 1: THE TEMPERATURE GRAPH SHOWS NORMAL MAXIMUM AND NORMAL MINIMUM DAILY TEMPERATURES (SOLID CURVES) AND THE ACTUAL DAILY HIGH AND LOW TEMPERATURES (VERTICAL BARS).</p> <p>PAGE 2 AND 3: H/C INDICATES HEATING AND COOLING DEGREE DAYS. RH INDICATES RELATIVE HUMIDITY W/O INDICATES WEATHER AND OBSTRUCTIONS S INDICATES SUNSHINE. PR INDICATES PRESSURE. CLOUDINESS ON PAGE 3 IS THE SUM OF THE CEILOMETER AND SATELLITE DATA NOT TO EXCEED EIGHT EIGHTHS(OKTAS).</p> <p>GENERAL: T INDICATES TRACE PRECIPITATION, AN AMOUNT GREATER THAN ZERO BUT LESS THAN THE LOWEST REPORTABLE VALUE. + INDICATES THE VALUE ALSO OCCURS ON EARLIER DATES. BLANK ENTRIES DENOTE MISSING OR UNREPORTED DATA. NORMALS ARE 30-YEAR AVERAGES (1961 - 1990). ASOS INDICATES AUTOMATED SURFACE OBSERVING SYSTEM. PM INDICATES THE LAST DAY OF THE PREVIOUS MONTH. POR (PERIOD OF RECORD) BEGINS WITH THE JANUARY DATA MONTH AND IS THE NUMBER OF YEARS USED TO COMPUTE THE MEAN. INDIVIDUAL MONTHS WITHIN THE POR MAY BE MISSING. WHEN THE POR FOR A NORMAL IS LESS THAN 30 YEARS, THE NORMAL IS PROVISIONAL AND IS BASED ON THE NUMBER OF YEARS INDICATED. 0.* OR * INDICATES THE VALUE OR MEAN-DAYS-WITH IS BETWEEN 0.00 AND 0.05. CLOUDINESS FOR ASOS STATIONS DIFFERS FROM THE NON-ASOS OBSERVATION TAKEN BY A HUMAN OBSERVER. ASOS STATION CLOUDINESS IS BASED ON TIME-AVERAGED CEILOMETER DATA FOR CLOUDS AT OR BELOW 12,000 FEET AND ON SATELLITE DATA FOR CLOUDS ABOVE 12,000 FEET. THE NUMBER OF DAYS WITH CLEAR, PARTLY CLOUDY, AND CLOUDY CONDITIONS FOR ASOS STATIONS IS THE SUM OF THE CEILOMETER AND SATELLITE DATA FOR THE SUNRISE TO SUNSET PERIOD.</p>	<p>GENERAL CONTINUED: CLEAR INDICATES 0 - 2 OKTAS, PARTLY CLOUDY INDICATES 3 - 6 OKTAS, AND CLOUDY INDICATES 7 OR 8 OKTAS. WHEN AT LEAST ONE OF THE ELEMENTS (CEILOMETER OR SATELLITE) IS MISSING, THE DAILY CLOUDINESS IS NOT COMPUTED. WIND DIRECTION IS RECORDED IN TENS OF DEGREES (2 DIGITS) CLOCKWISE FROM TRUE NORTH. "00" INDICATES CALM. "36" INDICATES TRUE NORTH. RESULTANT WIND IS THE VECTOR AVERAGE OF THE SPEED AND DIRECTION. AVERAGE TEMPERATURE IS THE SUM OF THE MEAN DAILY MAXIMUM AND MINIMUM TEMPERATURE DIVIDED BY 2. SNOWFALL DATA COMPRISE ALL FORMS OF FROZEN PRECIPITATION, INCLUDING HAIL. A HEATING (COOLING) DEGREE DAY IS THE DIFFERENCE BETWEEN THE AVERAGE DAILY TEMPERATURE AND 65° F. DRY BULB IS THE TEMPERATURE OF THE AMBIENT AIR. DEW POINT IS THE TEMPERATURE TO WHICH THE AIR MUST BE COOLED TO ACHIEVE 100 PERCENT RELATIVE HUMIDITY. WET BULB IS THE TEMPERATURE THE AIR WOULD HAVE IF THE MOISTURE CONTENT WAS INCREASED TO 100 PERCENT RELATIVE HUMIDITY.</p> <p>ON JULY 1, 1996, THE NATIONAL WEATHER SERVICE BEGAN USING THE "METAR" OBSERVATION CODE THAT WAS ALREADY EMPLOYED BY MOST OTHER NATIONS OF THE WORLD. THE MOST NOTICEABLE DIFFERENCE IN THIS ANNUAL PUBLICATION WILL BE THE CHANGE IN UNITS FROM TENTHS TO EIGHTHS(OKTAS) FOR REPORTING THE AMOUNT OF SKY COVER.</p>
---	---

1997  
TALLAHASSEE,  
FLORIDA (TLH)

Located about 20 miles from the Gulf of Mexico, Tallahassee has a mild, moist climate of the Gulf States. In contrast to the southern part of the Florida Peninsula, there is a definite march of the four seasons with considerable winter rainfall and quite a bit less winter sunshine. The annual average temperature is about 68 degrees.

During the winter, topographic effects and cold air drainage into lower elevations produce a wide variation of low temperatures on cold, clear and calm nights. Freezing temperatures at the airport and surrounding suburban areas average about thirty-six occurrences each winter, but freezing temperatures in the city are about half that number. Temperatures of 25 degrees or lower in the suburban areas average about twelve times per winter, with temperatures dropping into the teens on occasions. Below zero temperatures are rarely recorded. Snow in Tallahassee is infrequent. The date for the last occurrence of 32 degrees is February 28, but has been as late as April 8. The date of the first occurrence of 32 degrees in the fall is November 25, but has been as early as October 18. This gives an average growing season of some 270 days.

Summer is the least pleasant time of the year. Thunderstorms occur every other day. Rather high temperatures and very high humidities cause considerable discomfort. Occurrences of temperatures of 90 degrees or higher average about 90 days per year, but only about 22 of these days have readings as high as 95 degrees. Temperatures reach 100 degrees once or twice in less than half the years. In general, summertime cloudiness holds the high temperatures about 90 degrees.

July is the wettest month followed by August, September, and June. The driest months are October, November, and April.

Extended droughts are infrequent, shorter droughts are rather common, but both are significant. Droughts, or rainfall deficiencies, when extended over months or years, cause the disappearance of large lakes and cypress ponds. Droughts of shorter duration create fire danger in the nearby forests.

High winds are infrequent and of short duration, usually associated with strong cold fronts in the late winter and early spring months. The likelihood of a hurricane occurrence in our coastal area is about once every 17 years with fringe effects felt about once every five years.

STATION LOCATION

TALLAHASSEE, FLORIDA

LOCATION	OCCUPIED FROM	OCCUPIED TO	AIRLINE DISTANCES AND DIRECTIONS FROM PREVIOUS LOCATION	LATITUDE NORTH	LONGITUDE WEST	ELEVATION ABOVE											AUCOMPAHCHIBO * FOURTH * ELEVATION	* Type M = AMOS T = AUTOB S = ASOS W = AWOS	REMARKS
						SEA LEVEL	GROUND												
							WIND	EMERGENCY	EMERGENCY	EMERGENCY	EMERGENCY	EMERGENCY	EMERGENCY	EMERGENCY	EMERGENCY	EMERGENCY			
<u>COOPERATIVE</u>																			
Downtown Tallahassee, Florida	4/1885	12/1887		30°26'	84°17'	190		4										Exact location unknown. Cotton Region Shelter.	
Near 211 North Monroe Street	1/01/88	3/21/03		30°26'	84°17'	191		4										Cotton Region Shelter.	
317 North Calhoun St.	8/01/03	8/?/42	600 ft. NE	30°26'	84°17'	192		4											
<u>AIRPORT</u>																			
Old Administration Bldg Dale Mabry Field 3.5 miles West of P.O.	3/01/40	6/10/46		30°26'	84°20'	64	47	5	5										
Building T-167 Dale Mabry Field	6/10/46	3/29/61	3700 ft. SE	30°26'	84°19'	64	a54	5	5			c5	3	b				a - 28 feet to 12/4/49 b - Telepsychrometer (4') 10/4/48 until removed 5/8/65 c - Installed 6/16/58.	
Municipal Airport	3/29/61	Present	3 mi. SSW	30°23'	84°22'	f55	g25	5	5	NA	NA 13	d5	3 j3	be5 k5	NA			d - First site 30 feet South of Control Tower, 61 feet higher than gage; moved 60 feet East 10/8/64 to site 40 feet SSE of building, 24 feet higher than gage; moved 293 feet WSW 1/29/65 to site 87 feet SSW of building, 14 feet higher than gage. Height of gage above ground 5 feet for all sites. e - Commissioned 1150 feet NW of thermometer site 10/12/64. f - 58 feet to 10/12/64. g - 78 feet to 3/29/65. i - Installed 9/8/77. j - Minor move 7/12/78. k - Type change 9/13/85. S ASOS Commissioned 04/01/96	

SUBSCRIPTION: Price and ordering information available through: National Climatic Data Center, Federal Building, Asheville, North Carolina 28801. INQUIRIES/COMMENTS CALL: (704) 271-4800

National Climatic Data Center  
151 Patton Avenue, Rm 120  
Asheville NC 28801-5001

OFFICIAL BUSINESS  
PENALTY FOR PRIVATE USE \$300  
FORWARD AND ADDRESS CORRECTION

FIRST CLASS  
POSTAGE & FEES PAID  
United States Department of Commerce  
NOAA Permit No. G - 19