

1998




# LOCAL CLIMATOLOGICAL DATA ANNUAL SUMMARY WITH COMPARATIVE DATA



ISSN 0198-280X

## JACKSON, MISSISSIPPI (JAN)

### Daily Data



I CERTIFY THAT THIS IS AN OFFICIAL PUBLICATION OF THE NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION, AND IS COMPILED FROM RECORDS ON FILE AT THE NATIONAL CLIMATIC DATA CENTER.

*Thomas R. Karl*

NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION  
 NATIONAL ENVIRONMENTAL AND INFORMATION SERVICE  
 NATIONAL ENVIRONMENTAL AND INFORMATION SERVICE  
 NATIONAL CLIMATIC DATA CENTER  
 NATIONAL CLIMATIC DATA CENTER  
 ASHEVILLE, NORTH CAROLINA  
 DIRECTOR NATIONAL CLIMATIC DATA CENTER

# METEOROLOGICAL DATA FOR 1998

## JACKSON, MS (JAN)

LATITUDE: 32° 19' 11" N      LONGITUDE: 90° 04' 39" W      ELEVATION (FT): GRND: 291      BARO: 297      TIME ZONE: CENTRAL (UTC+ 6)      WBAN: 03940

	ELEMENT	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	YEAR	
TEMPERATURE °F	MEAN DAILY MAXIMUM	58.9	60.4	66.6	73.4	86.3	92.5	93.1	93.5	90.7	81.9	69.8	60.5	77.3	
	HIGHEST DAILY MAXIMUM	72	75	85	84	95	97	99	100	98	95	86	81	100	
	DATE OF OCCURRENCE	05+	10	30	8	31	01	01	29+	04	02+	01	06	AUG 29+	
	MEAN DAILY MINIMUM	39.5	39.5	44.7	51.8	62.5	71.8	73.8	71.8	70.4	54.9	47.5	42.3	55.9	
	LOWEST DAILY MINIMUM	25	28	23	40	50	55	70	67	63	38	32	28	23	
	DATE OF OCCURRENCE	01	07	12	11	04	07	18	28+	04	24	06	30+	MAR 12	
	AVERAGE DRY BULB	49.2	50.0	55.7	62.6	74.4	82.2	83.5	82.7	80.6	68.4	58.7	51.4	66.6	
	MEAN WET BULB	46.8				68.3	74.6	76.7	74.4	71.9	61.5	55.0	47.8		
	MEAN DEW POINT	43.8				64.7	71.4	74.4	71.2	68.1	57.5	51.9	44.8		
	NUMBER OF DAYS WITH:														
	MAXIMUM ≥ 90°	0	0	0	0	9	26	26	26	22	3	0	0	0	112
	MAXIMUM ≤ 32°	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	MINIMUM ≤ 32°	8	6	10	0	0	0	0	0	0	0	1	12	37	
MINIMUM ≤ 0°	0	0	0	0	0	0	0	0	0	0	0	0	0		
H/C	HEATING DEGREE DAYS	481	414	336	124	0	1	0	0	46	197	442	2041		
	COOLING DEGREE DAYS	2	0	55	60	298	522	582	554	474	156	29	2744		
RH	MEAN (PERCENT)	83	75	67	74	74	72	79	74	71	74	81	82	76	
	HOUR 06 LST	92	89	83	91	94	90	93	93	89	94	93	93	91	
	HOUR 12 LST	72	57	55	58	56	58	61	53	54	51	63	70	59	
	HOUR 18 LST	81	67	56	61	59	58	72	61	63	64	79	80	67	
	HOUR 24 LST	90	86	78	87	89	81	91	87	82	89	91	90	87	
S	PERCENT POSSIBLE SUNSHINE														
W/O	NUMBER OF DAYS WITH:														
	HEAVY FOG (VISBY ≤ 1/4 MI)	3	0	0	2	4	0	3	0	1	1	6	3	23	
	THUNDERSTORMS	6	4	6	5	3	4	17	11	1	0	3	0	60	
CLOUDINESS	SUNRISE-SUNSET: (OKTAS)														
	CEILOMETER (≤ 12,000 FT.)														
	SATELLITE (> 12,000 FT.)														
	MIDNIGHT-MIDNIGHT: (OKTAS)														
	CEILOMETER (≤ 12,000 FT.)														
	SATELLITE (> 12,000 FT.)														
PR	NUMBER OF DAYS WITH:														
	CLEAR														
	PARTLY CLOUDY														
	CLOUDY														
WINDS	MEAN STATION PRESS. (IN.)	29.68				29.57	29.62	29.66	29.66	29.56	29.76	29.75	29.82		
	MEAN SEA-LEVEL PRESS. (IN.)	30.03				29.91	29.96	30.00	30.00	29.90	30.11	30.10	30.18		
PRECIPITATION	RESULTANT SPEED (MPH)	1.5				0.3	0.4	0.3	1.1	2.1	1.2	0.6	1.8		
	RES. DIR. (TENS OF DEGS.)	12				23	21	25	06	05	03	07	01		
	MEAN SPEED (MPH)	6.4	7.1	8.2	6.8	3.9	5.5	3.6	2.9	6.5	4.5	3.7	6.0	5.4	
	PREVAIL. DIR. (TENS OF DEGS.)	15	15	15	15	15	15	16	09	14	15	16	01	15	
	MAXIMUM 2-MINUTE WIND:														
	SPEED (MPH)	28	43	30	30	22	31	44	26	55	21	23	28	55	
	DIR. (TENS OF DEGS.)	10	13	14	26	14	30	02	14	06	13	27	33	06	
	DATE OF OCCURRENCE	07	10	16+	03	09	05	09	11	28	17+	10	22	SEP 28	
	MAXIMUM 5-SECOND WIND:														
	SPEED (MPH)	34	51	39	39	29	46	53	32	63	29	30	31	63	
DIR. (TENS OF DEGS.)	10	14	11	26	15	27	02	15	06	02	28	34	06		
DATE OF OCCURRENCE	07	10	07	03	09	05	09	11	28	22	10	22	SEP 28		
SNOWFALL	WATER EQUIVALENT:														
	TOTAL (IN.)	9.52	5.51	6.17	3.68	1.47	3.26	6.44	2.02	2.41	0.51	4.32	6.24	51.55	
	GREATEST 24-HOUR (IN.)	4.34	1.48	2.22	1.71	1.43	1.60	1.88	0.73	2.16	0.29	1.32	2.28	4.34	
	DATE OF OCCURRENCE	21-22	15-16	07	17-18	28-29	15	09-10	14-15	11-12	06-07	07-08	10-11	JAN 21-22	
	NUMBER OF DAYS WITH:														
	PRECIPITATION ≥ 0.01	11	10	8	13	2	5	16	10	6	4	8	11	104	
PRECIPITATION ≥ 0.10	9	7	6	7	1	2	10	5	2	2	7	10	68		
PRECIPITATION ≥ 1.00	3	2	2	1	1	2	2	0	1	0	1	1	16		
SNOWFALL	SNOW, ICE PELLETS, HAIL:														
	TOTAL (IN.)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	T	T	
	GREATEST 24-HOUR (IN.)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	T	T	
	DATE OF OCCURRENCE												24	DEC 24	
	MAXIMUM SNOW DEPTH (IN.)	0	0	0	0	0	0	0	0	0	0	0	0	0	
	NUMBER OF DAYS WITH:														
SNOWFALL ≥ 1.0	0	0	0	0	0	0	0	0	0	0	0	0	0		

# NORMALS, MEANS, AND EXTREMES

## JACKSON, MS (JAN)

LATITUDE: 32° 19' 11" N      LONGITUDE: 90° 04' 39" W      ELEVATION (FT): GRND: 291      BARO: 297      TIME ZONE: CENTRAL (UTC+ 6)      WBAN: 03940

ELEMENT		POR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	YEAR
TEMPERATURE °F	NORMAL DAILY MAXIMUM	30	55.6	60.1	69.3	77.4	84.0	90.6	92.4	92.0	88.0	79.1	69.2	59.5	76.4
	MEAN DAILY MAXIMUM	34	55.8	60.2	68.7	76.8	83.6	90.4	92.1	91.5	87.1	77.7	67.9	59.7	76.0
	HIGHEST DAILY MAXIMUM	34	82	85	89	94	99	105	106	102	104	95	88	84	106
	YEAR OF OCCURRENCE		1972	1989	1982	1987	1964	1988	1980	1981	1980	1998	1971	1978	JUL 1980
	MEAN OF EXTREME MAXS.	35	74.1	77.9	84.0	87.2	92.0	96.3	97.9	97.0	94.4	89.2	82.6	77.0	87.5
	NORMAL DAILY MINIMUM	30	32.7	35.7	44.1	51.9	60.0	67.1	70.5	69.7	63.7	50.3	42.3	36.1	52.0
	MEAN DAILY MINIMUM	34	34.6	37.1	44.6	52.3	60.7	68.0	71.4	70.2	64.9	51.7	43.4	37.7	53.0
	LOWEST DAILY MINIMUM	34	2	10	15	27	38	47	51	55	35	26	17	4	2
	YEAR OF OCCURRENCE		1985	1996	1980	1987	1971	1984	1967	1992	1967	1993	1976	1989	JAN 1985
	MEAN OF EXTREME MINS.	35	16.5	19.5	26.2	35.1	45.9	55.6	64.1	61.9	49.9	34.8	26.0	19.5	37.9
	NORMAL DRY BULB	30	44.1	47.9	56.7	64.6	72.0	78.8	81.5	80.9	75.9	64.7	55.8	47.8	64.2
	MEAN DRY BULB	35	45.1	48.5	56.7	64.5	72.1	79.1	81.8	80.9	75.8	64.9	55.7	48.4	64.5
	MEAN WET BULB	32	41.3	43.6	51.0	58.4	65.4	71.5	74.3	73.4	69.1	58.6	51.2	44.4	58.5
	MEAN DEW POINT	32	36.7	38.7	45.8	53.6	61.8	68.3	71.7	70.8	66.2	54.5	47.1	40.2	54.6
	NORMAL NO. DAYS WITH:														
MAXIMUM ≥ 90°	30	0.0	0.0	0.0	0.3	4.8	18.7	23.9	22.8	12.1	1.3	0.0	0.0	83.9	
MAXIMUM ≤ 32°	30	0.9	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	*	0.4	1.6	
MINIMUM ≤ 32°	30	15.3	11.3	4.2	0.4	0.0	0.0	0.0	0.0	0.0	0.5	5.7	12.6	50.0	
MINIMUM ≤ 0°	30	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
H/C	NORMAL HEATING DEG. DAYS	30	656	485	285	87	7	0	0	0	6	104	295	542	2467
	NORMAL COOLING DEG. DAYS	30	8	6	28	75	224	414	512	493	333	94	19	9	2215
RH	NORMAL (PERCENT)	30	76	73	71	72	74	74	77	77	77	75	76	76	75
	HOUR 06 LST	30	84	82	82	84	87	88	90	90	90	88	87	84	86
	HOUR 12 LST	30	87	87	88	90	92	92	94	94	94	93	90	87	91
	HOUR 18 LST	30	64	60	56	54	56	55	59	58	58	53	57	62	58
	HOUR 24 LST	30	70	63	58	57	60	60	66	66	70	71	73	74	66
S	PERCENT POSSIBLE SUNSHINE	31	49	55	61	66	63	71	64	65	63	67	57	47	61
W/O	MEAN NO. DAYS WITH:														
	HEAVY FOG (VISBY ≤ 1/4 MI)	34	3.5	2.0	1.7	1.5	1.1	0.7	1.3	1.5	1.5	2.2	2.3	3.4	22.7
	THUNDERSTORMS	34	2.2	2.7	5.6	5.6	7.1	8.8	12.8	10.4	5.0	2.2	2.6	2.3	67.3
CLOUDINESS	MEAN:														
	SUNRISE-SUNSET (OKTAS)	1	6.4	5.6	4.8	4.0	4.0	3.6	5.6	3.2	2.4	5.2	5.6	6.4	4.7
	MIDNIGHT-MIDNIGHT (OKTAS)	1	6.4	5.6	4.8	4.0	4.0	3.2	3.6	2.8	2.4	5.6	5.6	6.4	4.5
	MEAN NO. DAYS WITH:														
CLEAR	2	8.5	12.5	10.0	12.0	16.0	14.5	9.0	9.0	5.0	6.0	5.0	3.0	110.5	
PARTLY CLOUDY	2	3.5	3.5	4.0	6.0	8.0	12.0	4.0	7.0			1.0	3.0		
CLOUDY	2	15.0	13.0	10.0	5.0	11.5	9.0	14.0	5.0	1.0	12.0	7.0	5.0	107.5	
PR	MEAN STATION PRESSURE (IN)	25	29.80	29.76	29.68	29.66	29.63	29.64	29.68	29.68	29.68	29.74	29.76	29.79	29.71
	MEAN SEA-LEVEL PRES. (IN)	32	30.16	30.12	30.04	30.01	29.98	29.99	30.02	30.02	30.02	30.08	30.11	30.15	30.06
WINDS	MEAN SPEED (MPH)	27	8.0	8.3	8.7	7.9	6.9	6.1	5.4	5.2	6.0	6.1	7.2	7.8	7.0
	PREVAIL. DIR (TENS OF DEGS)	28	35	34	16	16	14	14	21	14	14	14	14	14	14
	MAXIMUM 2-MINUTE:														
	SPEED (MPH)	5	32	43	31	43	26	39	44	31	55	26	26	41	55
	DIR. (TENS OF DEGS)		34	13	28	12	36	34	02	16	06	26	32	15	06
	YEAR OF OCCURRENCE		1996	1998	1996	1997	1996	1994	1998	1994	1998	1996	1994	1994	SEP 1998
	MAXIMUM 5-SECOND:														
SPEED (MPH)	5	40	51	40	54	39	47	53	40	63	34	33	46	63	
DIR. (TENS OF DEGS)		34	14	32	29	26	33	02	30	06	26	33	15	06	
YEAR OF OCCURRENCE		1996	1998	1996	1996	1997	1994	1998	1996	1998	1996	1994	1994	SEP 1998	
PRECIPITATION	NORMAL (IN)	30	5.24	4.70	5.82	5.57	5.05	3.18	4.51	3.77	3.55	3.26	4.81	5.91	55.37
	MAXIMUM MONTHLY (IN)	34	14.10	10.28	15.13	15.95	10.82	8.45	13.25	8.33	9.61	9.13	9.98	17.70	17.70
	YEAR OF OCCURRENCE		1979	1987	1976	1991	1967	1997	1979	1992	1965	1970	1977	1982	DEC 1982
	MINIMUM MONTHLY (IN)	34	0.75	1.43	2.05	1.21	0.29	0.10	1.04	0.61	0.56	0.00	0.51	0.91	0.00
	YEAR OF OCCURRENCE		1986	1976	1966	1987	1988	1988	1987	1990	1969	1963	1985	1980	OCT 1963
	MAXIMUM IN 24 HOURS (IN)	34	5.63	3.46	4.69	8.42	3.43	6.49	5.37	4.79	5.86	6.99	4.34	6.71	8.42
	YEAR OF OCCURRENCE		1979	1974	1991	1979	1989	1997	1981	1992	1965	1975	1983	1982	APR 1979
	NORMAL NO. DAYS WITH:														
PRECIPITATION ≥ 0.01	30	10.8	9.3	10.1	8.3	9.4	8.2	10.3	9.5	8.3	5.9	8.1	10.1	108.3	
PRECIPITATION ≥ 1.00	30	1.7	1.4	2.0	1.9	1.9	0.9	1.0	1.0	0.9	0.9	1.6	2.1	17.3	
SNOWFALL	NORMAL (IN)	30	0.6	0.2	0.2	0.*	0.0	0.0	0.0	0.0	0.0	0.0	0.*	0.1	1.1
	MAXIMUM MONTHLY (IN)	34	6.3	3.6	5.3	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.2	4.8	6.3
	YEAR OF OCCURRENCE		1982	1968	1968	1987							1976	1997	JAN 1982
	MAXIMUM IN 24 HOURS (IN)	34	6.0	3.6	5.3	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.2	4.8	6.0
	YEAR OF OCCURRENCE		1982	1968	1968	1987							1976	1997	JAN 1982
	MAXIMUM SNOW DEPTH (IN)	33	6	1	2	1	0	0	0	0	0	0	T	5	6
	YEAR OF OCCURRENCE		1982	1985	1968	1987							1976	1997	JAN 1982
NORMAL NO. DAYS WITH:															
SNOWFALL ≥ 1.0	30	0.2	0.1	0.*	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.4	

PRECIPITATION (inches) 1998 JACKSON, MS (JAN)

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
1969	0.86	3.02	4.90	6.59	1.52	1.29	5.46	3.35	0.56	2.26	1.87	7.22	38.90
1970	2.09	2.63	5.40	2.75	2.43	2.54	2.34	5.64	6.48	9.13	2.70	4.23	48.36
1971	3.02	5.68	7.68	6.86	8.05	3.40	6.28	2.64	6.00	0.09	2.54	9.82	62.06
1972	5.94	3.09	5.57	2.44	4.52	2.01	3.31	2.84	5.04	2.08	3.52	9.67	50.03
1973	4.59	4.23	6.12	9.44	5.96	0.32	1.99	2.38	4.44	2.72	6.15	6.71	55.05
1974	11.00	6.72	3.50	6.74	3.01	3.39	1.54	6.17	5.06	1.74	4.12	7.22	60.21
1975	4.57	6.18	4.86	5.07	6.53	7.44	9.81	6.21	2.68	8.25	4.34	4.29	70.23
1976	3.64	1.43	15.13	2.08	8.01	2.80	4.96	5.26	3.78	3.52	3.34	3.44	57.39
1977	6.18	2.26	6.41	7.98	0.74	2.17	6.22	1.45	3.93	2.79	9.98	3.47	53.58
1978	5.32	2.36	3.37	3.54	10.48	1.03	3.65	1.80	2.90	1.21	3.30	8.37	47.33
1979	14.10	8.35	4.67	14.38	5.52	4.38	13.25	7.44	5.93	1.76	8.79	4.18	92.75
1980	7.53	3.19	13.57	14.33	6.60	1.74	2.91	1.45	3.25	3.47	4.11	0.91	63.06
1981	1.41	2.63	6.19	1.26	6.64	3.66	6.51	2.81	3.51	5.12	1.97	4.90	46.61
1982	4.48	5.22	5.13	6.59	0.77	6.27	9.29	4.97	1.05	6.73	7.43	17.70	75.63
1983	8.17	6.55	6.00	15.53	9.41	2.93	1.70	3.70	2.70	1.52	8.11	6.95	73.27
1984	2.64	4.64	4.84	3.96	5.61	3.18	3.07	4.56	0.93	7.68	6.48	2.17	49.76
1985	4.05	7.55	3.13	3.31	0.86	1.74	4.43	7.06	3.94	7.17	0.51	3.61	47.36
1986	0.75	1.53	3.34	1.75	10.00	3.72	4.78	2.03	2.63	5.10	9.40	4.98	50.01
1987	4.66	10.28	5.47	1.21	4.98	6.17	1.04	4.03	1.50	0.27	4.20	3.50	47.31
1988	2.25	3.89	7.46	5.37	0.29	0.10	2.73	3.02	2.28	6.14	5.66	4.80	43.99
1989	4.38	2.52	4.53	2.13	7.92	8.17	4.47	1.74	5.40	0.23	6.86	4.20	52.55
1990	12.17	8.30	3.55	3.66	6.34	1.46	2.84	0.61	4.83	1.24	3.33	5.71	54.04
1991	4.98	5.30	7.50	15.95	7.11	3.35	3.32	1.49	3.45	2.95	2.39	5.27	63.06
1992	4.27	3.83	2.11	1.48	1.22	4.75	4.48	8.33	3.80	1.55	8.27	4.32	48.41
1993	4.72	3.40	3.84	4.09	4.31	3.79	7.00	2.47	2.04	4.08	5.39	2.89	48.02
1994	8.31	6.14	5.63	4.32	2.25	7.37	5.09	4.29	1.81	5.12	2.57	3.31	56.21
1995	3.68	2.01	6.63	8.59	4.30	3.60	5.29	5.26	1.52	6.51	6.20	5.44	59.03
1996	8.85	2.01	8.58	6.01	0.72	3.85	6.99	6.70	1.49	1.59	4.84	3.33	54.96
1997	4.46	6.75	2.26	7.77	6.83	8.45	1.15	5.02	2.69	4.26	3.53	5.77	58.94
1998	9.52	5.51	6.17	3.68	1.47	3.26	6.44	2.02	2.41	0.51	4.32	6.24	51.55
POR= 90 YRS	5.05	4.75	5.55	5.44	4.56	3.83	4.54	3.66	2.82	2.59	4.07	5.44	52.30

WBAN : 03940

AVERAGE TEMPERATURE (°F) 1998 JACKSON, MS (JAN)

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
1969	48.0	48.1	49.3	65.1	72.3	80.3	83.5	79.6	75.2	66.2	52.4	47.1	63.9
1970	41.2	46.3	54.0	68.1	72.9	79.1	80.8	81.6	80.1	64.7	52.8	52.7	64.5
1971	48.7	49.1	52.4	62.2	67.9	79.9	81.0	80.5	78.3	70.1	54.7	57.9	65.2
1972	51.5	51.2	58.8	66.4	71.9	79.6	80.4	82.8	81.5	68.0	52.0	50.1	66.2
1973	44.3	46.9	62.1	62.5	70.9	81.3	83.7	80.1	77.6	68.6	61.7	49.3	65.8
1974	55.1	50.1	62.4	63.1	73.8	74.8	80.4	79.3	72.0	64.1	55.6	50.4	65.1
1975	51.8	52.9	56.8	63.5	74.1	78.3	81.2	80.6	72.3	66.2	56.6	47.4	65.1
1976	44.3	56.7	60.0	65.4	67.9	76.7	80.8	80.2	74.8	59.9	47.2	45.0	63.2
1977	35.3	49.3	59.7	66.3	75.5	81.7	82.7	82.0	78.4	62.0	57.1	47.5	64.8
1978	36.5	39.6	52.5	65.4	71.9	80.0	83.4	82.0	78.4	63.6	60.3	48.8	63.5
1979	38.3	46.0	57.4	64.8	70.3	76.7	80.2	79.7	73.8	64.1	50.9	46.2	62.4
1980	47.4	45.5	54.3	61.6	72.8	80.7	85.8	84.7	82.4	61.4	53.2	46.2	64.7
1981	41.8	48.7	55.1	71.0	69.9	81.8	83.6	82.6	73.2	65.4	58.6	46.6	64.9
1982	47.2	48.8	62.1	63.8	74.7	79.5	82.4	81.8	74.1	65.1	56.4	52.9	65.7
1983	43.7	47.4	53.9	60.1	70.7	76.6	82.9	82.7	74.1	65.8	55.1	41.8	62.9
1984	39.9	49.7	56.5	63.9	71.0	78.9	80.6	79.9	74.6	71.2	53.6	58.3	64.8
1985	38.0	44.8	61.3	65.2	72.2	78.8	80.5	80.3	74.0	68.0	62.5	42.7	64.0
1986	45.3	52.6	57.0	64.1	72.9	80.4	83.2	80.5	79.8	66.1	60.1	46.6	65.7
1987	44.4	51.3	55.5	62.2	75.9	79.0	82.0	82.9	75.2	59.9	56.6	52.1	64.8
1988	41.7	47.5	55.8	64.6	70.8	79.8	82.5	82.6	77.9	61.6	59.3	49.3	64.5
1989	52.5	48.2	58.8	63.2	72.0	78.4	80.6	80.8	74.1	63.9	57.1	40.4	64.2
1990	51.0	56.2	60.0	63.7	71.8	81.3	81.5	82.3	78.4	63.7	58.0	51.8	66.6
1991	46.6	51.7	59.3	68.0	75.6	79.9	82.9	81.4	76.0	67.2	52.4	52.0	66.1
1992	45.6	53.7	57.6	64.1	71.1	77.7	82.0	77.8	75.6	65.0	52.7	50.1	64.4
1993	49.9	49.2	54.4	61.0	71.0	80.9	82.5	82.9	75.9	62.3	52.1	45.8	64.0
1994	41.9	49.4	55.8	66.2	70.6	79.4	78.9	79.0	74.0	66.2	58.5	49.7	64.1
1995	46.9	49.5	58.5	64.7	73.5	76.0	82.4	83.5	75.2	63.8	52.1	47.6	64.5
1996	45.2	49.8	51.9	61.5	75.7	78.6	81.3	78.9	73.6	65.2	55.3	50.9	64.0
1997	46.0	51.5	61.5	59.6	69.8	77.1	82.3	79.5	76.7	65.1	50.7	44.9	63.7
1998	49.2	50.0	55.7	62.6	74.4	82.2	83.5	82.7	80.6	68.4	58.7	51.4	66.6
POR= 90 YRS	47.3	50.5	57.3	65.0	72.5	79.5	81.9	81.4	76.7	66.0	55.6	49.1	65.2

HEATING DEGREE DAYS (base 65°F) 1998 JACKSON, MS (JAN)

YEAR	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	TOTAL
1969-70	0	0	0	95	372	550	741	516	340	72	23	0	2709
1970-71	0	0	0	85	367	388	507	444	394	147	40	0	2372
1971-72	0	0	0	19	328	235	431	410	216	76	1	0	1716
1972-73	0	0	4	71	400	466	634	503	135	146	19	0	2378
1973-74	0	0	0	61	173	486	327	419	165	115	1	0	1747
1974-75	0	0	6	79	308	465	429	348	293	138	0	0	2066
1975-76	0	0	26	59	304	543	635	252	201	59	18	0	2097
1976-77	0	0	0	197	528	614	913	435	196	43	1	0	2927
1977-78	0	0	0	136	246	538	881	706	377	73	14	0	2971
1978-79	0	0	0	98	164	519	821	531	262	69	20	0	2484
1979-80	0	0	0	98	421	580	540	570	337	124	3	0	2673
1980-81	0	0	0	158	363	575	711	454	312	20	18	0	2611
1981-82	0	0	16	104	217	568	569	451	199	123	4	0	2251
1982-83	0	0	19	120	286	421	653	487	347	176	12	0	2521
1983-84	0	0	21	83	315	716	770	440	289	113	29	0	2776
1984-85	0	0	12	27	350	249	832	562	158	92	2	0	2284
1985-86	0	0	14	54	148	685	606	360	261	90	8	0	2226
1986-87	0	0	0	79	183	566	632	378	297	150	0	0	2285
1987-88	0	0	0	161	271	408	716	502	292	74	4	0	2428
1988-89	0	0	0	134	208	484	392	495	239	135	20	0	2107
1989-90	0	0	11	109	265	754	429	261	209	125	9	0	2172
1990-91	0	0	5	145	227	427	566	368	229	35	2	0	2004
1991-92	0	0	4	67	404	403	593	323	233	118	18	0	2163
1992-93	0	0	1	45	364	452	461	437	327	163	5	0	2255
1993-94	0	0	10	161	401	588	709	437	286	88	13	0	2693
1994-95	0	0	7	67	211	470	558	430	229	80	14	0	2066
1995-96	0	0	4	106	389	533	603	460	410	161	4	0	2670
1996-97	0	0	11	80	298	435	592	381	143	170	16	0	2126
1997-98	0	0	0	129	420	617	481	414	336	124	0	1	2522
1998-	0	0	0	46	197	442							

WBAN : 03940

COOLING DEGREE DAYS (base 65°F) 1998 JACKSON, MS (JAN)

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
1969	3	0	0	75	235	465	577	460	312	137	3	0	2267
1970	7	0	5	173	274	431	496	522	460	81	7	18	2474
1971	9	7	10	69	138	453	503	487	406	181	29	20	2312
1972	20	17	30	126	221	445	487	561	506	169	15	16	2613
1973	1	0	51	77	210	498	583	477	382	181	81	5	2546
1974	25	8	91	64	279	298	487	451	223	57	34	19	2036
1975	26	17	46	96	290	407	509	487	255	101	59	7	2300
1976	0	17	52	76	116	357	497	481	300	47	0	0	1943
1977	0	3	39	89	331	508	555	534	409	47	16	4	2535
1978	2	0	0	92	235	456	576	536	409	60	31	24	2421
1979	0	2	35	69	190	357	482	461	269	76	4	2	1947
1980	0	11	11	28	253	476	652	619	527	52	14	1	2644
1981	0	3	12	207	174	514	582	555	267	127	30	2	2473
1982	25	3	116	93	310	443	544	530	297	130	35	51	2577
1983	0	0	13	35	194	354	564	555	300	115	24	6	2160
1984	0	5	35	87	221	422	489	470	310	227	19	49	2334
1985	0	3	54	105	233	424	486	480	290	153	79	0	2307
1986	0	21	18	70	259	469	572	487	446	122	44	2	2510
1987	0	0	9	72	344	429	533	560	311	14	22	15	2309
1988	0	1	14	67	193	452	552	552	395	34	45	3	2308
1989	8	30	54	87	245	406	489	498	293	84	36	0	2230
1990	3	25	60	92	226	494	515	544	412	113	24	24	2532
1991	0	3	59	129	337	456	562	515	341	142	37	7	2588
1992	0	1	10	97	213	383	532	403	324	51	2	0	2016
1993	0	1	6	48	197	485	547	562	340	82	19	0	2287
1994	0	6	9	132	196	437	437	439	283	110	24	4	2077
1995	5	2	38	79	282	339	545	581	318	76	9	4	2278
1996	0	28	12	64	343	418	512	439	275	92	13	5	2201
1997	13	9	40	15	175	368	540	459	357	139	0	0	2115
1998	2	0	55	60	298	522	582	554	474	156	12	29	2744

SNOWFALL (inches) 1998 JACKSON, MS (JAN)

YEAR	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	TOTAL
1969-70	0.0	0.0	0.0	0.0	0.0	T	T	0.0	T	0.0	0.0	0.0	T
1970-71	0.0	0.0	0.0	0.0	0.0	0.0	T	T	T	T	0.0	0.0	T
1971-72	0.0	0.0	0.0	0.0	T	0.0	0.0	T	0.0	0.0	0.0	0.0	T
1972-73	0.0	0.0	0.0	0.0	0.0	0.0	T	T	0.0	0.0	0.0	0.0	T
1973-74	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.3
1974-75	0.0	0.0	0.0	0.0	T	0.0	T	0.0	T	0.0	0.0	0.0	T
1975-76	0.0	0.0	0.0	0.0	T	T	T	0.0	0.0	0.0	0.0	0.0	T
1976-77	0.0	0.0	0.0	0.0	0.2	0.0	5.8	0.0	0.0	0.0	0.0	0.0	6.0
1977-78	0.0	0.0	0.0	0.0	0.0	0.0	1.1	T	0.1	0.0	0.0	0.0	1.2
1978-79	0.0	0.0	0.0	0.0	0.0	T	T	T	0.0	0.0	0.0	0.0	T
1979-80	0.0	0.0	0.0	0.0	0.0	0.0	T	T	T	0.0	0.0	0.0	T
1980-81	0.0	0.0	0.0	0.0	0.0	T	T	T	0.0	0.0	0.0	0.0	T
1981-82	0.0	0.0	0.0	0.0	0.0	T	6.3	T	T	0.0	0.0	0.0	6.3
1982-83	0.0	0.0	0.0	0.0	0.0	0.0	T	T	0.0	T	0.0	0.0	T
1983-84	0.0	0.0	0.0	0.0	0.0	T	T	T	0.0	0.0	0.0	0.0	T
1984-85	0.0	0.0	0.0	0.0	0.0	T	0.3	1.4	0.0	0.0	0.0	0.0	1.7
1985-86	0.0	0.0	0.0	0.0	0.0	T	0.0	T	0.0	0.0	0.0	0.0	T
1986-87	0.0	0.0	0.0	0.0	0.0	0.0	T	0.0	T	1.1	0.0	0.0	1.1
1987-88	0.0	0.0	0.0	0.0	0.0	0.0	T	T	0.0	0.0	0.0	0.0	T
1988-89	0.0	0.0	0.0	0.0	0.0	T	0.0	T	T	T	0.0	0.0	T
1989-90	0.0	0.0	0.0	0.0	T	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.1
1990-91	0.0	0.0	0.0	0.0	0.0	T	0.0	0.0	0.0	T	0.0	0.0	T
1991-92	0.0	0.0	0.0	0.0	T	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.2
1992-93	0.0	0.0	0.0	0.0	T	0.0	T	0.0	1.6	0.0	0.0	0.0	1.6
1993-94	0.0	0.0	0.0	0.0	0.0	T	0.0	0.0	0.0	0.0	0.0	0.0	T
1994-95	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1995-96	0.0	0.0	0.0	0.0	0.0	0.0	T	T	T	0.0	0.0	0.0	0.0
1996-97	0.0	0.0	0.0	0.0	0.0	0.7	T	T	0.0	0.0	0.0	0.0	0.7
1997-98	0.0	0.0	0.0	0.0	0.0	4.8	0.0	0.0	0.0	0.0	0.0	0.0	4.8
1998-	0.0	0.0	0.0	0.0	0.0	T							
POR= 35 YRS	0.0	0.0	0.0	0.0	T	0.1	0.5	0.2	0.2	T	0.0	0.0	1.0

WBAN : 03940

REFERENCE NOTES:

<p>PAGE 1: THE TEMPERATURE GRAPH SHOWS NORMAL MAXIMUM AND NORMAL MINIMUM DAILY TEMPERATURES (SOLID CURVES) AND THE ACTUAL DAILY HIGH AND LOW TEMPERATURES (VERTICAL BARS).</p> <p>PAGE 2 AND 3: H/C INDICATES HEATING AND COOLING DEGREE DAYS. RH INDICATES RELATIVE HUMIDITY W/O INDICATES WEATHER AND OBSTRUCTIONS S INDICATES SUNSHINE. PR INDICATES PRESSURE. CLOUDINESS ON PAGE 3 IS THE SUM OF THE CEILOMETER AND SATELLITE DATA NOT TO EXCEED EIGHT EIGHTHS(OKTAS).</p> <p>GENERAL: T INDICATES TRACE PRECIPITATION, AN AMOUNT GREATER THAN ZERO BUT LESS THAN THE LOWEST REPORTABLE VALUE. + INDICATES THE VALUE ALSO OCCURS ON EARLIER DATES. BLANK ENTRIES DENOTE MISSING OR UNREPORTED DATA. NORMALS ARE 30-YEAR AVERAGES (1961 - 1990). ASOS INDICATES AUTOMATED SURFACE OBSERVING SYSTEM. PM INDICATES THE LAST DAY OF THE PREVIOUS MONTH. POR (PERIOD OF RECORD) BEGINS WITH THE JANUARY DATA MONTH AND IS THE NUMBER OF YEARS USED TO COMPUTE THE MEAN. INDIVIDUAL MONTHS WITHIN THE POR MAY BE MISSING. WHEN THE POR FOR A NORMAL IS LESS THAN 30 YEARS, THE NORMAL IS PROVISIONAL AND IS BASED ON THE NUMBER OF YEARS INDICATED. 0.* OR * INDICATES THE VALUE OR MEAN-DAYS-WITH IS BETWEEN 0.00 AND 0.05. CLOUDINESS FOR ASOS STATIONS DIFFERS FROM THE NON-ASOS OBSERVATION TAKEN BY A HUMAN OBSERVER. ASOS STATION CLOUDINESS IS BASED ON TIME-AVERAGED CEILOMETER DATA FOR CLOUDS AT OR BELOW 12,000 FEET AND ON SATELLITE DATA FOR CLOUDS ABOVE 12,000 FEET. THE NUMBER OF DAYS WITH CLEAR, PARTLY CLOUDY, AND CLOUDY CONDITIONS FOR ASOS STATIONS IS THE SUM OF THE CEILOMETER AND SATELLITE DATA FOR THE SUNRISE TO SUNSET PERIOD.</p>	<p>GENERAL CONTINUED: CLEAR INDICATES 0 - 2 OKTAS, PARTLY CLOUDY INDICATES 3 - 6 OKTAS, AND CLOUDY INDICATES 7 OR 8 OKTAS. WHEN AT LEAST ONE OF THE ELEMENTS (CEILOMETER OR SATELLITE) IS MISSING, THE DAILY CLOUDINESS IS NOT COMPUTED. WIND DIRECTION IS RECORDED IN TENS OF DEGREES (2 DIGITS) CLOCKWISE FROM TRUE NORTH. "00" INDICATES CALM. "36" INDICATES TRUE NORTH. RESULTANT WIND IS THE VECTOR AVERAGE OF THE SPEED AND DIRECTION. AVERAGE TEMPERATURE IS THE SUM OF THE MEAN DAILY MAXIMUM AND MINIMUM TEMPERATURE DIVIDED BY 2. SNOWFALL DATA COMPRISE ALL FORMS OF FROZEN PRECIPITATION, INCLUDING HAIL. A HEATING (COOLING) DEGREE DAY IS THE DIFFERENCE BETWEEN THE AVERAGE DAILY TEMPERATURE AND 65° F. DRY BULB IS THE TEMPERATURE OF THE AMBIENT AIR. DEW POINT IS THE TEMPERATURE TO WHICH THE AIR MUST BE COOLED TO ACHIEVE 100 PERCENT RELATIVE HUMIDITY. WET BULB IS THE TEMPERATURE THE AIR WOULD HAVE IF THE MOISTURE CONTENT WAS INCREASED TO 100 PERCENT RELATIVE HUMIDITY.</p> <p>ON JULY 1, 1996, THE NATIONAL WEATHER SERVICE BEGAN USING THE "METAR" OBSERVATION CODE THAT WAS ALREADY EMPLOYED BY MOST OTHER NATIONS OF THE WORLD. THE MOST NOTICEABLE DIFFERENCE IN THIS ANNUAL PUBLICATION WILL BE THE CHANGE IN UNITS FROM TENTHS TO EIGHTHS(OKTAS) FOR REPORTING THE AMOUNT OF SKY COVER.</p>
---	---

1998  
JACKSON,  
MISSISSIPPI (JAN)

Jackson is located on the west bank of the Pearl River, about 45 miles east of the Mississippi River and 150 miles north of the Gulf of Mexico. The nearby terrain is gently rolling with no topographic features that appreciably influence the weather. The National Weather Service Office is nearly 7 miles east-northeast of the Jackson Post Office and over 5 miles southwest of the Ross Barnett Reservoir. Alluvial plains up to 3 miles wide extend along the river near Jackson, where some levees have been built on both sides of the river.

The climate is significantly humid during most of the year, with relatively short mild winters and long warm summers. The Gulf of Mexico has a moderating effect on the climate. Cold spells are fairly frequent in winter, but are usually of short duration. Sub-zero temperatures rarely occur. Temperatures occasionally exceed 80 degrees in mid-winter. In summer, temperatures reach 90 degrees or higher on about two-thirds of the days, 100 degree readings are infrequent. Extended periods of very hot weather are rare. On unusual occasions, temperatures at night may drop into the 50s, even in July or August.

Snowfall averages less than two inches per season, with nearly two-thirds of the seasons having only a trace of snow or none at all. Ice storms

occasionally cause major damage to trees and power lines during the winter or early spring season. Rainfall is abundant and fairly well-distributed throughout the year. The area does not have a true dry season. However, the six-month period, June through November, is relatively dry in comparison with the December through May period when 60 percent of the annual precipitation can be expected.

Excessive rainfall may occur in any season. In spite of the normally abundant rainfall, fairly serious droughts occasionally occur during the summer or fall season. Tropical disturbances, including hurricanes and their remnants, are infrequent. However, those that pass near or visit the Mississippi Coast in the summer or early fall may bring several days of heavy rain to the Jackson area.

Thunderstorms can be expected on an average of 65 days a year, usually occurring in each month. They are most frequent in summer when they occur on about one-third of the days. At other times of the year, thunderstorms are usually associated with passing weather systems and are likely to be attended by higher winds than in summer. Severe thunderstorms normally affect portions of the metropolitan area a few times each year.

# STATION LOCATION

JACKSON, MISSISSIPPI

LOCATION	OCCUPIED FROM	OCCUPIED TO	AIRLINE DISTANCES AND DIRECTIONS FROM PREVIOUS LOCATION	LATITUDE NORTH	LONGITUDE WEST	ELEVATION ABOVE											* Type	REMARKS
						SEA LEVEL	GROUND											
							WIND	WIND	WIND	WIND	WIND	WIND	WIND	WIND	WIND	WIND		
<b>COOPERATIVE</b>																		
A&V Depot, 430 S. State Street	6/1893	7/1899		32°18'	90°11'	a294											a - Approximate value. b - Ground exposure.	
Western Union Office 530 E. Capitol Street	8/1899	7/1906	1000' NW	32°18'	90°11'	a294												
136 Adams Street	8/1906	2/21/08	1.25 mi. W	32°18'	90°12'	a294												
* Board of Trade Bldg. 210 E. Capitol Street	2/21/08	3/19/10	1 mi. E	32°18'	90°11'	a294											* Office of 2nd Order Station appears to have moved, but thermometers and rain gage were apparently in SITU on Post Office lawn February 1908 - December 1929.	
* Board of Trade Bldg. 230-1/2 E. Capitol St.	3/19/10	12/31/20	No change	32°18'	90°11'	a294												
* Post Office Building 245 E. Capitol Street	1/01/21	11/30/29	No change	32°18'	90°11'	a294												
SW corner S. State St. and Silas Brown Street	12/1929	6/1931	1 mi. S	32°17'	90°11'	a294												
Jackson Municipal AP 701 E. Silas Brown St.	7/1931 7/1935	6/1935 5/1939	4 mi. NW 4 mi. SE	32°20' 32°17'	90°13' 90°11'	315 a204		5	5									
<b>AIRPORT</b>																		
Administration Building Jackson Municipal AP	6/1939	6/05/55	4 mi. NW	32°20'	90°13'	315	c46	d21	d21	c20	e21	e20					c - Approximate, 60 feet to 10/12/47. d - 5 feet to 10/12/47. e - 4 feet to 10/12/47.	
Operations Building Jackson Municipal AP Hawkins Field	6/06/55	7/08/63	200' WSW	32°20'	90°13'	305	#30	6	5		4	4	4				# - Moved 145' SE atop cross-roted pole 2/17/59.	
Terminal Building Allen C. Thompson Field Jackson Municipal AP	7/08/63	11/21/78	8.5 mi. E	32°19'	90°05'	g310	20	i47	i47		j4 m44	h5 k4	h4 k3	f5			f - Commissioned 2400 feet N of office 2/11/64. g - 330 feet to 2/11/64. h - 44 feet to 2/5/64. i - Decommissioned 3/10/64. j - Added 1/1/65. k - Elevation effective 9/13/67.	
Wea. Ser. Building Allen C. Thompson Field	11/21/78	Present	3475' NNW	32°19'	90°05'	291	33	NA	NA	6	n16 q6	n16 l6	n16 q6	5 p5	NA		m - Effective 8/11/73. n - Roof exposure. p - Type change 6/6/85. q - Moved to ground 02/01/89.	
																	S ASOS commissioned 07/01/93	

SUBSCRIPTION: Price and ordering information available through: National Climatic Data Center, Federal Building, Asheville, North Carolina 28801.  
INQUIRIES/COMMENTS CALL: (828) 271-4800

National Climatic Data Center  
151 Patton Avenue, Rm 120  
Asheville NC 28801-5001

OFFICIAL BUSINESS  
PENALTY FOR PRIVATE USE \$300  
FORWARD AND ADDRESS CORRECTION

FIRST CLASS  
POSTAGE & FEES PAID  
United States Department of Commerce  
NOAA Permit No. G - 19