
# 1999


# LOCAL CLIMATOLOGICAL DATA ANNUAL SUMMARY WITH COMPARATIVE DATA




FORT MYERS, FLORIDA (FMY)

ISSN 0198-1234







I CERTIFY THAT THIS IS AN OFFICIAL PUBLICATION OF THE NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION, AND IS COMPILED FROM RECORDS ON FILE AT THE NATIONAL CLIMATIC DATA CENTER.

NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION

NATIONAL ENVIRONMENTAL SATELLITE, DATA, AND INFORMATION SERVICE

NATIONAL CLIMATIC DATA CENTER ASHEVILLE, NORTH CAROLINA

DIRECTOR

NATIONAL CLIMATIC DATA CENTER

## METEOROLOGICAL DATA FOR 1999

FORT MYERS, FL (FMY)

LATITUDE: LONGITUDE: ELEVATION (FT): TIME ZONE: WBAN: 12835 26° 35′ 11″ N 81° 51′ 49″ W GRND: 18 EASTERN (UTC + 5) 18 BARO: ELEMENT MAT FEB MAR APR MAY JUL AUG SEP OCT NOV DEC YEAR MEAN DAILY MAXIMUM 76.5 76.5 79.7 86.7 87.9 88.4 90.5 90.6 88.1 84.7 79.7 74.8 83.7 HIGHEST DAILY MAXIMUM 85 83 86 93 92 92 95 94 92 91 85 82 95 23 27+ лит. 21 29+ 21 02 DATE OF OCCURRENCE 23 11 31 +14 +11 0.1 22+ 74.7 72 75.6 71 74.0 MEAN DAILY MINIMUM 56.2 54.8 54.6 64.1 66.3 72.0 69.2 59.9 56.0 64.8 57 51 38 LOWEST DAILY MINIMUM 38 41 42 51 55 67 67 41 DATE OF OCCURRENCE 05 23 05 19 02 08 12+ 02 23 25+ 04+ 26 JAN 05 AVERAGE DRY BULB 75.4 77.1 77.0 66.4 65.7 67.2 80.2 82.6 83.1 81.1 69.8 65.4 74.3 75.8 MEAN WET BULB 60.4 60.0 68.7 71.2 74.5 76.4 71.2 64.1 60.8 MEAN DEW POINT 56.6 55.1 65.3 68.7 72.7 74.2 74.1 68.8 60.8 57.8 NUMBER OF DAYS WITH: MAXIMUM ≥ 90° Λ Λ Λ Q q 1 0 23 2.0 15 Λ 89 MAXIMUM ≤ 32° 0 0 0 0 0 0 0 0 0 0 0 0 0 MINIMUM ≤ 32 Λ 0 0 0 0 0 Λ 0 0 0 Λ 0 0 MINIMUM ≤ 0 Ω Ω n 0 0 0 0 0 0 Ω Ω n 0 72 2.2 HEATING DEGREE DAYS 63 61 Λ Λ Λ Λ Λ 225 COOLING DEGREE DAYS 113 86 98 318 384 462 554 567 490 378 159 93 3702 MEAN (PERCENT) 79 77 70 75 79 85 81 83 81 77 80 79 HOUR 01 LST 92 90 84 90 95 95 93 93 93 90 89 91 91 HOUR 07 LST 96 94 91 93 96 95 93 94 96 94 92 93 94 HOUR 13 LST 60 54 46 51 54 66 62 66 68 64 58 61 59 HOUR 19 LST 74 71 76 78 79 77 76 76 65 83 82 M PERCENT POSSIBLE SUNSHINE NUMBER OF DAYS WITH: 0 HEAVY FOG(VISBY ≤ 1/4 MI) 8 0 77 THUNDERSTORMS 2 9 19 18 15 9 0 SUNRISE-SUNSET: (OKTAS) CEILOMETER ( $\leq$  12,000 FT.) SATELLITE (> 12,000 FT.) CLOUDINES MIDNIGHT-MIDNIGHT: (OKTAS) CEILOMETER ( $\leq 12,000$  FT.) SATELLITE (> 12,000 FT.) NUMBER OF DAYS WITH: CLEAR PARTLY CLOUDY CLOUDY MEAN STATION PRESS. (IN.) | 30.12 | 30.09 | 30.03 | 30.00 | 29.98 | MEAN SEA-LEVEL PRESS. (IN.) | 30.14 | 30.12 | 30.06 | 30.03 | 30.00 | 29.99 30.04 29.86 29.96 30.04 30.11 30.02 30.07 29.98 30.07 29.89 30.14 RESULTANT SPEED (MPH) 0.9 0.6 0.4 3.1 1.3 1.8 4.5 6.2 RES. DIR. (TENS OF DEGS.)
MEAN SPEED (MPH) 27 28 32 12 19 03 05 34 13 06 7.5 7.4 7.0 7.1 6.8 5.8 5.6 5.5 8.4 6.7 6.9 6.5 8.2 PREVAIL.DIR.(TENS OF DEGS.) 28 09 32 30 80 0.8 10 15 12 0.8 05 06 07 MAXIMUM 2-MINUTE WIND: SPEED (MPH) 22 48 29 30 30 48 30 32 23 21 38 38 36 DIR. (TENS OF DEGS.) 33 24 2.0 34 2.0 31 14 ٥7 05 02 1 0 12 31 DATE OF OCCURRENCE 03 JUN 04 28+ 14 17 2.1 04 17 0.2 14 15 0.5 +05 MAXIMUM 5-SECOND WIND: 30 33 59 37 45 25 59 SPEED (MPH) 43 38 46 43 44 30 DIR. (TENS OF DEGS.) 33 34 21 01 2.1 30 06 09 06 03 0.4 13 30 DATE OF OCCURRENCE 0.3 21 14 17 21 04 21 02 14 15 06 05 JUN 04 WATER EQUIVALENT: TOTAL (IN.) 2.34 0.19 0.85 0.66 3.46 10.90 8.04 9.41 8.29 1.83 1.53 1.50 49.00 GREATEST 24-HOUR (IN.) 1.18 0.11 0.73 0.49 1.11 2.01 1.56 1.61 2.60 1.05 1.27 0.88 2.60 DATE OF OCCURRENCE 23-24 18 14-15 17 21 08 01 02 20-21 04 01-02 18 SEP 20-21 NUMBER OF DAYS WITH: PRECIPITATION ≥ 0.01 8 3 3 3 8 22 18 18 19 11 125 PRECIPITATION ≥ 0.10 3 3 2 6 15 11 14 14 3 3 78 PRECIPITATION ≥ 1.00 1 n 0 Ω 1 Ω n 16 SNOW, ICE PELLETS, HAIL: TOTAL (IN.) GREATEST 24-HOUR (IN.) DATE OF OCCURRENCE MAXIMUM SNOW DEPTH (IN.) DATE OF OCCURRENCE NUMBER OF DAYS WITH: SNOWFALL ≥ 1.0

## NORMALS, MEANS, AND EXTREMES

FORT MYERS, FL (FMY)

ELEVATION (FT): LATITUDE: LONGITUDE: TIME ZONE: WBAN: 12835 26° 35′ 11″ N 81° 51′ 49″ W GRND: BARO: EASTERN (UTC + 5) 18 18 OCT POR FEB MAR APR MAY JUN JUL SEP NOV DEC ELEMENT JAN AUG YEAR 30 74.3 75.4 79.7 84.2 88.7 90.3 91.1 91.3 89.8 85.8 80.7 76.0 83.9 NORMAL DAILY MAXIMUM MEAN DAILY MAXIMUM 76.5 76.5 78.7 84.8 88.9 90.8 91.4 91.6 88.2 86.1 81.1 76.9 84.3 1 HIGHEST DAILY MAXIMUM 85 83 89 93 96 97 100 96 93 92 87 84 100 1999 1999 1999 1998 1998 1998 1998 1998 1998 YEAR OF OCCURRENCE 1998 1998 1998 JUL 1998 MEAN OF EXTREME MAXS. 85.0 83.0 87.5 91.0 94.0 94.5 97.5 95.0 92.5 91.5 86.0 83.0 90.0 NORMAL DAILY MINIMUM 30 53.2 54.2 58.6 62.0 67.9 73.1 74.5 74.7 74.2 68.6 60.9 55.1 64.8 67.7 MEAN DAILY MINIMUM 56.2 54.8 56.1 64.1 73.8 75.1 75.3 74.4 69.6 62.2 58.2 65.6 LOWEST DAILY MINIMUM 1 38 41 42 51 55 67 67 51 41 38 YEAR OF OCCURRENCE 1999 1999 1999 1999 1999 1999 1999 1999 1999 1999 1999 1999 JAN 1999 MEAN OF EXTREME MINS. 41.0 42.0 56.5 69.5 72.5 71.5 69.0 59.0 42.5 55.6 38.0 52.5 53.0 81.7 NORMAL DRY BULB 30 63.8 64.8 69.1 78.3 82.8 83.0 82.0 77.2 70.8 65.6 74.3 73.1 77.8 71.7 65.7 67.4 74.5 78.3 82.3 67.6 75.0 MEAN DRY BULB 66.4 83.3 83.4 81.3 MEAN WET BULB 60.4 60.0 68.7 71.2 74.5 71.2 76.8 75.8 64.1 63.1 MEAN DEW POINT 72.7 68.7 74.6 74.1 68.8 56.6 55.1 65.3 60.8 60.5 NORMAL NO. DAYS WITH: MAXIMUM ≥ 90° 0.0 0.1 3.3 0.5 13.2 19.8 24.6 24.6 19.0 5.8 0.5 0.5 111.9 30 MAXIMUM ≤ 32° 30 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 MINIMUM ≤ 32° 3.0 0.5 0.5 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 1.0 MINIMUM ≤ 0° 0.0 0.0 0.0 30 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 NORMAL HEATING DEG. DAYS 153 108 32 0 0 2.5 100 418 NORMAL COOLING DEG. DAYS 160 247 412 501 552 558 510 378 199 3855 30 116 103 119 75 73 72 70 78 3.0 72 79 76 76 75 76 NORMAL (PERCENT) ۸n 80 HOUR 01 LST 30 86 84 84 84 85 89 90 90 89 87 88 87 87 HOUR 07 LST 30 29 88 29 29 88 90 90 91 92 90 90 29 90 HOUR 13 LST 52 47 57 3.0 56 54 50 58 60 61 61 56 56 56 HOUR 19 LST 3 0 72 69 67 64 66 74 77 72 78 73 74 74 72 PERCENT POSSIBLE SUNSHINE MEAN NO. DAYS WITH: 0 HEAVY FOG(VISBY≤1/4 MI) 5.0 8.0 0.5 0.5 0.5 0.5 0.5 0.5 25.0 1.5 1.0 2.5 4.0 17.0 THINDERSTORMS 1 3.0 0.0 1.5 2.0 6.0 16.0 18.0 8.5 2.0 0.5 0.0 74.5 MEAN: CLOUDINESS SUNRISE-SUNSET (OKTAS) 4.0 4.0 1 MIDNIGHT-MIDNIGHT (OKTAS) MEAN NO. DAYS WITH: CLEAR 12.0 14.0 12.0 PARTLY CLOUDY 14.0 12.0 13.0 CLOUDY 5.0 3.0 6.0 30.12 30.09 30.03 30.00 29.98 29.99 30.03 |29.88|29.96|30.04|30.10 MEAN STATION PRESSURE(IN) MEAN SEA-LEVEL PRES. (IN) 30.14 | 30.12 | 30.06 | 30.03 | 30.00 | 30.02 | 30.06 29.89 29.98 30.07 30.13 MEAN SPEED (MPH) 7.1 6.8 8.2 7.8 6.4 6.0 5.4 5.6 6.9 7.8 6.6 6.8 6.8 PREVAIL.DIR(TENS OF DEGS) MAXIMUM 2-MINUTE: SPEED (MPH) 22 30 48 30 29 30 38 38 36 23 21 48 DIR. (TENS OF DEGS) 2.4 31 10 33 2.0 34 2.0 07 05 02 12 14 31 YEAR OF OCCURRENCE 1999 1999 1999 1999 1999 1999 1999 1999 1999 1999 1999 1999 JUN 1999 MAXIMUM 5-SECOND: 30 43 59 SPEED (MPH) 43 38 33 46 59 37 45 30 2.5 DIR. (TENS OF DEGS) 06 34 01 21 30 06 09 03 04 YEAR OF OCCURRENCE 1999 1999 1999 1999 1999 1999 1999 1999 1999 1999 1999 1999 JUN 1999 NORMAL (IN) 30 1.84 2.23 3.07 1.06 3.87 9.52 8.26 9.66 MAXIMUM MONTHLY (IN) 3.46 10.90 10.01 9.41 13.59 7.58 2.34 0.19 5.40 1.17 1.83 1.50 13.59 YEAR OF OCCURRENCE 1999 1999 1998 1998 1999 1999 1998 1999 1998 1999 1998 1999 SEP 1998 MINIMUM MONTHLY (IN) 2.34 0.19 0.85 0.66 2.56 6.53 8.04 8.69 8.29 0.57 1.53 1.07 0.19 YEAR OF OCCURRENCE 1999 1999 1999 1999 1998 1998 1999 1998 1999 1998 1999 1998 FEB 1999 MAXIMUM IN 24 HOURS (IN) 1 1.18 0.11 2.67 1.15 1.32 3.40 2.67 2.03 2.88 1.05 3.09 0.88 3.40 1998 1998 1999 1998 YEAR OF OCCURRENCE 1999 1999 1998 1998 1998 1998 1998 1999 JUN 1998 NORMAL NO. DAYS WITH: PRECIPITATION ≥ 0.01 30 5.6 5.8 5.5 3.1 7.4 14.9 17.3 17.6 14.6 6.7 4.4 4.3 107.2 PRECIPITATION > 1.0030 0.4 0.8 0.9 0.3 1.0 3.2 2.4 3.2 2.4 1.0 0.4 0.4 16.4 NORMAL (IN) MAXIMUM MONTHLY (IN) YEAR OF OCCURRENCE MAXIMUM IN 24 HOURS (IN) YEAR OF OCCURRENCE

MAXIMUM SNOW DEPTH (IN)
YEAR OF OCCURRENCE
NORMAL NO. DAYS WITH:
SNOWFALL ≥ 1.0

PRECIPITATION (inches) 1999 FORT MYERS, FL (FMY)

		`											
YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
1998			5 40	1.17	2.56	6.53	10.01	8.69	13.59	0.57	7.58	1.07	
1999	2.34	0.19	5.40 0.85	0.66	3.46	10.90	8.04	9.41	8.29	1.83	1.53	1.50	49.00
POR= 2 YRS	1.17	0.09	3.12	0.91	3.01	8.72	9.02	9.05	10.94	1.20	4.55	1.29	53.07

WBAN : 12835

AVERAGE TEMPERATURE (°F) 1999 FORT MYERS, FL (FMY)												WBAN : 12835		
YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL	
1998 1999	66.4	65.7	67.7 67.2	73.6 75.4	79.6 77.1	84.5 80.2	84.0 82.6	83.8 83.1	81.6 81.1	78.7 77.0	73.5 69.8	69.8 65.4	74.3	
POR= 2 YRS	33.2	32.9	67.5	74.5	78.4	82.4	83.3	83.5	81.4	77.9	71.7	67.6	69.5	

HEATING DEGREE DAYS (base 65°F) 1999 FORT MYERS, FL (FMY)

HEATIN	G DEGE	CEE DA.	is (bas	SE 05 F	) 1999	FURI	MIERS	, гь (	rmi /				
YEAR	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	TOTAL
1997-98 1998-99	0	0	0		1	22	63	61	58 22	0	0	0	180
1999-	0	0	0	0	1 7	33 72	0.5	01	22			U	100

COOLING DEGREE DAYS (base 65°F) 1999 FORT MYERS, FL (FMY)													
YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
1998 1999	113	86	149	263 318	459 384	592 462	596 554	588 567	507 490	431 378	262 159	187 93	3702

WBAN : 12835

YEAR	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	TOTAL
POR=													

WBAN: 12835

## REFERENCE NOTES:

THE TEMPERATURE GRAPH SHOWS NORMAL MAXIMUM AND NORMAL MINIMUM DAILY TEMPERATURES (SOLID CURVES) AND THE ACTUAL DAILY HIGH AND LOW TEMPERATURES (VERTICAL BARS).

### PAGE 2 AND 3:

H/C INDICATES HEATING AND COOLING DEGREE DAYS

RH INDICATES RELATIVE HUMIDITY

W/O INDICATES WEATHER AND OBSTRUCTIONS

S INDICATES SUNSHINE.

PR INDICATES PRESSURE.

CLOUDINESS ON PAGE 3 IS THE SUM OF THE CEILOMETER AND SATELLITE DATA NOT TO EXCEED EIGHT EIGHTHS(OKTAS).

## GENERAL:

T INDICATES TRACE PRECIPITATION, AN AMOUNT GREATER THAN ZERO BUT LESS THAN THE LOWEST REPORTABLE VALUE. INDICATES THE VALUE ALSO OCCURS ON EARLIER DATES. BLANK ENTRIES DENOTE MISSING OR UNREPORTED DATA. NORMALS ARE 30-YEAR AVERAGES (1961 - 1990). ASOS INDICATES AUTOMATED SURFACE OBSERVING SYSTEM. PM INDICATES THE LAST DAY OF THE PREVIOUS MONTH. POR (PERIOD OF RECORD) BEGINS WITH THE JANUARY DATA MONTH AND IS THE NUMBER OF YEARS USED TO COMPUTE THE MEAN. INDIVIDUAL MONTHS WITHIN THE POR MAY

BE MISSING. WHEN THE POR FOR A NORMAL IS LESS THAN 30 YEARS, THE NORMAL IS PROVISIONAL AND IS BASED ON THE NUMBER

OF YEARS INDICATED. 0.\* OR \* INDICATES THE VALUE OR MEAN-DAYS-WITH IS BETWEEN 0.00 AND 0.05.

CLOUDINESS FOR ASOS STATIONS DIFFERS FROM THE NON-ASOS OBSERVATION TAKEN BY A HUMAN OBSERVER. ASOS STATION CLOUDINESS IS BASED ON TIME-AVERAGED CEILOMETER DATA FOR CLOUDS AT OR BELOW 12,000 FEET AND ON SATELLITE DATA FOR CLOUDS ABOVE 12,000 FEET.

THE NUMBER OF DAYS WITH CLEAR, PARTLY CLOUDY, AND CLOUDY CONDITIONS FOR ASOS STATIONS IS THE SUM OF THE CEILOMETER AND SATELLITE DATA FOR THE SUNRISE TO SUNSET PERIOD.

### GENERAL CONTINUED:

CLEAR INDICATES 0 - 2 OKTAS, PARTLY CLOUDY INDICATES 3 - 6 OKTAS, AND CLOUDY INDICATES 7 OR 8 OKTAS. WHEN AT LEAST ONE OF THE ELEMENTS (CEILOMETER OR SATELLITE) IS MISSING, THE DAILY CLOUDINESS IS NOT COMPUTED.

WIND DIRECTION IS RECORDED IN TENS OF DEGREES (2 DIGITS) CLOCKWISE FROM TRUE NORTH. "00" INDICATES CALM. INDICATES TRUE NORTH.

RESULTANT WIND IS THE VECTOR AVERAGE OF THE SPEED AND DIRECTION

AVERAGE TEMPERATURE IS THE SUM OF THE MEAN DAILY MAXIMUM AND MINIMUM TEMPERATURE DIVIDED BY 2.

SNOWFALL DATA COMPRISE ALL FORMS OF FROZEN PRECIPITATION, INCLUDING HAIL.

A HEATING (COOLING) DEGREE DAY IS THE DIFFERENCE BETWEEN THE AVERAGE DAILY TEMPERATURE AND 65° F.

DRY BULB IS THE TEMPERATURE OF THE AMBIENT AIR.

DEW POINT IS THE TEMPERATURE TO WHICH THE AIR MUST BE COOLED TO ACHIEVE 100 PERCENT RELATIVE HUMIDITY. WET BULB IS THE TEMPERATURE THE AIR WOULD HAVE IF THE

MOISTURE CONTENT WAS INCREASED TO 100 PERCENT RELATIVE HUMIDITY.

ON JULY 1, 1996, THE NATIONAL WEATHER SERVICE BEGAN USING THE "METAR" OBSERVATION CODE THAT WAS ALREADY EMPLOYED BY MOST OTHER NATIONS OF THE WORLD. THE MOST NOTICEABLE DIFFERENCE IN THIS ANNUAL PUBLICATION WILL BE THE CHANGE IN UNITS FROM TENTHS TO EIGHTS(OKTAS) FOR REPORTING THE AMOUNT OF SKY COVER.

# 1999 FORT MYERS, FLORIDA (FMY)

Located on the south bank of the Caloosahatchee River, about 15 miles from the Gulf of Mexico, Fort Myers has a climate characterized as subtropical, with temperature extremes of both summer and winter tempered by the marine influence of the Gulf.

Temperatures generally range from the low 60s in winter to the low 80s in summer. Winters are mild, with many bright, warm days and moderately cool nights. Occasional cold snaps bring temperatures in the 30s, but only rarely do temperatures drop into the 20s. Frost occurs in the farming areas on only a few occasions each year, and usually is light and scattered. In the summer, temperatures have reached 100 degrees, but these occurrences are very rare.

About two-thirds of annual precipitation occurs during June through September. There are frequent long periods during the winter when only very light, or no rain falls. Most rain during the summer occurs as late afternoon or early evening thunderstorms, which bring welcome cooling on hot summer days. These showers seldom last long, even though they yield large amounts of rain. Exceptions are during the late summer or fall when tropical storms or hurricanes may pass near the Fort Myers area. These may result in heavy downpours that may reach torrential proportions. Twenty-four-hour amounts of from 6 to over 10 inches may occur.

The prevailing wind direction is east and, except during the passage of tropical storms, high velocities are not experienced. During winter and spring there are usually a few days with 20 to 30 mph winds and thunderstorms are sometimes accompanied by strong gusts for brief periods. Winds approximating 100 mph have been experienced with the passage of hurricanes during the fall months.

Thunderstorms have occurred during every month, but are infrequent from November to April. From June through September they occur on 2 out of every 3 days on an average, and as a general rule, in the late afternoons or early evenings. Heavy fog is rather infrequent, occurring mostly in winter during the early mornings. There is seldom a day without sunshine at some time.

Relative humidity is high during the night, dropping off in the middle of the day.

FORT MYERS, FLORIDA																
	L	L			ELEV	VATIO	ON A	BOVE				A U	* <u>Type</u>			
				Ť	Ň G	SEA LEVEL				ROUI	MD.	,	,		Ť	M = AMOS T = AUTOB
LOCATION	OCCUPIED FROM	OCCUPIED TO	AIRLINE DISTANCES AND DIRECTIONS FROM PREVIOUS LOCATION	AT IT UD E NORTH	ON G I T U D E WEST	GROUND TEMPERATURE	WHND HNSTRUMENTS	EXHREME THERMOMEHERM	PSYCHROMETER	SUNSHINE SWITCH	RAIN GAGE TIPPING BUCKET	WEIGHING RAIN GAGE	8 INCH RAIN GAGE	НҮСКОТНЕКМОМЕТЕК	EQUIPMENT *	S = ASOS W = AWOS
NOTE: For period October	r 1, 1891	through	November 3	1933, 1	refer to	previ	ous e	ditio	ns.							
SECOND ORDER																
U.S. Federal Building 1st Street between Lee & Jackson Streets	11/3/33	7/27/40	2300 ft. W	26°39'	81°52'	12	58	52	52				43			Exposure of instruments on roof good.
U.S. Federal Building 1st Street, Room 312 (4.25 mi. N of airport)	3/15/76	Present	NA	26°39'	81°52'	12	71	NA	NA	NA	60	a	NA	NA	NA	NWS moved from airport. Observations for in-house use only. a - Fischer-Porter raingage located at Page Field & operated by NWS.
AIRPORT											İ					
Airport Administration Building, Page Field (CAA Watch House)	7/28/40	4/4/42	3.75 mi. S	26°35'	81°52'	12	31	5	5			6	3			CAA Station established. Exposure of instruments good.
Airport Administration Building, Page Field (CAA Watch House)	4/2/42	3/21/44	1500 ft.NW	26°35'	81°52'	12	31	5	5			6	3			Building and instruments moved.
Airport Administration Building, Page Field (Army Operations Bldg.)	3/21/44	4/15/46	1900 ft.SE	26°35'	81°52'	15	31	5	5			6	3			WB Observations.
Airport Administration Building, Page Field (Army Operations Bldg.)	4/15/46	8/12/52	400 ft. SE	26°35'	81°52'	15	31	5	5			6	3			CAA Observations. WB public service.
Airport Administration Building, Page Field	8/12/52	12/7/59	55 ft. SSW	26°35'	81°52'	15	41	5	5			6	3			Office relocated in same building as above. Thermometers 70 feet S of former location.
FAA-WB Building + Page Field	12/7/59	10/01/95	3500 ft.SW	26°35'	81°52'	c13	d20	5 j	i5	NA	NA	5 f6 q3	3	NA b4 e4 h4	NA	OFFICE PERCOATED IN SAME DULLG- lng as above. Thermometers 70 feet S of former location. b - Commissioned 1980' NE of thermometer site 6/24/60. - Effectle 6/24/60',765 d - Moved 325' SSE 11/18/65. e - Moved 325' SSE 11/18/65.
+ FAA Building (Effective 3/15/76)	03/01/98	Present	NA.	26°35'	81°52'	18								h4		e - Moved 325' SSE 11/18/65. f - Fischer-Porter raingage installed 9/17/75, operated by NWS. Weighing raingage removed 10/17/5 FAA observations effective 3/15/76. g - (see f) Minor move 12/15/83. h - Type change 12/15/85. j - Minor move 12/15/85. j - Removed 12/15/85. k - closed 10/95 reopened 03/01/98
SIBSCRIPTION:	03/01/90	FIESEIL	IVA	20 33	01 32	10									s	ASOS Commissioned 06/10/98

National Climatic Data Center 151 Patton Avenue, Rm 120 Asheville NC 28801-5001

OFFICIAL BUSINESS PENALTY FOR PRIVATE USE \$300 FORWARD AND ADDRESS CORRECTION FIRST CLASS
POSTAGE & FEES PAID
United States Department of Commerce
NOAA Permit No. G - 19