

2000



# LOCAL CLIMATOLOGICAL DATA ANNUAL SUMMARY WITH COMPARATIVE DATA



SAN FRANCISCO, CALIFORNIA  
DOWNTOWN (7772)

ISSN 0198-0998

## Daily Data



I CERTIFY THAT THIS IS AN OFFICIAL PUBLICATION OF THE NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION, AND IS COMPILED FROM RECORDS ON FILE AT THE NATIONAL CLIMATIC DATA CENTER.

NATIONAL  
OCEANIC AND  
ATMOSPHERIC ADMINISTRATION

NATIONAL  
ENVIRONMENTAL SATELLITE, DATA,  
AND INFORMATION SERVICE

NATIONAL  
CLIMATIC DATA CENTER  
ASHEVILLE, NORTH CAROLINA

DIRECTOR  
NATIONAL CLIMATIC DATA CENTER

# METEOROLOGICAL DATA FOR 2000

## SAN FRANCISCO C.O., CA (7772)

LATITUDE: 37° 46' 0" N      LONGITUDE: 122° 26' 0" W      ELEVATION (FT): GRND: 75      BARO: 75      TIME ZONE: PACIFIC (UTC + 8)      WBAN: 23272

ELEMENT		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	YEAR	
TEMPERATURE °F	MEAN DAILY MAXIMUM	57.4	58.8	61.5	63.4	64.8	65.8	63.8	67.2	72.3	65.1	60.0	60.3	63.4	
	HIGHEST DAILY MAXIMUM	62	66	82	83	90	103	71	80	92	78	74	65	103	
	DATE OF OCCURRENCE	27+	19+	31	01	21	14	31	01	17	23+	03	28	JUN 14	
	MEAN DAILY MINIMUM	47.9	48.9	48.3	50.8	51.7	53.2	52.8	54.2	57.1	53.9	47.6	47.6	51.2	
	LOWEST DAILY MINIMUM	42	42	42	46	46	49	51	52	51	48	42	42	42	
	DATE OF OCCURRENCE	02	24	08	29	12	04	25+	25+	12	31	13	19	DEC 19	
	AVERAGE DRY BULB	52.7	53.9	54.9	57.1	58.3	59.5	58.3	60.7	64.7	59.5	53.8	54.0	57.3	
	MEAN WET BULB														
	MEAN DEW POINT														
	NUMBER OF DAYS WITH:														
	MAXIMUM ≥ 90°	0	0	0	0	1	1	0	0	2	0	0	0	0	4
MAXIMUM ≤ 32°	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
MINIMUM ≤ 32°	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
MINIMUM ≤ 0°	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
H/C	HEATING DEGREE DAYS	374	318	312	237	217	186	197	131	62	168	327	336	2865	
	COOLING DEGREE DAYS	0	0	7	11	16	27	0	4	61	7	0	0	133	
RH	MEAN (PERCENT)														
	HOUR 04 LST														
	HOUR 10 LST														
	HOUR 16 LST														
	HOUR 22 LST														
S	PERCENT POSSIBLE SUNSHINE														
W/O	NUMBER OF DAYS WITH:														
	HEAVY FOG (VISBY ≤ 1/4 MI)														
	THUNDERSTORMS														
CLOUDINESS	AVG. SKY COVER (OKTAS)														
	SUNRISE - SUNSET														
	MIDNIGHT - MIDNIGHT														
	NUMBER OF DAYS WITH:														
	CLEAR														
	PARTLY CLOUDY														
	CLOUDY														
PR	MEAN STATION PRESS. (IN.)														
	MEAN SEA-LEVEL PRESS. (IN.)														
WINDS	RESULTANT SPEED (MPH)														
	RES. DIR. (TENS OF DEGS.)														
	MEAN SPEED (MPH)														
	PREVAIL.DIR.(TENS OF DEGS.)														
	MAXIMUM 2-MINUTE WIND:														
	SPEED (MPH)														
	DIR. (TENS OF DEGS.)														
	DATE OF OCCURRENCE														
	PEAK GUST :														
	SPEED (MPH)														
DIR. (TENS OF DEGS.)															
DATE OF OCCURRENCE															
PRECIPITATION	WATER EQUIVALENT:														
	TOTAL (IN.)	6.41	8.96	2.04	1.66	1.40	0.16	0.02	0.02	0.21	2.38	0.85	0.90	25.01	
	GREATEST 24-HOUR (IN.)	2.20	2.08	1.05	1.05	0.84	0.16	0.02	0.02	0.14	1.12	0.37	0.43	2.20	
	DATE OF OCCURRENCE	24	13	07-08	16-17	07-08	07-08	21	07	01	25-26	28	14-15	JAN 24	
	NUMBER OF DAYS WITH:														
	PRECIPITATION ≥ 0.01	16	21	8	5	5	2	1	1	3	7	6	7	82	
PRECIPITATION ≥ 0.10	9	15	4	5	4	1	0	0	1	5	3	4	51		
PRECIPITATION ≥ 1.00	2	2	0	0	0	0	0	0	0	0	0	0	4		
SNOWFALL	SNOW, ICE PELLETS, HAIL:														
	TOTAL (IN.)														
	GREATEST 24-HOUR (IN.)														
	DATE OF OCCURRENCE														
	MAXIMUM SNOW DEPTH (IN.)														
DATE OF OCCURRENCE															
NUMBER OF DAYS WITH:															
SNOWFALL ≥ 1.0															

# NORMALS, MEANS, AND EXTREMES

SAN FRANCISCO C.O., CA (7772)

LATITUDE: 37° 46' 0 " N      LONGITUDE: 122° 26' 0 " W      ELEVATION (FT): GRND: 75      BARO: 75      TIME ZONE: PACIFIC (UTC + 8)      WBAN: 23272

ELEMENT		POR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	YEAR
TEMPERATURE °F	NORMAL DAILY MAXIMUM	30	56.3	60.0	60.8	62.1	62.7	64.1	64.6	65.6	68.7	68.7	62.7	56.4	62.7
	MEAN DAILY MAXIMUM	80	56.2	59.9	61.4	62.9	64.0	66.1	65.9	66.7	69.9	69.1	62.9	57.3	63.5
	HIGHEST DAILY MAXIMUM	64	79	81	83	94	96	103	103	98	101	102	86	76	103
	YEAR OF OCCURRENCE		1962	1986	1996	1989	1976	2000	1988	1993	1971	1987	1966	1958	JUN 2000
	MEAN OF EXTREME MAXS.	80	65.7	70.0	74.8	79.1	81.6	83.9	80.3	81.2	88.6	86.0	74.6	66.4	77.7
	NORMAL DAILY MINIMUM	30	45.8	48.7	49.0	49.8	50.5	52.6	53.5	54.6	55.9	55.2	51.6	47.0	51.2
	MEAN DAILY MINIMUM	80	45.6	48.0	49.0	49.8	51.2	53.1	53.7	54.5	55.6	54.6	50.5	46.9	51.0
	LOWEST DAILY MINIMUM	64	30	31	38	40	44	47	47	48	48	45	40	28	28
	YEAR OF OCCURRENCE		1937	1989	1942	1999	1999	1999	1953	1969	1955	1949	1994	1990	DEC 1990
	MEAN OF EXTREME MINS.	80	39.2	42.1	43.8	45.2	47.7	49.9	50.7	51.5	51.8	50.0	44.9	40.4	46.4
	NORMAL DRY BULB	30	51.1	54.4	54.9	56.0	56.6	58.4	59.1	60.1	62.3	62.0	57.2	51.7	57.0
	MEAN DRY BULB	80	50.9	53.9	55.1	56.4	57.7	59.5	59.8	60.6	62.8	61.9	56.7	52.1	57.3
	MEAN WET BULB														
	MEAN DEW POINT														
	NORMAL NO. DAYS WITH:														
MAXIMUM ≥ 90°	30	0.0	0.0	0.0	0.2	0.3	0.5	0.2	0.1	1.1	0.5	0.0	0.0	2.9	
MAXIMUM ≤ 32°	30	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
MINIMUM ≤ 32°	30	*	*	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.2	
MINIMUM ≤ 0°	30	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
H/C	NORMAL HEATING DEG. DAYS	30	431	297	313	275	260	198	187	156	116	123	237	412	3005
	NORMAL COOLING DEG. DAYS	30	0	0	0	0	0	0	0	0	35	30	0	0	65
RH	NORMAL (PERCENT)														
	HOUR 04 LST														
	HOUR 10 LST														
	HOUR 16 LST														
	HOUR 22 LST														
S	PERCENT POSSIBLE SUNSHINE	38	56	62	69	73	72	73	66	65	72	70	62	53	66
W/O	MEAN NO. DAYS WITH:														
	HEAVY FOG(VISBY≤1/4 MI) THUNDERSTORMS	29	0.3	0.2	0.0 0.1	0.0 0.3	0.0 0.2	0.0 0.1	0.0 0.2	0.0 0.0	0.0 0.3	0.0 0.2	0.0 0.1	0.0 0.3	2.3
CLOUDINESS	MEAN:														
	SUNRISE-SUNSET (OKTAS)														
	MIDNIGHT-MIDNIGHT (OKTAS)														
	MEAN NO. DAYS WITH:														
CLEAR															
PARTLY CLOUDY															
CLOUDY															
PR	MEAN STATION PRESSURE(IN)														
	MEAN SEA-LEVEL PRES. (IN)														
WINDS	MEAN SPEED (MPH)	28	6.7	7.5	8.5	9.5	10.4	10.9	11.2	10.5	9.1	7.6	6.3	6.5	8.7
	PREVAIL.DIR(TENS OF DEGS)														
	FASTEST MILE:														
	SPEED (MPH)	36	47	47	44	38	38	40	38	34	32	43	41	45	47
	DIR.		SE	SW	S	W	W	W	W	W	W	SE	S	SE	SE
YEAR OF OCCURRENCE		1965	1938	1948	1965	1965	1965	1939	1966	1956	1950	1953	1965	JAN 1965	
PEAK GUST :															
SPEED (MPH)															
DIR. (TENS OF DEGS)															
YEAR OF OCCURRENCE															
PRECIPITATION	NORMAL (IN)	30	4.06	2.95	3.07	1.29	0.25	0.15	0.04	0.07	0.26	1.26	3.21	3.10	19.71
	MAXIMUM MONTHLY (IN)	64	12.08	14.89	9.04	5.47	3.92	1.42	0.62	0.78	2.06	5.51	10.49	11.47	14.89
	YEAR OF OCCURRENCE		1998	1998	1983	1958	1998	1967	1974	1976	1959	1962	1994	1955	FEB 1998
	MINIMUM MONTHLY (IN)	64	0.31	0.04	0.07	T	0.00	0.00	0.00	0.00	0.00	0.00	T	0.00	0.00
	YEAR OF OCCURRENCE		1976	1953	1988	1949	1982	1983	1982	1982	1980	1980	1959	1989	DEC 1989
	MAXIMUM IN 24 HOURS (IN)	64	4.22	2.93	3.65	2.36	1.47	1.36	0.61	0.54	2.06	3.11	6.19	3.69	6.19
	YEAR OF OCCURRENCE		1982	1998	1940	1953	1990	1967	1974	1997	1959	1962	1994	1995	NOV 1994
	NORMAL NO. DAYS WITH:														
PRECIPITATION ≥ 0.01	30	10.1	9.2	10.2	5.9	2.5	1.2	0.3	0.8	2.0	4.3	9.8	10.8	67.1	
PRECIPITATION ≥ 1.00	30	1.2	0.6	0.6	0.2	*	*	0.0	0.0	0.0	0.5	0.7	0.4	4.2	
SNOWFALL	NORMAL (IN)	30	T	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAXIMUM MONTHLY (IN)	42	T	T	T	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	T	T
	YEAR OF OCCURRENCE		1962	1951	1951									1972	DEC 1972
	MAXIMUM IN 24 HOURS (IN)	38	T	T	T	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	T	T
	YEAR OF OCCURRENCE		1962	1951	1951									1941	MAR 1951
	MAXIMUM SNOW DEPTH (IN)	52	0	0	0	0	0	0	0	0	0	0	0	0	0
	YEAR OF OCCURRENCE														
NORMAL NO. DAYS WITH:															
SNOWFALL ≥ 1.0	30	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	

PRECIPITATION (inches) 2000 SAN FRANCISCO, CALIFORNIA CA (7772)

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
1971	2.04	0.26	2.91	0.72	0.19	T	0.01	0.01	0.22	0.11	1.92	3.93	12.32
1972	1.32	2.13	0.23	1.07	T	0.11	0.01	0.04	0.54	5.41	6.40	3.53	20.79
1973	9.38	6.32	2.63	0.02	0.08	0.00	0.00	0.00	0.30	1.62	7.80	3.65	31.80
1974	3.40	1.53	4.49	2.34	0.00	0.10	0.62	0.00	0.00	0.85	0.40	1.53	15.26
1975	2.57	3.72	5.15	1.25	0.02	0.04	0.20	0.02	0.00	2.44	0.43	0.18	16.02
1976	0.31	1.83	1.01	0.70	0.01	0.03	0.00	0.78	0.51	0.38	1.04	2.13	8.73
1977	1.65	0.90	2.01	0.05	0.57	0.00	0.00	0.03	0.86	0.17	1.96	3.30	11.50
1978	6.20	3.54	5.20	3.82	0.00	0.00	0.00	0.00	0.20	0.00	1.67	0.89	21.52
1979	6.74	4.96	1.58	0.87	0.15	0.00	0.07	0.00	0.01	1.66	2.98	3.10	22.12
1980	3.77	4.84	1.25	0.97	0.23	0.02	0.04	0.00	0.00	0.00	0.14	2.95	14.21
1981	4.00	1.78	3.71	0.17	0.12	0.00	0.00	0.00	0.22	1.74	3.73	4.15	19.62
1982	6.84	3.26	7.65	3.03	0.00	0.06	0.00	0.00	0.72	2.79	5.62	2.22	32.19
1983	5.77	8.06	9.04	3.48	0.47	0.00	0.01	0.06	0.68	0.26	8.20	7.72	43.75
1984	0.50	2.34	1.32	0.92	0.16	0.30	0.00	0.24	0.10	2.94	7.45	2.10	18.37
1985	0.59	1.98	3.94	0.27	0.09	0.31	0.00	0.00	0.38	0.80	4.83	2.47	15.66
1986	4.77	8.29	6.25	0.76	0.13	0.00	0.03	0.01	1.32	0.11	0.20	1.64	23.51
1987	4.26	3.77	2.31	0.14	0.06	0.01	0.00	0.00	0.00	1.07	3.09	5.09	19.80
1988	4.93	0.40	0.07	1.73	0.66	0.70	0.00	0.00	0.00	0.64	3.70	4.23	17.06
1989	1.26	1.49	5.28	0.70	0.06	0.07	0.00	0.05	0.98	1.18	1.33	0.00	12.40
1990	4.02	2.45	1.34	0.58	2.38	0.01	0.00	0.04	0.12	0.20	0.52	1.94	13.60
1991	0.60	3.29	5.89	1.07	0.36	0.05	0.00	0.42	0.00	2.35	0.50	2.32	16.85
1992	2.09	6.34	4.41	0.38	0.00	0.39	0.00	0.02	0.00	1.16	0.40	6.03	21.22
1993	9.82	4.48	2.90	0.71	0.87	0.27	0.00	0.00	0.00	0.33	2.16	2.25	23.79
1994	2.77	4.87	0.35	1.12	1.31	0.06	0.00	0.00	0.22	0.33	10.49	2.69	24.21
1995	8.97	0.24	7.88	1.61	0.97	0.62	0.00	0.00	0.00	0.06	0.08	8.13	28.56
1996	6.71	5.28	1.28	1.56	1.79	0.00	0.00	0.00	0.04	1.05	4.73	7.63	30.07
1997	7.59	0.32	0.58	0.29	0.16	0.30	0.00	0.73	0.04	1.00	6.97	2.77	20.75
1998	12.08	14.89	2.54	2.13	3.92	0.15	0.01	0.01	0.09	0.91	4.02	1.42	42.17
1999	4.41	7.35	2.34	2.62	0.23	0.12	0.00	0.10	0.59	0.65	2.32	0.62	21.35
2000	6.41	8.96	2.04	1.66	1.40	0.16	0.02	0.02	0.21	2.38	0.85	0.90	25.01
POR= 151 YRS	4.51	3.27	2.84	1.33	0.48	0.16	0.02	0.08	0.25	1.07	2.87	3.37	20.25

WBAN : 23272

AVERAGE TEMPERATURE (°F) 2000 SAN FRANCISCO, CALIFORNIA CA (7772)

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
1971	50.8	51.9	53.3	53.1	54.6	57.3	57.5	61.1	64.7	57.8	55.6	49.0	55.6
1972	48.5	54.0	55.8	55.5	55.5	57.5	60.9	60.2	61.5	61.7	54.9	47.2	56.1
1973	50.1	54.9	52.5	57.2	56.3	60.7	58.6	57.1	61.3	61.0	55.3	52.0	56.4
1974	51.1	52.2	53.3	55.4	54.9	58.2	59.6	59.9	60.3	62.2	56.6	51.1	56.2
1975	51.0	53.3	53.1	51.9	57.2	56.9	58.9	59.5	59.5	59.7	55.6	53.4	55.8
1976	53.4	52.8	52.5	54.1	56.8	61.5	59.2	62.5	62.2	62.8	60.4	54.6	57.7
1977	49.9	56.1	53.2	56.1	55.3	57.1	59.0	61.6	62.0	60.6	58.6	54.9	57.0
1978	55.0	55.2	59.0	56.3	60.7	58.9	58.4	60.6	65.5	61.9	55.9	49.6	58.1
1979	51.0	52.9	55.7	56.5	59.2	58.6	60.2	60.8	66.3	63.2	57.7	55.4	58.1
1980	53.0	57.2	56.0	56.9	55.4	57.9	59.5	58.0	61.3	62.0	58.3	53.4	57.4
1981	52.4	56.1	54.9	55.8	56.8	62.2	57.8	59.2	60.4	59.3	58.3	54.0	57.3
1982	48.5	55.0	52.8	55.6	55.8	56.3	57.9	60.1	62.6	62.8	54.4	52.2	56.2
1983	49.4	54.6	55.3	56.8	59.7	61.8	63.4	65.9	67.1	64.0	56.1	52.8	58.9
1984	51.6	52.6	56.7	54.2	59.9	59.7	63.9	62.8	69.4	61.5	56.0	50.9	58.3
1985	50.0	56.0	53.2	59.8	58.1	63.9	64.1	64.1	64.1	63.2	55.0	51.3	58.6
1986	56.6	58.9	60.4	58.6	60.0	63.2	62.8	61.9	62.8	63.6	60.2	52.5	60.1
1987	51.8	56.4	57.1	60.5	61.1	60.5	61.5	63.5	63.8	65.1	58.8	52.3	59.4
1988	52.8	57.7	59.1	58.8	59.1	61.1	64.2	64.0	63.1	61.5	57.3	53.3	59.3
1989	51.3	50.0	55.4	60.9	59.3	61.6	62.4	63.0	61.8	62.0	58.8	52.6	58.3
1990	52.8	52.0	54.9	59.2	59.0	62.4	62.9	65.3	66.0	64.2	58.0	49.1	58.8
1991	53.4	57.9	53.2	57.1	56.8	58.6	61.3	63.0	63.1	64.4	60.1	53.4	58.5
1992	51.5	58.4	59.2	62.6	62.7	62.5	65.1	63.8	65.8	66.7	59.8	51.7	60.8
1993	51.1	53.8	59.0	59.4	62.5	65.9	63.4	66.6	63.4	64.3	58.2	51.5	59.9
1994	53.7	52.7	58.1	57.6	58.7	61.1	59.7	63.4	63.7	62.2	51.9	49.6	57.7
1995	54.1	56.9	56.2	56.9	57.4	61.7	66.0	64.1	64.7	64.6	60.9	55.5	59.9
1996	54.1	57.1	58.8	61.4	61.7	62.8	63.7	63.7	63.6	62.8		55.9	
1997	52.7	56.1	58.2	58.1	62.6	61.6	62.3	65.8	67.8	62.5	59.3	53.9	60.1
1998	53.6	52.7	55.7	55.5	56.6	59.3	60.1	61.1	61.7	60.6	55.2	50.0	56.8
1999	50.5	51.5	51.2	54.9	53.7	56.4	58.7	60.9	61.5	62.4	57.8	54.2	56.1
2000	52.7	53.9	54.9	57.1	58.3	59.5	58.3	60.7	64.7	59.5	53.8	54.0	57.3
POR= 126 YRS	50.5	53.3	54.6	55.9	57.2	59.1	58.7	59.5	62.2	61.3	56.5	51.7	56.7

HEATING DEGREE DAYS (base 65°F) 2000 SAN FRANCISCO, CALIFORNIA CA (7772)

YEAR	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	TOTAL
1971-72	225	120	85	229	275	490	506	312	279	278	287	226	3312
1972-73	144	139	110	115	298	546	455	277	380	225	267	167	3123
1973-74	199	239	137	134	285	396	423	353	354	284	309	202	3315
1974-75	167	153	153	119	243	422	428	320	360	386	257	238	3246
1975-76	185	170	177	164	276	352	353	344	378	321	262	179	3161
1976-77	173	86	114	102	152	315	463	242	359	261	294	233	2794
1977-78	197	116	93	139	187	304	304	269	188	254	154	177	2382
1978-79	196	137	43	138	268	471	431	332	281	250	185	197	2929
1979-80	151	125	23	64	213	293	366	221	275	240	291	218	2480
1980-81	165	212	132	128	201	350	384	243	304	284	248	121	2772
1981-82	220	175	136	174	196	334	506	273	369	278	281	253	3195
1982-83	210	151	82	90	311	391	478	283	296	238	174	112	2816
1983-84	83	14	30	52	257	369	408	354	251	321	172	159	2470
1984-85	70	84	19	117	263	430	459	254	359	173	209	57	2494
1985-86	71	49	35	99	302	419	254	172	146	196	154	67	1964
1986-87	78	93	63	84	152	383	399	233	243	140	154	147	2169
1987-88	106	52	50	60	179	387	370	207	183	197	196	125	2112
1988-89	60	53	79	137	229	358	419	416	289	171	181	129	2521
1989-90	86	68	94	113	183	377	371	357	305	170	188	97	2409
1990-91	74	23	8	56	204	487	351	192	358	234	248	188	2423
1991-92	129	74	74	74	150	350	414	186	171	87	75	76	1860
1992-93	30	51	28	31	163	406	423	310	178	163	90	49	1922
1993-94	73	33	74	63	204	411	346	339	211	215	188	134	2291
1994-95	163	70	54	95	384	471	331	221	268	236	227	133	2653
1995-96	30	63	43	68	117	286	334	226	191	139	131	109	1737
1996-97	69	58	74	112		275	375	242	206	200	110	97	
1997-98	83	16	4	100	184	338	345	339	284	282	253	165	2393
1998-99	156	127	107	145	287	458	441	373	421	314	341	252	3422
1999-00	192	126	135	115	215	326	374	318	312	237	217	186	2753
2000-	197	131	62	168	327	336							

WBAN : 23272

COOLING DEGREE DAYS (base 65°F) 2000 SAN FRANCISCO, CALIFORNIA CA (7772)

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
1971	0	0	0	0	0	7	0	6	83	12	0	0	108
1972	0	0	3	0	1	4	22	0	13	20	0	0	63
1973	0	0	0	2	5	43	8	0	34	15	0	0	107
1974	0	0	0	3	4	3	4	3	19	41	0	0	77
1975	0	0	0	0	23	0	4	8	15	5	0	0	55
1976	0	0	0	0	16	82	0	15	37	41	15	0	206
1977	0	0	0	0	0	1	18	17	8	8	0	0	52
1978	0	0	8	2	30	0	0	6	65	46	3	0	160
1979	0	0	0	0	11	13	10	3	72	16	0	0	125
1980	0	0	0	5	0	12	2	3	29	43	3	0	97
1981	0	0	0	13	1	44	6	3	3	5	2	0	77
1982	0	0	0	7	1	0	0	8	16	27	0	0	59
1983	0	0	0	0	16	21	41	50	101	27	0	0	256
1984	0	0	0	5	20	5	42	20	158	14	0	0	264
1985	0	7	0	24	2	28	50	27	16	49	8	0	211
1986	0	7	10	8	6	22	17	1	4	49	12	0	136
1987	0	0	5	12	38	19	5	14	22	68	0	0	183
1988	0	3	6	18	20	12	42	27	30	34	3	0	195
1989	0	0	0	56	9	35	15	12	5	28	2	0	162
1990	0	0	0	5	8	25	18	39	45	40	1	0	181
1991	0	0	0	3	1	5	20	20	26	62	9	0	146
1992	0	2	0	21	13	9	41	23	61	93	10	0	273
1993	0	0	0	1	21	82	32	88	31	48	7	0	310
1994	0	0	5	0	3	22	4	29	24	19	0	0	106
1995	0	0	0	3	0	40	70	43	43	63	4	0	266
1996	0	3	4	39	38	49	34	26	37	53		0	
1997	0	0	7	1	44	2	5	47	97	30	24	0	257
1998	0	0	0	2	0	2	11	12	17	15	0	0	59
1999	0	0	0	17	0	1	4	5	38	40	3	0	108
2000	0	0	7	11	16	27	0	4	61	7	0	0	133

SNOWFALL (inches) 2000 SAN FRANCISCO, CALIFORNIA CA (7772)

YEAR	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	TOTAL
1967-68	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1968-69	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1969-70	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1970-71	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1971-72	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1972-73	0.0	0.0	0.0	0.0	0.0	T	0.0	0.0	0.0	0.0			
1973-74													
1975-76													
1976-77													
1977-78													
1978-79													
1979-80													
1980-81													
1981-82													
1982-83													
1983-84													
1984-85													
1996-97													
1997-98							0.0	0.0	0.0	0.0	0.0	0.0	0.0
1998-99	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1999-00	0.0	0.0	0.0										
2000-													
POR= 38 YRS	0.0	0.0	0.0	0.0	0.0	T	T	T	T	0.0	0.0	0.0	T

WBAN : 23272

REFERENCE NOTES:

<p>PAGE 1: THE TEMPERATURE GRAPH SHOWS NORMAL MAXIMUM AND NORMAL MINIMUM DAILY TEMPERATURES (SOLID CURVES) AND THE ACTUAL DAILY HIGH AND LOW TEMPERATURES (VERTICAL BARS).</p> <p>PAGE 2 AND 3: H/C INDICATES HEATING AND COOLING DEGREE DAYS. RH INDICATES RELATIVE HUMIDITY W/O INDICATES WEATHER AND OBSTRUCTIONS S INDICATES SUNSHINE. PR INDICATES PRESSURE. CLOUDINESS ON PAGE 3 IS THE SUM OF THE CEILOMETER AND SATELLITE DATA NOT TO EXCEED EIGHT EIGHTHS(OKTAS).</p> <p>GENERAL: T INDICATES TRACE PRECIPITATION, AN AMOUNT GREATER THAN ZERO BUT LESS THAN THE LOWEST REPORTABLE VALUE. + INDICATES THE VALUE ALSO OCCURS ON EARLIER DATES. BLANK ENTRIES DENOTE MISSING OR UNREPORTED DATA. NORMALS ARE 30-YEAR AVERAGES (1961 - 1990). ASOS INDICATES AUTOMATED SURFACE OBSERVING SYSTEM. PM INDICATES THE LAST DAY OF THE PREVIOUS MONTH. POR (PERIOD OF RECORD) BEGINS WITH THE JANUARY DATA MONTH AND IS THE NUMBER OF YEARS USED TO COMPUTE THE MEAN. INDIVIDUAL MONTHS WITHIN THE POR MAY BE MISSING. WHEN THE POR FOR A NORMAL IS LESS THAN 30 YEARS, THE NORMAL IS PROVISIONAL AND IS BASED ON THE NUMBER OF YEARS INDICATED. 0.* OR * INDICATES THE VALUE OR MEAN-DAYS-WITH IS BETWEEN 0.00 AND 0.05. CLOUDINESS FOR ASOS STATIONS DIFFERS FROM THE NON-ASOS OBSERVATION TAKEN BY A HUMAN OBSERVER. ASOS STATION CLOUDINESS IS BASED ON TIME-AVERAGED CEILOMETER DATA FOR CLOUDS AT OR BELOW 12,000 FEET AND ON SATELLITE DATA FOR CLOUDS ABOVE 12,000 FEET. THE NUMBER OF DAYS WITH CLEAR, PARTLY CLOUDY, AND CLOUDY CONDITIONS FOR ASOS STATIONS IS THE SUM OF THE CEILOMETER AND SATELLITE DATA FOR THE SUNRISE TO SUNSET PERIOD.</p>	<p>GENERAL CONTINUED: CLEAR INDICATES 0 - 2 OKTAS, PARTLY CLOUDY INDICATES 3 - 6 OKTAS, AND CLOUDY INDICATES 7 OR 8 OKTAS. WHEN AT LEAST ONE OF THE ELEMENTS (CEILOMETER OR SATELLITE) IS MISSING, THE DAILY CLOUDINESS IS NOT COMPUTED. WIND DIRECTION IS RECORDED IN TENS OF DEGREES (2 DIGITS) CLOCKWISE FROM TRUE NORTH. "00" INDICATES CALM. "36" INDICATES TRUE NORTH. RESULTANT WIND IS THE VECTOR AVERAGE OF THE SPEED AND DIRECTION. AVERAGE TEMPERATURE IS THE SUM OF THE MEAN DAILY MAXIMUM AND MINIMUM TEMPERATURE DIVIDED BY 2. SNOWFALL DATA COMPRISE ALL FORMS OF FROZEN PRECIPITATION, INCLUDING HAIL. A HEATING (COOLING) DEGREE DAY IS THE DIFFERENCE BETWEEN THE AVERAGE DAILY TEMPERATURE AND 65° F. DRY BULB IS THE TEMPERATURE OF THE AMBIENT AIR. DEW POINT IS THE TEMPERATURE TO WHICH THE AIR MUST BE COOLED TO ACHIEVE 100 PERCENT RELATIVE HUMIDITY. WET BULB IS THE TEMPERATURE THE AIR WOULD HAVE IF THE MOISTURE CONTENT WAS INCREASED TO 100 PERCENT RELATIVE HUMIDITY.</p> <p>ON JULY 1, 1996, THE NATIONAL WEATHER SERVICE BEGAN USING THE "METAR" OBSERVATION CODE THAT WAS ALREADY EMPLOYED BY MOST OTHER NATIONS OF THE WORLD. THE MOST NOTICEABLE DIFFERENCE IN THIS ANNUAL PUBLICATION WILL BE THE CHANGE IN UNITS FROM TENTHS TO EIGHTS(OKTAS) FOR REPORTING THE AMOUNT OF SKY COVER.</p>
---	--

2000  
SAN FRANCISCO, CALIFORNIA  
DOWNTOWN (7772)

San Francisco is located at the northern end of a narrow peninsula which separates San Francisco Bay from the Pacific Ocean. It is known as the air conditioned city with cool pleasant summers and mild winters. Flowers bloom throughout the year and warm clothing may be needed at times during any month.

Precipitation averages about 20 inches a year with pronounced wet and dry seasons, characteristic of its Mediterranean climate. Little or no rain falls from June through September while about 80 percent of the annual total falls from November through March. Snow is extremely rare. Measurable amounts fall about once every 15 years. Freezing temperatures are also extremely rare. On average, thunderstorms occur on only two days each year. The average annual wind speed is about 9 mph with lighter winds, 6 to 7 mph, occurring in the winter and stronger winds, 10 to 11 mph, in the summer.

San Francisco probably has greater climatic variability by far with respect to temperature, cloudiness, and sunshine within its 49 square mile area than any other similarly sized urban area in the country. Likewise, the San Francisco Bay area has considerably more variability than San Francisco itself.

Sea fogs, and the low stratus clouds associated with them are most common in the summertime, but may occur at any time of the year. In the summer the temperature of the Pacific Ocean is much lower than the temperature inland, particularly in the Central Valley of California. This condition tends to enhance the sea breeze effect common to coastal areas. Brisk westerly winds blow throughout the afternoon and evening hours. The fog is carried inland by these westerly winds in the late afternoon and evening and then evaporates during the subsequent forenoon.

The complex topography of San Francisco causes complex patterns of fog and sun as well as temperature. A range of hills with elevations of nearly 1000 feet above sea level, bisects the city from north to south. This range partially blocks the inland movement of the fog, but gaps in the hills permit small masses of fog to pass through, further complicating the pattern. Occasionally, the fog will reach 50 miles south to San Jose, while the area just to the lee of the highest hills is still mostly clear.

Sunshine varies greatly from one part of the city to another, especially in the summer. Spring and fall are the sunniest seasons. In the summer the sunniest area is a triangular shaped area to the lee of the highest hills and extending to the bay. The least sunny area is along the ocean due to the high frequency of fog there. The percent of possible summer sunshine varies from an estimated 25 to 35 percent at the ocean to 70 to 80 percent in the sunniest area.

The extent and behavior of the summertime fog on a particular day depends on several factors. A typical day would find the fog covering the entire city at sunrise and little wind. During the forenoon the skies become sunny in the eastern part of the city with some partial clearing reaching the ocean for a couple of hours in the early afternoon. By early afternoon the winds pick up and by late afternoon the fog is rolling inland again. The wind usually reaches a maximum velocity in the early evening.

In the winter relatively little difference in the climate is observed from one part of the city to another. This is due to the lack of temperature contrast between the ocean and the land and to the relative frequency of passage of Pacific frontal systems. However, those areas near the ocean have more sunshine than areas further inland. The source region for fog is inland during winter, mainly in the Central Valley, rather than the ocean.

Temperature patterns in the city are the same as those of sunshine. In the winter there is little variation, with average maximums from 55 to 60 degrees and average minimums in the mid to upper 40s. Average temperatures rise until June and remain nearly constant through August with average maximums in the lower 60s near the ocean and upper 60s in the sunny eastern half of the city. Summer minimums range from 50 to 55. The warmest time of the year is September and October when the fog diminishes greatly and some of the warmth from the Central Valley flows westward. At this time of year the average maximums are in the mid 60s near the ocean and in the mid 70s in the warmest areas of the city. The average minimums are about the same as they are during the summer.

# STATION LOCATION

SAN FRANCISCO, CALIFORNIA  
DOWNTOWN

LOCATION	Occupied From	Occupied To	Airline Distances and Directions from previous Location	LATITUDE NORTH	LONGITUDE WEST	ELEVATION ABOVE								AUTOMATIC OBSERVING EQUIPMENT *	* TYPE  M = AMOS T = AUTOB S = ASOS W = AWOS	REMARKS
						GROUND										
						SEA LEVEL	WIND INSTRUMENT	EXTREME THERMOMETERS	PSYCHROMETER	SUNSHINE SWITCH	TRAINING GAUGE	WEIGHING RAIN GAUGE	8 INCH RAIN GAUGE			
*NOTE:  <u>CITY</u>  Federal Office Building 50 Fulton Street	5/13/36	4/18/83	1.0 mi. SW	37°47'	122°25'	52	132 A	112 A	112 A	129 B C	104 B	104 A	a 112	Exposure good except tall buildings NNE shields winds somewhat from NE. a. Temp. sensor added 12/6/53. A. Removed 4/3/73. B. Remote readout at airport Weather Service Office effective 4/3/78. C. Decommissioned Dec. 1974.		
Mission Dolores 16th & Dolores Streets  +SF Downtown (Effective 09/01/97)	4/18/83	Present	1.3 mi. SW	37°46'	122°26'	75					10		b10 c16	b. Bristol Thermograph. c. Hygrothermometer installed on roof 3/15/87.		

SUBSCRIPTION:  
Price and ordering information available through : National ClimaticDataCenter, Federal building, Asheville, North Carolina 28801.

**INQUIRIES/COMMENTS CALL: Toll Free (866) 742-3322**

OFFICIAL BUSINESS  
PENALTY FOR PRIVATE USE \$300  
CHANGE SERVICE REQUESTED

**FIRST CLASS**  
**POSTAGE & FEES PAID**  
United States Department of Commerce  
NOAA Permit No. G - 19

NCDC Subscription Services Center  
310 State Route 956 Building 300  
Rocket Center, WV 26726

\* NOTES: For earlier station history see previous editions.