

2000




LOCAL CLIMATOLOGICAL DATA ANNUAL SUMMARY WITH COMPARATIVE DATA



ISSN 0198-4640

COLUMBIA, SOUTH CAROLINA (CAE)

Daily Data



I CERTIFY THAT THIS IS AN OFFICIAL PUBLICATION OF THE NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION, AND IS COMPILED FROM RECORDS ON FILE AT THE NATIONAL CLIMATIC DATA CENTER.

Thomas R. Karl

NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION	NATIONAL ENVIRONMENTAL SATELLITE, DATA, AND INFORMATION SERVICE	NATIONAL CLIMATIC DATA CENTER ASHEVILLE, NORTH CAROLINA	DIRECTOR NATIONAL CLIMATIC DATA CENTER
---	---	---	---

HEATING DEGREE DAYS (base 65°F) 2000 COLUMBIA, SC (CAE)

YEAR	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	TOTAL
1971-72	0	0	0	13	354	292	429	555	341	136	12	1	2133
1972-73	0	0	0	98	350	423	618	583	219	179	47	0	2517
1973-74	0	0	0	57	205	477	199	394	161	99	7	0	1599
1974-75	0	0	18	163	342	521	417	365	344	136	0	0	2306
1975-76	0	0	0	56	296	577	662	280	176	97	26	4	2174
1976-77	0	0	0	219	512	645	901	525	211	69	20	0	3102
1977-78	0	0	1	192	277	629	850	741	418	109	37	0	3254
1978-79	0	0	0	89	162	492	664	613	294	107	27	2	2450
1979-80	0	0	6	138	314	616	641	680	466	147	27	0	3035
1980-81	0	0	14	178	394	622	809	506	424	59	43	0	3049
1981-82	0	0	13	131	349	665	748	425	283	179	5	0	2798
1982-83	0	0	18	162	306	440	739	546	352	230	24	1	2818
1983-84	0	0	21	89	373	666	717	485	355	190	31	2	2929
1984-85	0	0	12	22	444	355	792	503	262	79	9	0	2478
1985-86	0	0	16	45	110	676	731	374	319	115	21	0	2407
1986-87	0	2	0	110	207	565	657	532	362	187	5	0	2627
1987-88	0	0	0	259	298	495	780	579	322	114	20	1	2868
1988-89	0	0	2	218	274	583	469	435	289	165	50	0	2485
1989-90	0	0	9	110	283	738	393	265	220	115	6	0	2139
1990-91	0	0	8	95	277	414	571	376	233	51	4	0	2029
1991-92	0	0	6	79	392	477	574	402	323	150	47	2	2452
1992-93	0	0	17	133	305	587	509	543	422	200	9	0	2725
1993-94	0	0	14	110	334	614	687	420	227	48	31	0	2485
1994-95	0	0	0	94	250	452	596	518	240	77	6	0	2233
1995-96	0	0	11	77	429	679	655	465	424	130	25	0	2895
1996-97	0	0	2	117	452	523	567	390	151	166	31	10	2409
1997-98	0	0	3	143	428	599	512	420	395	102	1	0	2603
1998-99	0	0	0	66	233	412	485	416	412	88	14	0	2126
1999-00	0	0	14	125	260	558	672	425	218	135	1	0	2408
2000-	0	0	10	117	394	815							

WBAN : 13883

COOLING DEGREE DAYS (base 65°F) 2000 COLUMBIA, SC (CAE)

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
1971	0	2	6	51	185	465	470	473	369	168	25	32	2246
1972	1	0	5	86	126	274	450	445	313	35	14	4	1753
1973	0	0	28	33	143	375	494	490	413	116	32	6	2130
1974	29	8	65	116	316	388	511	432	249	51	29	1	2195
1975	8	6	11	94	308	390	442	488	317	129	37	0	2230
1976	2	10	58	87	160	295	460	442	231	30	0	0	1775
1977	0	3	53	110	257	407	549	429	318	29	25	0	2180
1978	0	0	1	56	172	369	466	478	376	62	15	17	2012
1979	0	0	13	36	157	253	425	461	276	50	22	0	1693
1980	0	0	0	47	159	328	530	487	376	35	2	0	1964
1981	0	0	6	119	143	497	499	349	213	41	0	2	1869
1982	0	4	26	39	229	377	484	406	226	74	11	20	1896
1983	0	0	6	21	184	319	573	558	270	58	0	0	1989
1984	0	0	10	33	194	430	436	448	219	199	18	3	1990
1985	9	2	38	94	215	417	468	402	244	155	45	0	2089
1986	0	0	17	85	249	516	660	471	347	118	44	5	2512
1987	0	0	10	58	300	440	571	571	315	2	4	6	2277
1988	0	0	5	47	162	367	536	555	323	29	11	0	2035
1989	0	19	37	91	180	451	500	482	309	107	14	0	2190
1990	0	25	54	74	228	454	583	524	343	146	6	9	2446
1991	0	12	32	119	331	427	565	476	313	77	15	18	2385
1992	0	3	3	75	134	337	591	435	320	33	14	0	1945
1993	2	0	0	22	221	452	663	532	369	72	27	0	2360
1994	0	9	34	129	170	463	511	418	232	44	12	2	2024
1995	1	3	19	100	299	362	571	543	290	144	12	0	2344
1996	0	3	0	58	313	412	533	437	284	47	5	4	2096
1997	0	12	50	28	130	317	512	451	306	85	0	0	1891
1998	7	0	24	39	318	526	590	501	345	92	12	16	2470
1999	2	0	0	136	169	360	525	576	252	65	8	0	2093
2000	0	0	15	31	332	461	518	485	260	54	20	0	2176

SNOWFALL (inches) 2000 COLUMBIA, SC (CAE)

YEAR	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	TOTAL
1971-72	0.0	0.0	0.0	0.0	0.0	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.8
1972-73	0.0	0.0	0.0	0.0	0.0	0.0	2.2	16.0	0.0	0.0	0.0	0.0	18.2
1973-74	0.0	0.0	0.0	0.0	0.0	T	0.0	0.0	0.0	0.0	0.0	0.0	T
1974-75	0.0	0.0	0.0	0.0	0.0	0.0	0.0	T	0.0	0.0	0.0	0.0	T
1975-76	0.0	0.0	0.0	0.0	0.0	0.0	T	0.0	0.0	0.0	0.0	0.0	T
1976-77	0.0	0.0	0.0	0.0	T	0.0	T	0.0	0.0	0.0	0.0	0.0	T
1977-78	0.0	0.0	0.0	0.0	0.0	0.0	T	0.5	0.0	0.0	0.0	0.0	0.5
1978-79	0.0	0.0	0.0	0.0	0.0	T	0.0	5.5	0.0	0.0	0.0	0.0	5.5
1979-80	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.0	4.1	0.0	0.0	0.0	7.1
1980-81	0.0	0.0	0.0	0.0	0.0	0.3	T	T	0.0	0.0	0.0	0.0	0.3
1981-82	0.0	0.0	0.0	0.0	0.0	T	3.5	0.8	0.0	0.0	0.0	0.0	4.3
1982-83	0.0	0.0	0.0	0.0	0.0	0.0	0.1	T	0.4	0.0	0.0	0.0	0.5
1983-84	0.0	0.0	0.0	0.0	0.0	0.0	T	T	0.0	0.0	0.0	0.0	T
1984-85	0.0	0.0	0.0	0.0	0.0	0.0	T	0.0	0.0	0.0	0.0	0.0	T
1985-86	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1986-87	0.0	0.0	0.0	0.0	0.0	0.0	0.9	0.0	0.1	0.0	0.0	0.0	1.0
1987-88	0.0	0.0	0.0	0.0	0.0	0.0	4.3	0.0	0.0	0.0	0.0	0.0	4.3
1988-89	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.3	0.0	0.0	0.0	0.0	4.3
1989-90	0.0	0.0	0.0	0.0	0.0	T	0.0	0.0	0.0	T	0.0	0.0	T
1990-91	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.4
1991-92	0.0	0.0	0.0	0.0	0.0	0.0	0.8	0.0	T	T	0.0	0.0	0.8
1992-93	0.0	0.0	0.0	0.0	0.0	0.0	0.0	T	1.2	0.0	0.0	0.0	1.2
1993-94	0.0	T	0.0	0.0	0.0	2.3	0.0	0.0	0.0	0.0	0.0	0.0	2.3
1994-95	0.0	0.0	0.0	0.0	0.0	0.0	0.0	T	0.0	0.0	0.0	0.0	T
1995-96	0.0	0.0	0.0	0.0	0.0	0.0	T	0.9	0.0	0.0	0.0	0.0	0.9
1996-97	0.0	0.0	0.0	0.0	0.0	0.0	T	0.0	0.0	0.0	0.0	0.0	T
1997-98	0.0	0.0	0.0	0.0	0.0	T	0.0	0.0	T	0.0	0.0	0.0	T
1998-99	0.0	0.0	0.0	0.0	0.0	T	T	0.5	0.0	T	0.0	0.0	0.5
1999-00	0.0	0.0	0.0	0.0	0.0	0.0	4.3	0.0	T	T	0.0	0.0	4.3
2000-	0.0	0.0	0.0	0.0	0.0	T							
POR= 52 YRS	0.0	T	0.0	0.0	T	0.3	0.5	0.8	0.2	T	0.0	0.0	1.8

WBAN : 13883

REFERENCE NOTES:

<p>PAGE 1: THE TEMPERATURE GRAPH SHOWS NORMAL MAXIMUM AND NORMAL MINIMUM DAILY TEMPERATURES (SOLID CURVES) AND THE ACTUAL DAILY HIGH AND LOW TEMPERATURES (VERTICAL BARS).</p> <p>PAGE 2 AND 3: H/C INDICATES HEATING AND COOLING DEGREE DAYS. RH INDICATES RELATIVE HUMIDITY W/O INDICATES WEATHER AND OBSTRUCTIONS S INDICATES SUNSHINE. PR INDICATES PRESSURE. CLOUDINESS ON PAGE 3 IS THE SUM OF THE CEILOMETER AND SATELLITE DATA NOT TO EXCEED EIGHT EIGHTHS(OKTAS).</p> <p>GENERAL: T INDICATES TRACE PRECIPITATION, AN AMOUNT GREATER THAN ZERO BUT LESS THAN THE LOWEST REPORTABLE VALUE. + INDICATES THE VALUE ALSO OCCURS ON EARLIER DATES. BLANK ENTRIES DENOTE MISSING OR UNREPORTED DATA. NORMALS ARE 30-YEAR AVERAGES (1961 - 1990). ASOS INDICATES AUTOMATED SURFACE OBSERVING SYSTEM. PM INDICATES THE LAST DAY OF THE PREVIOUS MONTH. POR (PERIOD OF RECORD) BEGINS WITH THE JANUARY DATA MONTH AND IS THE NUMBER OF YEARS USED TO COMPUTE THE MEAN. INDIVIDUAL MONTHS WITHIN THE POR MAY BE MISSING. WHEN THE POR FOR A NORMAL IS LESS THAN 30 YEARS, THE NORMAL IS PROVISIONAL AND IS BASED ON THE NUMBER OF YEARS INDICATED. 0.* OR * INDICATES THE VALUE OR MEAN-DAYS-WITH IS BETWEEN 0.00 AND 0.05. CLOUDINESS FOR ASOS STATIONS DIFFERS FROM THE NON-ASOS OBSERVATION TAKEN BY A HUMAN OBSERVER. ASOS STATION CLOUDINESS IS BASED ON TIME-AVERAGED CEILOMETER DATA FOR CLOUDS AT OR BELOW 12,000 FEET AND ON SATELLITE DATA FOR CLOUDS ABOVE 12,000 FEET. THE NUMBER OF DAYS WITH CLEAR, PARTLY CLOUDY, AND CLOUDY CONDITIONS FOR ASOS STATIONS IS THE SUM OF THE CEILOMETER AND SATELLITE DATA FOR THE SUNRISE TO SUNSET PERIOD.</p>	<p>GENERAL CONTINUED: CLEAR INDICATES 0 - 2 OKTAS, PARTLY CLOUDY INDICATES 3 - 6 OKTAS, AND CLOUDY INDICATES 7 OR 8 OKTAS. WHEN AT LEAST ONE OF THE ELEMENTS (CEILOMETER OR SATELLITE) IS MISSING, THE DAILY CLOUDINESS IS NOT COMPUTED. WIND DIRECTION IS RECORDED IN TENS OF DEGREES (2 DIGITS) CLOCKWISE FROM TRUE NORTH. "00" INDICATES CALM. "36" INDICATES TRUE NORTH. RESULTANT WIND IS THE VECTOR AVERAGE OF THE SPEED AND DIRECTION. AVERAGE TEMPERATURE IS THE SUM OF THE MEAN DAILY MAXIMUM AND MINIMUM TEMPERATURE DIVIDED BY 2. SNOWFALL DATA COMPRISE ALL FORMS OF FROZEN PRECIPITATION, INCLUDING HAIL. A HEATING (COOLING) DEGREE DAY IS THE DIFFERENCE BETWEEN THE AVERAGE DAILY TEMPERATURE AND 65° F. DRY BULB IS THE TEMPERATURE OF THE AMBIENT AIR. DEW POINT IS THE TEMPERATURE TO WHICH THE AIR MUST BE COOLED TO ACHIEVE 100 PERCENT RELATIVE HUMIDITY. WET BULB IS THE TEMPERATURE THE AIR WOULD HAVE IF THE MOISTURE CONTENT WAS INCREASED TO 100 PERCENT RELATIVE HUMIDITY.</p> <p>ON JULY 1, 1996, THE NATIONAL WEATHER SERVICE BEGAN USING THE "METAR" OBSERVATION CODE THAT WAS ALREADY EMPLOYED BY MOST OTHER NATIONS OF THE WORLD. THE MOST NOTICEABLE DIFFERENCE IN THIS ANNUAL PUBLICATION WILL BE THE CHANGE IN UNITS FROM TENTHS TO EIGHTS(OKTAS) FOR REPORTING THE AMOUNT OF SKY COVER.</p>
---	--

2000 COLUMBIA, SOUTH CAROLINA (CAE)

Columbia is centrally located within the state of South Carolina and lies on the Congaree River near the confluence of the Broad and Saluda Rivers. The surrounding terrain is rolling, sloping from about 350 feet above sea level in northern Columbia to about 200 feet in the southeastern part of the city.

The climate in the Columbia area is relatively temperate. The Appalachian Mountain chain, some 150 miles to the northwest, frequently retards the approach of unseasonable cold weather in the winter. The terrain offers little moderating effect on the summer heat.

Long summers are prevalent with warm weather usually lasting from sometime in May into September. In summer the Bermuda high is the greatest single weather factor influencing the area. This permanent high more or less blocks the entry of cold fronts so that many stall before reaching central South Carolina. Also, the southwestern flow around the offshore Bermuda high pressure supplies moisture for the many summer thunderstorms. There are relatively few breaks in the heat during midsummer. The typical summer has about six days with 100 degrees or more. Thunderstorm activity usually shows a decided increase during June, decreasing about the first of September. About once or twice a year, passing tropical storms produce strong winds and heavy rains. The incidence of these storms is greatest in September, although they represent a possible threat from midsummer to late fall. Damage from tropical storms is usually minor in the Columbia area.

Fall is the most pleasant time of the year. Rainfall during the late fall is at an annual minimum, while the sunshine is at a relative maximum. Winters are mild with the cold weather usually lasting from late November to mid-March. The winter weather at Columbia is largely made up of polar air outbreaks that reach this area in a much modified form. On rare occasions in winter, Arctic air masses push southward as far as central South Carolina and cause some of the coldest temperatures. Disruption of activities from snowfall is unusual, in fact, more than three days of sustained snow cover is rare.

Spring is the most changeable season of the year. The temperature varies from an occasional cold snap in March to generally warm and pleasant in May. While tornadoes are infrequent, they occur most often in the spring. Hailstorms are not frequent, with the annual incidence at a maximum in spring and early summer. The average occurrence of the last spring freeze is very late March, and the first fall freeze is early November, for a growing period of about 218 days.

STATION LOCATION

COLUMBIA, SOUTH CAROLINA

LOCATION	Occupied From	Occupied To	Airline Distances and Directions from previous Location	LATITUDE NORTH	LONGITUDE WEST	ELEVATION ABOVE										AUTOMATIC OBSERVING * EQUIPMENT	* TYPE M = AMOS T = AUTOB S = ASOS W = AWOS REMARKS
						GROUND											
						SEA LEVEL GROUND SITE TEMPERATURE	WIND INSTRUMENT	EXTREME THERMOMETER	PSYCHROMETER	SUNSHINE SWITCH	RAINING GAUGE BUCKET	WEIGHING RAIN GAGE	8 INCH RAIN GAGE	HYGROMETER			
*NOTE: AIRPORT Building 317 Columbia Airport + + Columbia Metropolitan Airport (Effective 1/65) Wea.Bur./FAA Bldg.++ Columbia Metropolitan Airport ++Wea. Svc. Building (Effective 1970) Columbia Metropolitan Airport	2/14/47	1/12/67	5.8 mi. WSW	33° 57'	81° 07'	217	36	6	5	a16	NA	a4	4	NA	NA	a. Installed 12/20/53.	
	1/12/67	12/01/95	2000 ft W	33° 57'	81° 07'	213	20	NA	4	13	NA c4	4	3	b4 d4	NA	b. Commissioned 2500' S of previous temperature c. Installed 09/07/79. d. Type change 06/18/85.	
	12/01/95	Present	NA	33° 57'	81° 07'	241									S	ASOS Commissioned 12/01/95	

SUBSCRIPTION:
Price and ordering information available through : National ClimaticDataCenter,Federal building, Asheville, North Carolina 28801.

INQUIRIES/COMMENTS CALL: Toll Free (866) 742-3322

OFFICAL BUSINESS
PENALTY FOR PRIVATE USE \$300
CHANGE SERVICE REQUESTED

**FIRST CLASS
POSTAGE & FEES PAID
United States Department of Commerce
NOAA Permit No. G - 19**

NCDC Subscription Services Center
310 State Route 956 Building 300
Rocket Center, WV 26726

* NOTES: For earlier station history see previous edition.