

2001




LOCAL CLIMATOLOGICAL DATA  
ANNUAL SUMMARY WITH COMPARATIVE DATA



ISSN 0742-8782

TUPELO,  
MISSISSIPPI (TUP)

Daily Data



I CERTIFY THAT THIS IS AN OFFICIAL PUBLICATION OF THE NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION, AND IS COMPILED FROM RECORDS ON FILE AT THE NATIONAL CLIMATIC DATA CENTER.

*Thomas R. Karl*

NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION	NATIONAL ENVIRONMENTAL SATELLITE, DATA, AND INFORMATION SERVICE	NATIONAL CLIMATIC DATA CENTER ASHEVILLE, NORTH CAROLINA	DIRECTOR NATIONAL CLIMATIC DATA CENTER
---	---	---	--

# METEOROLOGICAL DATA FOR 2001

## TUPELO, MS (TUP)

LATITUDE: 34° 15' 39" N      LONGITUDE: 88° 46' 16" W      ELEVATION (FT): GRND: 347      BARO: 350      TIME ZONE: CENTRAL (UTC + 6)      WBAN: 93862

ELEMENT		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	YEAR	
TEMPERATURE °F	MEAN DAILY MAXIMUM	46.9	57.9	58.6	75.1	81.5	85.7	91.3	87.8	81.8	72.8	70.2	57.7	72.3	
	HIGHEST DAILY MAXIMUM	66	76	71	86	89	93	96	94	90	85	80	72	96	
	DATE OF OCCURRENCE	30	15	23	11+	20	18	11	05	06+	05	02	06	JUL 11	
	MEAN DAILY MINIMUM	28.4	37.7	38.3	54.6	57.6	66.2	71.5	70.5	61.4	46.0	42.2	38.0	51.0	
	LOWEST DAILY MINIMUM	10	19	25	34	50	58	60	64	40	31	26	20	10	
	DATE OF OCCURRENCE	02	03	27	18	23	02	14	20	26	28	21	26	JAN 02	
	AVERAGE DRY BULB	37.7	47.8	48.5	64.9	69.6	76.0	81.4	79.2	71.6	59.4	56.2	47.9	61.7	
	MEAN WET BULB	34.2	43.7	43.0	58.5	62.7			72.9	65.7	53.4				
	MEAN DEW POINT	29.0	38.1	36.0	53.6	58.0			70.5	62.4	48.1				
	NUMBER OF DAYS WITH:														
	MAXIMUM ≥ 90°	0	0	0	0	0	9	21	13	2	0	0	0	0	45
MAXIMUM ≤ 32°	2	0	0	0	0	0	0	0	0	0	0	0	0	2	
MINIMUM ≤ 32°	20	11	11	0	0	0	0	0	0	2	4	9	57		
MINIMUM ≤ 0°	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
H/C	HEATING DEGREE DAYS	841	478	508	90	5	0	0	0	35	203	257	524	2941	
	COOLING DEGREE DAYS	0	2	0	92	155	336	516	446	242	36	1	0	1826	
RH	MEAN (PERCENT)	74	72	66	70	70	74	74	79	77	71	75	79	73	
	HOUR 00 LST	81	77	76	80	84	87	87	90	89	86	84	88	84	
	HOUR 06 LST	85	82	80	86	89	90	90	92	93	89	91	90	88	
	HOUR 12 LST	64	63	55	57	51	60	58	64	59	48	57	65	58	
	HOUR 18 LST	67	64	56	58	56	59	65	72	68	65	70	73	64	
S	PERCENT POSSIBLE SUNSHINE														
W/O	NUMBER OF DAYS WITH:														
	HEAVY FOG (VISBY ≤ 1/4 MI)	2	2	0	2	2	1	2	1	2	0	2	1	17	
	THUNDERSTORMS	0	5	2	7	11	9	9	13	3	4	3	3	69	
CLOUDINESS	SUNRISE-SUNSET: (OKTAS)														
	CEILOMETER (≤ 12,000 FT.)														
	SATELLITE (> 12,000 FT.)														
	MIDNIGHT-MIDNIGHT: (OKTAS)														
	CEILOMETER (≤ 12,000 FT.)														
SATELLITE (> 12,000 FT.)															
NUMBER OF DAYS WITH:															
CLEAR															
PARTLY CLOUDY															
CLOUDY															
PR	MEAN STATION PRESS. (IN.)	29.82	29.83	29.63	29.73	29.62	29.64	29.62	29.65	29.65	29.77	29.77	29.73	29.70	
	MEAN SEA-LEVEL PRESS. (IN.)	30.20	30.20	30.01	30.11	30.00			30.03	30.03	30.15				
WINDS	RESULTANT SPEED (MPH)	1.1	0.8	2.9	1.7	1.3	0.5	1.1	1.6	1.7	1.3	0.7	0.6	0.3	
	RES. DIR. (TENS OF DEGS.)	34	08	36	16	24	10	17	17	05	17	09	21	12	
	MEAN SPEED (MPH)	6.3	7.7	7.5	7.4	5.6	5.4	4.6	4.7	5.8	6.3	5.8	6.7	6.1	
	PREVAIL. DIR. (TENS OF DEGS.)	01	18	01	17	19	01	17	18	01	18	01	01	01	
	MAXIMUM 2-MINUTE WIND:														
	SPEED (MPH)	31	32	28	29	28	29	33	26	23	30	30	33	33	
	DIR. (TENS OF DEGS.)	17	16	33	32	31	18	01	03	20	33	17	17	17	
	DATE OF OCCURRENCE	29	24	31	15	20	04	11	27	08	24	24	22	DEC 22	
	MAXIMUM 5-SECOND WIND:														
	SPEED (MPH)	38	41	38	38	35	37	40	31	28	41	38	41	41	
DIR. (TENS OF DEGS.)	17	17	32	33	33	19	01	03	02	31	17	17	17		
DATE OF OCCURRENCE	29	24	31	15	20+	04	11	27	24	24	24	22	DEC 22		
PRECIPITATION	WATER EQUIVALENT:														
	TOTAL (IN.)	5.76	7.65	3.82	8.35	5.70	2.97	2.86	6.16	2.47	7.74	6.24	6.55	66.27	
	GREATEST 24-HOUR (IN.)	2.24	2.06	1.07	4.16	1.31	0.89	1.05	1.12	1.57	4.20	3.81	3.33	4.20	
	DATE OF OCCURRENCE	18-19	15-16	12	03	27-28	04-05	03-04	12-13	01-02	13-14	28-29	13	OCT 13-14	
	NUMBER OF DAYS WITH:														
	PRECIPITATION ≥ 0.01	7	12	10	9	11	13	5	17	7	6	7	11	115	
PRECIPITATION ≥ 0.10	6	10	9	6	10	6	4	11	3	5	5	7	82		
PRECIPITATION ≥ 1.00	2	3	1	3	1	0	1	0	1	2	2	1	17		
SNOWFALL	SNOW, ICE PELLETS, HAIL:														
	TOTAL (IN.)														
	GREATEST 24-HOUR (IN.)														
	DATE OF OCCURRENCE														
	MAXIMUM SNOW DEPTH (IN.)														
	DATE OF OCCURRENCE														
NUMBER OF DAYS WITH:															
SNOWFALL ≥ 1.0															



PRECIPITATION (inches) 2001 TUPELO, MS (TUP)

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
1983							3.05	0.59	2.56	3.61	7.03	13.69	
1984	2.87	3.39	3.53	5.88	8.44	0.59	1.90	1.79	1.30	7.90	5.54	1.57	44.70
1985	3.75	5.18	2.13	4.94	5.35	3.02	2.82	6.22	2.86	7.35	1.50	1.68	46.80
1986	0.30	3.47	3.38	0.46	5.19	6.57	0.48	3.36	2.86	5.81	9.64	5.18	46.70
1987	2.68	6.37	2.40	1.20	5.49	3.96	1.50	2.08	2.13	1.03	6.26	4.78	39.88
1988	2.41	2.33	3.59	3.37	2.92	0.17	2.32	1.23	6.31	3.88	4.05	5.05	37.63
1989	6.98	9.88	3.68	2.31	3.79	11.08	6.27	2.78	5.48	0.36	4.07	2.89	59.57
1990	5.84	9.40	6.35	2.50	4.26	2.57	2.01	1.02	2.41	3.40	3.07	14.49	57.32
1991	3.12	10.90	6.25	12.16	17.56	6.22	0.76	3.16	3.06	1.58	5.36	10.92	81.05
1992	1.53	3.17	4.05	2.38	1.34	7.11	2.99	4.54	2.46	2.65	6.70	4.13	43.05
1993	2.94	3.24	4.05	4.63	5.78	2.67	3.80	6.05	5.45	2.45	2.88	4.80	48.74
1994	4.59	6.49	9.34	2.51	3.78	5.60	6.51	0.93	1.27	4.33	3.35	4.76	53.46
1995	3.90	4.08	8.97	7.14	3.60	6.79	2.63	4.74	0.61	3.18	5.02	6.39	57.05
1996	5.91	3.66	4.65	6.09	2.05	8.71	7.33	2.91	6.05	2.46	6.97	6.41	63.20
1997	6.50	4.31	7.43	3.82	8.42	11.37	4.60	4.84	1.73	4.94	2.12	3.71	63.79
1998	6.26	5.94	5.99	4.53	1.91	1.61	7.16	3.19	0.06	3.12	3.20	8.07	51.04
1999	11.58	2.87	8.03	7.03	3.25	6.94	2.40	0.39	0.05	1.67	1.93	3.63	49.77
2000	3.35	3.65	5.13	8.20	1.39	5.66	0.56	1.36	1.91	0.55	9.43	5.43	46.62
2001	5.76	7.65	3.82	8.35	5.70	2.97	2.86	6.16	2.47	7.74	6.24	6.55	66.27
POR= 18 YRS	4.46	5.34	5.17	4.87	5.03	4.72	3.29	3.03	2.68	3.58	4.98	6.00	53.15

WBAN : 93862

AVERAGE TEMPERATURE (°F) 2001 TUPELO, MS (TUP)

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
1983							82.1	83.1	72.8	64.2	55.6	36.5	
1984	36.2	46.8	51.5	59.9	68.7	79.3	79.7	78.9	72.0	69.0	49.7	53.3	62.1
1985	32.1	40.4	57.0	63.8	70.6	78.1	80.3	78.4	71.7	66.1	59.1	37.7	61.3
1986	40.7	48.8	54.4	63.0	71.9	79.3	84.6	79.0	77.8	63.3	54.1	42.9	63.3
1987	40.9	47.4	55.6	61.1	75.0	78.5	81.4	82.8	74.4	57.6	54.3	48.0	63.1
1988	37.3	42.6	52.6	62.7	69.7	78.1	80.9	83.1	75.9	58.3	55.0	45.0	61.8
1989	48.0	43.3	55.2	61.2	68.8	76.4	79.6	79.5	71.7	62.2	53.3	34.8	61.2
1990	48.2	52.6	56.1	61.1	68.5	79.0	80.9	81.1	77.6	61.7	56.1	46.7	64.1
1991	42.3	47.9	55.1	64.8	73.8	79.1	83.3	80.6	75.4	64.5	49.2	47.7	63.6
1992	42.3	48.5	53.0	61.9	69.2	75.2	80.6	76.0	72.5	62.1	51.0	44.7	61.4
1993	44.9	43.8	50.9	58.5	68.9	77.4	83.6	80.6	71.4	60.2	49.8	43.3	61.1
1994	36.9	46.0	52.7	64.2	66.7	78.3	77.9	77.5	71.0	62.7	55.1	47.3	61.4
1995	42.3	44.2	55.4	62.3	70.7	75.0	80.3	82.7	72.0	61.9	46.6	42.9	61.4
1996	40.1	44.2	48.3	58.7	72.9	77.5	79.4	78.2	71.6	62.6	50.3	47.4	60.9
1997	41.4	48.7	57.7	57.1	65.6	74.3	80.6	77.9	73.3	60.7	47.7	41.7	60.6
1998	45.2	47.8	51.9	60.2	73.2	81.5	82.0	80.2	78.6	66.1	54.9	45.9	64.0
1999	47.1	50.4	50.1	66.6	70.4	78.2	83.0	82.7	74.5	63.5	56.1	45.6	64.0
2000	43.2	50.5	57.3	59.6	73.6	78.2	81.7	83.5	74.8	66.1	50.2	33.9	62.7
2001	37.7	47.8	48.5	64.9	69.6	76.0	81.4	79.2	71.6	59.4	56.2	47.9	61.7
POR= 18 YRS	41.5	46.8	53.6	61.8	70.5	77.8	81.2	80.2	73.8	62.8	52.7	43.8	62.2

HEATING DEGREE DAYS (base 65°F) 2001 TUPELO, MS (TUP)

YEAR	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	TOTAL
1983-84	0	0	29	91	405	876	886	524	421	181	37	0	3450
1984-85	0	0	22	36	458	363	1016	685	272	119	7	0	2978
1985-86	0	0	19	63	216	838	749	451	328	115	14	0	2793
1986-87	0	0	0	115	324	676	740	487	289	165	0	0	2796
1987-88	0	0	0	229	323	521	852	642	388	106	6	0	3067
1988-89	0	0	0	216	300	612	518	607	320	193	55	0	2821
1989-90	0	0	27	135	359	931	512	350	292	176	43	0	2825
1990-91	0	0	14	177	276	557	699	473	331	59	9	0	2595
1991-92	0	0	18	106	477	531	699	472	366	159	33	0	2861
1992-93	0	0	12	102	418	624	617	588	432	209	22	3	3027
1993-94	0	0	21	190	464	665	864	529	375	114	50	0	3272
1994-95	0	0	17	114	298	541	695	576	305	120	28	0	2694
1995-96	0	0	18	142	545	679	760	607	514	215	13	0	3493
1996-97	0	0	10	121	439	541	728	451	238	239	61	0	2828
1997-98	0	0	0	203	513	714	610	477	429	171	6	2	3125
1998-99	0	0	0	71	299	597	551	406	453	74	3	0	2454
1999-00	0	0	12	118	261	596	669	419	247	171	3	0	2496
2000-01	0	0	12	93	460	956	841	478	508	90	5	0	3443
2001-	0	0	35	203	257	524							

WBAN : 93862

COOLING DEGREE DAYS (base 65°F) 2001 TUPELO, MS (TUP)

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
1983							537	566	276	73	8	0	
1984	0	0	8	38	159	437	465	438	239	165	4	8	1961
1985	0	1	32	89	188	400	480	423	228	105	44	0	1990
1986	0	1	6	61	237	433	616	443	389	71	5	0	2262
1987	0	0	5	55	318	409	513	559	288	6	10	0	2163
1988	0	0	9	43	159	399	500	568	334	14	4	0	2030
1989	0	5	24	88	182	347	461	458	236	54	12	0	1867
1990	0	6	25	65	158	427	499	506	397	80	14	0	2177
1991	0	0	29	61	287	433	575	491	334	98	7	0	2315
1992	0	0	1	72	170	316	494	346	242	18	5	0	1664
1993	0	0	2	23	151	381	583	490	219	52	12	0	1913
1994	0	1	1	94	108	406	404	393	205	52	7	0	1671
1995	1	0	16	48	217	309	482	554	238	57	0	0	1922
1996	0	10	5	33	262	382	455	416	217	57	5	0	1842
1997	3	0	17	9	84	289	492	407	256	77	0	0	1634
1998	0	0	28	35	265	504	536	474	414	112	2	8	2378
1999	2	3	0	129	177	404	565	556	306	78	0	1	2221
2000	0	4	14	13	277	405	526	579	309	138	21	0	2286
2001	0	2	0	92	155	336	516	446	242	36	1	0	1826

SNOWFALL (inches) 2001 TUPELO, MS (TUP)

YEAR	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	TOTAL
1983-84	0.0	0.0	0.0	0.0	0.0	2.2	1.8	0.8	1.7	0.0	0.0	0.0	6.5
1984-85	0.0	0.0	0.0	0.0	0.0	0.0	3.7	5.3	0.0	0.0	0.0	0.0	9.0
1985-86	0.0	0.0	0.0	0.0	0.0	1.2	T	0.9	0.0	0.0	0.0	0.0	2.1
1986-87	0.0	0.0	0.0	0.0	0.0	0.1	0.1	T	T	0.4	0.0	0.0	0.6
1987-88	0.0	0.0	0.0	0.0	0.0	0.0	7.2	1.1	0.0	0.0	0.0	0.0	8.3
1988-89	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.3	T	0.0	T	0.0	0.9
1989-90	0.0	0.0	0.0	0.0	T	0.3	0.0	0.0	T	0.0	0.0	0.0	0.3
1990-91	T	0.0	0.0	0.0	0.0	0.1	0.0	T	T	0.0	0.0	0.0	0.1
1991-92	0.0	0.0	0.0	0.0	0.1	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.3
1992-93	0.0	0.0	0.0	0.0	0.0	0.0	0.0	T	1.7	0.0	0.0	0.0	1.7
1993-94	0.0	0.0	0.0	T	0.0	T	0.1	0.0	0.0	0.0	0.0	0.0	0.1
1994-95	0.0	0.0	0.0	0.0	0.0	0.0	1.7	2.6	0.0	0.0	0.0	0.0	4.3
1995-96	0.0	0.0	0.0	0.0	T	T	T	1.2	T	T	T	0.0	1.2
1996-97	0.0	0.0	0.0	0.0	0.0	0.5	0.6	T	0.0	0.0	0.0	0.0	1.1
1997-98	0.0	0.0	0.0	0.0	0.0	0.2	2.9	0.0	T	0.0	0.0	0.0	3.1
1998-99	0.0	0.0	0.0	0.0	0.0	0.3	T	0.1	T	0.0	0.0	0.0	0.4
1999-00	0.0	0.0	0.0	0.0	0.0	0.0							
2000-01													
2001-													
POR= 17 YRS	T	0.0	0.0	T	T	0.3	0.3	0.8	T	T	T	0.0	1.4

WBAN : 93862

REFERENCE NOTES :

<p>PAGE 1: THE TEMPERATURE GRAPH SHOWS NORMAL MAXIMUM AND NORMAL MINIMUM DAILY TEMPERATURES (SOLID CURVES) AND THE ACTUAL DAILY HIGH AND LOW TEMPERATURES (VERTICAL BARS).</p> <p>PAGE 2 AND 3: H/C INDICATES HEATING AND COOLING DEGREE DAYS. RH INDICATES RELATIVE HUMIDITY W/O INDICATES WEATHER AND OBSTRUCTIONS S INDICATES SUNSHINE. PR INDICATES PRESSURE. CLOUDINESS ON PAGE 3 IS THE SUM OF THE CEILOMETER AND SATELLITE DATA NOT TO EXCEED EIGHT EIGHTHS (OKTAS).</p> <p>GENERAL: T INDICATES TRACE PRECIPITATION, AN AMOUNT GREATER THAN ZERO BUT LESS THAN THE LOWEST REPORTABLE VALUE. + INDICATES THE VALUE ALSO OCCURS ON EARLIER DATES. BLANK ENTRIES DENOTE MISSING OR UNREPORTED DATA. NORMALS ARE 30-YEAR AVERAGES (1961 - 1990). ASOS INDICATES AUTOMATED SURFACE OBSERVING SYSTEM. PM INDICATES THE LAST DAY OF THE PREVIOUS MONTH. POR (PERIOD OF RECORD) BEGINS WITH THE JANUARY DATA MONTH AND IS THE NUMBER OF YEARS USED TO COMPUTE THE MEAN. INDIVIDUAL MONTHS WITHIN THE POR MAY BE MISSING. WHEN THE POR FOR A NORMAL IS LESS THAN 30 YEARS, THE NORMAL IS PROVISIONAL AND IS BASED ON THE NUMBER OF YEARS INDICATED. 0.* OR * INDICATES THE VALUE OR MEAN-DAYS-WITH IS BETWEEN 0.00 AND 0.05. CLOUDINESS FOR ASOS STATIONS DIFFERS FROM THE NON-ASOS OBSERVATION TAKEN BY A HUMAN OBSERVER. ASOS STATION CLOUDINESS IS BASED ON TIME-AVERAGED CEILOMETER DATA FOR CLOUDS AT OR BELOW 12,000 FEET AND ON SATELLITE DATA FOR CLOUDS ABOVE 12,000 FEET. THE NUMBER OF DAYS WITH CLEAR, PARTLY CLOUDY, AND CLOUDY CONDITIONS FOR ASOS STATIONS IS THE SUM OF THE CEILOMETER AND SATELLITE DATA FOR THE SUNRISE TO SUNSET PERIOD.</p>	<p>GENERAL CONTINUED: CLEAR INDICATES 0 - 2 OKTAS, PARTLY CLOUDY INDICATES 3 - 6 OKTAS, AND CLOUDY INDICATES 7 OR 8 OKTAS. WHEN AT LEAST ONE OF THE ELEMENTS (CEILOMETER OR SATELLITE) IS MISSING, THE DAILY CLOUDINESS IS NOT COMPUTED. WIND DIRECTION IS RECORDED IN TENS OF DEGREES (2 DIGITS) CLOCKWISE FROM TRUE NORTH. "00" INDICATES CALM. "36" INDICATES TRUE NORTH. RESULTANT WIND IS THE VECTOR AVERAGE OF THE SPEED AND DIRECTION. AVERAGE TEMPERATURE IS THE SUM OF THE MEAN DAILY MAXIMUM AND MINIMUM TEMPERATURE DIVIDED BY 2. SNOWFALL DATA COMPRISE ALL FORMS OF FROZEN PRECIPITATION, INCLUDING HAIL. A HEATING (COOLING) DEGREE DAY IS THE DIFFERENCE BETWEEN THE AVERAGE DAILY TEMPERATURE AND 65° F. DRY BULB IS THE TEMPERATURE OF THE AMBIENT AIR. DEW POINT IS THE TEMPERATURE TO WHICH THE AIR MUST BE COOLED TO ACHIEVE 100 PERCENT RELATIVE HUMIDITY. WET BULB IS THE TEMPERATURE THE AIR WOULD HAVE IF THE MOISTURE CONTENT WAS INCREASED TO 100 PERCENT RELATIVE HUMIDITY.</p> <p>ON JULY 1, 1996, THE NATIONAL WEATHER SERVICE BEGAN USING THE "METAR" OBSERVATION CODE THAT WAS ALREADY EMPLOYED BY MOST OTHER NATIONS OF THE WORLD. THE MOST NOTICEABLE DIFFERENCE IN THIS ANNUAL PUBLICATION WILL BE THE CHANGE IN UNITS FROM TENTHS TO EIGHTS (OKTAS) FOR REPORTING THE AMOUNT OF SKY COVER.</p>
--	---

2001  
TUPELO,  
MISSISSIPPI (TUP)

Tupelo is located in the Black Prairie physiographic region of Mississippi. The surface is flat to gently undulating, underlain by soft limestone which has weathered into dark, fertile soils. The Black Prairie is largely devoid of trees, although precipitation in the region is more than sufficient for forest growth. The Black Prairie is bordered by the Fall Line Hills on the east and the Pontotoc Ridge on the west, thus being situated as a low, flat region from 20 to 25 miles wide trending northwest-southeast in the northeastern corner of Mississippi.

Agricultural interests are varied, but the region is a major producer of soybeans and livestock. Tupelo is the dominant urban center of the region, and population is projected to continue to increase in the future. Manufacturing and industry are growing rapidly in the area, enhanced by recent completion of the Tenn-Tom Waterway. Water supply for the growing municipal and industrial demand has been identified as a potential problem in the region as ground water is being used faster than it can be replenished by natural processes.

Average annual precipitation of over 50 inches is well distributed throughout the year. On average,

about half the annual total falls between April and September, with March being the wettest month and October the driest month. There is a 90 percent probability that the freeze-free period will be longer than six months, with a 50 percent chance for a freeze before the end of October and after the first of April. Maximum temperatures over 90 degrees are expected on 78 days between May and September, with freezes expected on 66 days between October and March.

Record temperatures of over 105 degrees and below -10 degrees have been observed at Tupelo. Snow is not infrequent during the winter, although amounts average less than two and one-half inches each year. However, accumulations greater than 10 inches have been recorded. Frontal passages are common features of the climate from fall through spring, and there are seasonal occurrences of thunderstorms. Tornadoes, though quite rare, have occurred in the region, particularly during late spring. Precipitation amounts of one-half inch or more are expected on 37 days each year, with one-tenth inch or more expected on 73 days. Daily totals of precipitation have exceeded six inches on several occasions.

# STATION LOCATION

TUPELO, MISSISSIPPI

LOCATION	Occupied From	Occupied To	Airline Distances and Directions from previous Location	LATITUDE NORTH	LONGITUDE WEST	ELEVATION ABOVE										AUTOMATIC OBSERVING EQUIPMENT * REMARKS	
						SEA LEVEL GROUND TEMPERATURE	GROUND										HYGROMETER
							WIND INSTRUMENT	EXTREME THERMOMETERS	PSYCHROMETER	SUNSHINE SWITCH	TIPPING GAUGE	WEIGHING RAIN GAGE	8 INCH RAIN GAGE				
*NOTE: <u>AIRPORT</u> C.D. Lemmons Airport	4/1/83	06/01/93	NA	34°16'	88°46'	349	M25 b30	5	5	M25 a6	5	5	5	M5 c5	M d	M. RAMOS installed 12/3/82. First LCD published 7/1983. First LCD annual 1984. a. Moved to a site 250' NW of crash station 10/16/83. b. Moved to same site as above 8/01/85. c. Moved to same site as "a" & type change 9/07/85. d. RAMOS removed 10/22/85.	
Tupelo Muni/Lemons Airport	06/01/93	Present	NA	34°16'	88°46'	e347									S	ASOS commissioned 06/01/93 e. Ground elevation.	

**For Hard Copy Subscription:**

Price and ordering information: NCDC Subscribing Service Center, 310 State Route 956, Building 300, Rocket Center, WV 26726.

**INQUIRIES/COMMENTS CALL: Toll Free (866) 742-3322**

Visit our Web Site for other weather data: [www.ncdc.noaa.gov](http://www.ncdc.noaa.gov)

**Non-Subscription Request:**

NCDC Customer Services;  
Phone: 828-271-4800  
Fax: 828-271-4876  
Email: [ncdc.orders@noaa.gov](mailto:ncdc.orders@noaa.gov)

OFFICIAL BUSINESS  
PENALTY FOR PRIVATE USE \$300  
CHANGE SERVICE REQUESTED

**FIRST CLASS  
POSTAGE & FEES PAID  
United States Department of Commerce  
NOAA Permit No. G - 19**

\* NOTES: For earlier station history see previous edition.