

2002




# LOCAL CLIMATOLOGICAL DATA ANNUAL SUMMARY WITH COMPARATIVE DATA



ISSN 0198-201X

## SOUTH BEND, INDIANA (SBN)

### Daily Data



I CERTIFY THAT THIS IS AN OFFICIAL PUBLICATION OF THE NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION, AND IS COMPILED FROM RECORDS ON FILE AT THE NATIONAL CLIMATIC DATA CENTER.

NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION	NATIONAL ENVIRONMENTAL SATELLITE, DATA, AND INFORMATION SERVICE	NATIONAL CLIMATIC DATA CENTER ASHEVILLE, NORTH CAROLINA	DIRECTOR NATIONAL CLIMATIC DATA CENTER
---	---	---	---

# METEOROLOGICAL DATA FOR 2002

## SOUTH BEND, IN (SBN)

LATITUDE: 41° 42' 26" N      LONGITUDE: 86° 19' 59" W      ELEVATION (FT): GRND: 777      BARO: 780      TIME ZONE: EASTERN (UTC + 5)      WBAN: 14848

ELEMENT		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	YEAR	
TEMPERATURE °F	MEAN DAILY MAXIMUM	39.2	40.7	43.4	59.5	64.6	81.8	87.2	82.9	80.2	58.5	45.0	35.5	59.9	
	HIGHEST DAILY MAXIMUM	59	60	62	87	82	93	96	92	94	85	67	55	96	
	DATE OF OCCURRENCE	27	24	09+	15	30	30+	21	01	08	01	10	30	JUL 21	
	MEAN DAILY MINIMUM	26.1	25.2	25.0	40.1	44.0	60.5	66.3	62.7	56.0	41.1	31.2	21.9	41.7	
	LOWEST DAILY MINIMUM	10	9	-3	20	30	49	52	51	42	29	17	-1	-3	
	DATE OF OCCURRENCE	04+	28	04	06	21	07+	12	07	23	17	27	03	MAR 04	
	AVERAGE DRY BULB	32.7	33.0	34.2	49.8	54.3	71.2	76.8	72.8	68.1	49.8	38.1	28.7	50.8	
	MEAN WET BULB	29.8	29.8	31.3	45.1	49.5	64.0	68.5	67.0	61.0	45.3	35.3	26.8	46.1	
	MEAN DEW POINT	25.6	24.4	26.0	40.0	44.0	59.4	63.6	63.4	56.3	40.4	30.8	22.4	41.4	
	NUMBER OF DAYS WITH:														
	MAXIMUM ≥ 90°	0	0	0	0	0	7	10	3	4	0	0	0	0	24
	MAXIMUM ≤ 32°	7	4	4	0	0	0	0	0	0	0	3	13	31	
	MINIMUM ≤ 32°	24	24	25	8	2	0	0	0	0	5	19	28	135	
MINIMUM ≤ 0°	0	0	1	0	0	0	0	0	0	0	0	1	2		
H/C	HEATING DEGREE DAYS	993	891	948	487	347	25	0	2	41	487	800	1116	6137	
	COOLING DEGREE DAYS	0	0	0	40	24	218	372	252	144	21	0	0	1071	
RH	MEAN (PERCENT)	77	73	73	72	69	69	66	74	70	72	76	77	72	
	HOUR 01 LST	78	74	78	81	78	80	77	85	82	82	80	80	80	
	HOUR 07 LST	83	81	82	84	78	82	79	90	90	83	82	82	83	
	HOUR 13 LST	70	69	64	60	61	54	51	58	50	58	67	72	61	
	HOUR 19 LST	76	72	69	65	60	58	56	64	61	71	73	76	67	
S	PERCENT POSSIBLE SUNSHINE														
W/O	NUMBER OF DAYS WITH:														
	HEAVY FOG (VISBY ≤ 1/4 MI)	0	2	6	0	2	2	0	2	1	1	1	2	19	
	THUNDERSTORMS	0	0	1	5	6	7	3	5	2	1	1	1	31	
CLOUDINESS	SUNRISE-SUNSET: (OKTAS)														
	CEILOMETER (≤ 12,000 FT.)														
	SATELLITE (> 12,000 FT.)														
	MIDNIGHT-MIDNIGHT: (OKTAS)														
	CEILOMETER (≤ 12,000 FT.)														
	SATELLITE (> 12,000 FT.)														
NUMBER OF DAYS WITH:															
CLEAR															
PARTLY CLOUDY															
CLOUDY															
PR	MEAN STATION PRESS. (IN.)	29.15	29.22	29.25	29.24	29.22	29.18	29.23	29.26	29.22	29.27	29.16	29.20	29.22	
	MEAN SEA-LEVEL PRESS. (IN.)	30.01	30.07	30.10	30.07	30.05	29.99	30.04	30.08	30.04	30.11	30.00	30.06	30.05	
WINDS	RESULTANT SPEED (MPH)	7.1	7.1	2.9	2.6	1.9	0.5	1.8	1.0	1.4	0.6	5.3	4.3	3.0	
	RES. DIR. (TENS OF DEGS.)	23	24	24	23	24	26	23	21	23	26	24	23	24	
	MEAN SPEED (MPH)	10.8	12.6	11.5	10.3	9.7	7.4	7.1	7.3	6.8	8.3	10.1	10.5	9.4	
	PREVAIL. DIR. (TENS OF DEGS.)	21	22	23	19	20	21	21	21	19	08	23	21	21	
	MAXIMUM 2-MINUTE WIND:														
	SPEED (MPH)	26	33	40	36	29	33	23	29	30	30	30	30	40	
	DIR. (TENS OF DEGS.)	12	28	26	29	12	29	29	20	25	28	30	27	26	
	DATE OF OCCURRENCE	31+	01	09	24	11+	15	22+	13	19	04	30	21	MAR 09	
	MAXIMUM 5-SECOND WIND:														
	SPEED (MPH)	32	39	51	43	36	39	28	41	37	39	40	36	51	
DIR. (TENS OF DEGS.)	22	28	26	28	09	29	36	22	25	18	30	27	26		
DATE OF OCCURRENCE	25	01	09	25	11+	15	09	13	19	04	30	21	MAR 09		
PRECIPITATION	WATER EQUIVALENT:														
	TOTAL (IN.)	2.48	2.10	2.77	3.40	5.75	1.26	2.47	2.31	1.16	1.43	1.91	1.80	28.84	
	GREATEST 24-HOUR (IN.)	1.31	0.65	0.73	0.80	2.66	0.48	1.40	0.59	0.49	0.70	0.68	0.88	2.66	
	DATE OF OCCURRENCE	30-31	26	02	07-08	11-12	03	09	02	19-20	04	09-10	17-18	MAY 11-12	
	NUMBER OF DAYS WITH:														
	PRECIPITATION ≥ 0.01	12	10	14	14	14	12	6	9	7	9	14	7	128	
PRECIPITATION ≥ 0.10	5	5	7	8	9	2	4	6	4	4	7	5	66		
PRECIPITATION ≥ 1.00	0	0	0	0	2	0	1	0	0	0	0	0	3		
SNOWFALL	SNOW, ICE PELLETS, HAIL:														
	TOTAL (IN.)	10.4	18.4	14.2	0.3	0.0	0.0	0.0	0.0	0.0	T	4.6	9.0	56.9	
	GREATEST 24-HOUR (IN.)	5.2	8.7	4.3	0.2	0.0	0.0	0.0	0.0	0.0	T	2.8	5.5	8.7	
	DATE OF OCCURRENCE	30	26	03	04						29+	30	24	FEB 26	
	MAXIMUM SNOW DEPTH (IN.)	3	9	7	T	0	0	0	0	0	0	T	6	9	
	DATE OF OCCURRENCE	31	28+	01	04							30	26+	FEB 28+	
NUMBER OF DAYS WITH:															
SNOWFALL ≥ 1.0	3	3	5	0	0	0	0	0	0	0	2	3	16		



PRECIPITATION (inches) 2002 SOUTH BEND, IN (SBN)

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
1973	1.64	1.02	3.85	3.88	3.61	4.85	3.33	1.29	2.11	3.49	1.45	4.30	34.82
1974	3.24	2.20	2.81	4.17	4.82	4.08	1.17	1.70	4.65	2.46	3.21	3.00	37.51
1975	4.58	3.26	2.96	6.02	2.08	5.46	2.58	7.55	1.15	1.31	4.73	3.72	45.40
1976	2.21	5.23	7.96	5.20	6.67	6.60	5.96	2.44	3.34	3.23	3.23	2.21	54.28
1977	1.63	1.27	7.05	2.75	1.92	5.71	2.68	6.03	9.01	3.08	4.27	3.65	49.05
1978	4.03	0.86	2.37	4.35	3.35	3.79	5.21	3.80	3.07	3.99	2.79	4.43	42.04
1979	3.22	1.51	4.03	5.80	3.03	4.66	1.75	8.30	0.01	4.79	4.88	3.66	45.64
1980	1.52	1.51	3.74	3.44	1.65	5.97	3.29	7.84	5.64	3.35	1.47	3.91	43.33
1981	0.68	1.92	0.88	5.28	6.79	6.97	3.71	2.30	3.81	1.23	2.23	1.81	37.61
1982	2.95	1.17	4.54	1.46	5.51	3.12	7.47	2.84	2.51	0.91	4.52	3.40	40.40
1983	0.77	0.79	2.46	5.36	4.83	2.04	2.45	1.28	2.81	1.66	2.60	3.23	30.28
1984	0.86	1.45	2.10	4.22	4.02	3.43	1.76	1.47	4.02	4.38	2.73	4.42	34.86
1985	2.58	4.32	3.86	1.93	1.50	2.88	3.80	3.82	1.88	3.36	6.72	2.51	39.16
1986	1.24	2.46	2.09	1.87	3.42	5.06	6.15	1.90	4.27	3.81	2.90	1.67	36.84
1987	2.31	1.32	1.18	2.67	3.50	3.57	3.61	3.34	3.64	3.20	2.11	4.12	34.57
1988	2.21	1.98	3.03	2.91	1.40	0.48	1.28	5.63	4.42	6.68	5.72	2.91	38.65
1989	1.58	1.05	2.27	2.83	2.72	3.49	5.90	5.65	3.78	1.45	3.55	1.83	36.10
1990	2.36	3.66	2.79	2.91	6.86	4.40	5.45	4.60	3.76	7.09	6.69	5.04	55.61
1991	1.64	1.79	2.79	4.58	4.01	0.62	1.32	3.68	2.71	8.75	2.75	1.67	36.31
1992	1.64	1.73	2.93	2.19	1.17	1.74	5.24	2.07	8.84	1.60	5.54	3.99	38.68
1993	3.35	1.20	2.62	3.64	2.34	10.86	1.51	4.38	7.76	4.09	2.39	1.50	45.64
1994	2.46	1.45	0.80	2.80	0.80	5.10	4.97	4.19	4.68	3.49	4.36	2.50	37.60
1995	2.46	2.00	1.84	4.56	3.67	2.36	6.50	8.29	0.89	3.22	4.40	1.89	42.08
1996	1.66	2.09	1.24	3.60	8.09	7.20	6.69	1.75	3.30	3.27	3.70	2.90	45.49
1997	2.63	3.86	2.02	1.36	3.77	3.16	1.98	5.05	2.86	2.16	2.45	2.14	33.44
1998	3.76	1.69	4.03	3.78	2.49	3.98	2.27	5.84	1.54	2.50	1.24	2.04	35.16
1999	3.06	1.58	1.18	7.48	1.64	2.60	2.39	4.12	1.25	1.37	1.32	2.66	30.65
2000	2.57	1.63	1.81	3.69	4.60	7.75	2.88	1.49	3.22	2.28	3.07	2.29	37.28
2001	0.83	3.47	1.11	3.65	4.31	4.25	2.97	3.75	3.65	7.06	2.66	2.25	39.96
2002	2.48	2.10	2.77	3.40	5.75	1.26	2.47	2.31	1.16	1.43	1.91	1.80	28.84
POR= 109 YRS	2.29	1.87	2.80	3.46	3.59	3.72	3.40	3.52	3.34	3.00	2.89	2.59	36.47

WBAN : 14848

AVERAGE TEMPERATURE (°F) 2002 SOUTH BEND, IN (SBN)

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
1973	29.9	30.0	46.7	50.1	56.1	72.3	74.4	74.1	67.0	58.3	44.4	29.2	52.7
1974	27.9	28.1	39.6	51.7	57.3	66.8	75.0	71.9	62.0	53.0	42.4	32.9	50.7
1975	30.0	27.8	34.4	43.6	63.2	70.3	71.8	73.6	60.1	55.9	48.1	32.7	51.0
1976	21.6	35.3	43.6	52.5	57.0	70.9	72.8	69.0	61.3	47.9	33.2	22.8	49.0
1977	12.3	26.8	44.1	55.4	68.7	67.1	76.2	69.8	65.3	50.5	42.6	25.9	50.4
1978	18.5	14.8	31.2	48.7	59.5	69.2	71.7	71.9	68.9	51.9	42.9	29.5	48.2
1979	17.9	16.3	39.2	46.2	58.5	70.1	72.3	71.3	65.4	54.2	42.3	34.8	49.0
1980	27.1	23.6	35.5	49.0	62.1	67.8	76.6	75.0	66.3	50.4	41.6	31.1	50.5
1981	23.4	32.1	40.7	52.5	56.6	69.2	71.4	70.6	62.8	50.0	41.5	27.6	49.9
1982	15.6	22.7	35.1	44.7	66.0	64.5	73.3	68.9	63.3	54.0	42.5	39.0	49.1
1983	29.3	33.2	40.2	45.5	55.3	72.0	78.7	78.3	66.5	53.8	43.8	18.4	51.3
1984	18.5	35.9	30.0	48.2	56.1	72.3	71.7	74.4	63.8	57.1	41.0	34.4	50.3
1985	19.6	23.7	41.3	55.2	63.1	66.8	73.1	69.8	65.6	54.6	41.6	20.1	49.5
1986	25.8	24.8	40.4	51.3	59.9	67.7	74.8	67.6	65.9	53.0	36.1	31.2	49.9
1987	25.3	30.8	40.0	50.4	64.7	72.8	75.8	71.7	64.6	46.8	43.7	32.8	51.6
1988	21.3	22.7	37.3	48.4	62.2	72.0	76.4	75.9	64.5	45.9	42.5	28.8	49.8
1989	33.4	22.2	37.0	47.3	57.2	68.0	73.9	70.6	61.8	52.9	38.8	17.7	48.4
1990	34.0	31.3	40.9	48.7	56.7	68.8	71.2	69.9	65.0	52.3	45.9	31.8	51.4
1991	24.2	32.3	41.5	52.6	67.5	74.0	75.7	73.2	63.2	54.9	36.6	32.1	52.3
1992	29.1	33.2	37.4	46.1	58.4	65.1	70.0	67.4	62.3	51.4	40.0	30.9	49.3
1993	28.3	24.4	35.0	46.9	60.7	67.7	74.5	73.6	58.9	50.5	39.4	29.7	49.1
1994	16.3	22.5	36.6	51.0	57.4	71.4	72.9	67.9	65.0	54.0	44.6	35.1	49.6
1995	25.3	25.3	40.3	46.5	57.9	71.3	74.9	77.2	62.2	54.3	34.8	26.0	49.7
1996	24.1	27.8	32.3	46.0	57.3	68.9	68.5	71.1	62.6	52.4	33.8	29.4	47.9
1997	20.6	29.6	37.6	43.7	52.5	68.3	72.2	67.9	62.4	51.6	36.2	30.7	47.8
1998	31.6	37.0	38.6	49.5	65.0	68.3	72.5	73.0	67.4	53.8	43.6	34.6	52.9
1999	22.7	33.0	33.5	51.0	62.7	71.3	78.0	70.1	64.9	52.6	45.9	31.9	51.5
2000	25.5	35.0	44.1	46.7	61.4	67.4	70.0	70.9	63.1	55.7	37.4	17.1	49.5
2001	24.7	28.1	34.1	53.7	61.2	67.3	72.4	72.9	61.8	52.7	48.6	35.1	51.1
2002	32.7	33.0	34.2	49.8	54.3	71.2	76.8	72.8	68.1	49.8	38.1	28.7	50.8
POR= 109 YRS	24.6	26.4	36.5	48.3	59.3	68.9	73.3	71.5	64.6	53.2	40.2	28.7	49.6

HEATING DEGREE DAYS (base 65°F) 2002 SOUTH BEND, IN (SBN)

YEAR	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	TOTAL
1973-74	0	4	60	229	611	1102	1142	1028	780	403	250	51	5660
1974-75	0	3	144	378	672	985	1077	1035	944	634	136	37	6045
1975-76	13	1	175	300	503	992	1338	856	658	407	253	9	5505
1976-77	0	19	139	525	949	1302	1628	1063	640	327	85	68	6745
1977-78	2	18	58	443	669	1206	1436	1401	1041	480	233	41	7028
1978-79	5	4	57	399	656	1095	1453	1356	795	560	241	22	6643
1979-80	3	17	73	353	672	928	1172	1195	908	482	147	58	6008
1980-81	0	1	62	449	694	1047	1282	915	749	374	271	6	5850
1981-82	4	8	132	460	700	1154	1523	1178	922	604	64	72	6821
1982-83	2	30	114	353	668	798	1100	886	760	581	298	30	5620
1983-84	6	0	94	352	628	1440	1431	838	1080	503	290	4	6666
1984-85	7	0	128	244	714	940	1401	1153	727	339	116	47	5816
1985-86	0	4	121	319	694	1381	1208	1117	760	425	192	46	6267
1986-87	3	48	81	369	858	1038	1224	950	766	436	139	16	5928
1987-88	5	25	78	558	638	993	1347	1220	851	498	158	37	6408
1988-89	1	11	72	581	670	1116	972	1190	865	528	271	40	6317
1989-90	0	12	147	381	779	1462	954	936	751	521	257	46	6246
1990-91	6	14	110	408	565	1021	1260	910	722	378	106	2	5502
1991-92	0	1	167	318	844	1012	1104	915	850	561	247	75	6094
1992-93	6	25	139	417	742	1049	1130	1130	925	536	157	55	6311
1993-94	0	7	198	450	765	1087	1505	1186	875	441	273	28	6815
1994-95	0	30	92	336	606	921	1224	1105	759	548	221	20	5862
1995-96	7	0	135	337	896	1202	1258	1072	1005	566	276	23	6777
1996-97	22	1	140	384	928	1098	1368	983	844	631	383	39	6821
1997-98	12	20	120	437	858	1057	1026	775	824	458	74	80	5741
1998-99	0	0	52	346	632	936	1304	893	968	412	134	41	5718
1999-00	0	3	92	377	566	1020	1218	863	646	540	167	59	5551
2000-01	7	6	153	291	820	1476	1242	1026	951	342	168	87	6569
2001-02	22	0	139	381	489	923	993	891	948	487	347	25	5645
2002-	0	2	41	487	800	1116							

WBAN : 14848

COOLING DEGREE DAYS (base 65°F) 2002 SOUTH BEND, IN (SBN)

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
1973	0	0	0	7	1	226	297	292	126	29	0	0	978
1974	0	0	0	10	17	114	321	222	60	11	0	0	755
1975	0	0	0	0	86	203	232	274	32	25	1	0	853
1976	0	0	1	37	13	192	249	150	36	4	0	0	682
1977	0	0	0	47	206	137	355	173	74	0	2	0	994
1978	0	0	0	0	70	173	218	227	179	0	1	0	868
1979	0	0	0	2	48	181	236	220	93	21	0	0	801
1980	0	0	0	9	65	145	367	319	107	6	0	0	1018
1981	0	0	2	6	15	137	211	191	72	0	0	0	634
1982	0	0	0	3	105	65	266	159	71	17	0	0	686
1983	0	0	0	1	3	247	440	417	146	13	0	0	1267
1984	0	0	0	5	19	228	226	298	98	7	0	0	881
1985	0	0	0	52	64	109	260	159	147	3	0	0	794
1986	0	0	4	22	41	135	312	136	113	2	0	0	765
1987	0	0	0	3	136	256	345	240	71	0	3	0	1054
1988	0	0	0	3	77	254	362	357	65	0	0	0	1118
1989	0	0	1	6	37	137	283	194	55	11	0	0	724
1990	0	0	9	37	8	167	203	171	117	21	0	0	733
1991	0	0	0	13	189	281	338	264	121	11	0	0	1217
1992	0	0	0	2	50	90	168	103	66	2	0	0	481
1993	0	0	0	0	29	144	302	284	18	9	0	0	786
1994	0	0	0	26	45	226	255	124	98	2	0	0	776
1995	0	0	0	0	9	216	320	382	57	10	0	0	994
1996	0	0	0	1	44	147	136	201	74	0	0	0	603
1997	0	0	0	0	0	146	241	117	48	29	0	0	581
1998	0	0	9	0	82	185	238	253	131	8	0	0	906
1999	0	0	0	0	67	236	410	166	96	3	0	0	978
2000	0	0	4	0	62	138	171	197	102	9	0	0	683
2001	0	0	0	11	56	164	259	253	53	6	0	0	802
2002	0	0	0	40	24	218	372	252	144	21	0	0	1071

SNOWFALL (inches) 2002 SOUTH BEND, IN (SBN)

YEAR	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	TOTAL
1973-74	0.0	0.0	0.0	0.0	1.0	22.6	14.4	11.9	9.4	1.2	0.0	0.0	60.5
1974-75	0.0	0.0	0.0	0.6	7.9	19.9	9.2	13.9	17.8	5.4	0.0	0.0	74.7
1975-76	0.0	0.0	0.0	0.0	10.7	14.0	31.2	13.9	3.8	0.6	0.1	0.0	74.3
1976-77	0.0	0.0	0.0	0.8	21.6	37.6	37.2	13.9	15.8	2.3	0.0	0.0	129.2
1977-78	0.0	0.0	0.0	0.3	30.3	33.6	86.1	16.6	5.1	T	0.0	0.0	172.0
1978-79	0.0	0.0	0.0	0.0	7.5	26.4	45.1	15.9	6.3	0.1	0.0	0.0	101.3
1979-80	0.0	0.0	0.0	T	7.5	13.6	11.5	22.3	9.8	1.7	0.0	0.0	66.4
1980-81	0.0	0.0	0.0	1.1	8.8	24.3	23.8	20.7	6.3	T	0.0	0.0	85.0
1981-82	0.0	0.0	0.0	0.1	9.1	41.3	41.3	19.2	10.2	14.0	0.0	0.0	135.2
1982-83	0.0	0.0	0.0	0.0	2.1	2.5	8.0	9.6	12.0	1.1	0.0	0.0	35.3
1983-84	0.0	0.0	0.0	0.0	1.4	35.6	16.7	15.9	11.1	0.4	0.0	0.0	81.1
1984-85	0.0	0.0	0.0	0.0	0.6	14.1	40.0	28.9	1.6	3.1	0.0	0.0	88.3
1985-86	0.0	0.0	0.0	0.0	2.2	40.4	26.3	11.3	3.6	0.2	0.0	0.0	84.0
1986-87	0.0	0.0	0.0	0.0	9.7	4.8	31.4	5.9	2.0	1.5	0.0	0.0	55.3
1987-88	0.0	0.0	T	T	1.6	13.1	11.4	22.9	12.1	T	0.0	0.0	61.1
1988-89	0.0	0.0	0.0	0.3	7.8	14.8	3.1	16.3	2.5	1.7	T	T	46.5
1989-90	T	T	0.0	8.8	15.2	29.4	1.2	13.9	3.4	1.1	0.0	0.0	73.0
1990-91	0.0	0.0	0.0	T	T	17.5	15.7	23.4	2.4	T	T	0.0	59.0
1991-92	0.0	0.0	0.0	T	7.6	11.7	19.9	10.9	16.7	0.9	0.0	T	67.7
1992-93	0.0	0.0	0.0	1.2	7.7	12.6	8.1	32.2	19.0	1.4	0.0	0.0	82.2
1993-94	0.0	0.0	0.1	T	2.2	11.3	21.5	20.0	0.1	0.8	T	0.0	56.0
1994-95	T	0.0	1.0	0.0	T	2.4	17.3	25.8	2.8	0.6	0.0	0.0	49.9
1995-96	0.0	0.0	0.0	T	6.2	22.1	12.2	7.9	8.3	0.9	T	0.0	57.6
1996-97	T	T	0.0	0.0	15.3	10.5	36.4	10.2	3.3	0.4	T	0.0	76.1
1997-98	0.0	0.0	0.0	0.2	5.6	18.1	7.8	T	20.8	0.0	0.0	T	52.5
1998-99	T	0.0	0.0	0.0	T	17.1	37.0	10.4	14.2	T	T	0.0	78.7
1999-00	0.0	0.0	0.0	0.0	1.9	7.4	37.1	11.4	T	1.1	0.0	0.0	58.9
2000-01	T	0.0	0.0	T	10.4	44.6	2.9	5.4	10.6	2.7	T	0.0	76.6
2001-02	T	0.0	0.0	T	0.0	19.5	10.4	18.4	14.2	0.3	0.0	0.0	62.8
2002-	0.0	0.0	0.0	T	4.6	9.0							
POR= 62 YRS	T	T	0.0	0.7	7.5	17.7	19.1	14.5	8.8	1.9	0.3	T	70.5

WBAN : 14848

REFERENCE NOTES:

<p>PAGE 1: THE TEMPERATURE GRAPH SHOWS NORMAL MAXIMUM AND NORMAL MINIMUM DAILY TEMPERATURES (SOLID CURVES) AND THE ACTUAL DAILY HIGH AND LOW TEMPERATURES (VERTICAL BARS).</p> <p>PAGE 2 AND 3: H/C INDICATES HEATING AND COOLING DEGREE DAYS. RH INDICATES RELATIVE HUMIDITY W/O INDICATES WEATHER AND OBSTRUCTIONS S INDICATES SUNSHINE. PR INDICATES PRESSURE. CLOUDINESS ON PAGE 3 IS THE SUM OF THE CEILOMETER AND SATELLITE DATA NOT TO EXCEED EIGHT EIGHTHS(OKTAS).</p> <p>GENERAL: T INDICATES TRACE PRECIPITATION, AN AMOUNT GREATER THAN ZERO BUT LESS THAN THE LOWEST REPORTABLE VALUE. + INDICATES THE VALUE ALSO OCCURS ON EARLIER DATES. BLANK ENTRIES DENOTE MISSING OR UNREPORTED DATA. NORMALS ARE 30-YEAR AVERAGES (1961 - 1990). ASOS INDICATES AUTOMATED SURFACE OBSERVING SYSTEM. PM INDICATES THE LAST DAY OF THE PREVIOUS MONTH. POR (PERIOD OF RECORD) BEGINS WITH THE JANUARY DATA MONTH AND IS THE NUMBER OF YEARS USED TO COMPUTE THE MEAN. INDIVIDUAL MONTHS WITHIN THE POR MAY BE MISSING. WHEN THE POR FOR A NORMAL IS LESS THAN 30 YEARS, THE NORMAL IS PROVISIONAL AND IS BASED ON THE NUMBER OF YEARS INDICATED. 0.* OR * INDICATES THE VALUE OR MEAN-DAYS-WITH IS BETWEEN 0.00 AND 0.05. CLOUDINESS FOR ASOS STATIONS DIFFERS FROM THE NON-ASOS OBSERVATION TAKEN BY A HUMAN OBSERVER. ASOS STATION CLOUDINESS IS BASED ON TIME-AVERAGED CEILOMETER DATA FOR CLOUDS AT OR BELOW 12,000 FEET AND ON SATELLITE DATA FOR CLOUDS ABOVE 12,000 FEET. THE NUMBER OF DAYS WITH CLEAR, PARTLY CLOUDY, AND CLOUDY CONDITIONS FOR ASOS STATIONS IS THE SUM OF THE CEILOMETER AND SATELLITE DATA FOR THE SUNRISE TO SUNSET PERIOD.</p>	<p>GENERAL CONTINUED: CLEAR INDICATES 0 - 2 OKTAS, PARTLY CLOUDY INDICATES 3 - 6 OKTAS, AND CLOUDY INDICATES 7 OR 8 OKTAS. WHEN AT LEAST ONE OF THE ELEMENTS (CEILOMETER OR SATELLITE) IS MISSING, THE DAILY CLOUDINESS IS NOT COMPUTED. WIND DIRECTION IS RECORDED IN TENS OF DEGREES (2 DIGITS) CLOCKWISE FROM TRUE NORTH. "00" INDICATES CALM. "36" INDICATES TRUE NORTH. RESULTANT WIND IS THE VECTOR AVERAGE OF THE SPEED AND DIRECTION. AVERAGE TEMPERATURE IS THE SUM OF THE MEAN DAILY MAXIMUM AND MINIMUM TEMPERATURE DIVIDED BY 2. SNOWFALL DATA COMPRISE ALL FORMS OF FROZEN PRECIPITATION, INCLUDING HAIL. A HEATING (COOLING) DEGREE DAY IS THE DIFFERENCE BETWEEN THE AVERAGE DAILY TEMPERATURE AND 65° F. DRY BULB IS THE TEMPERATURE OF THE AMBIENT AIR. DEW POINT IS THE TEMPERATURE TO WHICH THE AIR MUST BE COOLED TO ACHIEVE 100 PERCENT RELATIVE HUMIDITY. WET BULB IS THE TEMPERATURE THE AIR WOULD HAVE IF THE MOISTURE CONTENT WAS INCREASED TO 100 PERCENT RELATIVE HUMIDITY.</p> <p>ON JULY 1, 1996, THE NATIONAL WEATHER SERVICE BEGAN USING THE "METAR" OBSERVATION CODE THAT WAS ALREADY EMPLOYED BY MOST OTHER NATIONS OF THE WORLD. THE MOST NOTICEABLE DIFFERENCE IN THIS ANNUAL PUBLICATION WILL BE THE CHANGE IN UNITS FROM TENTHS TO EIGHTS(OKTAS) FOR REPORTING THE AMOUNT OF SKY COVER.</p>
---	--

2002  
SOUTH BEND,  
INDIANA (SBN)

South Bend is located on the Saint Joseph River in the northern portion of Saint Joseph County, situated on mostly level to gently rolling terrain and some former marshland. Drainage for the area is through the Saint Joseph River and Kankakee River.

South Bend is under the climatic influence of Lake Michigan with its nearest shore 20 miles to the northwest. The lake has a moderating effect on the temperature. Temperatures of 100 degrees or higher are rare and cold waves are less severe than at many locations at the same latitude. This results in favorable conditions for orchard and vegetable growth.

Based on the 1951-1980 period, the average first occurrence of 32 degrees Fahrenheit in the fall is October 18 and the average last occurrence in the spring is May 1.

Precipitation is fairly evenly distributed throughout the year with the greatest amounts during the growing season. The predominant snow season is from November through March, although there are also generally lighter amounts in October and April.

Winter is marked by considerable cloudiness and rather high humidity along with frequent periods of snow. Heavy snowfalls, resulting from a cold northwest wind passing over Lake Michigan are not uncommon.

# STATION LOCATION

SOUTH BEND, INDIANA

LOCATION	Occupied From	Occupied To	Airline Distances and Directions from previous Location	LATITUDE NORTH	LONGITUDE WEST	ELEVATION ABOVE										AUTOMATIC OBSERVING EQUIPMENT *	* TYPE  M = AMOS T = AUTOB S = ASOS W = AWOS  REMARKS	
						SEA LEVEL		GROUND										HYGROMETER
						GROUND	SITE	WIND INSTRUMENT	EXTREME THERMOMETERS	PSYCHROMETER	SUNSHINE SWITCH	TIPPING BUCKET	WEIGHING RAIN GAGE	8 INCH RAIN GAGE				
*NOTE:																		
<u>AIRPORT</u>																		
Terminal Building Michiana Regional AP	1/14/81	07/01/96	450' E	41°42'	86°19'	773	g21	6	5			h5	5	5	g5 i5	g. Not moved 1/14/81. h. Commissioned 8/16/82. i. Type change 9/11/85.		
South Bend Regional Airport	07/01/96	Present	NA	41°42'	86°20'	j777									S	ASOS Commissioned 07/01/96 j. Ground elevation		

**For Hard Copy Subscription:**

Price and ordering information: NCDC Subscribing Service Center, 310 State Route 956, Building 300, Rocket Center, WV 26726.

**INQUIRIES/COMMENTS CALL: Toll Free (866) 742-3322**

Visit our Web Site for other weather data: [www.ncdc.noaa.gov](http://www.ncdc.noaa.gov)

**Non-Subscription Request:**

NCDC Customer Services;

Phone: 828-271-4800

Fax: 828-271-4876

Email: [ncdc.orders@noaa.gov](mailto:ncdc.orders@noaa.gov)

OFFICIAL BUSINESS

PENALTY FOR PRIVATE USE \$300

CHANGE SERVICE REQUESTED

**FIRST CLASS**  
**POSTAGE & FEES PAID**  
 United States Department of Commerce  
 NOAA Permit No. G - 19

\* NOTES: For earlier station history see previous editions.