

2002




# LOCAL CLIMATOLOGICAL DATA ANNUAL SUMMARY WITH COMPARATIVE DATA



ISSN 0198-5566

SAN JUAN,  
PUERTO RICO (SJU)

## Daily Data



I CERTIFY THAT THIS IS AN OFFICIAL PUBLICATION OF THE NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION, AND IS COMPILED FROM RECORDS ON FILE AT THE NATIONAL CLIMATIC DATA CENTER.

NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION	NATIONAL ENVIRONMENTAL SATELLITE, DATA, AND INFORMATION SERVICE	NATIONAL CLIMATIC DATA CENTER ASHEVILLE, NORTH CAROLINA	DIRECTOR NATIONAL CLIMATIC DATA CENTER
---	---	---	---

# METEOROLOGICAL DATA FOR 2002

## SAN JUAN, PR (SJU)

LATITUDE: 18° 26' 29" N      LONGITUDE: 66° 00' 08" W      ELEVATION (FT): GRND: 7      BARO: 10      TIME ZONE: ATLANTIC (UTC + 4)      WBAN: 11641

	ELEMENT	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	YEAR	
TEMPERATURE °F	MEAN DAILY MAXIMUM	83.8	83.6	85.1	84.8	87.1	89.2	88.8	89.2	89.5	88.1	87.0	84.7	86.7	
	HIGHEST DAILY MAXIMUM	87	89	91	90	91	92	91	92	94	92	90	87	94	
	DATE OF OCCURRENCE	15	17	23	05	24+	10+	29+	12+	07+	17	22+	15	SEP 07+	
	MEAN DAILY MINIMUM	72.4	71.5	73.1	73.7	75.0	76.9	77.0	76.9	76.5	75.7	74.6	72.4	74.6	
	LOWEST DAILY MINIMUM	70	69	69	71	71	73	74	73	73	74	71	59	59	
	DATE OF OCCURRENCE	31+	28+	15	20+	09	21	22+	30	26+	29+	29+	30	DEC 30	
	AVERAGE DRY BULB	78.1	77.6	79.1	79.3	81.1	83.1	82.9	83.1	83.0	81.9	80.8	78.6	80.7	
	MEAN WET BULB	73.5	71.2	72.3	72.9	74.3	76.2	76.8	77.2	77.3	76.9	76.4	74.3	74.9	
	MEAN DEW POINT	71.7	68.3	69.3	70.1	71.5	73.5	74.5	75.1	75.1	75.3	74.8	72.5	72.6	
	NUMBER OF DAYS WITH:														
	MAXIMUM ≥ 90°	0	0	2	1	5	12	6	12	15	3	2	0	58	
	MAXIMUM ≤ 32°	0	0	0	0	0	0	0	0	0	0	0	0	0	
	MINIMUM ≤ 32°	0	0	0	0	0	0	0	0	0	0	0	0	0	
MINIMUM ≤ 0°	0	0	0	0	0	0	0	0	0	0	0	0	0		
H/C	HEATING DEGREE DAYS	0	0	0	0	0	0	0	0	0	0	0	0		
	COOLING DEGREE DAYS	410	359	445	435	503	548	562	566	549	530	483	429	5819	
RH	MEAN (PERCENT)	83	75	75	76	75	77	78	79	80	83	84	84	79	
	HOUR 02 LST	89	83	82	82	84	84	85	87	86	90	92	89	86	
	HOUR 08 LST	88	81	77	78	78	79	80	81	82	84	86	89	82	
	HOUR 14 LST	74	64	63	68	64	64	67	68	69	72	72	73	68	
	HOUR 20 LST	84	77	78	78	78	80	81	81	82	84	86	85	81	
S	PERCENT POSSIBLE SUNSHINE					75		70	64	58	57	72	49		
W/O	NUMBER OF DAYS WITH:														
	HEAVY FOG (VISBY ≤ 1/4 MI)	0	0	0	0	0	0	0	0	0	0	0	0	0	
	THUNDERSTORMS	0	0	2	3	0	1	2	4	12	13	2	0	39	
CLOUDINESS	SUNRISE-SUNSET: (OKTAS)														
	CEILOMETER (≤ 12,000 FT.)														
	SATELLITE (> 12,000 FT.)														
	MIDNIGHT-MIDNIGHT: (OKTAS)														
	CEILOMETER (≤ 12,000 FT.)														
	SATELLITE (> 12,000 FT.)														
NUMBER OF DAYS WITH:															
CLEAR															
PARTLY CLOUDY															
CLOUDY															
PR	MEAN STATION PRESS. (IN.)	30.05	30.04	30.02	29.98	30.00	30.02	30.05	29.99	29.94	29.93	29.97	30.03	30.00	
	MEAN SEA-LEVEL PRESS. (IN.)	30.05	30.04	30.03	29.98	30.01	30.03	30.05	30.00	29.94	29.94	29.98	30.03	30.01	
WINDS	RESULTANT SPEED (MPH)	4.7	2.3	0.7	4.1	2.4	1.7	0.7	1.2	1.0	1.4	1.0	3.1	1.2	
	RES. DIR. (TENS OF DEGS.)	08	03	10	06	22	03	26	12	19	07	09	03	07	
	MEAN SPEED (MPH)	8.2	8.0	9.9	8.9	9.0	8.7	9.9	6.5	6.0	5.8	5.6	6.0	7.7	
	PREVAIL. DIR. (TENS OF DEGS.)	08	08	06	07	09	09	09	09	08	09	08	09	09	
	MAXIMUM 2-MINUTE WIND:														
	SPEED (MPH)	26	24	26	31	28	28	26	31	24	24	24	25	31	
	DIR. (TENS OF DEGS.)	09	07	06	06	06	07	07	07	12	06	07	09	07	
	DATE OF OCCURRENCE	31	10	03	09	05	27+	27	30	24	04	17	05	AUG 30	
	MAXIMUM 5-SECOND WIND:														
	SPEED (MPH)	36	31	31	35	31	37	32	40	32	31	30	33	40	
DIR. (TENS OF DEGS.)	07	08	05	07	08	06	07	10	13	14	07	10	10		
DATE OF OCCURRENCE	31	01	03	09	21+	27	27	30	24	24	17	05	AUG 30		
PRECIPITATION	WATER EQUIVALENT:														
	TOTAL (IN.)	3.33	0.96	1.13	4.85	3.24	1.82	5.16	6.70	7.45	4.81	2.65	4.59	46.69	
	GREATEST 24-HOUR (IN.)	0.61	0.27	0.34	1.85	1.50	0.55	2.22	3.22	1.49	1.10	1.01	1.17	3.22	
	DATE OF OCCURRENCE	28	03	08	20-21	01-02	20-21	14	30	15-16	15	18-19	04-05	AUG 30	
	NUMBER OF DAYS WITH:														
	PRECIPITATION ≥ 0.01	20	11	18	19	19	15	16	22	15	20	12	18	205	
PRECIPITATION ≥ 0.10	11	4	4	10	7	7	8	11	11	12	6	11	102		
PRECIPITATION ≥ 1.00	0	0	0	1	1	0	2	2	3	1	0	0	10		
SNOWFALL	SNOW, ICE PELLETS, HAIL:														
	TOTAL (IN.)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	GREATEST 24-HOUR (IN.)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	DATE OF OCCURRENCE														
	MAXIMUM SNOW DEPTH (IN.)	0	0	0	0	0	0	0	0	0	0	0	0	0	
	NUMBER OF DAYS WITH:														
SNOWFALL ≥ 1.0	0	0	0	0	0	0	0	0	0	0	0	0	0		



PRECIPITATION (inches) 2002 SAN JUAN, PR (SJU)

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
1973	2.27	0.92	4.66	8.48	0.48	4.71	2.44	7.00	3.13	3.29	3.01	4.16	44.55
1974	2.92	0.82	1.92	1.20	2.42	2.34	1.12	6.57	3.67	8.23	6.55	3.92	41.68
1975	2.69	0.71	1.13	1.01	1.04	2.64	3.35	4.08	9.29	6.60	10.90	7.82	51.26
1976	1.50	2.18	2.05	3.94	2.96	2.96	2.48	5.12	11.44	7.69	2.77	2.11	47.20
1977	7.60	1.02	1.73	0.96	4.04	1.49	4.64	4.42	4.71	5.94	12.44	3.82	52.81
1978	0.61	1.56	3.52	8.27	7.14	2.86	3.46	3.21	6.34	4.88	5.40	2.61	49.86
1979	1.29	1.80	2.25	4.28	12.13	5.76	6.61	9.38	10.11	1.17	15.96	3.81	74.55
1980	1.75	1.67	1.47	2.55	5.19	1.31	2.19	3.17	4.85	6.71	1.91	3.18	35.95
1981	2.55	2.72	4.39	2.89	11.02	5.48	7.04	3.32	2.98	9.32	4.94	16.81	73.46
1982	2.53	6.69	0.98	1.01	10.26	5.24	2.33	1.93	2.87	2.06	4.34	4.76	45.00
1983	0.69	0.20	1.47	8.54	3.85	1.91	6.53	5.15	2.75	4.06	3.25	3.50	41.90
1984	1.96	3.13	0.82	0.28	3.75	6.85	2.66	6.04	3.16	5.10	5.65	4.69	44.09
1985	2.80	2.40	1.84	1.02	5.95	0.29	2.85	4.33	5.44	11.10	4.54	2.80	45.36
1986	2.18	1.13	1.61	8.93	12.80	1.52	1.94	5.19	1.98	8.54	5.87	3.59	55.28
1987	2.16	1.20	5.17	8.88	12.17	7.07	3.26	2.48	1.73	2.70	7.49	7.69	62.00
1988	3.83	2.27	1.76	10.37	6.06	1.45	4.02	11.31	5.49	4.12	5.68	4.07	60.43
1989	2.96	6.05	3.39	2.63	4.88	2.97	5.54	7.88	14.83	2.09	4.95	2.50	60.67
1990	4.56	3.02	3.14	1.05	2.44	4.32	5.76	3.42	2.23	8.65	5.33	5.03	48.95
1991	2.57	2.26	1.99	1.76	3.23	2.77	3.30	1.94	5.00	1.84	6.16	2.71	35.53
1992	4.03	1.19	1.47	2.12	8.76	5.55	4.38	4.00	5.35	1.74	11.98	4.72	55.29
1993	2.35	0.51	0.78	6.55	4.48	5.46	7.34	3.01	4.36	2.78	4.34	3.00	44.96
1994	3.39	1.69	1.38	2.75	1.69	4.49	3.58	1.83	5.30	3.52	8.32	3.04	40.98
1995	3.69	3.57	1.29	2.98	9.47	4.66	4.93	5.15	7.17	6.11	3.09	3.84	55.95
1996	5.74	2.44	2.06	5.04	2.39	6.02	7.64	6.94	15.15	2.55	7.98	3.29	67.24
1997	4.01	4.58	1.83	0.08	3.38	0.98	4.75	6.86	3.56		6.82	1.02	
1998	7.29	3.72	3.48	4.14	3.67	3.25	7.18	7.80	10.47	6.82	6.74	7.99	72.55
1999	3.24	2.74	0.75	2.53	3.99	5.53	5.81	7.34	5.82	7.38	9.84	6.15	61.12
2000	2.37	1.01	0.78	1.20	4.72	2.97	3.67	9.52	2.96	3.73	3.76	3.08	39.77
2001	2.91	3.27	1.59	2.27	5.90	2.01	3.57	6.44	5.05	5.00	6.25	11.79	56.05
2002	3.33	0.96	1.13	4.85	3.24	1.82	5.16	6.70	7.45	4.81	2.65	4.59	46.69
POR= 52 YRS	3.16	2.36	0.66	1.53	3.63	2.48	3.81	3.40	6.52	1.96	3.26	1.69	34.46

WBAN : 11641

AVERAGE TEMPERATURE (°F) 2002 SAN JUAN, PR (SJU)

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
1973	78.9	78.3	78.6	80.0	82.9	83.2	83.4	83.2	82.7	83.5	80.7	77.9	81.1
1974	77.3	78.0	78.5	79.6	81.4	83.4	83.7	83.2	82.9	82.5	80.0	78.3	80.7
1975	76.9	77.2	78.4	79.6	81.0	82.9	83.0	82.7	82.1	81.6	79.8	77.5	80.2
1976	76.3	76.6	76.8	78.5	80.5	81.7	83.1	83.5	83.3	82.5	80.9	78.3	80.2
1977	77.0	77.6	78.3	80.2	80.9	81.9	80.6	81.0	81.1	81.9	80.3	79.3	80.0
1978	78.3	79.2	79.8	80.1	80.8	82.3	83.1	83.2	83.9	82.7	81.8	79.6	81.2
1979	78.5	78.7	77.8	79.4	81.3	83.8	83.5	83.0	81.8	83.0	80.6	78.7	80.8
1980	78.2	78.6	79.2	80.8	83.8	85.1	85.2	85.1	84.5	84.4	82.2	80.7	82.3
1981	79.8	79.4	80.9	80.3	83.4	84.2	85.0	83.8	84.3	83.3	81.6	78.7	82.1
1982	78.5	77.8	78.0	80.4	81.0	82.9	83.3	84.6	84.6	83.8	80.2	78.0	81.1
1983	78.5	79.9	82.2	81.8	83.2	85.4	84.2	84.0	84.3	83.6	81.4	79.9	82.4
1984	78.1	77.8	80.2	81.8	81.1	82.4	82.6	82.6	82.2	81.3	78.7	77.3	80.5
1985	76.1	77.3	76.7	78.3	80.4	83.0	83.5	83.4	81.7	79.6	79.0	76.8	79.7
1986	75.5	76.0	77.4	79.0	79.1	81.6	82.0	82.2	82.5	81.4	79.1	77.7	79.5
1987	76.7	77.4	78.0	81.2	81.6	81.7	82.7	83.7	83.8	83.3	80.6	79.7	80.9
1988	76.9	76.6	77.8	80.4	82.4	84.3	83.6	82.8	82.2	81.6	79.8	76.9	80.4
1989	76.2	76.0	76.1	78.8	80.3	81.2	81.8	82.3	82.3	81.7	80.0	79.2	79.7
1990	77.1	76.4	76.5	79.1	81.8	82.4	82.6	82.9	83.4	82.1	80.7	77.5	80.2
1991	77.0	77.8	78.6	79.2	81.0	83.2	83.1	83.9	83.3	82.4	79.9	77.0	80.5
1992	77.1	78.2	78.9	80.8	81.3	83.4	82.4	82.7	82.3	84.0	80.8	79.3	80.9
1993	77.3	78.5	79.3	80.3	82.1	83.3	82.8	84.2	83.0	82.7	80.9	78.9	81.1
1994	77.9	78.0	79.3	79.7	82.8	82.8	82.9	83.8	83.3	82.8	81.1	79.7	81.2
1995	78.0	78.7	77.2	80.6	81.5	83.3	84.2	84.5	84.9	82.3	80.9	80.0	81.3
1996	78.2	77.9	79.1	79.1	80.3	81.3	81.6	81.8	81.8	81.6	78.8	76.7	79.9
1997	76.2	76.0	76.6	80.3	81.5	83.4	83.1	83.1	83.2	82.4	80.9	80.1	80.6
1998	78.7	78.7	78.2	79.6	81.7	83.1	82.6	83.7	82.8	82.2	80.2	78.6	80.8
1999	76.9	75.4	77.7	79.5	82.4	82.1	81.5	82.7	83.1	81.5	79.8	76.9	80.0
2000	75.7	76.7	76.6	79.4	80.6	82.0	82.9	82.8	82.0	81.8	79.5	78.4	79.9
2001	77.3	76.9	79.2	80.2	82.7	82.8	82.9	83.2	82.9	82.1	79.4	78.3	80.7
2002	78.1	77.6	79.1	79.3	81.1	83.1	82.9	83.1	83.0	81.9	80.8	78.6	80.7
POR= 52 YRS	76.6	76.8	77.6	79.0	80.6	82.0	82.2	82.5	82.2	81.6	79.7	77.9	79.9

HEATING DEGREE DAYS (base 65°F) 2002 SAN JUAN, PR (SJU)

YEAR	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	TOTAL
1983-84	0	0	0	0	0	0	0	0	0	0	0	0	0
1984-85	0	0	0	0	0	0	0	0	0	0	0	0	0
1985-86	0	0	0	0	0	0	0	0	0	0	0	0	0
1986-87	0	0	0	0	0	0	0	0	0	0	0	0	0
1987-88	0	0	0	0	0	0	0	0	0	0	0	0	0
1988-89	0	0	0	0	0	0	0	0	0	0	0	0	0
1989-90	0	0	0	0	0	0	0	0	0	0	0	0	0
1990-91	0	0	0	0	0	0	0	0	0	0	0	0	0
1991-92	0	0	0	0	0	0	0	0	0	0	0	0	0
1992-93	0	0	0	0	0	0	0	0	0	0	0	0	0
1993-94	0	0	0	0	0	0	0	0	0	0	0	0	0
1994-95	0	0	0	0	0	0	0	0	0	0	0	0	0
1995-96	0	0	0	0	0	0	0	0	0	0	0	0	0
1996-97	0	0	0	0	0	0	0	0	0	0	0	0	0
1997-98	0	0	0	0	0	0	0	0	0	0	0	0	0
1998-99	0	0	0	0	0	0	0	0	0	0	0	0	0
1999-00	0	0	0	0	0	0	0	0	0	0	0	0	0
2000-01	0	0	0	0	0	0	0	0	0	0	0	0	0
2001-02	0	0	0	0	0	0	0	0	0	0	0	0	0
2002-	0	0	0	0	0	0	0	0	0	0	0	0	0

WBAN : 11641

COOLING DEGREE DAYS (base 65°F) 2002 SAN JUAN, PR (SJU)

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
1973	438	379	428	458	562	553	578	570	539	579	475	406	5965
1974	390	368	424	442	511	558	586	575	544	549	455	418	5820
1975	375	346	420	446	501	543	565	556	521	519	450	395	5637
1976	357	342	375	413	485	506	566	579	557	548	485	419	5632
1977	382	360	419	463	499	514	491	502	487	532	469	452	5570
1978	420	404	464	462	499	526	566	570	575	555	513	459	6013
1979	426	393	404	436	512	571	582	564	511	569	477	432	5877
1980	414	402	446	479	590	610	633	628	591	608	522	494	6417
1981	467	407	499	468	578	584	626	587	588	574	505	429	6312
1982	423	364	412	470	504	543	573	615	593	590	466	405	5958
1983	426	424	541	509	573	621	604	593	583	582	502	468	6426
1984	415	377	479	508	503	528	553	553	522	517	417	389	5761
1985	352	349	368	403	483	547	579	577	508	459	429	371	5425
1986	329	315	390	428	444	501	535	538	534	517	429	401	5361
1987	366	354	407	490	521	508	556	588	571	575	477	464	5877
1988	377	341	403	470	547	587	581	558	523	522	453	375	5737
1989	354	313	353	421	482	495	529	543	525	526	456	443	5440
1990	383	325	362	430	526	526	551	561	559	539	478	392	5632
1991	379	363	428	430	503	551	571	593	558	547	455	380	5758
1992	383	393	435	479	512	556	547	555	524	596	482	454	5916
1993	391	383	450	469	535	557	561	603	550	557	483	440	5979
1994	404	370	449	448	559	541	563	592	556	562	493	461	5998
1995	412	389	387	475	518	557	602	611	603	545	486	472	6057
1996	414	381	444	430	480	495	519	529	510	524	421	372	5519
1997	353	316	369	467	518	561	569	567	555	545	485	473	5778
1998	430	391	415	446	523	550	555	589	538	541	462	428	5868
1999	374	297	402	443	547	515	519	558	549	516	449	379	5548
2000	339	345	366	443	492	517	560	557	516	530	443	424	5532
2001	388	342	448	464	555	540	563	569	544	535	437	421	5806
2002	410	359	445	435	503	548	562	566	549	530	483	429	5819

SNOWFALL (inches) 2002 SAN JUAN, PR (SJU)

YEAR	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	TOTAL
1973-74	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1974-75	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1975-76	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1976-77	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1977-78	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1978-79	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1979-80	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1980-81	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1981-82	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1982-83	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1983-84	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1984-85	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1985-86	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1986-87	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1987-88	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1988-89	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1989-90	0.0	0.0	T	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	T
1990-91	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1991-92	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1992-93	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1993-94	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1994-95	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1995-96	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1996-97	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1997-98	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1998-99	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1999-00	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2000-01	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2001-02	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2002-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
POR= 46 YRS	0.0	0.0	T	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	T

WBAN : 11641

REFERENCE NOTES:

<p>PAGE 1: THE TEMPERATURE GRAPH SHOWS NORMAL MAXIMUM AND NORMAL MINIMUM DAILY TEMPERATURES (SOLID CURVES) AND THE ACTUAL DAILY HIGH AND LOW TEMPERATURES (VERTICAL BARS).</p> <p>PAGE 2 AND 3: H/C INDICATES HEATING AND COOLING DEGREE DAYS. RH INDICATES RELATIVE HUMIDITY W/O INDICATES WEATHER AND OBSTRUCTIONS S INDICATES SUNSHINE. PR INDICATES PRESSURE. CLOUDINESS ON PAGE 3 IS THE SUM OF THE CEILOMETER AND SATELLITE DATA NOT TO EXCEED EIGHT EIGHTHS(OKTAS).</p> <p>GENERAL: T INDICATES TRACE PRECIPITATION, AN AMOUNT GREATER THAN ZERO BUT LESS THAN THE LOWEST REPORTABLE VALUE. + INDICATES THE VALUE ALSO OCCURS ON EARLIER DATES. BLANK ENTRIES DENOTE MISSING OR UNREPORTED DATA. NORMALS ARE 30-YEAR AVERAGES (1961 - 1990). ASOS INDICATES AUTOMATED SURFACE OBSERVING SYSTEM. PM INDICATES THE LAST DAY OF THE PREVIOUS MONTH. POR (PERIOD OF RECORD) BEGINS WITH THE JANUARY DATA MONTH AND IS THE NUMBER OF YEARS USED TO COMPUTE THE MEAN. INDIVIDUAL MONTHS WITHIN THE POR MAY BE MISSING. WHEN THE POR FOR A NORMAL IS LESS THAN 30 YEARS, THE NORMAL IS PROVISIONAL AND IS BASED ON THE NUMBER OF YEARS INDICATED. 0.* OR * INDICATES THE VALUE OR MEAN-DAYS-WITH IS BETWEEN 0.00 AND 0.05. CLOUDINESS FOR ASOS STATIONS DIFFERS FROM THE NON-ASOS OBSERVATION TAKEN BY A HUMAN OBSERVER. ASOS STATION CLOUDINESS IS BASED ON TIME-AVERAGED CEILOMETER DATA FOR CLOUDS AT OR BELOW 12,000 FEET AND ON SATELLITE DATA FOR CLOUDS ABOVE 12,000 FEET. THE NUMBER OF DAYS WITH CLEAR, PARTLY CLOUDY, AND CLOUDY CONDITIONS FOR ASOS STATIONS IS THE SUM OF THE CEILOMETER AND SATELLITE DATA FOR THE SUNRISE TO SUNSET PERIOD.</p>	<p>GENERAL CONTINUED: CLEAR INDICATES 0 - 2 OKTAS, PARTLY CLOUDY INDICATES 3 - 6 OKTAS, AND CLOUDY INDICATES 7 OR 8 OKTAS. WHEN AT LEAST ONE OF THE ELEMENTS (CEILOMETER OR SATELLITE) IS MISSING, THE DAILY CLOUDINESS IS NOT COMPUTED. WIND DIRECTION IS RECORDED IN TENS OF DEGREES (2 DIGITS) CLOCKWISE FROM TRUE NORTH. "00" INDICATES CALM. "36" INDICATES TRUE NORTH. RESULTANT WIND IS THE VECTOR AVERAGE OF THE SPEED AND DIRECTION. AVERAGE TEMPERATURE IS THE SUM OF THE MEAN DAILY MAXIMUM AND MINIMUM TEMPERATURE DIVIDED BY 2. SNOWFALL DATA COMPRISE ALL FORMS OF FROZEN PRECIPITATION, INCLUDING HAIL. A HEATING (COOLING) DEGREE DAY IS THE DIFFERENCE BETWEEN THE AVERAGE DAILY TEMPERATURE AND 65° F. DRY BULB IS THE TEMPERATURE OF THE AMBIENT AIR. DEW POINT IS THE TEMPERATURE TO WHICH THE AIR MUST BE COOLED TO ACHIEVE 100 PERCENT RELATIVE HUMIDITY. WET BULB IS THE TEMPERATURE THE AIR WOULD HAVE IF THE MOISTURE CONTENT WAS INCREASED TO 100 PERCENT RELATIVE HUMIDITY.</p> <p>ON JULY 1, 1996, THE NATIONAL WEATHER SERVICE BEGAN USING THE "METAR" OBSERVATION CODE THAT WAS ALREADY EMPLOYED BY MOST OTHER NATIONS OF THE WORLD. THE MOST NOTICEABLE DIFFERENCE IN THIS ANNUAL PUBLICATION WILL BE THE CHANGE IN UNITS FROM TENTHS TO EIGHTS(OKTAS) FOR REPORTING THE AMOUNT OF SKY COVER.</p>
---	--

2002  
SAN JUAN,  
PUERTO RICO (SJU)

San Juan, located on the north coast of the island of Puerto Rico, is surrounded by the waters of the Atlantic Ocean and San Juan Bay. Local custom assigns the name San Juan to the old city which lies right on the coast, but the modern metropolitan area extends inland about 12 miles. These inland sections have a temperature and rainfall regime significantly different from the coastal area. Isla Verde Airport, where weather observations are made, lies on the coast about 7 miles east of old San Juan. The surrounding terrain is level with a gradual upslope inland. Mountain ranges, with peak elevations of 4,000 feet, extend east and west through the central portion of Puerto Rico, and are located 15 to 20 miles east and south of San Juan. These mountain ranges have a decided influence on the rainfall of the San Juan metropolitan area, and on the entire island in general.

The climate is tropical maritime, characteristic of all tropical islands. The predominant easterly trade winds, modified by local effects such as the land and sea breeze and the particular island topography, are a primary feature of the climate of San Juan and have a significant influence on the temperature and rainfall. During daylight hours the wind blows almost constantly off the ocean. Usually, after sunset the wind shifts to the south or southeast, off land. This daily wind variation is a contributing factor to the delightful climate of the city. The annual temperature range is small with about a 5-6 degree difference between the temperatures of the warmest and coldest months. The inland sectors have warmer afternoons and cooler nights. In the interior mountain and valley regions even greater daily and annual ranges of temperature occur. The highest temperatures recorded in Puerto Rico have exceeded 105 degrees and the lowest have been near 40. Sea water temperatures range from 78 degrees in March to about 83 degrees in September.

Although rainfall in San Juan is nearly 60 inches, the geographical distribution of rainfall over the island shows the heaviest rainfall, of about 180 inches per year, in the Luquillo Range, only 23 miles distant from San Juan. The driest area, with annual rainfall of 30 to 35 inches, is located in the southwest corner of the island. Rain showers occur mostly in the afternoon and at night. The nocturnal showers, usually light, are a characteristic feature of the San Juan rainfall pattern. Rainfall is generally of the brief showery type except for the continuous rains occurring with the passage of tropical disturbances, or when the trailing edge of a cold front out of the United States reaches Puerto Rico. This normally occurs from about November to April.

Puerto Rico is in the tropical hurricane region of the eastern Caribbean. The hurricane season begins June 1 and ends November 30. Only a few hurricanes have passed close enough to San Juan to produce hurricane force winds or damage.

Mild temperatures, refreshing sea breezes in the daytime, plenty of sunshine, and adequate rainfall make the climate of San Juan most enjoyable for tourists and residents alike.

# STATION LOCATION

SAN JUAN, PUERTO RICO

LOCATION	Occupied From	Occupied To	Airline Distances and Directions from previous Location	LATITUDE NORTH	LONGITUDE WEST	ELEVATION ABOVE										AUTOMATIC OBSERVING EQUIPMENT *	* TYPE M = AMOS T = AUTOB S = ASOS W = AWOS  REMARKS
						GROUND											
						SEA LEVEL	GROUND	WIND INSTRUMENT	EXTREME THERMOMETERS	PSYCHROMETER	SUNSHINE SWITCH	TIPPING GAUGE BUCKET	WEIGHING RAIN GAGE	8 INCH RAIN GAGE	HYGROMETER		
*NOTE:																	
<u>AIRPORT</u>																	
Administration Building Naval Air Station Isla Grande Airport	3/?/40	11/07/49		18°27'	66°06'	15	52	30	30						%26	% . 4-inch rain gage.	
Terminal Building Isla Grande Airport	11/08/49	5/23/55	0.3 mi. W	18°27'	66°06'	9	a73	54	54	65	53					a. 69 ft. to 12/15/50.	
Administration Building Isla Verde Airport	5/24/55	05/01/96	6.5 mi. E	18°26'	66°00'	c13	e20 j20	f88	g88	88 i87	h88 m69			b4 k9		b. Telepsychrometer (7') 5/24/55-12/6/63. Hygro. comm. 1700' NNE of tele. site 12/6/63. c. 15 ft. to 12/6/63. e. 35 ft. to 4/7/61. f. 7 ft. to 12/15/64. g. Added as standby equipment 12/6/63. h. 4 ft. to 11/10/69. i. Minor move 1/21/78. j. Minor move 10/07/83. k. Minor move & type change 10/07/83. m. Lowered 06/15/88.	
Isla Verde Int'l AP	05/01/96	Present	NA	18°26'	66°00'	n7								S		n. ASOS Commissioned 05/01/96 n. Ground elevation.	

**For Hard Copy Subscription:**

Price and ordering information: NCDC Subscribing Service Center, 310 State Route 956, Building 300, Rocket Center, WV 26726.

**INQUIRIES/COMMENTS CALL: Toll Free (866) 742-3322**

Visit our Web Site for other weather data: [www.ncdc.noaa.gov](http://www.ncdc.noaa.gov)

**Non-Subscription Request:**

NCDC Customer Services;

Phone: 828-271-4800

Fax: 828-271-4876

Email: [ncdc.orders@noaa.gov](mailto:ncdc.orders@noaa.gov)

OFFICIAL BUSINESS

PENALTY FOR PRIVATE USE \$300

CHANGE SERVICE REQUESTED

**FIRST CLASS**  
**POSTAGE & FEES PAID**  
 United States Department of Commerce  
 NOAA Permit No. G - 19

\* NOTES: For earlier station history see previous editions.