

2003

LOCAL CLIMATOLOGICAL DATA
ANNUAL SUMMARY WITH COMPARATIVE DATA




ISSN 0198-1684

HILO,
HAWAII (ITO)

Daily Data


Fahrenheit

Celsius




Inches

Millimeters



Inches of Mercury

Hectopascals



I CERTIFY THAT THIS IS AN OFFICIAL PUBLICATION OF THE NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION,
AND IS COMPILED FROM RECORDS ON FILE AT THE NATIONAL CLIMATIC DATA CENTER.

Thomas R. Karl

NATIONAL
OCEANIC AND
ATMOSPHERIC ADMINISTRATION

NATIONAL
ENVIRONMENTAL SATELLITE, DATA,
AND INFORMATION SERVICE

NATIONAL
CLIMATIC DATA CENTER
ASHEVILLE, NORTH CAROLINA

DIRECTOR
NATIONAL CLIMATIC DATA CENTER

METEOROLOGICAL DATA FOR 2003

HILO, HI (ITO)

LATITUDE: 19° 43' 24" N LONGITUDE: 155° 03' 05" W ELEVATION (FT): GRND: 44 BARO: 47 TIME ZONE: HAWAII (UTC + 10) WBAN: 21504

	ELEMENT	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	YEAR	
TEMPERATURE °F	MEAN DAILY MAXIMUM	81.3	78.8	82.2	79.0	82.2	84.0	84.4	84.5	85.2	85.3	80.4	80.0	82.3	
	HIGHEST DAILY MAXIMUM	86	83	87	83	91	86	89	87	90	86	85	85	91	
	DATE OF OCCURRENCE	15	01	27+	08	25	22+	27+	05	29+	01	01	01	MAY 25	
	MEAN DAILY MINIMUM	63.5	64.3	64.8	66.4	66.0	68.4	70.2	70.7	69.8	69.3	67.4	66.0	67.2	
	LOWEST DAILY MINIMUM	60	61	60	63	60	67	67	67	67	66	60	62	60	
	DATE OF OCCURRENCE	21+	20	04+	30+	26+	26+	31+	02	30	28	22	27+	NOV 22	
	AVERAGE DRY BULB	72.4	71.6	73.5	72.7	74.1	76.2	77.3	77.6	77.5	77.3	73.9	73.0	74.8	
	MEAN WET BULB	64.9	64.9	66.6	67.3	67.6	69.6	69.6	71.7	70.8	70.0	68.5	67.5	67.5	
	MEAN DEW POINT	60.3	61.3	62.7	64.7	64.0	66.3	66.3	69.2	67.7	66.7	66.1	64.8	64.8	
	NUMBER OF DAYS WITH:														
	MAXIMUM ≥ 90°	0	0	0	0	1	0	0	0	0	1	0	0	0	2
	MAXIMUM ≤ 32°	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	MINIMUM ≤ 32°	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MINIMUM ≤ 0°	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
H/C	HEATING DEGREE DAYS	0	0	0	0	0	0	0	0	0	0	0	0	0	
	COOLING DEGREE DAYS	236	189	270	238	287	343	392	398	385	391	274	256	3659	
RH	MEAN (PERCENT)	68	73	72	79	74	75	79	78	75	73	80	79	75	
	HOUR 02 LST	73	81	80	87	81	84	86	87	83	80	86	85	83	
	HOUR 08 LST	68	78	72	81	72	74	79	81	76	71	81	81	76	
	HOUR 14 LST	56	62	57	71	62	63	68	67	64	62	71	67	64	
	HOUR 20 LST	74	75	77	81	80	80	80	80	80	81	85	84	80	
S	PERCENT POSSIBLE SUNSHINE	57	45	66	31	50	56	48	48	55	57	27	33	48	
W/O	NUMBER OF DAYS WITH:														
	HEAVY FOG (VISBY ≤ 1/4 MI)	1	0	0	0	0	0	0	0	1	0	0	0	2	
	THUNDERSTORMS	0	1	0	1	0	0	0	0	0	0	1	2	5	
CLOUDINESS	SUNRISE-SUNSET: (OKTAS)														
	CEILOMETER (≤ 12,000 FT.)														
	SATELLITE (> 12,000 FT.)														
	MIDNIGHT-MIDNIGHT: (OKTAS)														
	CEILOMETER (≤ 12,000 FT.)														
	SATELLITE (> 12,000 FT.)														
NUMBER OF DAYS WITH:															
CLEAR															
PARTLY CLOUDY															
CLOUDY															
PR	MEAN STATION PRESS. (IN.)	29.92	29.99	30.00	30.04	30.03	29.99		29.99	29.95	29.95	29.97	29.98		
	MEAN SEA-LEVEL PRESS. (IN.)	29.95	30.02	30.04	30.08	30.06	30.02		30.03	29.98	29.99	30.00	30.01		
WINDS	RESULTANT SPEED (MPH)	0.7	1.7	1.3	0.6	0.7	0.5		0.7	0.9	1.8	1.0	1.4		
	RES. DIR. (TENS OF DEGS.)	28	36	14	10	18	32		36	17	17	29	22		
	MEAN SPEED (MPH)	7.2	7.2	7.1	6.5	7.1	6.7	5.7	6.0	5.9	6.0	5.9	5.4	6.4	
	PREVAIL. DIR. (TENS OF DEGS.)	22	22	22	23	22	22	22	22	21	22	22	22	22	
	MAXIMUM 2-MINUTE WIND:														
	SPEED (MPH)	31	26	25	21	21	21	20	21	24	22	25	23	31	
	DIR. (TENS OF DEGS.)	01	34	10	07	10	06	05	07	07	06	35	34	01	
	DATE OF OCCURRENCE	20	14	26	20+	01	19	09+	30	01	14+	20	17	JAN 20	
	MAXIMUM 5-SECOND WIND:														
	SPEED (MPH)	38	33	30	24	24	26	25	25	29	28	33	29	38	
DIR. (TENS OF DEGS.)	35	34	10	05	10	04	03	35	06	11	36	34	35		
DATE OF OCCURRENCE	20	14	26	20+	25+	19	07	31	01	28	19	17	JAN 20		
PRECIPITATION	WATER EQUIVALENT:														
	TOTAL (IN.)	1.24	5.44	1.50	14.13	4.71	5.84	10.26	8.26	7.76	3.88	18.32	10.04	91.38	
	GREATEST 24-HOUR (IN.)	1.00	1.59	0.61	2.59	1.06	1.80	2.14	0.87	3.16	0.92	3.61	1.96	3.61	
	DATE OF OCCURRENCE	11-12	14-15	28	06	07-08	12	06-07	15-16	01	15-16	15-16	09-10	NOV 15-16	
	NUMBER OF DAYS WITH:														
	PRECIPITATION ≥ 0.01	4	22	12	27	19	21	26	30	21	13	26	27	248	
PRECIPITATION ≥ 0.10	3	12	5	22	13	16	20	23	12	9	22	17	174		
PRECIPITATION ≥ 1.00	0	1	0	4	1	1	3	0	2	0	7	2	21		
SNOWFALL	SNOW, ICE PELLETS, HAIL:														
	TOTAL (IN.)														
	GREATEST 24-HOUR (IN.)														
	DATE OF OCCURRENCE														
	MAXIMUM SNOW DEPTH (IN.)														
	DATE OF OCCURRENCE														
NUMBER OF DAYS WITH:															
SNOWFALL ≥ 1.0															

NORMALS, MEANS, AND EXTREMES

HILO, HI (ITO)

LATITUDE: 19° 43' 24" N LONGITUDE: 155° 03' 05" W ELEVATION (FT): GRND: 44 BARO: 47 TIME ZONE: HAWAII (UTC + 10) WBAN: 21504

	ELEMENT	POR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	YEAR
TEMPERATURE °F	NORMAL DAILY MAXIMUM	30	79.2	79.4	79.2	79.3	80.6	82.2	82.5	83.2	83.4	82.7	80.7	79.5	81.0
	MEAN DAILY MAXIMUM	54	79.4	79.2	79.3	79.7	80.8	82.4	82.8	83.4	83.6	83.0	80.9	79.5	81.2
	HIGHEST DAILY MAXIMUM	57	92	92	93	89	94	90	89	93	92	91	92	93	94
	YEAR OF OCCURRENCE		1997	1968	1972	1978	1966	1969	2003	1950	1951	1979	1996	1980	MAY 1966
	MEAN OF EXTREME MAXS.	54	85.5	85.0	84.4	83.7	84.7	85.5	86.0	86.8	86.8	87.3	85.5	84.5	85.5
	NORMAL DAILY MINIMUM	30	63.6	63.5	64.7	65.6	66.7	68.0	69.2	69.4	69.0	68.5	67.2	64.9	66.7
	MEAN DAILY MINIMUM	54	63.5	63.3	64.2	65.3	66.4	67.6	68.6	69.0	68.5	67.9	66.7	64.6	66.3
	LOWEST DAILY MINIMUM	57	54	53	54	56	58	60	62	63	61	62	58	55	53
	YEAR OF OCCURRENCE		1995	1962	1983	1949	1947	1946	1970	1955	1970	1999	1985	1977	FEB 1962
	MEAN OF EXTREME MINS.	54	58.6	58.1	59.6	61.6	62.7	64.4	65.0	65.3	64.9	64.1	62.4	59.6	62.2
	NORMAL DRY BULB	30	71.4	71.5	72.0	72.5	73.7	75.1	75.9	76.3	76.2	75.6	74.0	72.2	73.9
	MEAN DRY BULB	54	71.4	71.3	71.7	72.4	73.7	75.0	75.7	76.2	76.1	75.4	73.8	72.1	73.7
	MEAN WET BULB	19	66.0	65.6	66.6	67.6	68.7	70.0	71.2	71.8	71.3	70.8	69.7	67.2	68.9
	MEAN DEW POINT	19	63.0	62.4	63.5	65.0	66.1	67.4	68.9	69.5	68.9	68.4	67.6	64.7	66.3
	NORMAL NO. DAYS WITH:														
MAXIMUM ≥ 90°	30	0.2	0.1	*	0.0	0.0	0.0	0.0	0.1	0.3	0.3	0.1	0.1	1.2	
MAXIMUM ≤ 32°	30	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
MINIMUM ≤ 32°	30	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
MINIMUM ≤ 0°	30	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
H/C	NORMAL HEATING DEG. DAYS	30	0	0	0	0	0	0	0	0	0	0	0	0	0
	NORMAL COOLING DEG. DAYS	30	198	180	215	223	268	303	336	350	336	328	268	223	3228
RH	NORMAL (PERCENT)	30	77	76	78	79	79	79	80	80	80	81	82	79	79
	HOUR 02 LST	30	83	83	85	88	87	87	88	88	87	88	87	85	86
	HOUR 08 LST	30	78	77	80	81	79	79	81	81	80	80	82	80	80
	HOUR 14 LST	30	67	65	66	69	68	66	69	70	69	70	72	69	68
	HOUR 20 LST	30	83	81	82	83	82	82	83	83	84	86	86	85	83
S	PERCENT POSSIBLE SUNSHINE	51	46	46	42	37	37	44	41	41	43	38	33	37	40
W/O	MEAN NO. DAYS WITH:														
	HEAVY FOG (VISBY ≤ 1/4 MI)	58	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.1
	THUNDERSTORMS	58	0.9	1.3	1.5	1.0	0.6	0.1	0.3	0.3	0.5	1.1	1.2	0.9	9.7
CLOUDINESS	MEAN:														
	SUNRISE-SUNSET (OKTAS)	51	5.0	5.3	6.0	6.4	6.2	5.9	6.1	5.9	5.6	5.7	5.9	5.5	5.8
	MIDNIGHT-MIDNIGHT (OKTAS)	33	5.0	5.2	5.9	6.4	6.2	6.1	6.3	5.9	5.6	5.8	6.0	5.5	5.8
	MEAN NO. DAYS WITH:														
	CLEAR	51	6.5	5.3	2.7	1.2	1.2	1.7	1.3	1.8	2.9	2.7	3.2	5.0	35.5
PARTLY CLOUDY	51	11.4	10.3	10.2	9.2	10.6	11.3	11.5	12.2	12.0	11.8	10.0	10.8	131.3	
CLOUDY	51	13.1	12.7	18.0	19.7	19.1	17.1	17.7	16.5	14.5	16.1	16.2	14.6	195.3	
PR	MEAN STATION PRESSURE (IN)	31	29.96	29.98	30.02	30.02	30.02	30.01	29.99	29.97	29.94	29.95	29.96	29.97	29.98
	MEAN SEA-LEVEL PRES. (IN)	20	30.02	30.03	30.05	30.07	30.05	30.05	30.02	30.00	29.97	29.98	30.00	30.02	30.02
WINDS	MEAN SPEED (MPH)	37	7.5	7.9	8.0	7.8	7.6	7.3	7.2	7.2	7.1	7.0	7.0	7.3	7.4
	PREVAIL. DIR (TENS OF DEGS)	24	22	22	22	22	22	22	23	23	22	22	22	22	22
	MAXIMUM 2-MINUTE:														
	SPEED (MPH)	6	31	35	29	23	23	24	21	24	24	24	25	25	35
	DIR. (TENS OF DEGS)		01	35	01	08	08	06	07	10	07	02	35	07	35
	YEAR OF OCCURRENCE		2003	2002	2002	2001	1999	2001	2000	1998	2003	2001	2003	2001	FEB 2002
	MAXIMUM 5-SECOND:														
SPEED (MPH)	6	38	39	36	32	29	28	25	32	29	31	33	32	39	
DIR. (TENS OF DEGS)		35	22	01	08	11	06	03	10	06	03	36	08	22	
YEAR OF OCCURRENCE		2003	2002	2002	2001	1999	2001	2003	1998	2003	2001	2003	2001	FEB 2002	
PRECIPITATION	NORMAL (IN)	30	9.74	8.86	14.35	12.54	8.07	7.36	10.71	9.78	9.14	9.64	15.58	10.50	126.27
	MAXIMUM MONTHLY (IN)	61	32.24	45.55	49.93	43.24	25.01	22.70	28.59	26.92	21.82	26.10	45.90	50.82	50.82
	YEAR OF OCCURRENCE		1979	1979	1980	1986	1964	1997	1982	1991	1994	1951	2000	1954	DEC 1954
	MINIMUM MONTHLY (IN)	61	0.13	0.52	0.88	2.93	1.18	1.80	3.54	2.66	1.59	2.40	1.01	0.28	0.13
	YEAR OF OCCURRENCE		1998	2000	1972	1962	1945	1985	1999	1971	1974	1962	1989	1980	JAN 1998
	MAXIMUM IN 24 HOURS (IN)	61	12.56	22.30	17.05	11.07	10.26	4.72	7.11	11.57	9.49	8.88	27.36	11.45	27.36
	YEAR OF OCCURRENCE		2002	1979	1980	1971	1965	1997	1982	1991	1994	1951	2000	1987	NOV 2000
	NORMAL NO. DAYS WITH:														
PRECIPITATION ≥ 0.01	30	16.3	15.8	22.6	25.4	25.4	25.4	27.4	25.9	23.3	24.0	23.5	19.8	274.8	
PRECIPITATION ≥ 1.00	30	2.8	2.3	3.8	2.8	1.6	1.3	2.2	1.8	2.2	2.0	4.2	2.5	29.5	
SNOWFALL	NORMAL (IN)	30	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAXIMUM MONTHLY (IN)	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	YEAR OF OCCURRENCE														
	MAXIMUM IN 24 HOURS (IN)	55	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	YEAR OF OCCURRENCE														
	MAXIMUM SNOW DEPTH (IN)	47	0	0	0	0	0	0	0	0	0	0	0	0	0
YEAR OF OCCURRENCE															
NORMAL NO. DAYS WITH:															
SNOWFALL ≥ 1.0	30	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	

PRECIPITATION (inches) 2003 HILO, HI (ITO)

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
1974	5.88	7.57	13.47	19.11	8.07	4.76	7.81	4.25	1.59	6.65	14.56	19.20	112.92
1975	19.62	9.28	10.40	10.23	3.01	4.20	3.83	8.13	2.73	8.88	11.15	8.47	99.93
1976	15.62	11.63	25.00	11.58	6.01	2.97	5.46	5.13	5.31	11.35	7.24	7.37	114.67
1977	1.22	9.56	15.49	10.90	10.86	2.46	6.36	7.60	4.19	10.30	8.78	2.66	90.38
1978	5.41	4.26	12.95	6.53	9.64	10.99	11.19	13.53	5.44	10.12	20.21	8.82	119.09
1979	32.24	45.55	5.32	9.90	4.10	10.45	6.54	7.04	3.64	5.03	21.56	7.40	158.77
1980	0.91	4.14	49.93	11.01	5.88	9.66	9.17	8.24	13.70	7.69	7.13	0.28	127.74
1981	1.51	4.95	5.66	4.63	4.16	2.43	4.32	8.97	12.79	10.23	11.73	18.53	89.91
1982	13.58	1.35	48.50	12.00	6.89	6.03	28.59	25.45	9.92	6.53	4.74	6.78	170.36
1983	0.90	0.83	1.98	10.31	9.60	3.94	7.21	7.48	12.08	8.06	2.33	3.37	68.09
1984	10.76	10.06	3.37	12.08	6.59	4.28	6.63	9.36	4.05	2.52	18.38	12.00	100.08
1985	2.25	16.14	21.28	10.61	17.04	1.80	9.86	6.71	11.78	8.19	4.71	2.59	112.96
1986	4.95	0.58	15.37	43.24	8.61	9.11	11.17	10.64	14.36	11.53	35.72	5.75	171.03
1987	9.02	5.06	4.79	9.24	15.65	12.91	18.26	3.69	11.56	14.21	15.83	22.19	142.41
1988	10.31	9.95	13.09	12.90	7.77	5.11	5.50	16.56	11.30	8.50	25.74	13.46	140.19
1989	27.46	6.54	7.33	37.19	19.80	7.03	22.93	8.82	9.73	13.16	1.01	5.71	166.71
1990	29.13	15.24	10.80	4.02	8.13	10.04	10.78	7.80	18.47	20.96	45.75	30.10	211.22
1991	3.81	9.32	37.88	11.02	8.08	9.85	9.82	26.92	9.41	5.15	6.74	15.04	153.04
1992	1.33	1.29	3.90	6.62	2.99	9.36	17.63	13.62	17.59	3.38	25.16	17.02	119.89
1993	2.17	2.67	11.96	9.04	7.54	6.63	18.43	11.38	4.99	12.83	10.74	16.11	114.49
1994	10.39	25.52	18.48	8.59	7.18	13.29	11.71	14.58	21.82	8.73	35.91	6.61	182.81
1995	4.52	1.56	4.17	8.14	8.68	5.35	15.13	13.93	4.20	7.62	8.52	4.10	85.92
1996	14.29	11.81	16.66	6.27	3.65	10.33	13.22	4.77	7.03	11.07	14.22	6.89	120.21
1997	2.33	7.84	19.25	6.03	10.75	22.70	19.38	4.75	8.98	12.64	8.86	8.10	131.61
1998	0.13	2.40	3.67	8.86	15.65	11.27	6.09	8.48	10.76	16.01	15.57	9.89	108.78
1999	16.68	19.34	12.13	16.04	2.84	4.66	3.54	10.14	5.65	3.61	7.74	14.41	116.78
2000	17.87	0.52	5.81	7.25	3.36	8.19	13.16	10.54	9.20	17.65	45.90	4.59	144.04
2001	2.28	12.47	8.35	12.56	2.94	3.64	6.54	7.90	9.01	13.16	19.89	13.77	112.51
2002	26.14	19.00	10.76	7.41	14.95	7.16	6.98	13.65	8.14	6.53	2.86	10.45	134.03
2003	1.24	5.44	1.50	14.13	4.71	5.84	10.26	8.26	7.76	3.88	18.32	10.04	91.38
POR= 61 YRS	9.63	11.23	13.23	12.70	8.89	6.89	10.09	10.18	8.15	9.92	15.24	13.11	129.26

WBAN : 21504

AVERAGE TEMPERATURE (°F) 2003 HILO, HI (ITO)

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
1974	74.5	72.6	73.1	73.5	73.8	75.3	76.1	76.9	77.3	76.9	73.6	72.3	74.7
1975	71.0	71.9	71.2	72.4	73.1	74.4	74.8	75.7	75.5	74.7	73.5	72.2	73.4
1976	71.3	71.2	71.6	72.1	73.0	73.6	74.5	76.2	76.9	76.2	74.5	73.2	73.7
1977	73.9	74.0	73.3	74.2	74.7	76.2	77.1	78.1	77.5	76.9	75.2	73.7	75.4
1978	71.7	72.0	73.2	74.2	76.2	76.5	77.1	76.8	76.2	75.5	74.1	71.1	74.6
1979	69.8	70.4	71.5	73.8	73.8	74.2	74.6	75.6	76.5	76.1	73.0	72.8	73.5
1980	71.6	72.6	72.3	74.5	77.3	77.6	77.8	75.0	75.7	74.8	73.8	74.2	74.8
1981	73.5	72.7	71.6	72.8	74.2	76.0	76.1	76.1	76.2	74.6	73.9	72.0	74.1
1982	71.9	71.8	70.3	71.2	72.9	76.3	76.7	76.9	76.1	74.9	74.6	71.8	73.8
1983	71.4	71.9	72.5	71.9	72.6	74.3	74.8	75.2	74.9	74.1	73.8	72.9	73.4
1984	72.4	71.5	73.8	73.0	74.0	74.7	75.2	75.3	75.4	76.5	73.6	71.1	73.9
1985	69.8	70.5	69.4	69.8	71.4	74.4	75.4	75.7	75.7	74.3	73.0	71.6	72.6
1986	71.1	73.6	74.7	73.6	75.4	76.6	77.8	78.5	77.9	76.4	75.1	72.8	75.3
1987	71.8	70.7	71.6	72.2	72.5	75.4	76.7	77.9	77.8	76.6	74.7	73.1	74.3
1988	71.9	72.3	72.2	72.6	74.2	74.7	75.7	76.0	76.6	77.9	76.3	74.9	74.6
1989	72.2	71.4	72.4	71.1	72.7	74.7	75.2	75.0	74.6	75.6	73.6	71.3	73.3
1990	72.1	70.4	71.2	73.5	74.1	75.0	76.0	77.0	77.2	76.2	75.4	72.5	74.2
1991	72.0	72.8	70.8	72.6	74.2	74.8	76.0	76.9	76.9	76.2	75.8	72.9	74.3
1992	71.2	71.4	72.3	72.4	74.8	76.2	76.2	77.2	77.8	77.7	75.2	73.6	74.7
1993	71.1	70.1	71.6	73.5	73.3	75.4	75.8	77.0	77.1	76.0	73.4	71.7	73.8
1994	70.0	71.3	71.7	73.4	74.9	76.0	78.1	78.6	78.1	77.4	74.9	73.0	74.8
1995	72.6	72.9	74.8	74.1	75.5	76.9	77.9	77.7	78.2	76.2	75.6	74.6	75.6
1996	73.4	70.9	71.5	74.4	76.1	76.9	77.5	77.5	77.5	77.3	75.8	73.2	75.2
1997	73.1	72.7	73.3	74.0	75.0	76.7	77.4	78.0	77.7	76.8	74.3	72.4	75.1
1998	71.8	71.7	72.9	71.8	72.2	73.8	74.8	76.1	74.5	74.2	72.4	69.9	73.0
1999	69.7	69.0	70.5	71.1	72.9	73.4	74.3	74.3	74.0	74.0	72.4	71.3	72.2
2000	69.1	71.3	71.8	71.3	73.9	75.5	75.5	76.1	75.4	75.3	73.0	71.7	73.3
2001	71.6	71.0	71.2	71.5	72.3	73.9	75.4	76.1	76.2	75.1	74.0	72.7	73.4
2002	71.8	70.1	71.2	73.5	74.3	75.4	76.6	77.0	76.0	76.1	74.6	73.0	74.1
2003	72.4	71.6	73.5	72.7	74.1	76.2	77.3	77.6	77.5	77.3	73.9	73.0	74.8
POR= 57 YRS	71.3	71.2	71.5	72.3	73.5	74.9	75.5	76.1	75.9	75.4	73.8	72.0	73.6

HEATING DEGREE DAYS (base 65°F) 2003 HILO, HI (ITO)

YEAR	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	TOTAL
1983-84	0	0	0	0	0	0	0	0	0	0	0	0	0
1984-85	0	0	0	0	0	0	0	0	0	0	0	0	0
1985-86	0	0	0	0	0	0	0	0	0	0	0	0	0
1986-87	0	0	0	0	0	0	0	0	0	0	0	0	0
1987-88	0	0	0	0	0	0	0	0	0	0	0	0	0
1988-89	0	0	0	0	0	0	0	0	0	0	0	0	0
1989-90	0	0	0	0	0	0	0	0	0	0	0	0	0
1990-91	0	0	0	0	0	0	0	0	0	0	0	0	0
1991-92	0	0	0	0	0	0	0	0	0	0	0	0	0
1992-93	0	0	0	0	0	0	0	0	0	0	0	0	0
1993-94	0	0	0	0	0	0	0	0	0	0	0	0	0
1994-95	0	0	0	0	0	0	0	0	0	0	0	0	0
1995-96	0	0	0	0	0	0	0	0	0	0	0	0	0
1996-97	0	0	0	0	0	0	0	0	0	0	0	0	0
1997-98	0	0	0	0	0	0	0	0	0	0	0	0	0
1998-99	0	0	0	0	0	0	0	0	0	0	0	0	0
1999-00	0	0	0	0	0	0	0	0	0	0	0	0	0
2000-01	0	0	0	0	0	0	0	0	0	0	0	0	0
2001-02	0	0	0	0	0	0	0	0	0	0	0	0	0
2002-03	0	0	0	0	0	0	0	0	0	0	0	0	0
2003-	0	0	0	0	0	0	0	0	0	0	0	0	0

WBAN : 21504

COOLING DEGREE DAYS (base 65°F) 2003 HILO, HI (ITO)

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
1974	299	219	261	263	276	315	351	375	375	376	262	235	3607
1975	192	201	197	232	257	288	311	339	323	309	262	233	3144
1976	201	186	214	222	255	268	302	355	364	357	291	261	3276
1977	280	260	264	281	307	343	379	415	382	374	312	274	3871
1978	216	215	263	283	353	351	383	375	341	332	279	195	3586
1979	155	160	210	271	278	280	302	338	351	350	246	248	3189
1980	213	227	234	293	390	385	405	316	328	313	269	295	3668
1981	271	220	210	242	293	338	350	348	345	302	274	225	3418
1982	220	196	170	194	252	348	369	379	340	317	293	219	3297
1983	207	200	239	214	240	287	313	324	303	288	272	250	3137
1984	236	194	282	247	284	298	324	326	320	363	261	195	3330
1985	154	161	142	152	204	290	329	339	329	294	248	211	2853
1986	196	246	308	264	329	356	404	423	396	363	309	250	3844
1987	218	163	212	226	241	319	369	407	389	365	299	259	3467
1988	221	216	233	238	293	298	338	349	353	405	345	315	3604
1989	227	188	238	189	248	297	327	315	294	335	264	202	3124
1990	227	157	200	260	290	308	349	379	376	353	317	237	3453
1991	223	222	188	234	296	301	348	378	365	351	333	251	3490
1992	197	192	235	229	312	343	355	384	387	402	315	275	3626
1993	193	148	213	263	263	318	343	380	370	350	260	217	3318
1994	161	183	214	261	312	338	412	427	401	389	305	254	3657
1995	241	228	310	281	335	364	410	402	401	355	325	303	3955
1996	266	178	209	291	349	360	396	394	379	387	331	265	3805
1997	261	221	261	277	317	358	388	407	389	373	287	239	3778
1998	216	194	253	211	230	269	311	351	293	289	228	162	3007
1999	149	117	179	189	252	257	292	296	278	284	228	200	2721
2000	133	191	221	194	280	322	332	350	317	328	247	213	3128
2001	209	174	201	204	234	276	330	350	341	319	278	246	3162
2002	219	149	202	261	298	320	365	378	339	352	295	253	3431
2003	236	189	270	238	287	343	392	398	385	391	274	256	3659

SNOWFALL (inches) 2003 HILO, HI (ITO)

YEAR	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	TOTAL
1974-75	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1975-76	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1976-77	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1977-78	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1978-79	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1979-80	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1980-81	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1981-82	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1982-83	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1983-84	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1984-85	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1985-86	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1986-87	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1987-88	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1988-89	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1989-90	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1990-91	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1991-92	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1992-93	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1993-94	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1994-95	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1995-96	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1996-97	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1997-98	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1998-99	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1999-00													
2000-01													
2001-02													
2002-03													
2003-													
POR= 54 YRS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

WBAN : 21504

REFERENCE NOTES:

<p>PAGE 1: THE TEMPERATURE GRAPH SHOWS NORMAL MAXIMUM AND NORMAL MINIMUM DAILY TEMPERATURES (SOLID CURVES) AND THE ACTUAL DAILY HIGH AND LOW TEMPERATURES (VERTICAL BARS).</p> <p>PAGE 2 AND 3: H/C INDICATES HEATING AND COOLING DEGREE DAYS. RH INDICATES RELATIVE HUMIDITY W/O INDICATES WEATHER AND OBSTRUCTIONS S INDICATES SUNSHINE. PR INDICATES PRESSURE. CLOUDINESS ON PAGE 3 IS THE SUM OF THE CEILOMETER AND SATELLITE DATA NOT TO EXCEED EIGHT EIGHTHS(OKTAS).</p> <p>GENERAL: T INDICATES TRACE PRECIPITATION, AN AMOUNT GREATER THAN ZERO BUT LESS THAN THE LOWEST REPORTABLE VALUE. + INDICATES THE VALUE ALSO OCCURS ON EARLIER DATES. BLANK ENTRIES DENOTE MISSING OR UNREPORTED DATA. NORMALS ARE 30-YEAR AVERAGES (1971 - 2000). ASOS INDICATES AUTOMATED SURFACE OBSERVING SYSTEM. PM INDICATES THE LAST DAY OF THE PREVIOUS MONTH. POR (PERIOD OF RECORD) BEGINS WITH THE JANUARY DATA MONTH AND IS THE NUMBER OF YEARS USED TO COMPUTE THE MEAN. INDIVIDUAL MONTHS WITHIN THE POR MAY BE MISSING. WHEN THE POR FOR A NORMAL IS LESS THAN 30 YEARS, THE NORMAL IS PROVISIONAL AND IS BASED ON THE NUMBER OF YEARS INDICATED. 0.* OR * INDICATES THE VALUE OR MEAN-DAYS-WITH IS BETWEEN 0.00 AND 0.05. CLOUDINESS FOR ASOS STATIONS DIFFERS FROM THE NON-ASOS OBSERVATION TAKEN BY A HUMAN OBSERVER. ASOS STATION CLOUDINESS IS BASED ON TIME-AVERAGED CEILOMETER DATA FOR CLOUDS AT OR BELOW 12,000 FEET AND ON SATELLITE DATA FOR CLOUDS ABOVE 12,000 FEET. THE NUMBER OF DAYS WITH CLEAR, PARTLY CLOUDY, AND CLOUDY CONDITIONS FOR ASOS STATIONS IS THE SUM OF THE CEILOMETER AND SATELLITE DATA FOR THE SUNRISE TO SUNSET PERIOD.</p>	<p>GENERAL CONTINUED: CLEAR INDICATES 0 - 2 OKTAS, PARTLY CLOUDY INDICATES 3 - 6 OKTAS, AND CLOUDY INDICATES 7 OR 8 OKTAS. WHEN AT LEAST ONE OF THE ELEMENTS (CEILOMETER OR SATELLITE) IS MISSING, THE DAILY CLOUDINESS IS NOT COMPUTED. WIND DIRECTION IS RECORDED IN TENS OF DEGREES (2 DIGITS) CLOCKWISE FROM TRUE NORTH. "00" INDICATES CALM. "36" INDICATES TRUE NORTH. RESULTANT WIND IS THE VECTOR AVERAGE OF THE SPEED AND DIRECTION. AVERAGE TEMPERATURE IS THE SUM OF THE MEAN DAILY MAXIMUM AND MINIMUM TEMPERATURE DIVIDED BY 2. SNOWFALL DATA COMPRISE ALL FORMS OF FROZEN PRECIPITATION, INCLUDING HAIL. A HEATING (COOLING) DEGREE DAY IS THE DIFFERENCE BETWEEN THE AVERAGE DAILY TEMPERATURE AND 65° F. DRY BULB IS THE TEMPERATURE OF THE AMBIENT AIR. DEW POINT IS THE TEMPERATURE TO WHICH THE AIR MUST BE COOLED TO ACHIEVE 100 PERCENT RELATIVE HUMIDITY. WET BULB IS THE TEMPERATURE THE AIR WOULD HAVE IF THE MOISTURE CONTENT WAS INCREASED TO 100 PERCENT RELATIVE HUMIDITY.</p> <p>ON JULY 1, 1996, THE NATIONAL WEATHER SERVICE BEGAN USING THE "METAR" OBSERVATION CODE THAT WAS ALREADY EMPLOYED BY MOST OTHER NATIONS OF THE WORLD. THE MOST NOTICEABLE DIFFERENCE IN THIS ANNUAL PUBLICATION WILL BE THE CHANGE IN UNITS FROM TENTHS TO EIGHTS(OKTAS) FOR REPORTING THE AMOUNT OF SKY COVER.</p>
---	--

2003
HILO,
HAWAII (ITO)

The city of Hilo is located near the midpoint of the eastern shore of the Island of Hawaii. This island is by far the largest of the Hawaiian group, with an area of 4,038 square miles, more than twice that of all the other islands combined. Its topography is dominated by the great volcanic masses of Mauna Loa (13,653 feet), Mauna Kea (13,796 feet), and of Hualalai, the Kohala Mountains, and Kilauea. In fact, the island consists entirely of the slopes of these mountains and of the broad saddles between them. Mauna Loa and Kilauea, which occupy the southern half of the island, are still active volcanoes.

Hawaii lies well within the belt of northeasterly trade winds generated by the semi-permanent Pacific high pressure cell to the north and east. The climate provides equable temperatures from day to day and season to season. In Hilo, July and August are the warmest months, with average daily highs and lows of 83 and 68 degrees. January and February, the coolest months, have highs of 80 degrees and lows of 63 degrees. Greater variations occur in localities with less rain and cloud, but temperatures in the mid-90s and low 50s are uncommon anywhere on the island near sea level.

Over the windward slopes of Hawaii, rainfall occurs principally as orographic showers within the ascending moist trade winds. Mean annual rainfall, except for the semi-sheltered Hamakua district, increases from 100 inches or more along the coasts to a maximum of over 300 inches at elevations of 2,000 to 3,000 feet, and then declines to about 15 inches at the summits of Mauna Kea and Mauna Loa. Leeward areas are topographically sheltered from the trades and are therefore drier, although sea breezes created by daytime heating of the land move onshore and upslope, causing afternoon and evening cloudiness and showers. The driest locality on the island, and in the State, with an annual rainfall of less than 10 inches, is the coastal strip just leeward of the southern portion of the Kohala Mountains and of the saddle between the Kohalas and Mauna Kea.

Within the city of Hilo, average rainfall varies from about 130 inches a year near the shore to as much as 200 upslope. The wettest part of the island, with a mean annual rainfall exceeding 300 inches, lies about 6 miles upslope from the city limits. Relative humidity at Hilo is in the moderate range, however, due to the natural ventilation provided by the prevailing winds, the weather is seldom oppressive.

The trade winds prevail throughout the year and profoundly influence the climate. The islands entire western coast is sheltered from the trades by high mountains, except that unusually strong trade winds may sweep through the saddle between the Kohala Mountains and Mauna Kea and reach the areas to the lee. But even places exposed to the trades may be affected by local mountain circulations. Except for heavy rain, really severe weather seldom occurs. During the winter, cold fronts or the cyclonic storms of subtropical origin may bring blizzards to the upper slopes of Mauna Loa and Mauna Kea, with snow extending at times to 9,000 feet or below and icing nearer the summit.

Storms crossing the Pacific a thousand miles to the north, low pressure or tropical storms, may generate seas that cause heavy swell and surf.

STATION LOCATION

HILO, HAWAII

LOCATION	Occupied From	Occupied To	Airline Distances and Directions from previous Location	LATITUDE NORTH	LONGITUDE WEST	ELEVATION ABOVE										AUTOMATIC OBSERVING EQUIPMENT *	* TYPE M = AMOS T = AUTOB S = ASOS W = AWOS	REMARKS
						SEA LEVEL		GROUND										
						GROUND TEMPERATURE	WIND INSTRUMENT	EXTREME THERMOMETERS	PSYCHROMETER	SUNSHINE SWITCH	TIPPING BUCKET	RAIN GAUGE	WIND GAUGE	8 INCH RAIN GAUGE	HYGROMETER			
*NOTE: <u>AIRPORT</u>																		
Administration Building General Lyman Field	2/2/54	01/01/98	1/4 mi. SSW	19°43'	155°04'	c27	a21 h21	7 f18 g4	7 f18 g4	%21	d4 f17	e4	4 f17	b4 h4			a. 57 feet to 6/11/66. b. Commissioned 7400 feet NE of thermometer site 7/1/66. c. 31 feet to 7/1/66. d. Commissioned 6/1/67. e. Decommissioned 6/1/67. f. Relocated to roof 7/1/69. g. Effective 12/31/72, removed September 1974. %. Commissioned 5/16/79. h. Moved 25' S 3/13/81.	
Hilo International AP	01/01/98	Present	NA	19°43'	155°03'	i44								S			ASOS Commissioned 01/01/98. i. Ground elevation.	

For Hard Copy Subscription:

Price and ordering information: NCDC Subscribing Service Center, 310 State Route 956, Building 300, Rocket Center, WV 26726.

INQUIRIES/COMMENTS CALL: Toll Free (866) 742-3322

Visit our Web Site for other weather data: www.ncdc.noaa.gov

Non-Subscription Request:

NCDC Customer Services;
Phone: 828-271-4800
Fax: 828-271-4876
Email: ncdc.orders@noaa.gov

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE \$300
CHANGE SERVICE REQUESTED

**FIRST CLASS
POSTAGE & FEES PAID
United States Department of Commerce
NOAA Permit No. G - 19**

* NOTES: For earlier station history see previous editions.