

2004

LOCAL CLIMATOLOGICAL DATA ANNUAL SUMMARY WITH COMPARATIVE DATA




ISSN 0198-4357

PAGO PAGO,
AMERICAN SAMOA (NSTU)

Daily Data


Fahrenheit

Celsius




Inches

Millimeters



Inches of Mercury

Hectopascals



I CERTIFY THAT THIS IS AN OFFICIAL PUBLICATION OF THE NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION, AND IS COMPILED FROM RECORDS ON FILE AT THE NATIONAL CLIMATIC DATA CENTER.

NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION
 NATIONAL ENVIRONMENTAL SATELLITE, DATA, AND INFORMATION SERVICE
 NATIONAL CLIMATIC DATA CENTER
 ASHEVILLE, NORTH CAROLINA
 DIRECTOR
 NATIONAL CLIMATIC DATA CENTER

METEOROLOGICAL DATA FOR 2004

PAGO PAGO, PC (NSTU)

LATITUDE: 14° 20' 0" S LONGITUDE: 170° 43' 0" W ELEVATION (FT): GRND: 12 BARO: 15 TIME ZONE: 165 W MER (UTC + 11) WBAN: 61705

ELEMENT		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	YEAR	
TEMPERATURE °F	MEAN DAILY MAXIMUM	85.8	85.8	85.8	85.7	85.2	84.5	84.4	86.0	85.9	86.4	87.1	88.0	85.9	
	HIGHEST DAILY MAXIMUM	89	89	88	88	87	86	87	88	89	89	89	91	91	
	DATE OF OCCURRENCE	01	03+	14	15	15	16+	31+	28+	25	31+	30+	30	DEC 30	
	MEAN DAILY MINIMUM	77.7	76.8	77.1	76.9	76.3	76.4	77.0	76.8	78.0	78.5	79.1	81.3	77.7	
	LOWEST DAILY MINIMUM	73	74	75	72	72	70	72	73	74	75	75	76	70	
	DATE OF OCCURRENCE	11	17+	26+	04	13	14	05+	17	08	16+	05	10	JUN 14	
	AVERAGE DRY BULB	81.8	81.3	81.5	81.3	80.8	80.5	80.7	81.4	82.0	82.5	83.1	84.7	81.8	
	MEAN WET BULB	78.2	78.7	79.2	79.6	78.2	76.7	76.1	76.7	77.4	79.1	79.5	79.5	78.2	
	MEAN DEW POINT	76.8	77.7	78.3	79.0	77.0	74.9	74.1	74.5	75.4	77.5	78.1	77.6	76.7	
	NUMBER OF DAYS WITH:														
	MAXIMUM ≥ 90°	0	0	0	0	0	0	0	0	0	0	0	0	4	4
	MAXIMUM ≤ 32°	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MINIMUM ≤ 32°	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
MINIMUM ≤ 0°	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
H/C	HEATING DEGREE DAYS	0	0	0	0	0	0	0	0	0	0	0	0	0	
	COOLING DEGREE DAYS	528	481	519	495	496	474	497	518	517	549	551	618	6243	
RH	MEAN (PERCENT)	84	89	91	92	89	84	81	80	81	85	86	80	85	
	HOUR 01 LST	88	94	94	95	92	87	84	85	85	88	88	82	88	
	HOUR 07 LST	88	94	95	95	93	87	83	84	84	87	87	83	88	
	HOUR 13 LST	79	85	86	89	82	80	77	73	75	81	81	75	80	
	HOUR 19 LST	84	89	91	94	90	84	82	81	82	85	87	80	86	
S	PERCENT POSSIBLE SUNSHINE	42	35	31	43	45	39	40	53	52	56	63	67	47	
W/O	NUMBER OF DAYS WITH:														
	HEAVY FOG (VISBY ≤ 1/4 MI)	0	0	0	0	0	0	0	0	0	0	0	0	0	
	THUNDERSTORMS	2	3	2	2	3	0	0	0	1	1	1	4	19	
CLOUDINESS	AVG. SKY COVER (OKTAS)														
	SUNRISE - SUNSET	7	7	7	6	5	6	6	5	6	6	6	6	6	
	MIDNIGHT - MIDNIGHT	7	7	7		5	6	6	5	6	6	6	6	6	
	NUMBER OF DAYS WITH:														
	CLEAR	0	0	0	0	1	1	0	5	1	0	0	0	8	
PARTLY CLOUDY	14	10	10	18	18	16	13	13	17	19	21	18	187		
CLOUDY	17	19	21	12	12	13	18	13	12	12	9	13	171		
PR	MEAN STATION PRESS. (IN.)	29.72	29.79	29.76	29.78	29.84	29.85	29.86	29.86	29.88	29.85	29.79	29.78	29.81	
	MEAN SEA-LEVEL PRESS. (IN.)	29.73	29.81	29.77	29.80	29.86	29.87	29.87	29.88	29.89	29.86	29.80	29.79	29.83	
WINDS	RESULTANT SPEED (MPH)	3.8	1.6	3.3	2.2	5.8	8.3	8.5	4.5	3.5	3.7	2.5	7.1	3.9	
	RES. DIR. (TENS OF DEGS.)	09	11	29	11	09	12	12	08	11	08	12	09	10	
	MEAN SPEED (MPH)	10.8	9.2	8.6	9.1	9.8	14.2	14.5	10.3	12.9	13.0	7.7	12.3	11.0	
	PREVAIL. DIR. (TENS OF DEGS.)	10	08	08	11	09	11	12	08	11	12	12	12	11	
	MAXIMUM 2-MINUTE WIND:														
	SPEED (MPH)	48	25	26	31	31	29	28	25	28	32	20	25	48	
	DIR. (TENS OF DEGS.)	03	07	01	09	01	01	01	01	09	09	01	06	03	
	DATE OF OCCURRENCE	05+	12+	18	29	09	27	06	31	07	24	16	31	JAN 05+	
	PEAK GUST:														
	SPEED (MPH)	115	36	31	43	41	38	37	36	35	40	30	40	115	
DIR. (TENS OF DEGS.)	N	NE	E	NW	SE	SE	E	NW	SE	E	N	E	N		
DATE OF OCCURRENCE	05	12+	14	18	09	27+	08+	14	09+	24	08	15	JAN 05		
PRECIPITATION	WATER EQUIVALENT:														
	TOTAL (IN.)	12.31	13.65	13.60	7.40	5.11	3.76	7.11	2.67	4.95	11.52	4.00	9.68	95.76	
	GREATEST 24-HOUR (IN.)	3.24	3.67	3.18	3.06	1.88	1.94	2.24	1.21	3.23	3.62	1.27	2.65	3.67	
	DATE OF OCCURRENCE	04-05	08-09	25-26	17-18	15	29	02-03	03-04	07-08	14-15	11-12	04	FEB 08-09	
	NUMBER OF DAYS WITH:														
	PRECIPITATION ≥ 0.01	23	25	25	20	15	19	20	12	15	22	19	21	236	
PRECIPITATION ≥ 0.10	16	19	20	11	9	9	8	6	7	16	11	9	141		
PRECIPITATION ≥ 1.00	5	3	5	2	1	1	4	0	1	5	0	4	31		
SNOWFALL	SNOW, ICE PELLETS, HAIL:														
	TOTAL (IN.)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	GREATEST 24-HOUR (IN.)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	DATE OF OCCURRENCE														
	MAXIMUM SNOW DEPTH (IN.)	0	0	0	0	0	0	0	0	0	0	0	0	0	
	NUMBER OF DAYS WITH:														
SNOWFALL ≥ 1.0	0	0	0	0	0	0	0	0	0	0	0	0	0		

NORMALS, MEANS, AND EXTREMES

PAGO PAGO, PC (NSTU)

LATITUDE: 14° 20' 0" S LONGITUDE: 170° 43' 0" W ELEVATION (FT): GRND: 12 BARO: 15 TIME ZONE: 165 W MER (UTC + 11) WBAN: 61705

ELEMENT		POR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	YEAR
TEMPERATURE °F	NORMAL DAILY MAXIMUM	30	86.8	87.2	87.3	86.9	85.6	84.5	83.8	84.0	84.8	85.2	85.8	86.9	85.7
	MEAN DAILY MAXIMUM	38	87.2	87.5	87.5	86.9	85.7	84.8	83.8	84.1	84.9	85.3	86.3	86.9	85.9
	HIGHEST DAILY MAXIMUM	45	95	96	95	95	93	91	91	92	92	94	95	94	96
	YEAR OF OCCURRENCE		1998	1998	1998	1998	2000	1995	2002	2002	2002	2001	1998	2001	FEB 1998
	MEAN OF EXTREME MAXS.	38	90.2	90.5	90.4	89.9	88.8	87.8	87.0	87.5	88.0	88.7	89.8	90.2	89.1
	NORMAL DAILY MINIMUM	30	76.1	76.3	76.6	76.3	76.2	76.1	75.5	75.5	75.8	76.2	76.5	76.4	76.1
	MEAN DAILY MINIMUM	38	76.3	76.4	76.5	76.3	76.2	76.2	75.4	75.3	76.0	76.2	76.6	76.5	76.2
	LOWEST DAILY MINIMUM	45	67	67	67	68	66	64	62	64	63	67	67	67	62
	YEAR OF OCCURRENCE		1965	1965	1965	1979	1974	1965	1964	1979	1970	1973	1964	1964	JUL 1964
	MEAN OF EXTREME MINS.	38	72.6	73.5	73.0	72.5	71.3	71.0	69.9	69.8	70.3	71.6	72.4	72.3	71.7
	NORMAL DRY BULB	30	81.5	81.8	82.0	81.6	80.9	80.3	79.7	79.8	80.3	80.7	81.2	81.7	81.0
	MEAN DRY BULB	38	81.8	82.0	81.9	81.6	81.0	80.5	79.7	79.5	80.4	80.7	81.4	81.8	81.0
	MEAN WET BULB	20	77.9	78.3	78.3	78.3	77.3	76.3	75.5	75.7	76.4	76.9	77.6	78.1	77.2
	MEAN DEW POINT	20	76.1	76.6	76.6	76.6	75.5	74.4	73.3	73.5	74.2	75.1	75.8	76.2	75.3
	NORMAL NO. DAYS WITH:														
MAXIMUM ≥ 90°	30	2.8	4.1	3.6	2.9	0.9	0.2	*	0.1	0.5	0.8	1.7	3.9	21.5	
MAXIMUM ≤ 32°	30	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
MINIMUM ≤ 32°	30	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
MINIMUM ≤ 0°	30	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
H/C	NORMAL HEATING DEG. DAYS	30	0	0	0	0	0	0	0	0	0	0	0	0	0
	NORMAL COOLING DEG. DAYS	30	511	469	526	498	493	460	454	457	460	486	485	515	5814
RH	NORMAL (PERCENT)	30	82	82	82	83	82	81	79	80	80	82	82	82	81
	HOUR 01 LST	30	88	88	88	88	86	85	83	83	84	86	86	88	86
	HOUR 07 LST	30	88	88	89	89	87	85	83	84	84	84	84	85	86
	HOUR 13 LST	30	75	75	75	76	76	76	74	74	74	75	76	75	75
	HOUR 19 LST	30	82	82	82	84	84	82	80	81	81	82	82	82	82
S	PERCENT POSSIBLE SUNSHINE	36	45	46	45	40	34	34	40	43	51	42	46	46	43
W/O	MEAN NO. DAYS WITH:														
	HEAVY FOG (VISBY ≤ 1/4 MI)	38	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	THUNDERSTORMS	38	3.0	3.0	3.3	3.3	2.5	1.4	0.6	0.7	0.9	2.6	3.7	3.2	28.2
CLOUDINESS	MEAN:														
	SUNRISE-SUNSET (OKTAS)	38	6.6	6.6	6.2	6.2	6.1	5.7	5.7	5.6	5.5	6.1	6.3	6.4	6.1
	MIDNIGHT-MIDNIGHT (OKTAS)	38	6.2	6.2	5.9	5.9	5.8	5.4	5.7	5.5	5.5	5.9	6.1	6.2	5.9
	MEAN NO. DAYS WITH:														
CLEAR	38	0.5	0.5	1.0	1.0	0.9	1.6	1.6	1.8	1.8	1.1	0.7	1.1	13.6	
PARTLY CLOUDY	38	9.7	9.4	11.7	12.0	13.3	14.0	14.5	15.0	14.0	12.8	10.8	10.0	147.2	
CLOUDY	38	20.8	18.5	18.7	17.1	16.9	14.5	14.3	13.6	13.4	16.5	18.0	19.2	201.5	
PR	MEAN STATION PRESSURE (IN)	32	29.76	29.78	29.81	29.82	29.86	29.88	29.89	29.90	29.91	29.87	29.82	29.77	29.84
	MEAN SEA-LEVEL PRES. (IN)	21	29.78	29.78	29.82	29.83	29.86	29.97	29.90	29.91	29.91	29.88	29.83	29.77	29.85
WINDS	MEAN SPEED (MPH)	23	9.7	9.6	9.4	9.4	11.5	13.1	13.7	13.3	13.6	12.6	11.2	10.3	11.4
	PREVAIL. DIR (TENS OF DEGS)	23	09	09	09	09	11	10	11	10	10	10	10	09	10
	MAXIMUM 2-MINUTE:														
	SPEED (MPH)	25	48	63	37	35	35	43	32	33	38	35	39	81	81
	DIR. (TENS OF DEGS)		03	03	03	03	20	08	13	01	06	01	09	02	02
	YEAR OF OCCURRENCE		2004	1990	1996	1994	2000	1995	2000	1995	1988	1986	1994	1991	DEC 1991
	PEAK GUST:														
SPEED (MPH)	21	115	107	59	59	47	59	49	45	49	43	47	109	115	
DIR. (TENS OF DEGS)		N	NE	NW	N	N	NW	E	SE	E	S	E	SW	N	
YEAR OF OCCURRENCE		2004	1990	1997	1994	1996	1997	1992	1994	1988	1986	1991	1991	JAN 2004	
PRECIPITATION	NORMAL (IN)	30	14.02	12.14	11.15	11.16	10.43	5.94	5.76	6.43	7.36	10.03	11.16	13.38	118.96
	MAXIMUM MONTHLY (IN)	45	27.95	32.66	31.84	28.35	29.10	12.82	19.59	17.22	25.29	29.59	25.67	26.95	32.66
	YEAR OF OCCURRENCE		1997	1968	1961	1992	1999	1961	1962	1995	1972	1996	1978	1984	FEB 1968
	MINIMUM MONTHLY (IN)	45	4.65	2.02	4.01	0.74	1.61	1.97	0.72	0.29	0.63	2.10	1.36	2.25	0.29
	YEAR OF OCCURRENCE		1968	1998	1976	1998	1983	1992	1974	1989	1987	1975	1965	1995	AUG 1989
	MAXIMUM IN 24 HOURS (IN)	45	10.34	9.01	6.48	10.79	11.35	5.94	8.65	6.18	10.28	8.62	6.51	8.97	11.35
	YEAR OF OCCURRENCE		1997	1968	1981	1975	1999	1961	1962	1978	1972	1996	1992	1970	MAY 1999
	NORMAL NO. DAYS WITH:														
PRECIPITATION ≥ 0.01	30	24.2	21.6	23.2	21.4	19.9	18.2	18.4	17.8	17.2	21.5	20.4	22.9	246.7	
PRECIPITATION ≥ 1.00	30	3.8	3.7	2.8	3.4	2.9	1.5	1.7	1.6	2.0	3.1	3.7	4.2	34.4	
SNOWFALL	NORMAL (IN)	30	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAXIMUM MONTHLY (IN)	8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	YEAR OF OCCURRENCE														
	MAXIMUM IN 24 HOURS (IN)	45	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	YEAR OF OCCURRENCE														
	MAXIMUM SNOW DEPTH (IN)	37	0	0	0	0	0	0	0	0	0	0	0	0	0
YEAR OF OCCURRENCE															
NORMAL NO. DAYS WITH:															
SNOWFALL ≥ 1.0	30	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	

PRECIPITATION (inches) 2004 PAGO PAGO, PC (NSTU)

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
1975	22.13	9.88	6.57	22.77	17.88	5.21	8.17	2.95	5.57	2.10	7.69	14.15	125.07
1976	5.69	13.36	4.01	10.31	18.98	7.11	8.73	4.09	5.17	3.50	12.19	21.38	114.52
1977	7.29	6.30	11.64	6.98	20.21	5.19	2.92	2.40	3.12	10.06	14.81	6.86	97.78
1978	21.36	9.52	25.64	9.24	8.71	2.62	3.48	16.46	4.71	10.04	25.67	15.62	153.07
1979	12.70	14.43	9.03	9.53	4.23	7.86	8.83	7.19	9.12	11.73	7.89	8.41	110.95
1980	9.73	7.47	14.84	6.52	19.50	11.90	4.14	13.97	15.47	21.48	7.43	13.44	145.89
1981	14.25	14.23	25.37	22.00	9.25	9.47	10.19	10.64	4.04	16.38	10.08	19.58	165.48
1982	9.09	30.25	7.68	4.13	7.90	4.22	6.96	16.20	6.30	4.38	6.35	2.84	106.30
1983	9.45	12.09	6.07	10.97	1.61	2.71	1.12	2.11	7.78	7.17	13.23	13.05	87.36
1984	9.70	8.03	19.34	6.70	4.79	7.44	1.86	4.25	5.23	15.21	8.08	26.95	117.58
1985	16.71	8.27	5.00	18.66	10.41	12.60	3.84	5.76	9.56	10.39	9.24	6.27	116.71
1986	24.88	9.47	6.88	18.83	12.33	5.69	8.79	5.05	17.67	8.87	8.82	22.60	149.88
1987	17.05	15.01	10.09	8.05	5.51	4.02	3.86	6.29	0.63	3.87	3.83	16.42	94.63
1988	8.34	9.32	12.76	10.57	9.76	6.15	9.42	3.98	6.78	9.21	16.10	24.39	126.78
1989	18.37	14.69	8.20	13.60	7.51	5.43	9.56	0.29	1.35	9.78	17.88	14.12	120.78
1990	8.87	22.54	9.90	13.01	3.52	6.31	4.82	2.45	3.68	9.68	11.25	9.30	105.33
1991	13.67	21.01	9.02	9.45	11.25	7.86	9.16	4.36	3.40	9.63	10.20	22.55	131.56
1992	15.40	12.44	13.76	28.35	10.67	1.97	5.22	6.33	6.95	6.59	22.79	8.94	139.41
1993	23.47	7.27	17.26	12.51	8.82	3.89	4.12	8.61	9.28	9.32	8.34	12.62	125.51
1994	10.37	6.78	10.96	22.65	18.96	3.80	15.68	11.83	11.56	17.26	15.52	16.69	162.06
1995	16.40	14.69	13.39	9.07	9.55	5.23	7.27	17.22	7.75	6.42	14.95	2.25	124.19
1996	11.93	11.84	11.12	7.48	10.87	6.65	3.45	1.38	10.52	29.59	6.86	10.75	122.44
1997	27.95	11.91	7.91	5.97	9.29	3.51	3.68	7.94	6.00	5.89	5.29	7.84	103.18
1998	10.64	2.02	12.70	0.74	1.64	4.72	1.42	1.59	4.30	6.31	3.22	10.46	59.76
1999	11.36	14.50	5.48	5.02	29.10	6.29	3.41	5.71	14.16	8.72	10.54	12.50	126.79
2000	13.43	13.54	18.24	4.85	13.40	7.93	3.34	3.21	6.77	11.08	9.04	10.41	115.24
2001	6.39	13.67	15.21	6.62	4.79	4.61	4.69	3.03	4.72	8.80	8.54	15.77	96.84
2002	7.42	4.85	12.56	17.84	11.20	5.92	10.42	5.90	1.62	11.87	15.26	7.94	112.80
2003	7.41	9.11	10.41	9.33	19.59	7.69	12.43	6.78	4.32	6.48	21.39	16.77	131.71
2004	12.31	13.65	13.60	7.40	5.11	3.76	7.11	2.67	4.95	11.52	4.00	9.68	95.76
POR= 44 YRS	13.25	12.26	11.80	11.68	10.51	6.78	6.50	6.62	6.65	10.72	10.91	13.65	121.33

WBAN : 61705

AVERAGE TEMPERATURE (°F) 2004 PAGO PAGO, PC (NSTU)

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
1975	80.5	80.6	81.1	79.9	80.0	79.2	79.3	79.3	79.6	81.1	80.3	79.4	80.0
1976	79.6	79.8	80.6	80.5	79.1	78.8	78.5	78.8	78.9	80.8	80.9	80.1	79.7
1977	81.9	82.3	81.4	80.9	79.4	80.5	79.1	79.1	78.5	80.0	80.8	82.1	80.5
1978	80.9	81.6	80.3	80.3	80.5	79.8	78.9	79.5	79.5	80.1	79.3	80.9	80.1
1979	81.0	81.4	82.3	80.1	81.2	81.1	78.4	78.8	80.5	81.0	80.4	80.5	80.6
1980	81.1	81.8	82.2	82.4	79.6	80.6	79.2	79.4	80.2	79.7	81.8	81.6	80.8
1981	81.7	80.8	80.6	80.2	80.6	79.1	79.0	79.2	80.6	79.8	80.8	80.9	80.3
1982	82.0	80.4	82.3	81.8	80.8	80.4	78.7	79.0	79.2	80.8	80.2	81.1	80.6
1983	82.1	83.5	81.9	81.1	81.1	79.7	78.7	78.3	80.2	79.6	80.4	81.4	80.7
1984	80.7	81.5	81.3	81.5	81.8	80.6	79.0	79.8	79.6	79.6	81.0	80.3	80.6
1985	80.3	81.6	82.2	80.8	80.4	80.0	79.5	79.9	79.7	80.9	80.5	81.7	80.6
1986	81.2	81.6	82.1	81.2	80.6	80.6	79.3	78.3	79.9	81.1	81.8	81.7	80.8
1987	81.7	82.5	82.3	82.1	80.4	78.5	78.3	78.2	79.7	80.4	81.8	82.2	80.7
1988	82.6	82.8	82.9	81.4	81.7	81.4	79.6	80.5	80.2	80.1	79.7	79.9	81.1
1989	79.7	80.5	81.3	80.7	80.5	80.1	78.7	79.7	81.7	81.1	80.5	80.4	80.4
1990	81.5	81.4	81.6	80.6	81.9	80.4	80.2	80.1	80.4	81.5	81.6	81.7	81.1
1991	81.5	82.0	82.6	82.6	81.0	80.6	81.1	80.8	80.5	81.1	82.1	81.5	81.5
1992	81.9	82.2	81.5	81.5	82.0	81.3	81.7	80.3	81.5	81.4	80.4	82.0	81.5
1993	81.7	81.9	81.5	81.9	81.2	79.9	78.3	80.0	79.7	80.3	82.5	83.5	81.0
1994	83.1	84.1	83.9	83.1	82.1	80.8	80.3	79.1	80.0	80.4	81.6	82.9	81.8
1995	83.0	83.1	83.5	82.7	82.7	83.6	82.4	81.7	81.7	82.0	82.8	83.2	82.7
1996	83.0	83.0	83.4	83.0	81.9	82.6	81.7	81.2	82.6	81.6	83.4	83.7	82.6
1997	82.4	83.6	82.7	83.9	82.6	80.9	81.7	80.6	81.9	83.7	83.8	84.5	82.7
1998	85.3	86.3	85.8	85.2	84.2	83.6	81.7	82.9	84.4	85.2	86.3	83.3	84.5
1999	81.6	81.9	81.9	82.9	80.2	80.7	81.0	80.8	81.2	81.4	82.7	83.6	81.7
2000	83.8	83.8	83.1	83.8	81.7	81.4	80.0	81.6	82.3	81.7	82.9	83.7	82.5
2001	84.2	83.4	83.4	83.3	83.2	82.8	81.5	82.3	82.1	82.4	83.4	83.2	82.9
2002	84.3	85.4	84.3	84.1	84.1	82.7	82.8	81.2	82.8	82.3	84.0	84.6	83.6
2003	85.4	83.8	84.6	82.9	82.8	80.7	80.6	79.3	81.8	82.5	81.7	82.5	82.4
2004	81.8	81.3	81.5	81.3	80.8	80.5	80.7	81.4	82.0	82.5	83.1	84.7	81.8
POR= 45 YRS	81.7	81.8	81.8	81.5	80.9	80.2	79.6	79.5	80.3	80.6	81.3	81.6	80.9

HEATING DEGREE DAYS (base 65°F) 2004 PAGO PAGO, PC (NSTU)

YEAR	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	TOTAL
1983-84	0	0	0	0	0	0	0	0	0	0	0	0	0
1984-85	0	0	0	0	0	0	0	0	0	0	0	0	0
1985-86	0	0	0	0	0	0	0	0	0	0	0	0	0
1986-87	0	0	0	0	0	0	0	0	0	0	0	0	0
1987-88	0	0	0	0	0	0	0	0	0	0	0	0	0
1988-89	0	0	0	0	0	0	0	0	0	0	0	0	0
1989-90	0	0	0	0	0	0	0	0	0	0	0	0	0
1990-91	0	0	0	0	0	0	0	0	0	0	0	0	0
1991-92	0	0	0	0	0	0	0	0	0	0	0	0	0
1992-93	0	0	0	0	0	0	0	0	0	0	0	0	0
1993-94	0	0	0	0	0	0	0	0	0	0	0	0	0
1994-95	0	0	0	0	0	0	0	0	0	0	0	0	0
1995-96	0	0	0	0	0	0	0	0	0	0	0	0	0
1996-97	0	0	0	0	0	0	0	0	0	0	0	0	0
1997-98	0	0	0	0	0	0	0	0	0	0	0	0	0
1998-99	0	0	0	0	0	0	0	0	0	0	0	0	0
1999-00	0	0	0	0	0	0	0	0	0	0	0	0	0
2000-01	0	0	0	0	0	0	0	0	0	0	0	0	0
2001-02	0	0	0	0	0	0	0	0	0	0	0	0	0
2002-03	0	0	0	0	0	0	0	0	0	0	0	0	0
2003-04	0	0	0	0	0	0	0	0	0	0	0	0	0
2004-	0	0	0	0	0	0	0	0	0	0	0	0	0

WBAN : 61705

COOLING DEGREE DAYS (base 65°F) 2004 PAGO PAGO, PC (NSTU)

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
1975	485	445	506	452	473	431	452	450	444	507	464	454	5563
1976	462	437	492	470	444	422	427	435	426	496	483	477	5471
1977	531	491	516	487	454	474	445	445	411	472	480	537	5743
1978	501	472	483	467	486	448	439	455	445	474	437	500	5607
1979	502	465	540	458	509	487	424	436	469	502	470	487	5749
1980	507	495	543	530	457	475	446	453	463	465	513	523	5870
1981	526	450	493	465	490	432	439	447	473	467	481	502	5665
1982	533	438	543	512	497	469	433	442	434	496	463	506	5766
1983	539	524	529	493	504	449	429	419	463	456	467	516	5788
1984	495	487	514	504	528	472	442	462	445	459	487	482	5777
1985	481	470	543	480	487	458	457	468	449	500	474	526	5793
1986	510	474	538	490	489	476	452	421	454	506	511	527	5848
1987	521	497	541	520	485	412	420	419	449	485	514	541	5804
1988	550	522	563	499	525	496	457	484	459	473	450	467	5945
1989	468	438	513	478	488	461	431	463	506	506	471	484	5707
1990	519	466	522	471	531	470	478	473	467	519	505	524	5945
1991	514	482	553	533	503	473	505	498	470	506	518	520	6075
1992	529	503	519	499	533	497	525	482	504	514	468	535	6108
1993	524	477	521	513	510	454	421	468	448	483	534	584	5937
1994	569	543	592	547	539	479	483	444	456	484	504	561	6201
1995	565	516	578	539	557	564	548	521	509	534	541	571	6543
1996	567	526	577	546	529	535	522	511	532	521	556	585	6507
1997	547	527	554	576	554	483	526	490	516	588	574	610	6545
1998	640	603	651	613	605	566	524	560	589	630	645	571	7197
1999	521	478	532	543	478	479	503	496	494	515	538	582	6159
2000	592	553	569	569	526	499	474	522	528	527	542	584	6485
2001	598	521	578	552	572	543	519	542	519	545	560	573	6622
2002	604	581	607	581	595	540	557	508	537	543	579	614	6846
2003	637	531	614	545	560	478	485	447	508	550	509	550	6414
2004	528	481	519	495	496	474	497	518	517	549	551	618	6243

SNOWFALL (inches) 2004 PAGO PAGO, PC (NSTU)

YEAR	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	TOTAL
1975-76	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1976-77	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1977-78	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1978-79	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1979-80	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1980-81	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1981-82	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1982-83	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1983-84	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1984-85	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1985-86	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1986-87	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1987-88	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1988-89	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1989-90	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1990-91	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1991-92	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1992-93	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1993-94	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1994-95	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1995-96	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1996-97	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1997-98	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1998-99	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1999-00	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2000-01	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2001-02	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2002-03	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2003-04	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2004-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
POR= 44 YRS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

WBAN : 61705

REFERENCE NOTES:

<p>PAGE 1: THE TEMPERATURE GRAPH SHOWS NORMAL MAXIMUM AND NORMAL MINIMUM DAILY TEMPERATURES (SOLID CURVES) AND THE ACTUAL DAILY HIGH AND LOW TEMPERATURES (VERTICAL BARS).</p> <p>PAGE 2 AND 3: H/C INDICATES HEATING AND COOLING DEGREE DAYS. RH INDICATES RELATIVE HUMIDITY W/O INDICATES WEATHER AND OBSTRUCTIONS S INDICATES SUNSHINE. PR INDICATES PRESSURE. CLOUDINESS ON PAGE 3 IS THE SUM OF THE CEILOMETER AND SATELLITE DATA NOT TO EXCEED EIGHT EIGHTHS(OKTAS).</p> <p>GENERAL: T INDICATES TRACE PRECIPITATION, AN AMOUNT GREATER THAN ZERO BUT LESS THAN THE LOWEST REPORTABLE VALUE. + INDICATES THE VALUE ALSO OCCURS ON EARLIER DATES. BLANK ENTRIES DENOTE MISSING OR UNREPORTED DATA. NORMALS ARE 30-YEAR AVERAGES (1971 - 2000). ASOS INDICATES AUTOMATED SURFACE OBSERVING SYSTEM. PM INDICATES THE LAST DAY OF THE PREVIOUS MONTH. POR (PERIOD OF RECORD) BEGINS WITH THE JANUARY DATA MONTH AND IS THE NUMBER OF YEARS USED TO COMPUTE THE MEAN. INDIVIDUAL MONTHS WITHIN THE POR MAY BE MISSING. WHEN THE POR FOR A NORMAL IS LESS THAN 30 YEARS, THE NORMAL IS PROVISIONAL AND IS BASED ON THE NUMBER OF YEARS INDICATED. 0.* OR * INDICATES THE VALUE OR MEAN-DAYS-WITH IS BETWEEN 0.00 AND 0.05. CLOUDINESS FOR ASOS STATIONS DIFFERS FROM THE NON-ASOS OBSERVATION TAKEN BY A HUMAN OBSERVER. ASOS STATION CLOUDINESS IS BASED ON TIME-AVERAGED CEILOMETER DATA FOR CLOUDS AT OR BELOW 12,000 FEET AND ON SATELLITE DATA FOR CLOUDS ABOVE 12,000 FEET. THE NUMBER OF DAYS WITH CLEAR, PARTLY CLOUDY, AND CLOUDY CONDITIONS FOR ASOS STATIONS IS THE SUM OF THE CEILOMETER AND SATELLITE DATA FOR THE SUNRISE TO SUNSET PERIOD.</p>	<p>GENERAL CONTINUED: CLEAR INDICATES 0 - 2 OKTAS, PARTLY CLOUDY INDICATES 3 - 6 OKTAS, AND CLOUDY INDICATES 7 OR 8 OKTAS. WHEN AT LEAST ONE OF THE ELEMENTS (CEILOMETER OR SATELLITE) IS MISSING, THE DAILY CLOUDINESS IS NOT COMPUTED. WIND DIRECTION IS RECORDED IN TENS OF DEGREES (2 DIGITS) CLOCKWISE FROM TRUE NORTH. "00" INDICATES CALM. "36" INDICATES TRUE NORTH. RESULTANT WIND IS THE VECTOR AVERAGE OF THE SPEED AND DIRECTION. AVERAGE TEMPERATURE IS THE SUM OF THE MEAN DAILY MAXIMUM AND MINIMUM TEMPERATURE DIVIDED BY 2. SNOWFALL DATA COMPRISE ALL FORMS OF FROZEN PRECIPITATION, INCLUDING HAIL. A HEATING (COOLING) DEGREE DAY IS THE DIFFERENCE BETWEEN THE AVERAGE DAILY TEMPERATURE AND 65° F. DRY BULB IS THE TEMPERATURE OF THE AMBIENT AIR. DEW POINT IS THE TEMPERATURE TO WHICH THE AIR MUST BE COOLED TO ACHIEVE 100 PERCENT RELATIVE HUMIDITY. WET BULB IS THE TEMPERATURE THE AIR WOULD HAVE IF THE MOISTURE CONTENT WAS INCREASED TO 100 PERCENT RELATIVE HUMIDITY.</p> <p>ON JULY 1, 1996, THE NATIONAL WEATHER SERVICE BEGAN USING THE "METAR" OBSERVATION CODE THAT WAS ALREADY EMPLOYED BY MOST OTHER NATIONS OF THE WORLD. THE MOST NOTICEABLE DIFFERENCE IN THIS ANNUAL PUBLICATION WILL BE THE CHANGE IN UNITS FROM TENTHS TO EIGHTS(OKTAS) FOR REPORTING THE AMOUNT OF SKY COVER.</p>
---	--

2004
PAGO PAGO,
AMERICAN SAMOA (NSTU)

Pago Pago Airport is located on the southeastern coast of the island of Tutuila in the American Samoa group, approximately 2,600 miles south-southwest of Hawaii, 1,600 miles north-northeast of New Zealand, and 4,500 miles southwest of California. Tutuila is a long, narrow island lying southwest-northeast, with a land area of 76 square miles, a greatest length of just over 20 miles, and a width ranging from 1 to 2 miles in the eastern half and from 2 to 5 miles in the western. It is volcanic in origin, extremely mountainous, and nearly surrounded by a coral reef. The principal ridge extends the length of the island, reaching a maximum height of 2,141 feet, at Matafao peak, near the central portion of the long axis. Vegetation is moderately dense, with many coconut, banana, and other tropical fruit trees, grass, and low-growing brush. The orientation of Tutuila is such that winds from the east-northeast clockwise to south approach Pago Pago Airport directly from the ocean without being deflected by the terrain, while winds from other directions may be considerably disturbed by topography.

Samoa has a maritime climate with abundant rain and warm, humid days and nights. Rainfall, usually falling as showers, is about 125 inches a year at the airport, but varies greatly over small distances because of topography. Thus, Pago Pago, less than 4 miles north of the airport and at the head of a hill-encircled harbor open to the prevailing wind, receives nearly 200 inches a year. The crest of the range receives well above 250 inches. In most years, the airport records about 300 days with a trace or more of rain and about 175 with .1 inch or more.

The driest months are June through September (southern winter) and the wettest, December through March (southern summer). However, the seasonal rainfall may vary widely in individual years, and heavy showers and long rainy periods can occur in any month. Flooding rains are not unknown. Some of these have been associated with hurricanes and tropical storms, but they have occurred at other times as well.

June, July and August are the coolest months and January, February, and March, the warmest. Afternoon temperatures ordinarily reach the upper 80s in summer and the mid 80s in winter, while nighttime temperatures fall to the mid 70s in the summer and low 70s in winter. The highest temperatures recorded at the airport are in the low 90s and lowest near 60.

The prevailing winds throughout the year are the easterly trades. These tend to be more directly from the east in December through March, but predominantly from east-southeast and southeast during the rest of the year. The trade winds are also less prevalent in summer than in winter. As the foregoing suggests, the trades are interrupted more often in summer than in winter. These interruptions are sometimes associated with the proximity of small tropical storms, of bands of converging winds, or of low pressure systems higher in the atmosphere, all of which help make summer the rainy season. At other times, the absence of the trades is marked by periods of light and variable winds and by land and sea breezes. Westerly to northerly winds, in particular, are more frequent then. These are strong at times, but are often quite light, and may then reflect the nighttime drainage of cooled air from the mountains west and north of the airport.

Thunderstorms are less frequent than might be expected, considering the moistness and instability of the tropical air mass which usually overlies Samoa.

STATION LOCATION

PAGO PAGO, AMERICAN SAMOA

LOCATION	Occupied From	Occupied To	Airline Distances and Directions from previous Location	LATITUDE NORTH	LONGITUDE WEST	ELEVATION ABOVE										AUTOMATIC OBSERVING EQUIPMENT *	* TYPE M = AMOS T = AUTOB S = ASOS W = AWOS REMARKS
						GROUND											
						SEA LEVEL	WIND INSTRUMENT	EXTREME THERMOMETERS	PSYCHROMETER	SUNSHINE SWITCH	TIPPING GAUGE	WINDHOLE	8 INCH RAIN GAGE	HYGROMETER			
AIRPORT																	
Airport Communications Building, Tafuna AP # (Supplementary Aviation Weather Reporting Sta.)	1/25/56	4/13/64		14°20'	170°43'	6	37	a6	5		3		3			a. About 60 feet West of shoreline. b. Installed 11/6/57. # - Pago Pago International Airport effective 9/1/62.	
FAA Receiver Control Building, Pago Pago International Airport	4/14/64	3/31/66	2900 ft. WSW	14°20'	170°43'	30	20	5	5		3		3			FAA Station.	
American Samoa	4/01/66	Present	2000 ft. E	14°20'	170°43'	12	21 c28 e28	4	4	5	3	NA	4	d5	NA	Weather Bureau Operation. c. Relocated 10/4/72. d. Added 5/13/90. e. Ground elevation.	

For Hard Copy Subscription:

Price and ordering information: NCDC Subscribing Service Center, 310 State Route 956, Building 300, Rocket Center, WV 26726.

INQUIRIES/COMMENTS CALL: Toll Free (866) 742-3322

Visit our Web Site for other weather data: www.ncdc.noaa.gov

Non-Subscription Request:

NCDC Customer Services;

Phone: 828-271-4800

Fax: 828-271-4876

Email: ncdc.orders@noaa.gov

OFFICIAL BUSINESS

PENALTY FOR PRIVATE USE \$300

CHANGE SERVICE REQUESTED

FIRST CLASS
POSTAGE & FEES PAID
 United States Department of Commerce
 NOAA Permit No. G - 19