

2004




LOCAL CLIMATOLOGICAL DATA ANNUAL SUMMARY WITH COMPARATIVE DATA



ISSN 0198-4055

OKLAHOMA CITY,
OKLAHOMA (OKC)

Daily Data



I CERTIFY THAT THIS IS AN OFFICIAL PUBLICATION OF THE NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION, AND IS COMPILED FROM RECORDS ON FILE AT THE NATIONAL CLIMATIC DATA CENTER.

Thomas R. Karl

NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION	NATIONAL ENVIRONMENTAL SATELLITE, DATA, AND INFORMATION SERVICE	NATIONAL CLIMATIC DATA CENTER ASHEVILLE, NORTH CAROLINA	DIRECTOR NATIONAL CLIMATIC DATA CENTER
---	---	---	---

METEOROLOGICAL DATA FOR 2004

OKLAHOMA CITY, OK (OKC)

LATITUDE: 35° 23' 19" N LONGITUDE: 97° 36' 01" W ELEVATION (FT): GRND: 1281 BARO: 1284 TIME ZONE: CENTRAL (UTC + 6) WBAN: 13967

ELEMENT		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	YEAR	
TEMPERATURE °F	MEAN DAILY MAXIMUM	50.5	50.3	66.0	72.3	83.9	85.3	89.0	86.7	86.7	74.4	58.6	55.5	71.6	
	HIGHEST DAILY MAXIMUM	75	73	83	85	96	94	98	98	97	90	77	71	98	
	DATE OF OCCURRENCE	02	19	19	16	23	01	15	04+	17	21	07	31+	AUG 04+	
	MEAN DAILY MINIMUM	29.3	29.4	44.5	50.1	59.9	65.5	68.7	66.4	63.4	54.7	42.5	31.5	50.5	
	LOWEST DAILY MINIMUM	7	16	32	34	38	56	59	55	55	43	26	11	7	
	DATE OF OCCURRENCE	06	13	06	14+	02	24+	27	21	30+	14	30	24	JAN 06	
	AVERAGE DRY BULB	39.9	39.9	55.3	61.2	71.9	75.4	78.9	76.6	75.1	64.6	50.6	43.5	61.1	
	MEAN WET BULB	35.5		49.0	54.2	64.0	68.6	71.2	68.9	65.5	58.9	47.4	37.1		
	MEAN DEW POINT	29.2		41.7	48.5	59.3	65.2	67.6	65.1	60.0	54.5	43.9	29.3		
	NUMBER OF DAYS WITH:														
	MAXIMUM ≥ 90°	0	0	0	0	5	8	20	11	8	1	0	0	0	53
	MAXIMUM ≤ 32°	2	1	0	0	0	0	0	0	0	0	0	2	5	5
	MINIMUM ≤ 32°	19	22	1	0	0	0	0	0	0	0	4	17	63	63
MINIMUM ≤ 0°	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
H/C	HEATING DEGREE DAYS	768	721	313	145	39	0	0	0	0	79	428	658	3151	
	COOLING DEGREE DAYS	0	0	18	39	260	318	439	368	308	73	0	0	1823	
RH	MEAN (PERCENT)	70	68	64	67	68	74	72	71	63	75	80	63	70	
	HOUR 00 LST	77	73	70	75	78	85	86	80	75	83	86	71	78	
	HOUR 06 LST	81	82	80	84	88	89	89	86	84	88	88	78	85	
	HOUR 12 LST	60	59	55	57	54	64	58	59	47	62	72	47	58	
	HOUR 18 LST	61	57	50	55	54	59	57	55	47	67	76	54	58	
S	PERCENT POSSIBLE SUNSHINE														
W/O	NUMBER OF DAYS WITH:														
	HEAVY FOG (VISBY ≤ 1/4 MI)	4	3	3	1	1	0	0	0	0	6	4	1	23	
	THUNDERSTORMS	0	1	3	8	4	13	6	7	3	3	2	1	51	
CLOUDINESS	SUNRISE-SUNSET: (OKTAS)														
	CEILOMETER (≤ 12,000 FT.)														
	SATELLITE (> 12,000 FT.)														
	MIDNIGHT-MIDNIGHT: (OKTAS)														
	CEILOMETER (≤ 12,000 FT.)														
SATELLITE (> 12,000 FT.)															
NUMBER OF DAYS WITH:															
CLEAR															
PARTLY CLOUDY															
CLOUDY															
PR	MEAN STATION PRESS. (IN.)	28.71		28.72	28.59	28.54	28.60	28.60	28.64	28.65	28.56	28.70	28.73		
	MEAN SEA-LEVEL PRESS. (IN.)	30.12			29.96	29.89	29.95	29.94	29.98	29.99	29.92	30.09	30.14		
WINDS	RESULTANT SPEED (MPH)	0.3		2.6	3.1	7.8	3.5	2.5	2.7	4.7	1.7	2.1	2.0		
	RES. DIR. (TENS OF DEGS.)	10		14	13	16	09	10	16	13	15	03	20		
	MEAN SPEED (MPH)	11.8	12.3	12.8	12.7	14.8	10.7	9.3	9.2	9.8	9.9	11.5	11.4	11.3	
	PREVAIL. DIR. (TENS OF DEGS.)	36	14	15	18	16	16	15	16	15	15	14	15	16	
	MAXIMUM 2-MINUTE WIND:														
	SPEED (MPH)	31	37	35	35	33	49	35	32	28	32	37	32	49	
	DIR. (TENS OF DEGS.)	32	20	20	16	31	03	32	32	14	13	32	19	03	
	DATE OF OCCURRENCE	26	29+	04	18	13	02	06	11	14	01	11	30+	JUN 02	
	MAXIMUM 5-SECOND WIND:														
	SPEED (MPH)	39	46	56	44	39	56	38	38	33	38	46	40	56	
DIR. (TENS OF DEGS.)	36	13	23	17	17	03	32	02	17	34	33	20	03		
DATE OF OCCURRENCE	18	29	04	18	23	02	06	11	15	01	27	30	JUN 02		
PRECIPITATION	WATER EQUIVALENT:														
	TOTAL (IN.)	1.45	1.45	3.98	1.35	1.20	7.03	3.65	5.01	0.64	4.86	5.66	0.50	36.78	
	GREATEST 24-HOUR (IN.)	0.77	0.53	2.15	0.56	1.18	2.62	1.62	1.57	0.18	2.34	1.16	0.39	2.62	
	DATE OF OCCURRENCE	16-17	29	03-04	29-30	13	21-22	28-29	08	23+	09-10	17	06	JUN 21-22	
	NUMBER OF DAYS WITH:														
	PRECIPITATION ≥ 0.01	7	6	8	11	2	13	8	7	6	14	15	2	99	
PRECIPITATION ≥ 0.10	4	4	4	5	1	11	7	6	4	9	10	2	67		
PRECIPITATION ≥ 1.00	0	0	2	0	1	2	0	2	0	1	1	0	9		
SNOWFALL	SNOW, ICE PELLETS, HAIL:														
	TOTAL (IN.)	0.3	0.3	0.0	0.0	T	0.0	0.0	0.0	0.0	0.0	T	T	0.6	
	GREATEST 24-HOUR (IN.)	0.3	0.3	0.0	0.0	T	0.0	0.0	0.0	0.0	0.0	T	T	0.3	
	DATE OF OCCURRENCE	26	04			26+						30+	22	FEB 04	
	MAXIMUM SNOW DEPTH (IN.)	0	0	0	0	0	0	0	0	0	0	0	0	0	
	DATE OF OCCURRENCE														
	NUMBER OF DAYS WITH:														
SNOWFALL ≥ 1.0	0	0	0	0	0	0	0	0	0	0	0	0	0		

PRECIPITATION (inches) 2004 OKLAHOMA CITY, OK (OKC)

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
1975	1.99	1.90	1.72	1.92	8.76	4.82	7.71	0.60	1.92	0.84	1.77	1.30	35.25
1976	T	0.33	3.09	2.94	4.36	0.88	1.38	1.46	1.53	1.78	0.12	0.19	18.06
1977	0.32	1.40	1.30	2.88	7.97	2.00	4.10	3.08	1.20	2.41	1.59	0.34	28.59
1978	1.26	3.23	1.32	1.65	10.12	4.04	3.75	0.25	0.96	1.02	2.88	0.70	31.18
1979	1.55	0.63	2.73	2.78	7.29	9.94	5.62	3.78	0.72	1.58	1.93	2.57	41.12
1980	1.69	1.29	1.38	2.16	9.00	2.52	0.42	0.60	2.21	0.99	0.51	1.58	24.35
1981	0.19	1.15	2.87	2.97	2.73	7.49	6.45	3.61	1.48	7.70	2.11	0.20	38.95
1982	3.68	0.98	1.63	1.92	12.07	4.06	2.11	1.13	2.86	1.03	2.78	1.94	36.19
1983	2.62	1.71	2.51	2.34	6.88	3.18	T	3.18	0.90	13.18	1.90	0.70	39.10
1984	0.35	1.16	4.70	1.79	1.62	3.48	0.30	2.35	1.01	6.64	2.05	8.14	33.59
1985	0.92	3.71	6.60	5.35	1.49	8.34	1.33	2.63	4.59	5.23	3.73	0.26	44.18
1986	0.00	0.68	1.75	4.42	8.21	3.11	0.38	3.29	9.54	8.00	4.63	1.16	45.17
1987	2.45	4.05	2.33	0.41	11.86	6.50	2.99	1.83	4.58	1.82	1.92	3.75	44.49
1988	1.24	0.41	7.85	3.19	1.07	3.59	1.92	1.60	5.19	2.04	2.45	1.39	31.94
1989	1.17	2.20	2.72	0.17	4.33	14.66	1.91	5.55	4.51	3.26	0.09	0.32	40.89
1990	1.85	4.63	4.43	5.11	5.79	1.25	2.65	3.16	7.35	1.27	1.59	1.46	40.54
1991	0.89	0.03	1.59	2.10	6.39	3.85	1.98	3.24	11.85	3.98	1.94	5.90	43.74
1992	1.15	1.28	1.08	3.64	4.88	6.35	4.01	5.82	2.92	1.13	4.51	3.08	39.85
1993	1.90	3.21	2.82	2.50	10.90	2.65	1.24	1.86	7.05	0.47	1.34	1.27	37.21
1994	0.21	2.56	3.18	3.38	2.69	1.70	2.17	1.81	2.17	1.88	5.72	1.63	29.10
1995	1.28	0.04	2.21	3.76	7.39	6.06	1.94	3.15	6.66	1.54	0.39	2.35	36.77
1996	0.08	0.02	2.17	2.00	1.90	1.16	11.90	5.85	5.88	2.53	3.36	T	36.85
1997	0.52	2.59	0.60	4.39	3.68	3.01	4.60	4.04	1.66	3.93	1.11	2.96	33.09
1998	4.09	0.32	6.45	3.34	2.12	2.67	0.02	0.48	4.39	6.76	3.09	1.62	35.35
1999	1.81	1.20	3.45	6.92	3.10	8.61	1.94	1.35	4.88	2.22	0.06	3.71	39.25
2000	0.75	1.47	3.12	5.17	1.36	6.71	5.25	0.00	1.73	8.39	2.79	2.30	39.04
2001	2.23	2.25	1.01	1.04	7.70	0.55	1.27	1.95	5.55	3.56	1.08	0.91	29.10
2002	2.62	0.47	2.24	5.10	2.48	4.56	4.94	1.58	2.94	4.64	0.74	1.84	34.15
2003	0.02	0.87	2.30	1.56	2.41	4.70	0.65	4.79	1.98	1.01	1.23	1.11	22.63
2004	1.45	1.45	3.98	1.35	1.20	7.03	3.65	5.01	0.64	4.86	5.66	0.50	36.78
POR= 66 YRS	1.27	1.48	2.43	3.13	5.13	4.38	2.83	2.61	3.63	3.06	1.84	1.53	33.32

WBAN : 13967

AVERAGE TEMPERATURE (°F) 2004 OKLAHOMA CITY, OK (OKC)

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
1975	40.3	36.5	46.1	58.7	67.4	75.1	78.0	80.1	68.3	63.4	50.7	41.8	58.9
1976	39.0	52.2	52.4	61.6	63.6	74.8	79.8	81.3	72.6	56.5	43.9	38.8	59.7
1977	29.2	45.9	54.1	62.5	70.0	79.6	83.0	80.7	78.0	62.7	50.9	40.0	61.4
1978	26.3	29.4	49.1	64.5	68.1	77.3	87.0	82.6	79.7	64.7	50.4	36.9	59.7
1979	25.4	31.5	51.2	58.1	65.8	75.2	81.0	80.0	73.1	65.7	46.5	43.3	58.1
1980	38.2	38.2	46.3	56.7	69.0	81.4	88.3	88.0	76.3	61.1	50.3	41.9	61.3
1981	37.7	43.9	51.9	65.6	65.7	78.4	84.2	78.8	74.1	60.1	50.3	39.1	60.8
1982	35.3	37.7	52.7	57.5	68.2	72.2	81.0	84.1	74.5	62.7	48.6	43.2	59.8
1983	38.6	42.6	48.8	54.0	64.6	73.4	81.6	84.0	74.9	62.7	50.4	25.8	58.5
1984	34.0	45.4	46.4	56.5	68.4	78.6	81.6	82.6	71.5	61.6	49.7	43.0	59.9
1985	30.6	37.2	53.0	62.7	70.0	76.0	80.9	81.3	73.1	61.2	46.1	35.1	58.9
1986	43.6	44.8	55.5	62.8	69.0	79.0	85.9	80.0	74.8	61.6	44.8	40.8	61.9
1987	35.1	45.9	50.3	61.8	72.6	77.1	80.1	82.2	72.4	60.0	50.5	40.6	60.7
1988	34.2	40.3	49.5	58.9	70.3	78.4	81.6	82.8	73.5	59.3	51.2	43.9	60.3
1989	42.8	33.1	51.1	63.4	69.4	74.3	79.6	78.3	67.8	63.1	52.2	32.7	59.0
1990	45.9	46.0	52.6	59.2	68.6	82.0	80.7	81.6	77.0	60.9	54.9	37.1	62.2
1991	34.9	49.0	54.3	62.5	72.3	78.0	82.2	81.2	70.9	62.6	45.0	44.1	61.4
1992	42.0	49.9	54.1	61.3	66.5	74.1	81.1	74.8	72.5	62.3	45.9	39.8	60.4
1993	36.5	38.8	48.0	56.2	66.0	76.8	83.6	82.3	69.8	57.1	44.2	42.0	58.4
1994	36.0	37.4	52.7	59.4	66.8	79.6	79.9	79.7	70.7	62.6	50.1	42.5	59.8
1995	38.6	44.9	49.8	56.8	64.3	73.0	81.0	81.5	70.9	61.6	49.3	39.9	59.3
1996	35.8	44.3	46.0	58.7	73.8	77.9	81.3	78.0	69.4	61.2	46.3	42.3	59.6
1997	37.8	44.0	52.5	54.7	66.7	75.4	81.6	78.6	75.3	62.3	46.5	39.1	59.5
1998	40.6	45.5	47.4	57.4	72.5	81.1	88.0	85.0	81.2	64.4	53.2	41.6	63.2
1999	40.5	50.7	49.8	61.3	68.1	75.7	82.2	84.8	71.1	62.7	56.8	43.3	62.3
2000	40.7	49.1	53.4	59.0	71.0	74.6	80.8	85.4	76.1	64.1	43.3	30.5	60.7
2001	36.3	40.8	46.6	63.6	69.5	76.4	85.7	82.9	70.7	60.2	53.9	42.2	60.7
2002	40.0	41.1	46.0	61.0	65.9	76.3	79.8	81.3	74.2	56.2	47.4	41.0	59.2
2003	36.8	37.7	49.5	60.4	69.1	73.9	84.3	82.8	69.4	63.6	50.5	43.1	60.1
2004	39.9	39.9	55.3	61.2	71.9	75.4	78.9	76.6	75.1	64.6	50.6	43.5	61.1
POR= 66 YRS	37.0	41.8	49.9	60.1	68.6	76.9	82.0	81.3	73.2	62.5	49.1	40.1	60.2

HEATING DEGREE DAYS (base 65°F) 2004 OKLAHOMA CITY, OK (OKC)

YEAR	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	TOTAL
1975-76	0	0	64	126	430	713	801	367	406	128	100	0	3135
1976-77	0	0	19	306	629	805	1103	529	338	107	7	0	3843
1977-78	0	0	0	115	420	766	1192	990	493	90	64	0	4130
1978-79	0	0	2	89	437	866	1221	932	434	217	81	0	4279
1979-80	0	0	2	92	551	669	823	771	572	249	24	0	3753
1980-81	0	0	23	180	444	710	839	587	400	69	69	0	3321
1981-82	0	0	22	189	434	797	913	759	382	248	25	13	3782
1982-83	0	0	14	156	490	671	809	622	496	345	96	9	3708
1983-84	0	0	25	117	439	1207	955	561	572	263	45	0	4184
1984-85	0	0	75	162	462	676	1059	773	377	108	10	0	3702
1985-86	0	0	63	146	562	921	656	562	308	122	17	0	3357
1986-87	0	0	2	137	599	742	918	528	450	177	3	0	3556
1987-88	0	0	1	165	442	748	948	712	473	204	14	0	3707
1988-89	0	0	8	196	408	644	679	887	441	140	38	0	3441
1989-90	0	0	78	135	386	993	583	525	387	202	52	0	3341
1990-91	0	0	9	169	307	860	925	444	339	110	25	0	3188
1991-92	0	0	37	150	594	642	704	430	332	154	59	2	3104
1992-93	0	1	5	115	563	774	878	725	525	265	53	0	3904
1993-94	0	1	27	269	619	706	896	767	394	204	53	0	3936
1994-95	0	0	31	138	451	690	810	554	477	253	84	0	3488
1995-96	0	0	75	129	465	767	898	602	584	209	10	0	3739
1996-97	0	0	29	151	556	697	839	583	385	310	43	0	3593
1997-98	0	1	2	188	549	798	750	542	554	238	9	3	3634
1998-99	0	0	0	75	347	719	752	398	463	144	28	0	2926
1999-00	0	0	34	115	249	669	746	457	354	192	40	1	2857
2000-01	0	0	35	113	648	1063	882	672	561	105	22	0	4101
2001-02	0	0	18	169	338	698	768	661	582	163	65	0	3462
2002-03	0	0	2	307	527	736	868	757	476	169	19	1	3862
2003-04	0	0	24	112	443	672	768	721	313	145	39	0	3237
2004-	0	0	0	79	428	658							

WBAN : 13967

COOLING DEGREE DAYS (base 65°F) 2004 OKLAHOMA CITY, OK (OKC)

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
1975	0	0	1	53	108	310	410	476	170	83	4	0	1615
1976	0	1	23	33	62	300	468	512	253	50	0	0	1702
1977	0	1	8	37	170	445	565	491	395	49	2	0	2163
1978	0	0	8	80	165	378	690	553	450	87	7	0	2418
1979	0	0	10	18	112	314	505	471	252	121	2	0	1805
1980	0	0	0	7	155	498	729	721	366	65	11	2	2554
1981	0	4	0	94	98	409	603	435	304	47	0	0	1994
1982	0	0	9	28	130	234	503	598	305	90	3	1	1901
1983	0	0	0	20	91	266	523	599	329	54	8	0	1890
1984	0	0	0	16	159	414	521	551	279	64	5	0	2009
1985	0	0	12	43	172	336	501	512	313	38	0	0	1927
1986	0	2	21	63	147	425	653	473	301	40	0	0	2125
1987	0	0	0	88	242	371	475	543	230	18	12	0	1979
1988	0	0	1	29	186	410	525	558	270	25	1	0	2005
1989	0	0	16	100	179	285	459	419	170	83	8	0	1719
1990	0	0	12	33	169	517	495	522	378	48	13	0	2187
1991	0	0	15	45	257	398	542	507	219	85	1	0	2069
1992	0	0	3	51	114	283	508	312	239	36	0	1	1547
1993	0	0	4	9	89	362	584	545	177	32	0	0	1802
1994	0	0	20	44	116	446	470	464	208	70	9	0	1847
1995	0	0	11	14	72	250	506	521	262	33	0	0	1669
1996	0	7	4	28	288	382	514	408	170	42	0	0	1843
1997	2	0	5	7	104	316	520	429	317	112	0	0	1812
1998	0	0	13	16	252	496	719	627	497	62	2	0	2684
1999	0	4	0	40	131	327	540	619	225	51	10	0	1947
2000	0	0	3	20	232	295	498	639	372	94	0	0	2153
2001	0	0	0	70	168	348	650	563	196	27	8	1	2031
2002	0	0	1	50	102	344	468	509	285	41	5	0	1805
2003	0	0	4	36	152	275	603	559	162	75	17	0	1883
2004	0	0	18	39	260	318	439	368	308	73	0	0	1823

SNOWFALL (inches) 2004 OKLAHOMA CITY, OK (OKC)

YEAR	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	TOTAL
1975-76	0.0	0.0	0.0	0.0	0.7	3.9	T	0.3	0.0	0.0	0.0	0.0	4.9
1976-77	0.0	0.0	0.0	0.0	0.3	T	2.8	0.4	0.0	0.0	0.0	0.0	3.5
1977-78	0.0	0.0	0.0	0.0	T	0.0	8.4	12.0	T	0.0	0.0	0.0	20.4
1978-79	0.0	0.0	0.0	0.0	0.0	3.3	4.0	6.1	0.0	0.0	0.0	0.0	13.4
1979-80	0.0	0.0	0.0	0.0	T	T	T	1.8	T	0.0	0.0	0.0	1.8
1980-81	0.0	0.0	0.0	0.0	4.0	0.0	T	T	0.0	0.0	0.0	0.0	4.0
1981-82	0.0	0.0	0.0	0.0	0.0	T	1.0	3.9	2.5	0.0	0.0	0.0	7.4
1982-83	0.0	0.0	0.0	0.0	T	T	5.1	4.3	T	0.0	0.0	0.0	9.4
1983-84	0.0	0.0	0.0	0.0	T	1.9	5.6	2.0	T	0.0	0.0	0.0	9.5
1984-85	0.0	0.0	0.0	0.0	T	6.1	1.5	2.3	0.0	0.0	0.0	0.0	9.9
1985-86	0.0	0.0	0.0	0.0	T	2.9	0.0	10.9	0.0	0.0	0.0	0.0	13.8
1986-87	0.0	0.0	0.0	0.0	0.0	T	10.0	1.0	T	0.0	0.0	0.0	11.0
1987-88	0.0	0.0	0.0	0.0	2.0	8.3	12.1	0.2	0.9	0.0	0.0	0.0	23.5
1988-89	0.0	0.0	0.0	0.0	0.6	2.0	4.8	T	4.0	0.6	T	0.0	12.0
1989-90	0.0	0.0	0.0	0.0	T	1.7	0.0	1.7	0.1	0.0	0.0	0.0	3.5
1990-91	0.0	0.0	0.0	0.0	0.0	4.2	T	0.0	T	0.0	0.0	0.0	4.2
1991-92	0.0	0.0	0.0	T	2.1	1.0	5.0	0.0	T	0.0	T	T	8.1
1992-93	0.0	0.0	T	T	T	3.3	0.4	1.8	T	T	T	0.0	
1993-94	0.0	0.0	0.0	0.1	0.0	T	0.5	T	6.0	0.0	0.0		
1994-95	0.0	0.0	0.0	0.0	0.0	0.0	4.9	T	4.5	T	T	T	9.4
1995-96	0.0	0.0		0.0	0.5	4.1	1.0	0.3	T	0.0	T		
1996-97					T		6.5		T		0.0	T	
1997-98	T	T	0.0	0.0	0.1	2.0	T	T	T	0.0	T	T	2.1
1998-99	0.0	0.0	0.0	T	0.0	1.0	T	0.0	1.3	T	T	0.0	2.3
1999-00	0.0	0.0	T	0.0	0.0	T	9.1	0.0	T	T	0.0	0.0	9.1
2000-01	0.0	0.0	0.0	T	T	8.2	3.4	T	T	0.0	T	0.0	11.6
2001-02	0.0	0.0	T	T	3.2	1.5	T	2.9	1.3	0.0	0.0	0.0	8.9
2002-03	0.0	0.0	0.0	0.0	0.0	2.0	T	5.0	T	0.0	T	0.0	7.0
2003-04	0.0	0.0	0.0	0.0	0.0	1.9	0.3	0.3	0.0	0.0	T	0.0	2.5
2004-	0.0	0.0	0.0	0.0	T	T							
POR= 63 YRS	0.0	0.0	T	T	0.1	1.9	3.0	2.3	T	T	T	T	7.3

WBAN : 13967

REFERENCE NOTES:

<p>PAGE 1: THE TEMPERATURE GRAPH SHOWS NORMAL MAXIMUM AND NORMAL MINIMUM DAILY TEMPERATURES (SOLID CURVES) AND THE ACTUAL DAILY HIGH AND LOW TEMPERATURES (VERTICAL BARS).</p> <p>PAGE 2 AND 3: H/C INDICATES HEATING AND COOLING DEGREE DAYS. RH INDICATES RELATIVE HUMIDITY W/O INDICATES WEATHER AND OBSTRUCTIONS S INDICATES SUNSHINE. PR INDICATES PRESSURE. CLOUDINESS ON PAGE 3 IS THE SUM OF THE CEILOMETER AND SATELLITE DATA NOT TO EXCEED EIGHT EIGHTHS(OKTAS).</p> <p>GENERAL: T INDICATES TRACE PRECIPITATION, AN AMOUNT GREATER THAN ZERO BUT LESS THAN THE LOWEST REPORTABLE VALUE. + INDICATES THE VALUE ALSO OCCURS ON EARLIER DATES. BLANK ENTRIES DENOTE MISSING OR UNREPORTED DATA. NORMALS ARE 30-YEAR AVERAGES (1971 - 2000). ASOS INDICATES AUTOMATED SURFACE OBSERVING SYSTEM. PM INDICATES THE LAST DAY OF THE PREVIOUS MONTH. POR (PERIOD OF RECORD) BEGINS WITH THE JANUARY DATA MONTH AND IS THE NUMBER OF YEARS USED TO COMPUTE THE MEAN. INDIVIDUAL MONTHS WITHIN THE POR MAY BE MISSING. WHEN THE POR FOR A NORMAL IS LESS THAN 30 YEARS, THE NORMAL IS PROVISIONAL AND IS BASED ON THE NUMBER OF YEARS INDICATED. 0.* OR * INDICATES THE VALUE OR MEAN-DAYS-WITH IS BETWEEN 0.00 AND 0.05. CLOUDINESS FOR ASOS STATIONS DIFFERS FROM THE NON-ASOS OBSERVATION TAKEN BY A HUMAN OBSERVER. ASOS STATION CLOUDINESS IS BASED ON TIME-AVERAGED CEILOMETER DATA FOR CLOUDS AT OR BELOW 12,000 FEET AND ON SATELLITE DATA FOR CLOUDS ABOVE 12,000 FEET. THE NUMBER OF DAYS WITH CLEAR, PARTLY CLOUDY, AND CLOUDY CONDITIONS FOR ASOS STATIONS IS THE SUM OF THE CEILOMETER AND SATELLITE DATA FOR THE SUNRISE TO SUNSET PERIOD.</p>	<p>GENERAL CONTINUED: CLEAR INDICATES 0 - 2 OKTAS, PARTLY CLOUDY INDICATES 3 - 6 OKTAS, AND CLOUDY INDICATES 7 OR 8 OKTAS. WHEN AT LEAST ONE OF THE ELEMENTS (CEILOMETER OR SATELLITE) IS MISSING, THE DAILY CLOUDINESS IS NOT COMPUTED. WIND DIRECTION IS RECORDED IN TENS OF DEGREES (2 DIGITS) CLOCKWISE FROM TRUE NORTH. "00" INDICATES CALM. "36" INDICATES TRUE NORTH. RESULTANT WIND IS THE VECTOR AVERAGE OF THE SPEED AND DIRECTION. AVERAGE TEMPERATURE IS THE SUM OF THE MEAN DAILY MAXIMUM AND MINIMUM TEMPERATURE DIVIDED BY 2. SNOWFALL DATA COMPRISE ALL FORMS OF FROZEN PRECIPITATION, INCLUDING HAIL. A HEATING (COOLING) DEGREE DAY IS THE DIFFERENCE BETWEEN THE AVERAGE DAILY TEMPERATURE AND 65° F. DRY BULB IS THE TEMPERATURE OF THE AMBIENT AIR. DEW POINT IS THE TEMPERATURE TO WHICH THE AIR MUST BE COOLED TO ACHIEVE 100 PERCENT RELATIVE HUMIDITY. WET BULB IS THE TEMPERATURE THE AIR WOULD HAVE IF THE MOISTURE CONTENT WAS INCREASED TO 100 PERCENT RELATIVE HUMIDITY.</p> <p>ON JULY 1, 1996, THE NATIONAL WEATHER SERVICE BEGAN USING THE "METAR" OBSERVATION CODE THAT WAS ALREADY EMPLOYED BY MOST OTHER NATIONS OF THE WORLD. THE MOST NOTICEABLE DIFFERENCE IN THIS ANNUAL PUBLICATION WILL BE THE CHANGE IN UNITS FROM TENTHS TO EIGHTS(OKTAS) FOR REPORTING THE AMOUNT OF SKY COVER.</p>
---	--

2004
OKLAHOMA CITY,
OKLAHOMA (OKC)

Oklahoma City is located along the North Canadian River, a frequently nearly-dry stream, at the geographic center of the state. It is not quite 1,000 miles south of the Canadian Border and a little less than 500 miles north of the Gulf of Mexico. The surrounding country is gently rolling with the nearest hills or low mountains, the Arbuckles, 80 miles south. The elevation ranges around 1,250 feet above sea level.

Although some influence is exerted at times by warm, moist air currents from the Gulf of Mexico, the climate of Oklahoma City falls mainly under continental controls characteristic of the Great Plains Region. The continental effect produces pronounced daily and seasonal temperature changes and considerable variation in seasonal and annual precipitation. Summers are long and usually hot. Winters are comparatively mild and short.

During the year, temperatures of 100 degrees or more occur on an average of 10 days, but have occurred on as many as 50 days or more. While summers are usually hot, the discomforting effect of extreme heat is considerably mitigated by low humidity and the prevalence of a moderate southerly breeze. Approximately one winter in three has temperatures of zero or lower.

The length of the growing season varies from 180 to 251 days. Average date of last freeze is early April and average date of first freeze is early November. Freezes have occurred in early October.

During an average year, skies are clear approximately 40 percent of the time, partly cloudy 25 percent, and cloudy 35 percent of the time. The city is almost smoke-free as a result of favorable atmospheric conditions and the almost exclusive use of natural gas for heating. Flying conditions are generally very good with flight by visual flight rules possible about 96 percent of the time.

Summer rainfall comes mainly from showers and thunderstorms. Winter precipitation is generally associated with frontal passages. Measurable precipitation has occurred on as many as 122 days and as few as 55 days during the year. The seasonal distribution of precipitation is normally 12 percent in winter, 34 percent in spring, 30 percent in summer, and 24 percent in fall. The period with the least number of days with precipitation is November through January, and the month with the most rainy days is May. Thunderstorms occur most often in late spring and early summer. Large hail and/or destructive winds on occasion accompany these thunderstorms.

Snowfall averages less than 10 inches per year and seldom remains on the ground very long. Occasional brief periods of freezing rain and sleet storms occur.

Heavy fogs are infrequent. Prevailing winds are southerly except in January and February when northerly breezes predominate.

STATION LOCATION

OKLAHOMA CITY, OKLAHOMA

LOCATION	Occupied From	Occupied To	Airline Distances and Directions from previous Location	LATITUDE NORTH	LONGITUDE WEST	ELEVATION ABOVE										AUTOMATIC OBSERVING EQUIPMENT *	* TYPE M = AMOS T = AUTOB S = ASOS W = AWOS REMARKS
						GROUND											
						SEA LEVEL GROUND	WIND INSTRUMENT	EXTREME THERMOMETER S	PSYCHROMETER	SUNSHINE SWITCH	TIPPING GAUGE BUCKET	WEIGHING RAIN GAGE	8 INCH RAIN GAGE	HYGROMETER			
*NOTE: <u>AIRPORT</u> Weather Bureau Bldg. + Will Rogers World AP + Nat. Weather Service Bldg. 1970. Will Rogers World AP	10/21/65	10/1/92	200 ft. NE	35°24'	97°36'	1285	20	7 c5	6 c5	%22 f24	4	5	4	b5 d5 e5	b. 1 mile S of previous site. c. Effective December 1974. %. Commissioned 10/20/65. d. Type change 5/6/83. e. Type change 12/6/85. WSFO moved to 1200 Westheimer Drive, Norman, OK 1/20/87. WSO established at AP 3/11/87. f. Minor adjustment mid-1987.		
	10/1/92	10/01/92		35°23'	97°36'												
	10/01/92	Present	NA	35°23'	97°36'	g1281								S	ASOS Commissioned 10/01/92 g. Ground elevation.		

For Hard Copy Subscription:

Price and ordering information: NCDC Subscribing Service Center, 310 State Route 956, Building 300, Rocket Center, WV 26726.

INQUIRIES/COMMENTS CALL: Toll Free (866) 742-3322

Visit our Web Site for other weather data: www.ncdc.noaa.gov

Non-Subscription Request:

NCDC Customer Services;
Phone: 828-271-4800
Fax: 828-271-4876
Email: ncdc.orders@noaa.gov

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE \$300
CHANGE SERVICE REQUESTED

**FIRST CLASS
POSTAGE & FEES PAID
United States Department of Commerce
NOAA Permit No. G - 19**

* NOTES: For earlier station history see previous editions.