




# 2006 LOCAL CLIMATOLOGICAL DATA ANNUAL SUMMARY WITH COMPARATIVE DATA


ISSN 0198-4888

## ABILENE, TEXAS (KABI)

### Daily Max/Min Temperature



### Daily Precipitation



### Daily Station Pressure



I CERTIFY THAT THIS IS AN OFFICIAL PUBLICATION OF THE NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION, AND IS COMPILED FROM RECORDS ON FILE AT THE NATIONAL CLIMATIC DATA CENTER.

NATIONAL  
OCEANIC AND  
ATMOSPHERIC ADMINISTRATION

NATIONAL  
ENVIRONMENTAL SATELLITE, DATA  
AND INFORMATION SERVICE

NATIONAL  
CLIMATIC DATA CENTER  
ASHEVILLE, NORTH CAROLINA

*Thomas R. Karl*  
DIRECTOR  
NATIONAL CLIMATIC DATA CENTER

# METEOROLOGICAL DATA FOR 2006

## ABILENE (KABI)

LATITUDE: 32 ° 24'N      LONGITUDE: -99 ° 40'W      ELEVATION (FT): GRND: 1786    BARO: 1787      TIME ZONE: CENTRAL (UTC -6)      WBAN: 13962

ELEMENT		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	YEAR	
TEMPERATURE °F	MEAN DAILY MAXIMUM	66.7	62.3	71.8	83.3	87.3	93.2	96.3	97.2	84.4	77.5	69.5	59.8	79.1	
	HIGHEST DAILY MAXIMUM	86	88	95	98	97	101	102	104	94	90	90	78	104	
	DATE OF OCCURRENCE	03	28	01	17	20+	06	18+	25	22	05+	09	16	AUG 25	
	MEAN DAILY MINIMUM	37.8	34.8	48.5	56.9	62.4	67.5	72.7	73.9	62.0	54.3	44.4	34.9	54.2	
	LOWEST DAILY MINIMUM	24	19	26	45	45	56	65	62	48	36	23	16	16	
	DATE OF OCCURRENCE	21	19+	24	26	11	27	05	30	25	23	30	08	DEC 08	
	AVERAGE DRY BULB	52.3	48.6	60.2	70.1	74.9	80.4	84.5	85.6	73.2	65.9	57.0	47.4	66.7	
	MEAN WET BULB	40.6	39.1	49.0	57.3	63.2	66.2	69.1	69.9	62.1	56.2	47.1	39.4	54.9	
	MEAN DEW POINT	24.3	25.8	37.2	46.4	55.4	57.8	60.8	62.0	54.8	48.7	36.6	29.7	45.0	
	NUMBER OF DAYS WITH:														
	MAXIMUM >= 90°	0	0	0	0	0	23	26	28	8	3	1	0	89	
	MAXIMUM <= 32°	0	2	0	0	0	0	0	0	0	0	1	0	3	
MINIMUM <= 32°	9	13	1	0	0	0	0	0	0	0	6	12	41		
MINIMUM <= 0°	0	0	0	0	0	0	0	0	0	0	0	0	0		
H/C	HEATING DEGREE DAYS	392	463	207	28	9	0	0	0	4	104	263	542	2012	
	COOLING DEGREE DAYS	5	12	66	188	319	468	612	644	257	140	30	0	2741	
RH	MEAN (PERCENT)	40	49	50	50	55	50	48	50	57	58	52	56	51	
	HOUR 00 LST	46	53	57	56	63	57	53	54	64	63	54	62	57	
	HOUR 06 LST	53	62	65	67	74	72	72	69	74	75	67	72	69	
	HOUR 12 LST	31	43	42	42	45	39	39	39	47	48	42	45	42	
	HOUR 18 LST	26	36	36	33	38	29	30	36	41	46	41	44	36	
S	PERCENT POSSIBLE SUNSHINE														
W/O	NUMBER OF DAYS WITH:														
	HEAVY FOG(VISBY <= 1/4 MI)	0	0	1	0	0	0	0	0	0	0	1	1	3	
	THUNDERSTORMS	0	2	3	3	6	1	2	3	1	0	3	1	25	
CLOUDNESS	SUNRISE-SUNSET: (OKTAS)														
	CEILOMETER (<= 12,000 FT.)														
	SATELLITE (> 12,000 FT.)														
	MIDNIGHT-MIDNIGHT: (OKTAS)														
	CEILOMETER (<= 12,000 FT.)														
SATELLITE (> 12,000 FT.)															
NUMBER OF DAYS WITH:															
CLEAR															
PARTLY CLOUDY															
CLOUDY															
PR	MEAN STATION PRESS. (IN.)	28.19	28.21	28.12	28.04	28.04	28.12	28.13	28.10	28.12	28.12	28.17	28.25	28.13	
	MEAN SEA-LEVEL PRESS. (IN.)	30.06	30.09	29.97	29.87	29.86	29.93	29.93	29.91	29.95	29.96	30.04	30.14	29.98	
WINDS	RESULTANT SPEED (MPH)	5.2	1.4	3.2	4.3	7.2	6.4	7.3	6.0	2.2	3.4	3.8	3.9	4.0	
	RES. DIR. (TENS OF DEGS.)	22	24	16	18	15	14	16	17	16	19	20	21	18	
	MEAN SPEED (MPH)	12.0	11.2	12.7	12.3	12.4	9.9	10.2	9.2	9.5	10.7	11.5	10.8	11.0	
	PREVAIL.DIR.(TENS OF DEGS.)	21	20	16	17	16	15	17	15	16	17	16	19	16	
	MAXIMUM 2-MINUTE WIND														
	SPEED (MPH)	39	40	37	38	44	49	31	39	29	35	45	32	49	
	DIR. (TENS OF DEGS.)	25	33	27	34	17	13	17	13	19	34	32	14	13	
	DATE OF OCCURRENCE	01	05	20	07	02	17	28	12	21	27	14	28	JUN 17	
	MAXIMUM 5-SECOND WIND:														
	SPEED (MPH)	49	48	46	45	53	60	39	54	37	40	54	39	60	
DIR. (TENS OF DEGS.)	25	33	27	35	17	13	18	15	19	34	31	16	13		
DATE OF OCCURRENCE	01	05	20	07	02	17	28	12	21	27	14	28	JUN 17		
PRECIPITATION	WATER EQUIVALENT:														
	TOTAL (IN.)	0.41	1.26	2.61	3.17	3.40	2.21	0.39	1.44	3.17	1.43	0.12	1.16	20.77	
	GREATEST 24-HOUR (IN.)	0.26	1.22	1.61	2.30	1.44	1.61	0.32	1.14	1.45	1.06	0.09	0.82	2.30	
	DATE OF OCCURRENCE	22	24-25	18	19-20	04	16-17	03	26-27	03-04	15-16	29-30	19-20	APR 19-20	
	NUMBER OF DAYS WITH:														
	PRECIPITATION 0.01	3	3	5	4	6	4	2	6	4	4	3	3	47	
PRECIPITATION 0.10	1	2	4	3	3	3	1	3	4	3	0	3	30		
PRECIPITATION 1.00	0	0	1	1	2	1	0	0	1	0	0	0	6		
SNOWFALL	SNOW,ICE PELLETS,HAIL														
	TOTAL (IN.)	0.0	0.0	0.0	T	T	0.0	0.0	0.0	0.0	0.0	0.6	0.0	0.6	
	GREATEST 24-HOUR (IN.)	0.0	0.0	0.0	T	T	0.0	0.0	0.0	0.0	0.0	0.6	0.0	0.6	
	DATE OF OCCURRENCE				19	05						30		NOV 30	
	MAXIMUM SNOW DEPTH (IN.)	0	0	0	0	0	0	0	0	0	0	0	0	0	
	DATE OF OCCURRENCE														
NUMBER OF DAYS WITH:															
SNOWFALL >= 1.0	0	0	0	0	0	0	0	0	0	0	0	0	0		

# NORMALS, MEANS, AND EXTREMES

## ABILENE (KABI)

LATITUDE:  
32 ° 24'N

LONGITUDE:  
-99 ° 40'W

ELEVATION (FT):  
GRND: 1786 BARO: 1787

TIME ZONE:  
CENTRAL (UTC -6)

WBAN: 13962

ELEMENT		POR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	YEAR
TEMPERATURE °F	NORMAL DAILY MAXIMUM	30	55.2	60.7	69.1	77.3	84.7	91.1	94.8	93.7	86.7	77.6	65.1	56.9	76.1
	MEAN DAILY MAXIMUM	59	55.9	60.3	68.4	77.6	84.4	91.0	94.9	94.3	87.0	77.5	65.5	57.7	76.2
	HIGHEST DAILY MAXIMUM	67	89	93	97	99	109	109	110	109	107	103	92	89	110
	YEAR OF OCCURRENCE		1943	1996	1974	1948	2000	1994	1978	1943	2000	1979	1980	1955	JUL 1978
	MEAN OF EXTREME MAXS.	59	77.4	81.4	87.1	92.6	97.6	100.0	101.8	101.6	97.8	91.5	82.7	77.5	90.8
	NORMAL DAILY MINIMUM	30	31.8	36.5	43.8	51.8	61.0	68.5	72.3	71.4	64.4	54.4	42.3	33.9	52.7
	MEAN DAILY MINIMUM	59	32.1	36.2	43.2	52.5	61.2	68.6	72.4	71.6	64.5	54.4	42.3	34.2	52.8
	LOWEST DAILY MINIMUM	67	-9	-7	7	25	36	47	55	50	35	23	14	-7	-9
	YEAR OF OCCURRENCE		1947	1985	1943	1973	1979	1964	1940	1992	1942	1993	1976	1989	JAN 1947
	MEAN OF EXTREME MINS.	59	14.7	18.6	24.1	34.7	45.7	58.0	64.9	63.1	49.0	37.5	25.0	17.3	37.7
	NORMAL DRY BULB	30	43.5	48.6	56.4	64.6	72.8	79.8	83.5	82.6	75.5	66.0	53.7	45.4	64.4
	MEAN DRY BULB	59	44.0	48.2	55.8	65.0	72.8	79.9	83.7	83.0	75.8	65.9	53.9	46.0	64.5
	MEAN WET BULB	23	37.6	40.9	47.0	54.1	62.9	68.4	69.6	69.2	64.4	56.7	46.4	38.7	54.7
	MEAN DEW POINT	23	30.1	33.3	39.0	46.1	57.1	63.6	63.6	63.3	58.8	50.6	39.8	31.4	48.1
	NORMAL NO. DAYS WITH: MAXIMUM >= 90	30	0.0	0.1	0.6	2.5	8.7	18.7	26.3	24.6	12.5	2.2	*	0.0	96.2
MAXIMUM <= 32	30	1.9	1.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	1.2	4.5	
MINIMUM <= 32	30	16.5	10.0	3.9	0.6	0.0	0.0	0.0	0.0	0.0	0.3	5.3	14.1	50.7	
MINIMUM <= 0	30	*	*	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	
H/C	NORMAL HEATING DEG. DAYS	30	678	477	299	113	20	0	0	0	18	93	353	608	2659
	NORMAL COOLING DEG. DAYS	30	0	5	28	94	253	442	568	535	327	118	15	1	2386
RH	NORMAL (PERCENT)	30	61	60	56	55	61	61	55	55	60	62	63	64	59
	HOURLY 00 LST	30	67	66	62	63	69	67	60	62	68	68	71	68	66
	HOURLY 06 LST	30	73	73	71	73	80	80	74	75	78	77	77	74	75
	HOURLY 12 LST	30	53	52	47	45	51	51	46	47	52	52	53	54	50
	HOURLY 18 LST	30	49	47	40	39	44	44	39	40	47	48	53	53	45
S	PERCENT POSSIBLE SUNSHINE	49	62	64	70	72	70	78	80	77	70	72	67	63	70
W/O	MEAN NO. DAYS WITH: HEAVY FOG (VISBY <= 1/4 MI)	43	1.4	1.3	0.9	0.5	0.3	0.2	0.1	0.1	0.5	0.7	1.2	1.5	8.7
	THUNDERSTORMS	59	0.5	1.3	2.7	4.6	7.4	5.9	4.6	5.2	3.4	2.9	1.5	0.7	40.7
CLOUDNESS	MEAN: SUNRISE-SUNSET (OKTAS)	57	4.5	4.6	4.3	4.1	4.4	3.6	3.5	3.5	3.6	3.4	3.8	4.2	4.0
	MIDNIGHT-MIDNIGHT (OKTAS)	32	4.1	4.1	3.8	3.7	3.9	3.3	2.9	3.2	3.4	3.0	3.5	3.8	3.6
	MEAN NO. DAYS WITH: CLEAR	58	11.1	9.9	11.4	11.7	9.9	12.6	14.1	14.1	13.5	14.9	13.2	11.7	148.1
	PARTLY CLOUDY	58	6.1	6.2	7.5	7.8	10.0	10.6	9.7	9.6	7.8	6.8	5.9	6.2	94.2
	CLOUDY	58	13.7	12.2	12.1	10.5	11.1	6.8	6.7	6.8	8.3	8.8	10.4	12.6	120.0
PR	MEAN STATION PRESSURE (IN)	23	28.23	28.19	28.12	28.07	28.05	28.07	28.13	28.14	28.14	28.16	28.19	28.23	28.14
	MEAN SEA-LEVEL PRES. (IN)	23	30.12	30.07	29.98	29.91	29.87	29.88	29.93	29.94	29.96	30.01	30.06	30.12	29.99
WINDS	MEAN SPEED (MPH)	23	11.0	11.4	12.6	12.8	12.2	11.1	10.2	8.9	9.3	10.4	11.0	10.7	11.0
	PREVAIL. DIR (TENS OF DEGS)	27	21	36	17	17	17	19	17	17	17	19	19	21	17
	MAXIMUM 2-MINUTE: SPEED (MPH)	10	39	45	39	55	45	49	48	55	43	38	45	40	55
	DIR. (TENS OF DEGS)		25	31	35	27	02	13	30	19	35	36	32	30	27
	YEAR OF OCCURRENCE		2006	2001	2002	1998	2001	2006	1998	1997	2001	1999	2006	2003	APR 1998
	MAXIMUM 5-SECOND SPEED (MPH)	10	49	52	49	68	62	60	60	67	49	47	56	51	68
	DIR. (TENS OF DEGS)		25	31	30	27	33	13	29	19	35	35	28	30	27
YEAR OF OCCURRENCE		2006	2001	1998	1998	2002	2006	1998	1997	2001	1999	2005	2003	APR 1998	
PRECIPITATION	NORMAL (IN)	30	0.97	1.13	1.41	1.67	2.83	3.06	1.70	2.63	2.91	2.90	1.30	1.27	23.78
	MAXIMUM MONTHLY (IN)	67	4.35	3.60	5.16	6.80	13.19	9.60	8.04	8.18	11.03	10.68	5.12	6.28	13.19
	YEAR OF OCCURRENCE		1968	1992	1979	1966	1957	1961	2002	1969	1974	1981	2004	1991	MAY 1957
	MINIMUM MONTHLY (IN)	67	T	0.00	0.03	T	0.15	T	T	0.00	T	0.00	0.00	T	0.00
	YEAR OF OCCURRENCE		1967	1999	1963	1961	1956	1994	1970	2000	1956	1952	1949	1972	AUG 2000
	MAXIMUM IN 24 HOURS (IN)	67	2.18	1.94	2.24	3.75	4.76	3.66	5.67	6.30	6.70	6.08	2.43	2.62	6.70
	YEAR OF OCCURRENCE		1961	1992	1998	1957	1990	1959	2002	1978	1961	1981	1975	1991	SEP 1961
	NORMAL NO. DAYS WITH: PRECIPITATION >= 0.01	30	5.1	4.9	5.3	5.1	7.7	6.4	5.1	5.9	6.5	6.2	4.7	5.1	68.0
PRECIPITATION >= 1.00	30	0.1	0.1	0.3	0.4	0.8	1.1	0.4	0.8	0.9	0.8	0.2	0.3	6.2	
SNOWFALL	NORMAL (IN)	30	2.6	1.0	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.*	0.6	0.8	5.6
	MAXIMUM MONTHLY (IN)	61	13.5	8.4	7.3	9.3	T	T	T	T	0.0	0.3	8.1	7.8	13.5
	YEAR OF OCCURRENCE		1973	1956	1970	1996	2006	1993	1995	1997		1993	1968	1983	JAN 1973
	MAXIMUM IN 24 HOURS (IN)	61	7.5	4.5	6.1	9.3	T	T	T	T	0.0	0.3	5.3	4.3	9.3
	YEAR OF OCCURRENCE		1973	1979	1970	1996	1995	1993	1995	1997		1993	1976	2004	APR 1996
	MAXIMUM SNOW DEPTH (IN)	52	22	13	9	0	0	0	0	0	0	0	7	11	22
	YEAR OF OCCURRENCE		1973	1963	1989								1976	1983	JAN 1973
NORMAL NO. DAYS WITH: SNOWFALL >= 1.0	30	0.8	0.4	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.4	1.9	

**PRECIPITATION (inches) 2006 ABILENE (KABI)**

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
1977	1.22	0.08	2.35	3.11	0.44	1.71	1.82	2.54	0.09	2.15	0.57	0.19	16.27
1978	0.62	1.26	0.17	1.00	1.50	1.24	0.72	6.70	2.36	1.49	0.94	0.28	18.28
1979	0.72	1.10	5.16	1.72	1.86	2.89	1.55	1.55	0.01	0.53	0.65	2.62	20.36
1980	0.77	0.72	0.69	0.17	5.00	1.14	0.24	1.62	6.30	0.71	1.62	1.69	20.67
1981	1.20	1.06	2.36	3.52	1.48	2.73	1.69	0.63	1.74	10.68	0.43	0.25	27.77
1982	1.00	1.20	0.43	0.38	6.87	3.98	1.50	1.12	1.09	0.74	1.72	1.28	21.31
1983	2.28	0.12	1.95	0.54	1.42	3.86	2.57	0.10	0.87	3.25	1.77	0.77	19.50
1984	0.98	0.46	0.47	0.20	0.42	1.70	0.97	3.24	3.55	5.15	2.11	3.08	22.33
1985	0.53	1.50	2.86	0.90	4.03	1.78	1.71	3.66	1.28	2.43	1.56	0.03	22.27
1986	0.01	1.51	0.50	0.99	4.03	4.49	3.54	2.45	1.71	7.46	3.24	2.05	31.98
1987	0.54	3.55	1.55	0.87	4.58	1.86	1.91	4.17	2.12	0.21	1.16	4.55	27.07
1988	0.05	0.37	0.54	2.09	2.93	3.75	1.76	1.18	1.74	1.01	T	0.80	16.22
1989	0.54	3.08	1.72	0.71	3.07	9.53	1.01	2.53	4.09	0.97	0.20	0.21	27.66
1990	1.94	2.36	2.43	4.57	5.06	0.36	4.27	0.77	4.79	1.73	2.26	0.81	31.35
1991	2.71	0.14	0.51	1.65	1.07	8.05	2.24	1.85	5.99	2.47	0.32	6.28	33.28
1992	1.87	3.60	0.83	2.02	3.51	4.81	2.70	1.99	1.79	1.19	2.57	1.00	27.88
1993	0.91	1.23	1.03	0.84	2.01	3.80	0.25	1.82	2.42	3.19	0.40	0.90	18.80
1994	1.10	0.76	0.08	3.43	9.03	T	0.59	2.15	3.80	3.07	3.39	1.04	28.44
1995	1.25	0.43	1.53	1.13	5.83	1.67	2.07	5.25	2.41	0.99	0.32	0.23	23.11
1996	0.70	0.04	1.26	2.56	1.93	2.61	1.92	6.92	6.02	2.56	2.44	T	28.96
1997	0.09	3.49	0.98	2.96	1.52	6.86	0.28	4.16	0.04	2.54	1.00	3.16	27.08
1998	1.17	0.68	3.19	0.35	0.72	1.97	1.31	0.46	0.07	1.52	1.06	1.37	13.87
1999	1.93	0.00	2.92	1.49	1.77	4.43	0.06	0.42	1.60	1.66	0.00	0.35	16.63
2000	0.17	0.44	0.88	0.64	2.59	5.48	0.01	0.00	1.08	7.01	2.91	0.91	22.12
2001	1.07	2.70	1.92	0.57	3.63	1.38	0.03	3.39	2.32	0.49	3.39	0.98	21.87
2002	0.47	1.16	4.01	0.46	3.24	0.81	8.04	1.07	2.05	4.37	0.93	1.33	27.94
2003	0.18	0.93	0.48	0.60	1.69	7.36	0.05	2.39	1.02	1.81	2.49	0.01	19.01
2004	1.65	2.90	1.29	5.03	1.73	4.04	1.55	5.02	0.20	8.11	5.12	0.73	37.37
2005	0.72	2.11	2.19	0.01	2.95	0.72	2.42	4.43	0.56	3.44	T	0.11	19.66
2006	0.41	1.26	2.61	3.17	3.40	2.21	0.39	1.44	3.17	1.43	0.12	1.16	20.77
POR= 59 YRS	0.97	1.16	1.28	2.02	3.24	2.93	2.05	2.46	2.60	2.63	1.37	1.03	23.74

WBAN : 13962

**AVERAGE TEMPERATURE (°F) 2006 ABILENE (KABI)**

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
1977	35.7	50.9	56.8	62.4	73.4	81.3	83.8	83.4	82.6	66.9	54.6	48.7	65.0
1978	34.5	38.7	55.0	70.3	76.3	83.3	89.0	82.3	77.3	66.9	55.3	43.3	64.4
1979	35.6	44.9	56.7	64.2	69.8	79.0	83.7	82.2	77.7	71.6	50.9	47.7	63.7
1980	45.2	47.9	54.8	63.9	72.1	84.4	89.4	86.1	77.7	64.9	52.6	49.3	65.7
1981	44.8	49.4	54.9	68.3	71.6	80.3	85.8	83.3	78.0	66.2	57.4	48.8	65.7
1982	44.8	44.7	58.3	62.9	72.1	78.8	84.1	85.6	77.6	65.9	54.4	45.8	64.6
1983	42.6	47.0	54.9	60.6	70.8	76.7	82.8	85.2	77.9	69.1	57.0	34.2	63.2
1984	39.5	49.9	55.3	63.6	75.3	83.1	83.7	83.1	73.1	63.8	52.7	48.8	64.3
1985	37.2	44.4	57.5	66.7	73.8	77.9	81.6	84.9	75.7	65.7	54.6	41.4	63.5
1986	47.9	50.8	60.6	68.6	73.9	79.3	84.3	81.8	77.4	63.5	51.2	43.9	65.3
1987	43.4	49.4	52.1	62.7	72.1	77.5	81.6	83.5	74.0	67.0	54.0	44.8	63.5
1988	41.7	45.2	55.4	64.0	71.1	78.9	81.7	83.9	76.3	66.4	57.9	47.4	64.2
1989	49.4	40.2	56.8	66.5	75.9	75.9	82.9	81.9	72.6	67.7	56.4	38.4	63.7
1990	50.0	53.0	56.4	62.8	72.1	84.9	79.7	82.1	76.8	64.5	57.1	42.9	65.2
1991	41.9	52.1	58.9	68.0	75.4	78.2	82.3	79.2	71.3	66.1	49.9	46.7	64.2
1992	43.1	50.6	58.8	64.9	69.4	78.2	81.1	78.0	76.0	68.7	51.5	47.8	64.0
1993	42.9	46.6	54.8	63.6	70.4	79.7	85.7	83.9	74.1	62.8	49.6	47.8	63.5
1994	44.1	46.8	57.5	64.0	70.2	83.2	83.8	82.6	72.9	65.9	55.1	47.9	64.5
1995	46.6	50.2	53.3	63.7	70.1	76.3	83.4	81.1	74.3	66.2	54.4	46.5	63.8
1996	43.2	51.4	52.2	63.1	78.6	80.2	84.4	80.0	72.2	64.6	53.3	48.9	64.3
1997	43.3	46.9	57.7	58.9	69.1	76.7	82.5	81.7	78.7	66.4	50.9	42.9	63.0
1998	48.8	49.1	53.5	62.5	79.2	83.8	87.6	83.8	81.2	69.4	56.9	45.0	66.7
1999	47.9	55.7	54.9	65.5	72.5	78.8	83.5	87.1	76.2	66.2	59.8	47.8	66.3
2000	49.2	55.8	60.3	67.7	79.4	78.3	85.7	86.9	78.5	67.0	48.1	39.6	66.4
2001	41.8	48.5	51.2	64.1	73.8	81.7	87.6	83.4	74.4	65.5	58.4	47.9	64.9
2002	47.9	45.7	54.3	67.4	72.2	79.4	79.7	83.6	75.8	60.9	51.1	46.2	63.7
2003	44.4	46.2	56.1	66.9	74.6	76.5	83.1	83.2	73.3	66.7	56.3	48.8	64.7
2004	48.0	45.0	59.9	63.1	72.1	77.1	80.5	78.0	73.9	66.9	53.0	47.3	63.7
2005	49.2	50.1	55.7	64.5	71.1	80.1	82.6	80.5	79.7	65.6	57.1	45.1	65.1
2006	52.3	48.6	60.2	70.1	74.9	80.4	84.5	85.6	73.2	65.9	57.0	47.4	66.7
POR= 59 YRS	44.0	48.2	55.8	65.0	72.8	79.9	83.7	83.0	75.8	65.9	53.9	46.0	64.5

**HEATING DEGREE DAYS (base 65°F) 2006 ABILENE (KABI)**

YEAR	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	TOTAL
1977-78	0	0	0	56	314	500	938	730	337	37	34	0	2946
1978-79	0	0	5	56	308	667	906	567	272	84	55	0	2920
1979-80	0	0	0	43	429	530	605	496	316	118	10	0	2547
1980-81	0	0	16	116	389	485	619	439	312	51	20	0	2447
1981-82	0	0	7	116	237	496	617	570	253	149	22	0	2467
1982-83	0	0	0	111	340	589	686	497	325	209	23	4	2784
1983-84	0	0	9	37	261	947	781	431	310	107	12	0	2895
1984-85	0	0	65	108	375	501	853	572	259	52	3	0	2788
1985-86	0	0	28	70	328	725	522	409	162	38	9	0	2291
1986-87	0	0	1	102	413	647	663	429	396	159	1	0	2811
1987-88	0	0	0	45	347	618	715	567	324	103	10	0	2729
1988-89	0	0	3	33	248	539	477	690	310	116	4	0	2420
1989-90	0	0	40	92	286	820	460	334	293	123	58	0	2506
1990-91	0	0	3	104	258	680	711	358	224	22	12	0	2372
1991-92	0	0	33	110	448	562	672	408	200	88	30	0	2551
1992-93	0	0	0	20	413	530	677	509	328	125	24	0	2626
1993-94	0	0	10	174	459	524	640	502	272	123	30	0	2734
1994-95	0	0	14	103	307	521	563	408	387	131	17	0	2451
1995-96	0	0	30	64	314	574	673	422	414	138	0	0	2629
1996-97	0	0	22	86	360	497	674	499	244	206	36	0	2624
1997-98	0	0	0	105	417	677	497	438	389	130	0	0	2653
1998-99	0	0	0	47	246	615	524	269	312	98	14	0	2125
1999-00	0	0	18	87	171	531	483	269	180	85	8	0	1832
2000-01	0	0	23	89	501	783	712	459	421	91	3	0	3082
2001-02	0	0	9	66	223	527	529	533	361	88	16	0	2352
2002-03	0	0	0	196	414	573	630	526	291	66	16	0	2712
2003-04	0	0	0	50	301	495	525	576	196	114	34	0	2291
2004-05	0	0	1	36	351	542	489	420	289	90	43	0	2261
2005-06	0	0	0	111	275	610	392	463	207	28	9	0	2095
2006-	0	0	4	104	263	542							

WBAN : 13962

**COOLING DEGREE DAYS (base 65°F) 2006 ABILENE (KABI)**

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	TOTAL
1977	0	4	13	17	267	496	590	579	534	122	7	1	2630
1978	0	0	35	201	392	555	751	542	379	121	23	1	3000
1979	0	9	20	67	209	428	586	539	390	253	11	0	2512
1980	0	7	6	91	237	588	762	660	405	119	21	5	2901
1981	0	6	8	154	230	464	653	575	403	162	15	1	2671
1982	1	8	52	92	249	422	600	645	386	147	28	1	2631
1983	0	0	21	84	208	365	558	634	403	171	30	0	2474
1984	0	0	20	71	339	550	589	570	315	80	13	4	2551
1985	0	0	32	107	281	393	519	621	356	97	25	0	2431
1986	0	18	34	155	294	435	610	524	382	64	3	0	2519
1987	0	0	3	97	228	379	525	579	277	116	25	0	2229
1988	0	0	34	80	206	422	524	592	350	85	37	0	2330
1989	0	0	64	169	347	334	563	530	275	183	33	0	2498
1990	2	6	33	63	285	603	461	537	363	94	30	0	2477
1991	0	0	40	118	340	404	544	449	228	151	2	1	2277
1992	0	0	13	92	173	402	501	410	336	142	13	6	2088
1993	0	0	19	88	198	448	648	593	289	116	4	0	2403
1994	0	0	48	98	199	552	589	555	259	140	17	0	2457
1995	0	0	32	97	183	346	576	505	314	107	4	7	2171
1996	0	36	23	87	431	461	609	472	80	80	14	4	2297
1997	7	0	24	30	171	358	551	523	420	154	1	0	2239
1998	0	0	40	63	446	567	711	587	490	188	13	1	3106
1999	1	13	4	120	255	421	579	691	358	130	20	0	2592
2000	2	9	40	173	462	406	649	685	434	158	0	0	3018
2001	0	0	0	69	285	507	706	577	298	87	33	2	2564
2002	4	2	37	165	244	438	465	584	328	77	5	0	2349
2003	0	4	21	131	322	352	571	570	254	110	43	0	2378
2004	6	2	44	62	261	367	486	411	275	103	0	0	2017
2005	5	8	9	78	239	460	556	490	450	134	46	0	2475
2006	5	12	66	188	319	468	612	644	257	140	30	0	2741

**SNOWFALL (inches) 2006 ABILENE (KABI)**

YEAR	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	TOTAL
1977-78	0.0	0.0	0.0	0.0	0.0	0.0	1.7	1.4	1.0	0.0	0.0	0.0	4.1
1978-79	0.0	0.0	0.0	0.0	0.0	0.9	0.5	5.9	0.0	0.0	0.0	0.0	7.3
1979-80	0.0	0.0	0.0	0.0	0.0	0.3	T	2.2	T	T	0.0	0.0	2.5
1980-81	0.0	0.0	0.0	T	3.7	0.0	1.9	T	0.0	0.0	0.0	0.0	5.6
1981-82	0.0	0.0	0.0	0.0	0.0	0.0	5.0	1.2	0.0	0.0	0.0	0.0	6.2
1982-83	0.0	0.0	0.0	0.0	T	1.4	10.8	T	T	0.0	0.0	0.0	12.2
1983-84	0.0	0.0	0.0	0.0	0.0	7.8	T	0.4	0.8	0.0	0.0	0.0	9.0
1984-85	0.0	0.0	0.0	0.0	0.0	0.0	6.1	1.9	0.0	0.0	0.0	0.0	8.0
1985-86	0.0	0.0	0.0	0.0	0.0	0.2	0.0	T	0.0	0.0	0.0	0.0	0.2
1986-87	0.0	0.0	0.0	0.0	0.0	0.6	2.4	3.9	T	0.0	0.0	0.0	6.9
1987-88	0.0	0.0	0.0	0.0	0.0	3.3	T	2.0	0.0	0.0	0.0	0.0	5.3
1988-89	0.0	0.0	0.0	0.0	0.0	T	0.2	T	5.2	0.0	T	T	5.4
1989-90	0.0	0.0	0.0	0.0	0.0	T	T	T	T	T	0.0	0.0	T
1990-91	0.0	0.0	0.0	0.0	0.0	2.6	1.6	0.0	T	T	0.0	T	4.2
1991-92	0.0	0.0	0.0	T	0.0	T	0.5	0.5	T	0.0	0.0	0.0	1.0
1992-93	T	0.0	0.0	0.0	2.8	T	T	T	0.3	0.0	T	T	3.1
1993-94	0.0	0.0	0.0	0.3	T	1.7	2.5	0.0	T	T	T	0.0	4.5
1994-95	0.0	0.0	0.0	0.0	T	0.0	6.2	0.0	T	0.0	T	0.0	6.2
1995-96	T	0.0	0.0	0.0	1.1	T	4.5	0.4	T	9.3			
1996-97					1.0	0.0	0.7	1.1	0.0	0.0	0.0	T	
1997-98	0.0	T											
1998-99													
1999-00													
2000-01													
2001-02													
2002-03													
2003-04							T	3.4	T	0.0	T	0.0	
2004-05	0.0	0.0	0.0	0.0	T	4.3	T	0.0	1.2	0.0	0.0	0.0	5.5
2005-06	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	T	T	0.0	T
2006-	0.0	0.0	0.0	0.0	0.6	0.0							
POR= 53 YRS	T	T	0.0	T	0.5	0.8	1.9	1.2	0.6	0.2	T	T	5.2

WBAN : 13962

**REFERENCE NOTES :**

<p>PAGE 1: THE TEMPERATURE GRAPH SHOWS NORMAL MAXIMUM AND NORMAL MINIMUM DAILY TEMPERATURES (SOLID CURVES) AND THE ACTUAL DAILY HIGH AND LOW TEMPERATURES (VERTICAL BARS).</p> <p>PAGE 2 AND 3: H/C INDICATES HEATING AND COOLING DEGREE DAYS. RH INDICATES RELATIVE HUMIDITY W/O INDICATES WEATHER AND OBSTRUCTIONS S INDICATES SUNSHINE. PR INDICATES PRESSURE. CLOUDINESS ON PAGE 3 IS THE SUM OF THE CEILOMETER AND SATELLITE DATA NOT TO EXCEED EIGHT EIGHTHS(OKTAS).</p> <p>GENERAL: T INDICATES TRACE PRECIPITATION, AN AMOUNT GREATER THAN ZERO BUT LESS THAN THE LOWEST REPORTABLE VALUE. + INDICATES THE VALUE ALSO OCCURS ON EARLIER DATES. BLANK ENTRIES DENOTE MISSING OR UNREPORTED DATA. NORMALS ARE 30-YEAR AVERAGES (1971 - 2000). ASOS INDICATES AUTOMATED SURFACE OBSERVING SYSTEM. PM INDICATES THE LAST DAY OF THE PREVIOUS MONTH. POR (PERIOD OF RECORD) BEGINS WITH THE JANUARY DATA MONTH AND IS THE NUMBER OF YEARS USED TO COMPUTE THE MEAN. INDIVIDUAL MONTHS WITHIN THE POR MAY BE MISSING. WHEN THE POR FOR A NORMAL IS LESS THAN 30 YEARS, THE NORMAL IS PROVISIONAL AND IS BASED ON THE NUMBER OF YEARS INDICATED. 0.* OR * INDICATES THE VALUE OR MEAN-DAYS-WITH IS BETWEEN 0.00 AND 0.05. CLOUDINESS FOR ASOS STATIONS DIFFERS FROM THE NON-ASOS OBSERVATION TAKEN BY A HUMAN OBSERVER. ASOS STATION CLOUDINESS IS BASED ON TIME-AVERAGED CEILOMETER DATA FOR CLOUDS AT OR BELOW 12,000 FEET AND ON SATELLITE DATA FOR CLOUDS ABOVE 12,000 FEET. THE NUMBER OF DAYS WITH CLEAR, PARTLY CLOUDY, AND CLOUDY CONDITIONS FOR ASOS STATIONS IS THE SUM OF THE CEILOMETER AND SATELLITE DATA FOR THE SUNRISE TO SUNSET PERIOD.</p>	<p>GENERAL CONTINUED: CLEAR INDICATES 0 - 2 OKTAS, PARTLY CLOUDY INDICATES 3 - 6 OKTAS, AND CLOUDY INDICATES 7 OR 8 OKTAS. WHEN AT LEAST ONE OF THE ELEMENTS (CEILOMETER OR SATELLITE) IS MISSING, THE DAILY CLOUDINESS IS NOT COMPUTED. WIND DIRECTION IS RECORDED IN TENS OF DEGREES (2 DIGITS) CLOCKWISE FROM TRUE NORTH. "00" INDICATES CALM. "36" INDICATES TRUE NORTH. RESULTANT WIND IS THE VECTOR AVERAGE OF THE SPEED AND DIRECTION. AVERAGE TEMPERATURE IS THE SUM OF THE MEAN DAILY MAXIMUM AND MINIMUM TEMPERATURE DIVIDED BY 2. SNOWFALL DATA COMPRISE ALL FORMS OF FROZEN PRECIPITATION, INCLUDING HAIL. A HEATING (COOLING) DEGREE DAY IS THE DIFFERENCE BETWEEN THE AVERAGE DAILY TEMPERATURE AND 65 F. DRY BULB IS THE TEMPERATURE OF THE AMBIENT AIR. DEW POINT IS THE TEMPERATURE TO WHICH THE AIR MUST BE COOLED TO ACHIEVE 100 PERCENT RELATIVE HUMIDITY. WET BULB IS THE TEMPERATURE THE AIR WOULD HAVE IF THE MOISTURE CONTENT WAS INCREASED TO 100 PERCENT RELATIVE HUMIDITY.</p> <p>ON JULY 1, 1996, THE NATIONAL WEATHER SERVICE BEGAN USING THE "METAR" OBSERVATION CODE THAT WAS ALREADY EMPLOYED BY MOST OTHER NATIONS OF THE WORLD. THE MOST NOTICEABLE DIFFERENCE IN THIS ANNUAL PUBLICATION WILL BE THE CHANGE IN UNITS FROM TENTHS TO EIGHTS(OKTAS) FOR REPORTING THE AMOUNT OF SKY COVER.</p> <p><b>NOTE:</b> The "Period of Record:(POR) for all "averages" is based on the "Summary of the Day First Order Station" and "Cooperative Summary of the Day" archives.</p>
---	--

# 2006 ABILENE TEXAS (KABI)

Abilene is located in north central Texas. The station elevation is 1,750 feet above sea level. Topography of the area includes rolling plains, treeless except for mesquite, broken by low hills to the south and west. The land rises gently to the east and southeast. Regional agricultural products are mainly cattle, dry-land cotton, and feed crops.

Abilene is on the boundary between the humid east Texas climate and the semi-arid west and north Texas climate. The rainfall pattern is typical of the Great Plains. Most precipitation occurs from April to October and is usually associated with thunderstorms. Severe storms are infrequent, occurring mostly in the spring.

The large range of high and low temperatures, characteristic of the Great Plains, extends south to the Abilene area. High daytime temperatures prevail in the summer, but are normally broken by thunderstorms about five times a month. Rapid cooling after sunset results in pleasant nights with low summertime temperatures in the upper 60s and low 70s. High summer temperatures are usually associated with fair skies, southwesterly winds, and low humidities.

Rapid wintertime temperature changes occur when cold, dry, arctic air replaces warm moist tropical air. Drops in temperature of 20 to 30 degrees in one hour are not unusual. However, cold weather periods are short lived. Fair, mild weather is typical.

South is the prevailing wind direction, and southerly winds are frequently high and persist for several days. Strong northerly winds often occur during the passage of cold fronts. Dusty conditions are infrequent, occurring mostly with westerly winds. Dust storm frequency and intensity depend on soil conditions in eastern New Mexico, west Texas, and the Texas Panhandle.

Based on the 1951-1980 period, the average first occurrence of 32 degrees Fahrenheit in the fall is November 13 and the average last occurrence in the spring is March 25.

# Station Location

ABILENE

LOCATION	Occupied From	Occupied To	Airline Distances and Directions from previous Location	Latitude NORTH WEST		Longitude WEST		ELEVATION ABOVE								AUTOMATIC OBSERVING EQUIPMENT *	REMARKS
								SEA LEVEL	GROUND								
								GROUND TEMPERATURE SITE	WIND INSTRUMENT	EXTREME THERMOMETERS	PSYCHROMETER	SUNSHINE SWITCH	TIPPING BUCKET RAIN GAUGE	WEIGHING RAIN GAUGE	8 INCH RAIN GAUGE		
<b>*NOTE:</b>																	
<u>AIRPORT</u>																	
Municipal Airport 3-1/2 miles SE of P.O.	7/2/35	12/11/53	NA	32° 26'	99° 41'	1751	59	4	4	* Unk	2	4	3		WBO and WBAS consolidated 4/1/44. * - Installed March 1948?		
Municipal Airport	12/11/53	10/15/71	0.5mi.S	32° 26'	99° 41'	1759 d1762	60 a32 b20	5	5	10	4	4	4	c4	a. Effective 11/11/57. b. Effective 5/5/60. c. Commissioned 900' south of thermometer site 8/1/63. d. Effective 8/1/63.		
FAA Control Tower Municipal Airport	10/15/71	05/01/96	1.25mi. SSE	32° 25'	99° 41'	1784	e21	6	6	10 f8	4	4	4	e4 g5	NA e. One mile SSE of previous site. f. Effective 10/27/71. g. New type at same site 5/11/78.		
Municipal Airport	05/01/96	Present	NA	32° 25'	99° 41'	h1789								S	ASOS commissioned 05/01/96 h. Ground elevation		

**For Hard Copy Subscription:**

Price and ordering information: NCDC Subscribing Service Center, 310 State Route 956, Building 300, Rocket Center, WV 26726.

**INQUIRES/COMMENTS CALL: Toll Free (866) 742-3322**

Visit our Web Site for other weather data: [www.ncdc.noaa.gov](http://www.ncdc.noaa.gov)

**Non-Subscription Request:**

NCDC Customer Services;  
Phone: 828-271-4800  
Fax: 828-271-4876  
Email: [ncdc.orders@noaa.gov](mailto:ncdc.orders@noaa.gov)

**FIRST CLASS**  
**POSTAGE & FEES PAID**  
**United States Department of Commerce**  
**NOAA Permit No. G - 19**

OFFICIAL BUSINESS  
PENALTY FOR PRIVATE USE \$300  
CHANGE SERVICE REQUESTED

\* NOTES: For earlier station history see previous edition.