




# 2006 LOCAL CLIMATOLOGICAL DATA ANNUAL SUMMARY WITH COMPARATIVE DATA


ISSN 0198-490X

## AMARILLO, TEXAS (KAMA)


### Daily Max/Min Temperature



### Daily Precipitation



### Daily Station Pressure



I CERTIFY THAT THIS IS AN OFFICIAL PUBLICATION OF THE NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION, AND IS COMPILED FROM RECORDS ON FILE AT THE NATIONAL CLIMATIC DATA CENTER.

NATIONAL  
OCEANIC AND  
ATMOSPHERIC ADMINISTRATION

NATIONAL  
ENVIRONMENTAL SATELLITE, DATA  
AND INFORMATION SERVICE

NATIONAL  
CLIMATIC DATA CENTER  
ASHEVILLE, NORTH CAROLINA

*Thomas R. Karl*  
DIRECTOR  
NATIONAL CLIMATIC DATA CENTER

# METEOROLOGICAL DATA FOR 2006

## AMARILLO (KAMA)

LATITUDE: 35° 13'N      LONGITUDE: -101° 42'W      ELEVATION (FT): GRND: 3592    BARO: 3589      TIME ZONE: CENTRAL (UTC -6)      WBAN: 23047

ELEMENT		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	YEAR	
TEMPERATURE °F	MEAN DAILY MAXIMUM	59.0	56.2	61.6	76.8	84.4	91.8	91.2	85.4	75.8	70.4	63.0	49.8	72.1	
	HIGHEST DAILY MAXIMUM	79	83	82	93	98	102	100	95	88	92	85	75	102	
	DATE OF OCCURRENCE	07	28	07+	23	20	05	13	10	30+	02	08	16	JUN 05	
	MEAN DAILY MINIMUM	26.4	22.4	34.8	44.6	54.2	61.4	65.3	63.7	52.8	45.4	34.5	26.3	44.3	
	LOWEST DAILY MINIMUM	15	4	19	31	42	53	60	54	41	27	10	10	4	
	DATE OF OCCURRENCE	10	18	22	26	11	17	22	29	18	31	30	01	FEB 18	
	AVERAGE DRY BULB	42.7	39.3	48.2	60.7	69.3	76.6	78.3	74.6	64.3	57.9	48.8	38.1	58.2	
	MEAN WET BULB	32.6	29.8	38.1	46.9	54.2	60.7	64.2	65.5	55.9	49.2	38.9	31.3	47.3	
	MEAN DEW POINT	16.2	14.0	24.6	31.2	41.5	49.6	55.8	61.3	49.8	41.7	27.8	22.9	36.4	
	NUMBER OF DAYS WITH:														
	MAXIMUM >= 90°	0	0	0	0	0	19	23	11	0	1	0	0	54	
MAXIMUM <= 32°	0	2	1	0	0	0	0	0	0	0	1	2	6		
MINIMUM <= 32°	26	27	11	2	0	0	0	0	0	1	11	29	107		
MINIMUM <= 0°	0	0	0	0	0	0	0	0	0	0	0	0	0		
H/C	HEATING DEGREE DAYS	682	711	514	178	60	0	0	0	62	254	481	829	3771	
	COOLING DEGREE DAYS	0	0	2	54	200	356	418	306	49	41	0	0	1426	
RH	MEAN (PERCENT)	41	44	49	40	45	44	51	70	66	62	51	62	52	
	HOUR 00 LST	45	51	55	45	55	51	57	79	74	70	60	68	59	
	HOUR 06 LST	55	66	67	64	66	70	74	89	82	79	67	71	71	
	HOUR 12 LST	31	35	39	28	32	31	39	56	54	47	37	52	40	
	HOUR 18 LST	30	24	35	23	30	25	35	55	49	49	40	54	37	
S	PERCENT POSSIBLE SUNSHINE														
W/O	NUMBER OF DAYS WITH:														
	HEAVY FOG(VISBY <= 1/4 MI)	0	3	4	0	2	1	0	1	2	3	3	2	21	
	THUNDERSTORMS	0	0	2	2	10	8	9	19	4	3	1	2	60	
CLOUDNESS	SUNRISE-SUNSET: (OKTAS)														
	CEILOMETER (<= 12,000 FT.)														
	SATELLITE (> 12,000 FT.)														
	MIDNIGHT-MIDNIGHT: (OKTAS)														
	CEILOMETER (<= 12,000 FT.)														
SATELLITE (> 12,000 FT.)															
NUMBER OF DAYS WITH:															
CLEAR															
PARTLY CLOUDY															
CLOUDY															
PR	MEAN STATION PRESS. (IN.)	26.32	26.36	26.39	26.24	26.38	26.36	26.37	26.36	26.35	26.31	26.33	26.37	26.35	
	MEAN SEA-LEVEL PRESS. (IN.)	30.02	30.06	29.94	29.84	29.84	29.91	29.92	29.92	29.96	29.93	30.01	30.11	29.96	
WINDS	RESULTANT SPEED (MPH)	6.9	2.2	6.2	5.9	3.9	8.7	6.9	5.8	4.2	4.3	3.1	4.0	4.2	
	RES. DIR. (TENS OF DEGS.)	26	28	20	23	15	17	19	20	19	21	24	28	21	
	MEAN SPEED (MPH)	13.0	13.1	15.1	15.3	12.9	14.2	11.4	11.3	10.8	12.9	12.6	11.8	12.9	
	PREVAIL.DIR.(TENS OF DEGS.)	25	22	18	20	17	17	20	20	19	20	22	21	20	
	MAXIMUM 2-MINUTE WIND														
	SPEED (MPH)	43	33	45	48	49	39	38	46	39	44	45	36	49	
	DIR. (TENS OF DEGS.)	26	22	23	27	19	16	13	35	25	33	32	36	19	
	DATE OF OCCURRENCE	01	13	12	06	27	15	28	27	21	26	14	29	MAY 27	
	MAXIMUM 5-SECOND WIND:														
	SPEED (MPH)	53	43	54	58	59	46	48	49	52	56	59	75	75	
DIR. (TENS OF DEGS.)	28	34	26	26	19	15	13	30	23	32	32	03	03		
DATE OF OCCURRENCE	01	11	30	06	27	15	28	18	21	26	14	19	DEC 19		
PRECIPITATION	WATER EQUIVALENT:														
	TOTAL (IN.)	0.03	0.05	1.56	0.23	1.26	1.02	4.40	6.67	1.10	2.71	0.37	2.48	21.88	
	GREATEST 24-HOUR (IN.)	0.03	0.05	0.95	0.12	0.67	0.43	3.27	1.78	0.63	1.60	0.29	1.12	3.27	
	DATE OF OCCURRENCE	09	03	19-20	28-29	30-31	25	05	20-21	01-02	08-09	30	19-20	JUL 05	
	NUMBER OF DAYS WITH:														
	PRECIPITATION 0.01	1	1	6	3	6	6	9	14	7	6	2	6	67	
PRECIPITATION 0.10	0	0	4	1	3	3	4	9	3	3	1	5	36		
PRECIPITATION 1.00	0	0	0	0	0	0	1	2	0	1	0	0	4		
SNOWFALL	SNOW,ICE PELLETS,HAIL														
	TOTAL (IN.)	0.3	T	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.2	1.7	10.1	
	GREATEST 24-HOUR (IN.)	0.3	T	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.7	1.3	5.7	
	DATE OF OCCURRENCE	09	21+	22								30	20	NOV 30	
	MAXIMUM SNOW DEPTH (IN.)	0	0	1	0	0	0	0	0	0	0	5	1	5	
	DATE OF OCCURRENCE			22								30	21+	NOV 30	
NUMBER OF DAYS WITH:															
SNOWFALL >= 1.0	0	0	0	0	0	0	0	0	0	0	2	1	3		

# NORMALS, MEANS, AND EXTREMES AMARILLO (KAMA)

LATITUDE:  
35° 13'N

LONGITUDE:  
-101° 42'W

ELEVATION (FT):  
GRND: 3592 BARO: 3589

TIME ZONE:  
CENTRAL (UTC -6)

WBAN: 23047

	ELEMENT	POR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	YEAR
TEMPERATURE °F	NORMAL DAILY MAXIMUM	30	48.9	54.1	62.2	70.6	78.6	87.4	91.0	88.7	81.8	71.8	58.4	49.8	70.3
	MEAN DAILY MAXIMUM	59	49.6	53.6	61.3	71.1	79.3	87.6	91.4	89.4	82.3	72.2	59.2	50.9	70.7
	HIGHEST DAILY MAXIMUM	65	81	88	94	98	103	108	105	106	102	99	87	81	108
	YEAR OF OCCURRENCE		1950	1963	1971	1989	1996	1998	1994	1944	2000	2000	1980	1955	JUN 1998
	MEAN OF EXTREME MAXS.	59	71.6	76.1	82.4	88.8	94.4	99.7	100.0	98.5	94.8	89.1	78.8	72.2	87.2
	NORMAL DAILY MINIMUM	30	22.6	27.0	33.6	41.7	51.7	61.1	65.3	63.8	56.3	44.6	31.8	24.1	43.6
	MEAN DAILY MINIMUM	59	22.4	26.3	32.3	41.8	51.9	61.0	65.7	64.3	56.6	45.0	32.2	24.5	43.7
	LOWEST DAILY MINIMUM	65	-11	-14	-3	14	28	41	51	49	30	12	0	-8	-14
	YEAR OF OCCURRENCE		1984	1951	1948	1945	1954	1998	1990	1956	1984	1993	1976	1989	FEB 1951
	MEAN OF EXTREME MINS.	59	4.5	9.0	15.1	26.9	37.8	50.0	57.9	56.5	42.4	30.1	15.6	7.6	29.5
	NORMAL DRY BULB	30	35.8	40.6	47.9	56.2	65.2	74.3	78.2	76.3	69.1	58.2	45.1	37.0	57.0
	MEAN DRY BULB	59	36.0	40.0	46.8	56.5	65.6	74.5	78.5	76.9	69.4	58.6	45.7	37.7	57.2
	MEAN WET BULB	23	29.6	32.4	38.1	45.1	54.7	62.1	64.9	64.8	58.3	48.6	37.2	30.3	47.2
	MEAN DEW POINT	23	21.7	24.2	28.6	35.3	47.1	56.0	58.3	59.1	52.0	41.2	28.9	22.3	39.6
	NORMAL NO. DAYS WITH: MAXIMUM >= 90	30	0.0	0.0	0.1	0.7	4.0	12.8	19.9	16.5	7.0	0.8	0.0	0.0	61.8
	MAXIMUM <= 32	30	4.6	2.7	0.7	0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.9	3.6	12.7
MINIMUM <= 32	30	27.5	21.4	14.4	4.3	0.1	0.0	0.0	0.0	0.2	2.3	15.9	27.0	113.1	
MINIMUM <= 0	30	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	*	0.7	1.7	
H/C	NORMAL HEATING DEG. DAYS	30	920	699	542	291	94	7	1	1	56	239	594	874	4318
	NORMAL COOLING DEG. DAYS	30	0	0	2	18	90	285	405	345	173	26	0	0	1344
RH	NORMAL (PERCENT)	30	60	59	54	51	58	59	55	60	61	59	59	62	58
	HOURLY 00 LST	30	67	65	61	59	68	67	63	69	69	67	68	68	66
	HOURLY 06 LST	30	72	72	70	71	78	78	76	80	79	75	74	72	75
	HOURLY 12 LST	30	51	49	43	39	45	45	42	47	48	45	47	50	46
	HOURLY 18 LST	30	49	43	37	33	40	40	38	44	44	44	50	52	43
S	PERCENT POSSIBLE SUNSHINE	60	69	69	74	76	72	78	79	77	74	76	72	68	74
W/O	MEAN NO. DAYS WITH: HEAVY FOG (VISBY <= 1/4 MI)	43	3.5	3.9	3.4	2.1	1.8	0.5	0.4	0.9	1.7	2.6	2.9	3.0	26.7
	THUNDERSTORMS	59	0.2	0.5	1.6	3.4	8.0	9.7	9.1	9.1	4.0	2.4	0.6	0.2	48.8
CLOUDNESS	MEAN: SUNRISE-SUNSET (OKTAS)	1	3.2	4.4	4.0	3.7	4.0	2.0	2.0	2.9	4.0	3.6	3.2	2.4	3.3
	MIDNIGHT-MIDNIGHT (OKTAS)	1	3.2	4.4	4.0	3.6	4.0	1.6	2.0	3.2	1.6	3.2	2.8	2.4	3.0
	MEAN NO. DAYS WITH: CLEAR	3	7.7	9.7	11.0	12.0	11.0	17.8	17.0	15.5	9.5	12.0	10.0	13.0	146.2
	PARTLY CLOUDY	3	5.0	3.7	3.3	4.3	5.3	4.7	3.0	2.5	1.0	2.5	3.0	5.0	43.3
	CLOUDY	3	4.7	6.0	3.3	4.7	5.7	1.5	2.0	3.5	1.5	4.0	3.5	3.5	43.9
PR	MEAN STATION PRESSURE (IN)	23	26.36	26.34	26.29	26.26	26.27	26.30	26.37	26.38	26.37	26.36	26.35	26.36	26.33
	MEAN SEA-LEVEL PRES. (IN)	23	30.08	30.04	29.95	29.88	29.85	29.86	29.91	29.94	29.96	29.99	30.03	30.09	29.97
WINDS	MEAN SPEED (MPH)	23	12.0	12.8	13.9	14.4	13.7	13.6	12.5	11.4	12.1	12.3	12.5	12.0	12.8
	PREVAIL. DIR. (TENS OF DEGS)	28	24	36	22	23	19	19	19	20	19	21	23	24	19
	MAXIMUM 2-MINUTE: SPEED (MPH)	14	46	48	47	53	49	60	48	46	41	44	45	51	60
	DIR. (TENS OF DEGS)		34	25	03	25	19	35	30	35	20	33	32	32	35
	YEAR OF OCCURRENCE		2003	1993	1997	2001	2006	1994	1994	2006	2003	2006	2006	1993	JUN 1994
	MAXIMUM 5-SECOND SPEED (MPH)	14	55	55	60	74	59	68	58	59	52	61	59	75	75
	DIR. (TENS OF DEGS)		33	24	23	24	19	34	09	21	23	23	32	03	03
	YEAR OF OCCURRENCE		2003	1993	2000	2001	2006	2004	1999	2000	2006	1996	2006	2006	DEC 2006
PRECIPITATION	NORMAL (IN)	30	0.63	0.55	1.13	1.33	2.50	3.28	2.68	2.94	1.88	1.50	0.68	0.61	19.71
	MAXIMUM MONTHLY (IN)	65	2.67	2.08	4.14	6.45	9.81	10.73	7.59	7.55	5.02	7.64	4.06	4.52	10.73
	YEAR OF OCCURRENCE		1999	1998	2000	1997	1951	1965	1960	1974	1950	1941	2004	1959	JUN 1965
	MINIMUM MONTHLY (IN)	65	0.00	T	T	T	0.04	0.01	0.04	0.28	0.03	0.00	0.00	T	0.00
	YEAR OF OCCURRENCE		1986	1991	1950	1964	1984	1953	2001	1983	1977	1952	1989	1976	NOV 1989
	MAXIMUM IN 24 HOURS (IN)	65	1.74	1.28	2.27	2.65	6.75	6.15	4.74	4.26	3.42	3.45	1.53	3.11	6.75
	YEAR OF OCCURRENCE		1968	1971	1973	1999	1951	1960	1982	1945	1941	1948	1980	1943	MAY 1951
	NORMAL NO. DAYS WITH: PRECIPITATION >= 0.01	30	4.4	4.4	5.4	5.4	8.3	8.3	7.8	8.4	6.4	5.0	4.1	4.2	72.1
	PRECIPITATION >= 1.00	30	*	0.1	0.2	0.2	0.6	0.8	0.7	0.7	0.5	0.2	*	*	4.0
SNOWFALL	NORMAL (IN)	30	4.8	3.8	1.9	0.8	0.*	0.0	0.0	0.0	0.*	0.4	2.4	3.7	17.8
	MAXIMUM MONTHLY (IN)	65	14.5	17.3	14.7	6.5	4.7	T	T	T	0.3	3.9	13.8	21.2	21.2
	YEAR OF OCCURRENCE		1983	1971	1961	1997	1978	1992	1994	1999	1984	1976	2004	2000	DEC 2000
	MAXIMUM IN 24 HOURS (IN)	65	10.2	13.5	11.2	6.5	4.7	T	T	T	0.3	3.2	12.2	16.8	16.8
	YEAR OF OCCURRENCE		1994	1971	2005	1997	2005	1992	1994	1999	1984	1976	1952	2000	DEC 2000
	MAXIMUM SNOW DEPTH (IN)	61	10	14	12	6	T	T	0	0	T	1	9	15	15
	YEAR OF OCCURRENCE		1987	1983	2005	1973	1988	1949			1984	1970	1952	2000	DEC 2000
	NORMAL NO. DAYS WITH: SNOWFALL >= 1.0	30	1.7	1.2	0.6	0.3	0.0	0.0	0.0	0.0	0.0	0.1	0.8	1.0	5.7

**PRECIPITATION (inches) 2006 AMARILLO (KAMA)**

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
1977	0.64	0.53	0.24	2.74	4.01	2.06	3.14	4.94	0.03	0.26	0.32	0.27	19.18
1978	0.63	0.80	0.21	0.55	5.76	6.50	1.82	1.61	2.42	0.97	0.47	0.27	22.01
1979	0.92	0.28	1.46	1.29	3.94	3.19	2.03	5.08	0.52	1.28	0.40	0.07	20.46
1980	0.85	0.55	1.38	0.82	2.88	1.30	0.65	1.80	1.55	0.42	0.84	0.35	13.39
1981	0.11	0.23	1.87	0.90	2.11	1.04	2.73	5.22	3.47	1.79	1.50	0.03	21.00
1982	0.15	0.39	0.52	0.43	1.96	4.75	6.23	0.55	1.37	0.71	0.75	0.79	18.60
1983	1.78	1.19	0.98	0.83	2.85	1.76	0.74	0.28	0.37	3.23	0.33	0.64	14.98
1984	0.56	0.37	0.98	1.18	0.04	6.76	0.83	2.28	0.95	3.19	1.09	1.00	19.23
1985	0.99	0.77	1.49	2.79	0.86	3.08	2.07	1.67	4.96	3.07	0.39	0.26	22.40
1986	0.00	1.02	0.60	0.30	3.28	3.70	3.52	7.04	1.45	1.94	1.82	0.66	25.33
1987	1.26	0.84	0.92	0.57	4.28	3.29	0.83	3.28	3.40	1.17	0.43	1.75	22.02
1988	0.33	0.04	1.19	2.22	6.02	3.68	3.30	3.59	3.15	0.71	0.29	0.17	24.69
1989	0.16	0.55	0.52	0.75	2.51	6.07	2.74	3.22	1.80	0.74	0.00	0.49	19.55
1990	1.22	1.61	2.56	1.10	0.90	0.14	3.28	2.79	2.72	0.46	0.50	0.23	17.51
1991	0.86	T	0.41	0.04	3.08	2.47	2.20	1.28	2.04	0.64	0.66	2.24	15.92
1992	0.50	0.30	1.11	1.60	3.10	7.57	2.36	2.27	0.16	0.31	0.80	0.55	20.63
1993	0.76	0.36	1.29	0.35	1.92	2.76	3.36	4.64	1.00	0.53	0.51	0.95	18.43
1994	1.01	0.07	1.22	1.15	1.41	1.26	5.01	2.86	2.02	0.46	0.58	0.30	17.35
1995	0.32	T	0.80	0.83	4.94	2.71	2.85	2.18	2.62	0.45	0.06	0.59	18.35
1996	0.07	0.26	0.24	T	1.67	2.92	4.95	6.43	1.86	0.84	1.30	0.05	20.59
1997	0.64	0.47	0.01	6.45	2.16	2.93	5.51	1.40	1.35	0.74	1.17	2.12	24.95
1998	0.68	2.08	2.46	0.97	0.53	0.12	1.09	0.76	1.23	6.48	0.34	0.41	17.15
1999	2.67	T	1.35	6.30	4.29	3.61	2.87	2.04	2.54	0.38	0.00	0.52	26.57
2000	0.24	0.04	4.14	0.43	1.14	5.54	0.16	0.29	0.03	3.95	0.96	1.47	18.39
2001	1.67	0.93	3.96	0.49	3.05	1.99	0.04	1.39	3.03	0.05	1.86	0.23	18.69
2002	1.17	0.19	0.45	2.24	1.05	1.54	1.66	3.83	1.64	3.34	0.04	1.10	18.25
2003	T	0.20	0.88	0.28	1.46	6.42	0.09	0.80	1.81	0.95	0.44	0.09	13.42
2004	0.70	1.42	1.50	2.65	0.09	5.38	3.01	0.85	3.80	3.37	4.06	0.48	27.31
2005	1.43	0.67	1.92	0.60	2.65	1.87	1.15	3.93	0.14	0.42	0.19	0.03	15.00
2006	0.03	0.05	1.56	0.23	1.26	1.02	4.40	6.67	1.10	2.71	0.37	2.48	21.88
POR= 59 YRS	0.61	0.57	1.06	1.21	2.60	3.40	2.73	2.94	1.86	1.49	0.68	0.60	19.75

WBAN : 23047

**AVERAGE TEMPERATURE (°F) 2006 AMARILLO (KAMA)**

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
1977	30.1	43.8	48.7	57.8	67.3	78.1	80.7	77.5	74.3	60.7	47.4	39.9	58.9
1978	29.0	30.1	47.2	61.4	63.7	75.4	80.7	76.1	70.7	59.4	45.6	32.7	56.0
1979	24.9	40.0	46.6	54.5	62.2	70.9	77.1	73.6	69.8	60.1	40.5	38.8	54.9
1980	34.9	37.7	43.9	52.4	61.9	78.3	82.9	78.5	70.7	56.6	42.7	41.4	56.8
1981	37.9	42.2	48.8	63.1	65.6	78.5	81.3	74.4	69.0	56.6	49.1	40.1	58.9
1982	37.1	35.9	47.3	53.8	63.3	72.2	78.8	78.7	71.1	57.3	45.6	36.1	56.4
1983	33.4	36.2	45.3	50.9	60.3	70.4	80.0	81.0	73.6	60.5	47.9	24.7	55.4
1984	31.6	40.3	44.0	51.8	66.9	74.6	75.6	75.3	65.7	56.9	47.0	40.5	55.9
1985	31.5	37.2	49.5	60.0	68.1	75.1	80.1	79.6	68.9	56.9	43.5	34.0	57.0
1986	42.5	40.4	52.7	59.4	65.1	73.3	80.6	74.4	68.8	55.7	42.7	37.1	57.7
1987	34.0	42.0	44.6	54.8	64.5	72.1	77.2	75.3	67.6	57.9	45.4	34.6	55.8
1988	32.2	38.3	44.3	54.1	63.6	73.3	75.8	76.4	67.7	59.0	47.6	38.5	55.9
1989	40.7	32.3	51.2	59.9	67.3	69.4	76.2	76.0	66.3	60.4	47.9	31.4	56.6
1990	39.2	40.8	47.0	55.9	63.6	81.3	76.4	76.3	72.0	57.7	49.7	33.2	57.8
1991	32.6	45.9	49.7	58.2	68.5	74.7	76.5	76.2	67.1	58.5	41.2	39.0	57.3
1992	38.0	45.0	50.6	58.7	63.3	70.8	76.6	73.5	70.2	60.1	39.3	34.2	56.7
1993	33.1	36.0	46.1	54.4	64.5	74.0	79.1	74.9	67.9	54.6	40.9	38.7	55.4
1994	36.5	37.6	48.9	55.0	65.2	79.4	77.4	75.9	69.1	58.2	46.5	41.7	57.6
1995	39.2	43.9	47.4	53.9	61.6	70.8	77.2	78.2	67.9	58.2	48.2	38.4	57.1
1996	34.9	43.1	44.2	56.9	72.5	75.6	77.1	74.4	65.9	57.6	45.7	39.7	57.3
1997	35.3	38.8	50.3	48.9	63.2	71.6	77.9	75.0	71.9	58.2	42.8	33.5	55.6
1998	39.8	41.0	43.5	53.5	69.2	77.4	82.4	78.0	75.8	60.4	49.2	38.1	59.0
1999	40.1	47.3	46.3	54.8	62.3	71.8	77.5	78.0	66.2	58.1	52.3	37.6	57.7
2000	39.5	47.1	49.2	57.8	69.7	72.1	80.1	81.8	73.7	59.6	39.6	33.1	58.6
2001	34.8	41.2	45.0	61.0	65.2	76.5	83.9	78.7	70.4	60.2	50.7	40.4	59.0
2002	39.5	39.7	45.6	59.8	66.4	77.7	79.0	78.1	69.2	52.9	44.1	35.6	57.3
2003	39.6	37.6	48.0	58.6	66.9	69.8	80.1	79.3	67.7	61.9	47.5	41.0	58.2
2004	39.3	37.6	52.4	55.2	69.4	73.4	75.9	73.5	70.0	58.8	43.1	39.9	57.4
2005	39.7	43.2	45.6	55.0	64.0	74.8	77.9	75.7	72.6	57.5	48.3	36.5	57.6
2006	42.7	39.3	48.2	60.7	69.3	76.6	78.3	74.6	64.3	57.9	48.8	38.1	58.2
POR= 59 YRS	36.0	40.0	46.8	56.5	65.6	74.5	78.5	76.9	69.4	58.6	45.7	37.7	57.2

**HEATING DEGREE DAYS (base 65°F) 2006 AMARILLO (KAMA)**

YEAR	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	TOTAL
1977-78	0	0	1	150	522	768	1107	972	551	136	139	6	4352
1978-79	0	0	33	197	574	992	1236	697	561	319	144	30	4783
1979-80	0	2	28	186	727	806	926	788	649	373	146	0	4631
1980-81	0	0	35	280	662	723	832	630	496	111	65	0	3834
1981-82	0	0	26	271	469	765	849	803	534	340	96	2	4155
1982-83	0	0	23	252	575	888	972	800	603	421	171	32	4737
1983-84	0	0	40	175	506	1241	1028	709	642	390	56	0	4787
1984-85	0	0	125	262	531	752	1034	769	474	169	37	5	4158
1985-86	0	0	111	249	640	957	691	681	379	203	72	0	3983
1986-87	0	2	26	290	665	858	954	634	624	315	70	9	4447
1987-88	0	8	18	226	584	936	1010	765	633	323	102	4	4609
1988-89	0	7	32	197	517	815	747	909	429	219	59	27	3958
1989-90	0	0	91	185	507	1037	795	672	551	276	140	0	4254
1990-91	0	0	11	234	454	981	994	529	467	208	53	1	3932
1991-92	0	0	71	258	709	798	833	576	437	203	98	10	3993
1992-93	0	0	21	171	765	949	984	808	577	317	82	5	4679
1993-94	0	2	39	332	717	810	875	760	499	309	78	0	4421
1994-95	0	0	31	228	553	716	792	583	547	333	146	13	3942
1995-96	0	1	89	217	497	813	926	634	636	250	21	0	4084
1996-97	3	0	70	251	571	775	917	728	447	476	99	2	4339
1997-98	0	4	35	259	661	967	774	667	664	343	39	21	4434
1998-99	0	0	13	180	469	828	764	490	573	305	132	9	3763
1999-00	0	0	93	226	373	844	785	510	482	220	60	9	3602
2000-01	0	0	50	195	755	981	929	660	611	139	75	0	4395
2001-02	0	0	12	180	418	755	782	702	597	205	79	1	3731
2002-03	0	0	21	377	623	906	784	761	519	205	51	13	4260
2003-04	0	6	32	148	524	737	789	787	395	295	54	0	3767
2004-05	4	0	18	190	654	773	778	602	595	298	128	0	4040
2005-06	0	2	8	263	495	876	682	711	514	178	60	0	3789
2006-	0	0	62	254	481	829							

WBAN : 23047

**COOLING DEGREE DAYS (base 65°F) 2006 AMARILLO (KAMA)**

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	TOTAL
1977	0	0	0	10	100	399	493	389	287	22	0	0	1700
1978	0	0	6	33	108	324	497	351	209	28	0	0	1556
1979	0	0	0	12	64	218	380	276	177	41	0	0	1168
1980	0	0	0	4	58	408	562	429	211	26	0	0	1698
1981	0	0	1	59	87	410	512	299	154	16	0	0	1538
1982	0	0	0	9	52	225	437	432	213	22	0	0	1390
1983	0	0	0	2	31	201	473	502	306	41	3	0	1559
1984	0	0	0	1	121	298	331	325	151	17	0	0	1244
1985	0	0	2	27	143	315	473	458	235	6	0	0	1659
1986	0	0	3	45	87	256	489	299	144	10	0	0	1333
1987	0	0	0	19	64	227	386	334	105	11	0	0	1146
1988	0	0	0	3	67	263	340	366	120	19	0	0	1178
1989	0	0	10	75	136	164	354	347	138	51	0	0	1275
1990	0	0	0	9	101	494	359	358	229	17	1	0	1568
1991	0	0	0	12	166	298	364	358	144	66	0	0	1408
1992	0	0	0	19	52	188	366	271	186	25	0	0	1107
1993	0	0	0	6	77	283	443	315	134	15	0	0	1273
1994	0	0	6	18	91	439	392	345	159	24	4	0	1478
1995	0	0	9	7	47	194	388	419	182	13	0	0	1259
1996	0	5	0	14	260	325	386	297	103	27	0	0	1417
1997	0	0	0	0	49	205	407	320	247	55	0	0	1283
1998	0	0	1	6	177	399	547	407	342	43	0	0	1922
1999	0	0	0	5	56	221	396	410	135	16	0	0	1239
2000	0	0	0	14	214	225	475	529	320	39	0	0	1816
2001	0	0	0	27	88	353	594	433	180	38	0	0	1713
2002	0	0	2	56	129	390	442	412	156	10	0	0	1597
2003	0	0	0	21	115	165	473	456	120	60	6	0	1416
2004	0	0	12	6	194	257	345	273	175	6	0	0	1268
2005	0	0	0	4	104	297	404	342	244	34	3	0	1432
2006	0	0	2	54	200	356	418	306	49	41	0	0	1426

**SNOWFALL (inches) 2006 AMARILLO (KAMA)**

YEAR	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	TOTAL
1977-78	0.0	0.0	0.0	0.0	1.3	0.2	8.2	9.4	1.5	T	0.5	0.0	21.1
1978-79	0.0	0.0	0.0	0.0	2.0	3.3	5.9	1.9	T	T	0.0	0.0	13.1
1979-80	0.0	0.0	0.0	1.6	2.2	0.3	1.4	5.2	1.0	T	0.0	0.0	11.7
1980-81	0.0	0.0	0.0	0.0	8.6	T	1.1	0.1	0.1	0.0	0.0	0.0	9.9
1981-82	0.0	0.0	0.0	0.0	T	0.3	1.1	4.7	1.7	T	0.0	0.0	7.8
1982-83	0.0	0.0	0.0	0.0	4.5	1.9	14.5	13.0	8.1	5.9	0.0	0.0	47.9
1983-84	0.0	0.0	0.0	0.0	T	5.2	7.0	3.5	2.5	0.0	0.0	0.0	18.2
1984-85	0.0	0.0	0.3	0.0	0.1	0.3	7.4	0.3	0.2	0.0	0.0	0.0	8.6
1985-86	0.0	0.0	T	0.0	T	2.8	0.0	10.9	1.0	0.0	0.0	0.0	14.7
1986-87	0.0	0.0	0.0	T	0.2	3.3	12.1	3.1	6.4	0.1	0.0	0.0	25.2
1987-88	0.0	0.0	0.0	0.0	0.7	15.3	4.3	0.5	8.5	4.2	0.0	0.0	33.5
1988-89	0.0	0.0	0.0	0.0	2.4	2.2	T	0.1	4.2	0.1	T	T	9.0
1989-90	0.0	0.0	T	0.0	0.0	5.4	8.5	3.0	0.0	0.0	0.0	0.0	16.9
1990-91	0.0	0.0	0.0	0.0	2.2	3.8	5.0	T	1.0	0.0	T	T	12.0
1991-92	0.0	0.0	T	3.2	T	2.0	1.0	0.2	T	0.3	T	T	6.7
1992-93	0.0	0.0	0.0	T	9.0	10.0	2.5	2.2	2.1	T	T	0.0	25.8
1993-94	0.0	0.0	0.0	T	T	0.5	10.2	T	3.0	T	0.0	0.0	13.7
1994-95	T	0.0	0.0	0.0	T	0.0	3.7	T	2.3	0.0	0.0	0.0	6.0
1995-96	T	0.0	T	0.0	0.5	2.7	1.1	4.6	0.1	0.0	T	0.0	9.0
1996-97	T	0.0	0.0	1.5	8.0	1.1	10.8	2.0	0.0	6.5	0.0	T	29.9
1997-98	T	0.0	0.0	T	5.4	10.9	T	10.4	4.4	T	0.0	0.0	31.1
1998-99	0.0	0.0	0.0	0.0	0.0	1.0	13.1	T	1.3	T	0.0	T	15.4
1999-00	T	T	0.0	T	0.0	8.6	2.8	T	0.5	0.5	T	0.0	12.4
2000-01	0.0	0.0	0.0	T	8.9	21.2	13.0	1.4	1.8	T	T	0.0	46.3
2001-02	0.0	0.0	T	0.0	2.3	2.0	3.3	1.1	0.3	T	T	T	9.0
2002-03	0.0	0.0	0.0	T	0.0	10.6	T	1.1	0.3	0.0	0.0	0.0	12.0
2003-04	0.0	0.0	0.0	0.0	T	0.5	4.7	6.0	T	0.7	0.0	T	11.9
2004-05	0.0	0.0	0.0	0.0	13.8	5.3	2.3	0.3	13.8	0.0	4.7	0.0	40.2
2005-06	0.0	T	0.0	0.0	1.3	T	0.3	T	0.9	0.0	0.0	0.0	2.5
2006-	0.0	0.0	0.0	0.0	7.2	1.7							
POR= 59 YRS	T	T	T	0.2	2.3	3.1	4.0	3.4	2.5	0.5	0.1	T	16.1

WBAN : 23047

**REFERENCE NOTES :**

<p>PAGE 1: THE TEMPERATURE GRAPH SHOWS NORMAL MAXIMUM AND NORMAL MINIMUM DAILY TEMPERATURES (SOLID CURVES) AND THE ACTUAL DAILY HIGH AND LOW TEMPERATURES (VERTICAL BARS).</p> <p>PAGE 2 AND 3: H/C INDICATES HEATING AND COOLING DEGREE DAYS. RH INDICATES RELATIVE HUMIDITY W/O INDICATES WEATHER AND OBSTRUCTIONS S INDICATES SUNSHINE. PR INDICATES PRESSURE. CLOUDINESS ON PAGE 3 IS THE SUM OF THE CEILOMETER AND SATELLITE DATA NOT TO EXCEED EIGHT EIGHTHS(OKTAS).</p> <p>GENERAL: T INDICATES TRACE PRECIPITATION, AN AMOUNT GREATER THAN ZERO BUT LESS THAN THE LOWEST REPORTABLE VALUE. + INDICATES THE VALUE ALSO OCCURS ON EARLIER DATES. BLANK ENTRIES DENOTE MISSING OR UNREPORTED DATA. NORMALS ARE 30-YEAR AVERAGES (1971 - 2000). ASOS INDICATES AUTOMATED SURFACE OBSERVING SYSTEM. PM INDICATES THE LAST DAY OF THE PREVIOUS MONTH. POR (PERIOD OF RECORD) BEGINS WITH THE JANUARY DATA MONTH AND IS THE NUMBER OF YEARS USED TO COMPUTE THE MEAN. INDIVIDUAL MONTHS WITHIN THE POR MAY BE MISSING. WHEN THE POR FOR A NORMAL IS LESS THAN 30 YEARS, THE NORMAL IS PROVISIONAL AND IS BASED ON THE NUMBER OF YEARS INDICATED. 0.* OR * INDICATES THE VALUE OR MEAN-DAYS-WITH IS BETWEEN 0.00 AND 0.05. CLOUDINESS FOR ASOS STATIONS DIFFERS FROM THE NON-ASOS OBSERVATION TAKEN BY A HUMAN OBSERVER. ASOS STATION CLOUDINESS IS BASED ON TIME-AVERAGED CEILOMETER DATA FOR CLOUDS AT OR BELOW 12,000 FEET AND ON SATELLITE DATA FOR CLOUDS ABOVE 12,000 FEET. THE NUMBER OF DAYS WITH CLEAR, PARTLY CLOUDY, AND CLOUDY CONDITIONS FOR ASOS STATIONS IS THE SUM OF THE CEILOMETER AND SATELLITE DATA FOR THE SUNRISE TO SUNSET PERIOD.</p>	<p>GENERAL CONTINUED: CLEAR INDICATES 0 - 2 OKTAS, PARTLY CLOUDY INDICATES 3 - 6 OKTAS, AND CLOUDY INDICATES 7 OR 8 OKTAS. WHEN AT LEAST ONE OF THE ELEMENTS (CEILOMETER OR SATELLITE) IS MISSING, THE DAILY CLOUDINESS IS NOT COMPUTED. WIND DIRECTION IS RECORDED IN TENS OF DEGREES (2 DIGITS) CLOCKWISE FROM TRUE NORTH. "00" INDICATES CALM. "36" INDICATES TRUE NORTH. RESULTANT WIND IS THE VECTOR AVERAGE OF THE SPEED AND DIRECTION. AVERAGE TEMPERATURE IS THE SUM OF THE MEAN DAILY MAXIMUM AND MINIMUM TEMPERATURE DIVIDED BY 2. SNOWFALL DATA COMPRISE ALL FORMS OF FROZEN PRECIPITATION, INCLUDING HAIL. A HEATING (COOLING) DEGREE DAY IS THE DIFFERENCE BETWEEN THE AVERAGE DAILY TEMPERATURE AND 65 F. DRY BULB IS THE TEMPERATURE OF THE AMBIENT AIR. DEW POINT IS THE TEMPERATURE TO WHICH THE AIR MUST BE COOLED TO ACHIEVE 100 PERCENT RELATIVE HUMIDITY. WET BULB IS THE TEMPERATURE THE AIR WOULD HAVE IF THE MOISTURE CONTENT WAS INCREASED TO 100 PERCENT RELATIVE HUMIDITY.</p> <p>ON JULY 1, 1996, THE NATIONAL WEATHER SERVICE BEGAN USING THE "METAR" OBSERVATION CODE THAT WAS ALREADY EMPLOYED BY MOST OTHER NATIONS OF THE WORLD. THE MOST NOTICEABLE DIFFERENCE IN THIS ANNUAL PUBLICATION WILL BE THE CHANGE IN UNITS FROM TENTHS TO EIGHTS(OKTAS) FOR REPORTING THE AMOUNT OF SKY COVER.</p> <p><b>NOTE:</b> The "Period of Record:(POR) for all "averages" is based on the "Summary of the Day First Order Station" and "Cooperative Summary of the Day" archives.</p>
---	--

# 2006 AMARILLO TEXAS (KAMA)

The station is located 7 statute miles east northeast of the downtown post office in a region of rather flat topography. The Canadian River flows eastward 18 miles north of the station, with its bed about 800 feet below the plains. The Prairie Dog Town Fork of the Red River flows southeastward about 15 miles south of the station where it enters the Palo Duro Canyon, which is about 1,000 feet deep. There are numerous shallow Playa lakes, often dry, over the area, and the nearly treeless grasslands slope downward to the east. The terrain gradually rises to the west and northwest.

Three-fourths of the total annual precipitation falls from April through September, occurring from thunderstorm activity. Snow usually melts within a few days after it falls. Heavier snowfalls of 10 inches or more, usually with near blizzard conditions, average once every 5 years and last 2 to 3 days.

The Amarillo area is subject to rapid and large temperature changes, especially during the winter months when cold fronts from the northern Rocky Mountain and Plains states sweep across the area. Temperature drops of 50 to 60 degrees within a 12-hour period are not uncommon. Temperature drops of 40 degrees have occurred within a few minutes.

Humidity averages are low, occasionally dropping below 20 percent in the spring. Low humidity moderates the effect of high summer afternoon temperatures, permits evaporative cooling systems to be very effective, and provides many pleasant evenings and nights.

Severe local storms are infrequent, although a few thunderstorms with damaging hail, lightning, and wind in a very localized area occur most years, usually in spring and summer. These storms are often accompanied by very heavy rain, which produces local flooding, particularly of roads and streets. Tornadoes are rare.

Based on the 1951-1980 period, the average first occurrence of 32 degrees Fahrenheit in the fall is October 29 and the average last occurrence in the spring is April 14.

# Station Location

AMARILLO

LOCATION	Occupied From	Occupied To	Airline Distances and Directions from previous Location	Latitude		ELEVATION ABOVE										REMARKS
				NORTH	WEST	SEA LEVEL	GROUND							HYGROTHERMOMETER	AUTOMATIC OBSERVING EQUIPMENT *	
						GROUND TEMPERATURE SITE	WIND INSTRUMENT	EXTREME THERMOMETERS	PSYCHROMETER	SUNSHINE SWITCH	TIPPING BUCKET RAIN GAUGE	WEIGHING RAIN GAUGE	8 INCH RAIN GAUGE			
*NOTE:																
AIRPORT																
Administration Building English Field Airport	6/12/31	11/29/37	NA	35° 14'	101° 42'	3589	52	37	37					4		Bureau of Air Commerce to 4/9/32, Weather Bureau to 7/11/35, and CAA thereafter. Destroyed by fire 11/29/37. CAA observations at City Office site following fire to 12/15/37.
CAA Airway Building English Field Airport	12/15/37	3/22/41	400ft.SW	35° 14'	101° 42'	3590	17	4	4					4		CAA to 5/1/40 then Weather Bureau.
Administration Building Amarillo Air Terminal (Name changed from English Field Airport 1/1/50).	3/22/41	11/20/74	500 ft E	35° 14'	101° 42'	3590 c3604	33 a33 d23	5 a5 e17	5 a5 e17	6	4 a4	4 a4	4 a4	NA b5	NA	Weather Bureau Operation a. Moved 525' SW 4/21/55. b. Telepsychrometer (5') 4/21/55-2/1/61. Hygro. commissioned 1 1/4 miles SW of thermometer site 2/1/61. c. Effective 2/1/61. d. Effective 5/3/61. e. Effective 4/1/63.
NWS Building Amarillo Air Terminal +	11/20/74	11/1/92	1100ft.W	35° 14'	101° 42'	3604	f23	5	5	18	4	4	4	f5 g4 h5	NA	f. Not moved 11/20/74. g. Relocated 8/4/83. h. Raised & type change 9/26/85.
+ Amarillo Int'l Airport (Name change 6/1/77)																
International Airport	11/01/92	Present	NA	35° 13'	101° 42'	i3586									S	ASOS Commissioned 11/01/92 i. ground elevation

**For Hard Copy Subscription:**

Price and ordering information: NCDC Subscribing Service Center, 310 State Route 956, Building 300, Rocket Center, WV 26726.

**INQUIRES/COMMENTS CALL: Toll Free (866) 742-3322**

Visit our Web Site for other weather data: [www.ncdc.noaa.gov](http://www.ncdc.noaa.gov)

**Non-Subscription Request:**

NCDC Customer Services;  
Phone: 828-271-4800  
Fax: 828-271-4876  
Email: [ncdc.orders@noaa.gov](mailto:ncdc.orders@noaa.gov)

**FIRST CLASS**  
**POSTAGE & FEES PAID**  
**United States Department of Commerce**  
**NOAA Permit No. G - 19**

OFFICIAL BUSINESS  
PENALTY FOR PRIVATE USE \$300  
CHANGE SERVICE REQUESTED

\* NOTES: For earlier station history see previous editions.