




2006 LOCAL CLIMATOLOGICAL DATA ANNUAL SUMMARY WITH COMPARATIVE DATA


ISSN 0198-2591

HOUGHTON LAKE, MICHIGAN (KHTL)


Daily Max/Min Temperature



Daily Precipitation



Daily Station Pressure



I CERTIFY THAT THIS IS AN OFFICIAL PUBLICATION OF THE NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION, AND IS COMPILED FROM RECORDS ON FILE AT THE NATIONAL CLIMATIC DATA CENTER.

NATIONAL
OCEANIC AND
ATMOSPHERIC ADMINISTRATION

NATIONAL
ENVIRONMENTAL SATELLITE, DATA
AND INFORMATION SERVICE

NATIONAL
CLIMATIC DATA CENTER
ASHEVILLE, NORTH CAROLINA

Thomas R. Karl
DIRECTOR
NATIONAL CLIMATIC DATA CENTER

METEOROLOGICAL DATA FOR 2006

HOUGHTON LAKE (KHTL)

LATITUDE: 44° 22'N LONGITUDE: -84° 41'W ELEVATION (FT): GRND: 1151 BARO: 1151 TIME ZONE: EASTERN (UTC -5) WBAN: 94814

ELEMENT		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	YEAR	
TEMPERATURE °F	MEAN DAILY MAXIMUM	33.5	27.6	41.7	59.5	66.9	75.7	82.2	77.6	65.8	51.8	44.8	36.2	55.3	
	HIGHEST DAILY MAXIMUM	46	39	63	75	90	90	95	95	79	75	58	47	95	
	DATE OF OCCURRENCE	12	03	31+	14	29	17	31	01	08	03	09+	22	AUG 01	
	MEAN DAILY MINIMUM	22.4	12.1	20.8	32.9	45.3	49.9	57.9	51.5	44.9	34.2	31.4	26.4	35.8	
	LOWEST DAILY MINIMUM	4	-6	-2	21	27	33	45	36	28	21	24	7	-6	
	DATE OF OCCURRENCE	22	18	03	09+	23	11	07	12	29	26	30+	07	FEB 18	
	AVERAGE DRY BULB	28.0	19.9	31.3	46.2	56.1	62.8	70.1	64.6	55.4	43.0	38.1	31.3	45.6	
	MEAN WET BULB	27.4	19.1	27.8	40.2	49.6	56.5	64.5	59.3	52.2	40.2	35.5	29.5	41.8	
	MEAN DEW POINT	24.5	14.1	21.1	31.7	44.0	50.9	60.5	55.2	49.1	36.0	31.4	26.0	37.0	
	NUMBER OF DAYS WITH:														
	MAXIMUM >= 90°	0	0	0	0	0	1	4	1	0	0	0	0	0	6
	MAXIMUM <= 32°	14	22	5	0	0	0	0	0	0	0	0	6	47	
MINIMUM <= 32°	28	28	28	15	3	0	0	0	3	14	20	27	166		
MINIMUM <= 0°	0	4	2	0	0	0	0	0	0	0	0	0	6		
H/C	HEATING DEGREE DAYS	1140	1258	1038	557	299	106	16	76	289	674	798	1038	7289	
	COOLING DEGREE DAYS	0	0	0	0	30	47	179	68	6	0	0	0	330	
RH	MEAN (PERCENT)	84	76	68	61	70	67	72	73	80	77	78	81	74	
	HOUR 01 LST	87	81	80	77	81	85	86	90	89	85	82	84	84	
	HOUR 07 LST	88	84	81	71	74	72	77	83	90	86	86	86	82	
	HOUR 13 LST	78	65	52	43	54	49	52	52	64	63	67	74	59	
	HOUR 19 LST	84	72	63	55	66	62	70	72	83	77	78	80	72	
S	PERCENT POSSIBLE SUNSHINE														
W/O	NUMBER OF DAYS WITH:														
	HEAVY FOG(VISBY <= 1/4 MI)	4	2	2	1	3	3	9	10	6	2	6	3	51	
	THUNDERSTORMS	0	0	2	1	6	6	11	4	4	3	1	0	38	
CLOUDNESS	SUNRISE-SUNSET: (OKTAS)														
	CEILOMETER (<= 12,000 FT.)														
	SATELLITE (> 12,000 FT.)														
	MIDNIGHT-MIDNIGHT: (OKTAS)														
	CEILOMETER (<= 12,000 FT.)														
SATELLITE (> 12,000 FT.)															
NUMBER OF DAYS WITH:															
CLEAR															
PARTLY CLOUDY															
CLOUDY															
PR	MEAN STATION PRESS. (IN.)	28.63	28.69	28.80	28.71	28.57	28.78	28.74	28.82	28.74	28.66	28.82	28.79	28.73	
	MEAN SEA-LEVEL PRESS. (IN.)	29.91	29.98	30.08	29.97	29.80	30.02	29.97	30.06	29.97	29.93	30.09	30.07	29.99	
WINDS	RESULTANT SPEED (MPH)	1.9	4.5	3.2	0.8	1.1	1.9	3.5	0.5	1.0	3.6	1.6	4.9	2.0	
	RES. DIR. (TENS OF DEGS.)	23	28	30	36	26	29	25	01	23	26	23	23	27	
	MEAN SPEED (MPH)	8.5	9.0	8.2	8.6	8.4	6.8	6.9	6.5	7.2	8.4	6.9	9.6	7.9	
	PREVAIL.DIR.(TENS OF DEGS.)	22	28	31	32	31	32	23	08	08	28	18	24	23	
	MAXIMUM 2-MINUTE WIND														
	SPEED (MPH)	30	31	37	35	31	25	29	35	25	32	23	24	37	
	DIR. (TENS OF DEGS.)	32	24	22	31	28	09	33	26	26	31	26	27	22	
	DATE OF OCCURRENCE	25	05	13	03	20	26	17	01	25	28	01	23	MAR 13	
	MAXIMUM 5-SECOND WIND:														
	SPEED (MPH)	37	40	46	45	39	33	38	48	33	44	29	32	48	
DIR. (TENS OF DEGS.)	32	24	24	32	27	23	32	26	26	30	29	21	26		
DATE OF OCCURRENCE	25	05	13	03	20	18	17	01	25	28	09	23	AUG 01		
PRECIPITATION	WATER EQUIVALENT:														
	TOTAL (IN.)	2.72	1.31	2.27	2.15	3.99	3.87	1.48	3.46	3.99	3.89	2.05	2.61	33.79	
	GREATEST 24-HOUR (IN.)	0.71	0.68	0.90	1.30	1.62	1.89	0.50	1.32	1.58	1.25	0.92	0.78	1.89	
	DATE OF OCCURRENCE	28-29	16	09-10	02-03	10-11	26	26	24-25	12-13	03-04	10-11	12-13	JUN 26	
	NUMBER OF DAYS WITH:														
PRECIPITATION 0.01	16	10	9	11	18	10	10	8	16	15	11	13	147		
PRECIPITATION 0.10	9	4	7	5	9	5	5	6	11	9	5	6	81		
PRECIPITATION 1.00	0	0	0	1	1	1	0	2	1	1	0	0	7		
SNOWFALL	SNOW,ICE PELLETS,HAIL														
	TOTAL (IN.)	16.8	12.1	4.9	1.6	T	0.0	0.0	0.0	0.0	0.4	3.7	11.9	51.4	
	GREATEST 24-HOUR (IN.)	5.7	5.3	3.2	1.0	T	0.0	0.0	0.0	0.0	0.4	3.0	6.4	6.4	
	DATE OF OCCURRENCE	20	16	02	04	21					12	10	01	DEC 01	
	MAXIMUM SNOW DEPTH (IN.)	11	12	14	T	0	0	0	0	0	T	3	7	14	
	DATE OF OCCURRENCE	23+	22+	04+	05+						12	13+	09+	MAR 04+	
NUMBER OF DAYS WITH:															
SNOWFALL >= 1.0	6	4	2	1	0	0	0	0	0	0	1	3	17		

NORMALS, MEANS, AND EXTREMES HOUGHTON LAKE (KHTL)

LATITUDE:
44 ° 22'N

LONGITUDE:
-84 ° 41'W

ELEVATION (FT):
GRND: 1151 BARO: 1151

TIME ZONE:
EASTERN (UTC -5)

WBAN: 94814

	ELEMENT	POR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	YEAR	
TEMPERATURE °F	NORMAL DAILY MAXIMUM	30	25.9	29.3	39.4	53.0	67.2	75.5	80.0	77.1	68.3	56.0	41.9	30.5	53.7	
	MEAN DAILY MAXIMUM	42	25.9	29.0	38.8	53.2	66.1	75.2	79.8	76.9	68.5	55.7	42.1	30.7	53.5	
	HIGHEST DAILY MAXIMUM	42	54	59	76	86	90	103	98	96	92	85	70	64	103	
	YEAR OF OCCURRENCE		1996	2000	1990	2002	2006	1995	1995	2001	1985	1971	1990	2001	JUN 1995	
	MEAN OF EXTREME MAXS.	42	42.9	45.8	60.0	75.0	82.8	88.0	90.0	88.2	83.0	74.3	60.4	46.7	69.8	
	NORMAL DAILY MINIMUM	30	9.7	10.5	19.2	30.6	40.7	48.9	53.4	52.2	45.3	36.2	27.6	16.8	32.6	
	MEAN DAILY MINIMUM	42	10.1	10.1	18.7	31.5	42.1	50.9	55.4	53.7	46.6	37.0	28.4	17.5	33.5	
	LOWEST DAILY MINIMUM	42	-26	-34	-23	2	21	29	33	29	21	16	-5	-21	-34	
	YEAR OF OCCURRENCE		1981	1979	1967	2003	1966	1998	1965	1982	1989	1969	1995	1976	FEB 1979	
	MEAN OF EXTREME MINS.	42	-13.1	-14.0	-5.9	15.8	27.8	36.0	40.7	38.8	29.6	22.6	12.4	-4.3	15.5	
	NORMAL DRY BULB	30	17.8	19.9	29.3	41.8	53.9	62.2	66.7	64.6	56.8	46.1	34.8	23.7	43.1	
	MEAN DRY BULB	42	18.0	19.6	28.8	42.4	54.1	63.2	67.6	65.3	57.6	46.4	35.3	24.1	43.5	
	MEAN WET BULB	23	19.1	20.5	27.4	38.2	49.0	58.4	62.5	61.4	54.5	43.4	33.4	24.1	41.0	
	MEAN DEW POINT	23	15.3	15.9	21.3	30.9	42.0	53.1	57.9	57.7	50.7	39.3	29.7	20.7	36.2	
	NORMAL NO. DAYS WITH: MAXIMUM >= 90	30	0.0	0.0	0.0	0.0	0.1	0.9	2.0	0.5	*	0.0	0.0	0.0	3.5	
	MAXIMUM <= 32	30	23.5	17.9	8.3	1.1	0.0	0.0	0.0	0.0	0.0	*	5.2	18.2	74.2	
MINIMUM <= 32	30	30.6	27.5	27.4	16.9	4.3	0.2	0.0	*	1.6	9.2	21.9	29.6	169.2		
MINIMUM <= 0	30	8.0	7.3	2.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	2.8	20.8		
H/C	NORMAL HEATING DEG. DAYS	30	1468	1278	1115	685	348	131	56	82	254	577	901	1271	8166	
	NORMAL COOLING DEG. DAYS	30	0	0	0	3	20	61	124	85	24	1	0	0	318	
RH	NORMAL (PERCENT)					64		67								
	HOUR 01 LST					77		85								
	HOUR 07 LST	30	83	84	84	80	78	82	86	91	92	88	87	85	85	
	HOUR 13 LST	30	73	68	62	53	50	54	55	60	62	64	73	76	63	
	HOUR 19 LST	30	78	74	67	57	53	57	59	67	73	73	79	81	68	
S	PERCENT POSSIBLE SUNSHINE															
W/O	MEAN NO. DAYS WITH: HEAVY FOG (VISBY <= 1/4 MI)	42	2.3	2.1	3.1	1.8	1.6	2.3	2.9	4.5	4.5	3.1	2.8	2.7	33.7	
	THUNDERSTORMS	42	0.1	0.2	0.9	2.0	4.2	5.5	5.9	5.6	3.7	1.3	0.7	0.2	30.3	
CLOUDNESS	MEAN: SUNRISE-SUNSET (OKTAS)	31	6.4	5.9	5.6	5.5	5.1	4.8	4.5	4.6	5.0	5.6	6.5	6.4	5.5	
	MIDNIGHT-MIDNIGHT (OKTAS)	16	5.9	5.2	5.1	4.7	4.4	4.4	3.9	3.9	4.7	5.0	6.1	6.2	5.0	
	MEAN NO. DAYS WITH: CLEAR	31	2.9	4.2	5.9	6.2	7.0	7.0	7.3	7.8	6.3	5.3	2.4	2.4	64.7	
	PARTLY CLOUDY	31	6.3	6.7	7.2	7.2	9.3	11.2	13.2	11.1	9.3	7.7	5.0	5.9	100.1	
	CLOUDY	31	21.8	17.4	17.8	16.6	14.1	11.8	10.1	12.1	14.4	18.0	22.6	22.8	199.5	
PR	MEAN STATION PRESSURE (IN)	23	28.73	28.77	28.76	28.72	28.72	28.73	28.76	28.81	28.80	28.78	28.75	28.75	28.76	
	MEAN SEA-LEVEL PRES. (IN)	23	30.03	30.06	30.04	29.97	29.97	29.96	29.99	30.04	30.04	30.03	30.02	30.03	30.02	
WINDS	MEAN SPEED (MPH)	23	9.0	8.6	8.8	9.5	8.9	7.8	7.1	6.9	7.4	8.5	9.4	9.0	8.4	
	PREVAIL.DIR (TENS OF DEGS)	17	28	28	28	33	32	28	24	24	25	28	26	28	28	
	MAXIMUM 2-MINUTE: SPEED (MPH)	10	31	37	37	37	40	51	37	35	30	38	39	35	51	
	DIR. (TENS OF DEGS)		09	24	22	26	26	19	13	26	29	24	22	27	19	
	YEAR OF OCCURRENCE		2004	2001	2006	2004	1998	1999	2000	2006	1998	2004	1998	2003	JUN 1999	
	MAXIMUM 5-SECOND SPEED (MPH)	10	44	48	46	52	54	61	46	48	39	52	52	46	61	
	DIR. (TENS OF DEGS)		33	23	24	22	23	19	13	26	29	24	25	26	19	
YEAR OF OCCURRENCE		2000	1999	2006	1997	1998	1999	2000	2006	1998	2004	2005	2001	JUN 1999		
PRECIPITATION	NORMAL (IN)	30	1.61	1.25	2.05	2.29	2.57	2.93	2.75	3.72	3.11	2.26	2.14	1.75	28.43	
	MAXIMUM MONTHLY (IN)	42	3.13	3.36	5.67	4.73	7.40	6.67	5.33	7.18	9.49	8.08	5.10	4.48	9.49	
	YEAR OF OCCURRENCE		1974	1971	1976	1991	2004	1969	1994	1975	1986	1991	1988	1971	SEP 1986	
	MINIMUM MONTHLY (IN)	42	0.20	0.15	0.19	.74	0.40	0.85	0.55	0.85	0.01	0.47	0.45	0.34	0.01	
	YEAR OF OCCURRENCE		2003	2003	2001	2005	1966	1988	1989	1969	1979	1971	1986	1997	SEP 1979	
	MAXIMUM IN 24 HOURS (IN)	42	1.39	1.52	2.18	1.81	1.94	3.28	3.83	3.12	2.55	3.47	1.82	1.70	3.83	
	YEAR OF OCCURRENCE		1974	1997	1976	1991	1973	1996	1984	1981	1985	1998	1988	1971	JUL 1984	
	NORMAL NO. DAYS WITH: PRECIPITATION >= 0.01	30	14.9	11.2	12.1	11.7	10.1	10.4	9.7	10.4	11.5	11.2	13.0	14.3	140.5	
PRECIPITATION >= 1.00	30	0.0	0.1	0.1	0.3	0.3	0.7	0.6	0.9	0.8	0.3	0.1	0.2	4.4		
SNOWFALL	NORMAL (IN)	30	18.3	12.3	10.1	4.3	0.3	0.0	0.0	0.0	0.*	0.6	8.8	15.9	70.6	
	MAXIMUM MONTHLY (IN)	34	38.0	23.6	28.7	11.6	2.3	0.0	0.0	T	0.1	4.4	41.9	30.4	41.9	
	YEAR OF OCCURRENCE		1982	1971	1971	1979	1979			1996	1993	1967	1980	1995	1968	NOV 1995
	MAXIMUM IN 24 HOURS (IN)	34	15.4	8.5	11.7	7.6	3.2	0.0	0.0	T	0.1	3.5	14.4	13.2	15.4	
	YEAR OF OCCURRENCE'		1978	1974	1970	1979	1994			1970	1993	1967	1980	1981	1980	JAN 1978
	MAXIMUM SNOW DEPTH (IN)	33	24	21	22	7	3	0	0	0	0	1	17	14	24	
	YEAR OF OCCURRENCE		1979	1979	1978	1973	1994					1992	1995	1972	JAN 1979	
NORMAL NO. DAYS WITH: SNOWFALL >= 1.0	30	5.6	4.6	3.3	1.5	0.1	0.0	0.0	0.0	0.0	0.2	2.8	5.0	23.1		

PRECIPITATION (inches) 2006 HOUGHTON LAKE (KHTL)

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
1977	0.60	1.46	2.40	2.29	1.39	0.94	1.72	5.70	4.19	1.89	2.14	2.20	26.92
1978	1.93	0.55	1.20	1.35	2.42	2.38	0.91	4.10	6.70	1.43	1.28	2.08	26.33
1979	1.51	0.63	3.05	3.18	1.85	4.46	0.87	3.90	0.01	2.43	2.47	1.71	26.07
1980	1.61	0.69	1.10	3.30	1.55	3.44	2.29	2.01	3.75	1.91	1.55	1.95	25.15
1981	0.79	2.10	0.88	3.88	1.73	4.02	1.89	7.06	1.89	2.61	2.07	1.08	30.00
1982	2.43	0.29	2.41	2.46	2.98	3.21	3.31	3.25	3.58	1.86	2.52	3.47	31.77
1983	1.20	0.79	3.11	1.86	5.99	0.95	1.40	3.89	4.63	3.66	1.60	1.69	30.77
1984	1.06	0.88	2.28	1.96	2.60	3.01	4.30	2.95	2.74	2.17	1.99	2.93	28.87
1985	1.64	1.99	3.55	2.42	1.87	1.71	2.28	4.76	6.14	1.63	3.56	2.14	33.69
1986	1.06	1.73	2.20	1.73	3.20	5.43	4.38	1.76	9.49	1.75	0.45	0.85	34.03
1987	1.06	0.61	0.78	0.97	1.56	1.04	1.62	6.69	4.35	2.21	2.63	2.45	25.97
1988	2.09	0.75	2.39	2.37	0.56	0.85	2.49	4.50	3.63	3.38	5.10	1.86	29.97
1989	0.97	0.70	2.99	0.98	3.19	2.90	0.55	2.62	1.03	1.30	2.08	0.92	20.23
1990	2.43	1.09	1.47	1.77	4.15	2.57	3.82	3.28	3.00	2.94	2.90	1.55	30.97
1991	1.22	0.62	3.02	4.73	5.03	1.48	4.43	2.36	3.05	8.08	1.88	1.76	37.66
1992	1.29	1.35	1.84	3.13	0.49	1.91	2.86	3.45	3.63	2.75	4.65	1.98	29.33
1993	1.73	0.89	0.62	2.96	2.50	4.84	1.28	5.67	2.10	1.78	1.58	0.74	26.69
1994	1.88	1.44	1.57	2.72	1.45	1.72	5.33	5.52	1.56	1.04	2.86	0.53	27.62
1995	2.10	0.65	1.61	2.96	1.51	3.83	2.52	5.64	1.67	2.20	4.82	1.38	30.89
1996	1.71	1.46	0.96	2.99	1.59	5.84	2.76	3.56	4.41	2.84	.72	2.29	31.13
1997	2.46	2.60	1.51	1.30	3.33	1.26	2.63	3.58	3.45	1.85	1.40	0.34	25.71
1998	2.12	0.89	4.40	0.86	2.31	2.24	0.65	1.30	2.10	4.00	2.53	1.04	24.44
1999	1.86	1.29	0.40	2.04	2.06	6.31	4.48	2.21	3.19	1.77	0.58	1.63	27.82
2000	1.38	1.45	1.17	1.39	5.15	2.79	4.98	2.15	2.00	0.64	2.32	0.60	26.02
2001	0.59	1.60	0.19	3.22	5.31	2.53	0.81	3.15	3.61	4.61	1.91	0.59	28.12
2002	0.34	1.90	1.99	2.87	2.30	1.93	1.60	1.97	1.91	1.83	0.97	0.41	20.02
2003	0.20	0.15	0.83	3.36	2.58	1.93	2.96	2.44	1.83	2.13	4.95	1.20	24.56
2004	1.26	0.63	2.36	3.26	7.40	1.51	1.49	1.79	0.77	4.42	1.58	1.78	28.25
2005	2.92	1.58	1.30	0.74	1.74	2.61	3.17	1.81	3.74	0.54	4.13	1.50	25.78
2006	2.72	1.31	2.27	2.15	3.99	3.87	1.48	3.46	3.99	3.89	2.05	2.61	33.79
POR= 42 YRS	1.57	1.20	1.89	2.36	2.74	3.04	2.58	3.28	3.12	2.42	2.35	1.76	28.31

WBAN : 94814

AVERAGE TEMPERATURE (°F) 2006 HOUGHTON LAKE (KHTL)

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
1977	8.7	17.8	34.8	46.6	60.3	61.0	70.1	62.1	58.3	45.1	35.8	21.4	43.5
1978	14.5	10.8	23.6	39.1	56.9	61.6	65.1	66.4	58.6	44.3	35.9	21.8	41.6
1979	11.5	10.4	30.9	40.0	52.6	62.3	66.9	62.7	59.2	45.7	35.0	27.6	42.1
1980	19.1	15.7	25.0	41.9	56.0	59.2	67.4	68.0	56.7	41.6	33.9	18.9	42.0
1981	14.8	24.0	32.5	44.3	53.0	63.6	66.8	65.6	55.9	42.9	35.6	25.3	43.7
1982	11.4	17.9	25.8	37.3	60.9	57.4	68.6	61.9	57.2	48.9	36.2	31.2	42.9
1983	21.8	25.9	32.4	40.3	48.5	63.3	71.5	68.6	59.7	46.4	36.6	16.8	44.3
1984	12.4	28.2	24.1	44.8	50.1	65.2	66.4	68.8	56.1	49.2	35.4	27.0	44.0
1985	14.9	17.9	30.3	46.5	57.0	59.5	66.1	63.9	59.8	47.5	34.5	18.0	43.0
1986	17.3	18.4	30.9	47.3	56.9	60.5	69.7	62.8	58.1	46.8	32.3	26.8	44.0
1987	21.6	23.4	33.6	47.3	58.1	67.1	71.4	65.6	59.5	43.9	37.7	28.7	46.5
1988	17.3	16.3	28.0	43.7	58.6	64.8	71.4	68.8	57.9	42.4	36.6	23.7	44.1
1989	24.9	15.5	25.0	41.1	54.5	62.2	69.5	64.8	56.2	47.9	30.7	12.9	42.1
1990	26.2	21.3	32.1	44.9	51.9	63.4	66.8	65.0	57.9	45.3	38.9	25.8	45.0
1991	16.1	24.5	33.1	46.9	61.1	67.7	68.6	68.0	55.8	47.9	33.4	25.4	45.7
1992	22.8	24.1	28.6	39.4	54.3	60.4	63.0	62.0	56.8	44.8	33.6	26.1	43.0
1993	21.0	16.2	28.7	40.2	54.6	61.9	70.2	68.8	52.9	44.6	34.7	25.9	43.3
1994	9.3	12.9	30.1	43.2	55.0	65.3	68.1	64.4	61.9	50.9	39.3	30.7	44.3
1995	23.1	18.2	34.3	40.1	54.5	68.9	70.7	72.3	56.9	50.1	29.1	19.5	44.8
1996	15.9	19.8	25.7	36.8	50.8	64.0	64.0	66.3	58.6	47.0	30.6	24.8	42.0
1997	17.0	20.4	27.2	40.3	46.6	64.8	65.8	61.6	57.0	46.0	32.3	28.2	42.3
1998	24.1	30.2	31.2	45.2	60.3	63.0	66.7	66.7	60.4	48.8	37.9	28.7	46.9
1999	17.1	26.1	29.1	44.7	56.1	64.9	69.8	63.1	56.8	44.9	39.7	26.2	44.9
2000	17.8	25.0	38.1	41.4	55.9	62.7	64.7	64.7	57.6	49.6	35.8	16.0	44.1
2001	22.8	20.1	27.7	46.1	56.8	63.4	67.0	67.0	55.5	46.5	42.2	31.4	45.5
2002	26.5	25.7	25.7	41.6	49.6	64.5	71.3	65.1	61.3	41.4	32.3	24.8	44.2
2003	15.5	13.6	28.2	40.1	52.3	60.5	65.6	66.8	57.2	45.2	37.0	27.7	42.5
2004	12.1	19.3	32.1	44.1	52.8	62.2	64.9	61.9	61.3	47.7	36.4	23.1	43.2
2005	16.1	23.5	24.4	45.4	51.1	69.0	68.3	66.2	61.3	48.9	37.3	23.2	44.6
2006	28.0	19.9	31.3	46.2	56.1	62.8	70.1	64.6	55.4	43.0	38.1	31.3	45.6
POR= 42 YRS	18.0	19.6	28.8	42.4	54.1	63.2	67.6	65.3	57.6	46.4	35.3	24.1	43.5

HEATING DEGREE DAYS (base 65°F) 2006 HOUGHTON LAKE (KHTL)

YEAR	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	TOTAL
1977-78	29	134	200	610	869	1347	1556	1513	1276	769	289	144	8736
1978-79	79	46	220	636	869	1333	1655	1530	1053	742	396	135	8694
1979-80	48	109	196	597	893	1153	1416	1424	1233	690	286	209	8254
1980-81	18	27	258	716	928	1423	1553	1143	1001	613	368	80	8128
1981-82	50	44	280	676	872	1222	1658	1315	1209	824	148	224	8522
1982-83	12	139	255	494	855	1040	1331	1087	1003	733	505	116	7570
1983-84	25	29	209	569	846	1487	1628	1062	1262	599	458	53	8227
1984-85	42	28	270	481	881	1168	1547	1313	1071	571	248	172	7792
1985-86	46	88	209	535	908	1451	1474	1297	1048	532	274	148	8010
1986-87	23	109	212	557	975	1179	1335	1159	963	523	271	57	7363
1987-88	41	60	169	649	813	1117	1473	1406	1140	636	225	106	7835
1988-89	7	75	218	692	847	1276	1236	1381	1234	711	333	126	8136
1989-90	19	79	277	520	1025	1607	1196	1217	1009	627	398	97	8071
1990-91	32	51	248	604	773	1208	1509	1127	985	540	219	33	7329
1991-92	37	30	295	525	939	1219	1298	1178	1123	763	341	161	7909
1992-93	83	132	257	619	934	1196	1359	1358	1119	737	331	123	8248
1993-94	4	37	358	627	904	1205	1722	1457	1073	649	320	79	8435
1994-95	26	75	132	431	763	1059	1293	1307	947	741	320	35	7129
1995-96	22	2	260	461	1072	1403	1515	1307	1214	840	440	91	8627
1996-97	65	37	212	552	1021	1240	1481	1246	1162	737	561	64	8378
1997-98	79	134	239	582	972	1135	1260	968	1041	592	175	146	7323
1998-99	34	48	176	499	805	1118	1477	1083	1105	602	282	100	7329
1999-00	17	91	249	617	754	1193	1456	1154	826	701	299	114	7471
2000-01	83	69	256	473	867	1512	1303	1250	1149	558	262	127	7909
2001-02	62	62	296	567	677	1032	1188	1094	1213	703	471	112	7477
2002-03	22	65	157	730	973	1238	1526	1433	1132	741	387	155	8559
2003-04	36	42	235	606	834	1150	1633	1320	1013	620	378	110	7977
2004-05	58	136	155	529	851	1293	1510	1155	1253	582	431	47	8000
2005-06	33	41	148	517	823	1290	1140	1258	1038	557	299	106	7250
2006-	16	76	289	674	798	1038							

WBAN : 94814

COOLING DEGREE DAYS (base 65°F) 2006 HOUGHTON LAKE (KHTL)

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	TOTAL
1977	0	0	0	0	61	46	192	50	5	0	0	0	354
1978	0	0	0	0	44	49	85	96	34	0	0	0	308
1979	0	0	0	0	18	58	112	45	31	7	0	0	271
1980	0	0	0	2	17	43	98	124	16	0	0	0	300
1981	0	0	0	0	3	47	114	70	13	0	0	0	247
1982	0	0	0	0	27	3	132	52	29	3	0	0	246
1983	0	0	0	0	0	73	235	148	56	0	0	0	512
1984	0	0	0	1	2	65	90	151	11	0	0	0	320
1985	0	0	0	22	8	11	86	61	60	0	0	0	248
1986	0	0	0	8	29	22	175	46	15	0	0	0	295
1987	0	0	0	1	64	125	250	86	12	0	0	0	538
1988	0	0	0	0	35	108	213	199	11	0	0	0	566
1989	0	0	0	0	10	49	164	83	19	0	0	0	325
1990	0	0	0	29	0	55	94	56	41	0	0	0	275
1991	0	0	0	2	104	120	157	130	26	0	0	0	539
1992	0	0	0	0	15	31	28	46	19	0	0	0	139
1993	0	0	0	0	16	34	175	161	4	0	0	0	390
1994	0	0	0	0	19	97	130	64	45	0	0	0	355
1995	0	0	0	0	4	160	202	233	24	5	0	0	628
1996	0	0	0	0	10	67	41	85	25	0	0	0	228
1997	0	0	0	0	0	63	112	39	7	0	0	0	221
1998	0	0	0	0	34	93	98	110	45	0	0	0	380
1999	0	0	0	0	15	107	174	41	10	0	0	0	347
2000	0	0	0	0	24	51	79	65	42	1	0	0	262
2001	0	0	0	0	12	87	132	130	19	0	0	0	380
2002	0	0	0	10	4	105	223	73	55	6	0	0	476
2003	0	0	0	0	0	28	60	106	10	0	0	0	204
2004	0	0	0	0	8	35	60	48	50	0	0	0	201
2005	0	0	0	0	5	171	143	83	46	24	0	0	472
2006	0	0	0	0	30	47	179	68	6	0	0	0	330

SNOWFALL (inches) 2006 HOUGHTON LAKE (KHTL)

YEAR	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	TOTAL
1977-78	0.0	0.0	0.0	T	16.0	14.0	33.3	13.1	12.5	0.3	0.0	0.0	89.2
1978-79	0.0	0.0	0.0	T	10.5	29.0	21.8	8.3	5.7	11.6	2.3	0.0	89.2
1979-80	0.0	0.0	0.0	0.7	5.0	7.1	14.4	12.3	12.1	7.7	0.0	0.0	59.3
1980-81	0.0	0.0	0.0	4.4	3.2	25.6	19.3	16.3	5.4	0.2	0.0	0.0	74.4
1981-82	0.0	0.0	0.0	3.0	16.1	15.7	38.0	6.1	14.3	5.5	0.0	0.0	98.7
1982-83	0.0	0.0	0.0	0.2	7.7	4.8	15.4	6.4	13.3	2.7	1.0	0.0	51.5
1983-84	0.0	0.0	0.0	0.0	5.0	19.8	17.0	6.3	6.5	5.1	0.4	0.0	60.1
1984-85	0.0	0.0	0.0	0.0	0.6	11.7	25.3	18.7	14.1	10.0	0.0	0.0	80.4
1985-86	0.0	0.0	0.0	0.0	12.6	23.1	12.7	14.0	8.9	0.3	0.0	0.0	71.6
1986-87	0.0	0.0	0.0	T	3.4	10.3	14.1	6.4	2.3	2.0	0.0	0.0	38.5
1987-88	0.0	0.0	0.0	2.4	8.7	18.6	13.4	12.9	10.3	1.4	0.0	0.0	67.7
1988-89	0.0	0.0	0.0		7.8	12.3	9.3	13.5	18.7	3.1	T	0.0	
1989-90	0.0	0.0	T	0.6	12.2	15.0	21.7	11.0	2.4	2.1	0.9	0.0	65.9
1990-91	0.0	0.0	0.0	T	9.1	15.3	22.6	8.5	4.5	1.8	0.0	0.0	61.8
1991-92	0.0	0.0	T	T	4.9	17.5	15.0	15.8	9.5	3.6	0.0	0.0	66.3
1992-93	0.0	0.0	0.0	3.2	11.8	14.3	14.7	13.1	8.1	2.9	0.0	0.0	68.1
1993-94	0.0	T	0.0	0.1	2.3	9.0	26.2	12.7	9.0	3.9	0.1	0.0	63.3
1994-95	0.0	0.0	0.0	0.0	6.6	7.6	12.2	10.2	7.4	1.9	0.0	0.0	45.9
1995-96	0.0	0.0	T	T	41.9	16.4	26.0	8.7	13.4	10.6		0.0	
1996-97	T	0.0	T	T	8.9								
1997-98													
1998-99													
1999-00					1.6	3.7	16.1	10.4	T				
2000-01													
2001-02													
2002-03													
2003-04													
2004-05													
2005-06		0.0	0.0	0.0	19.5	15.6	16.8	12.1	4.9	1.6	T	0.0	
2006-	0.0	0.0	0.0	0.4	3.7	11.9							
POR= 43 YRS	T	T	T	0.6	8.4	13.1	15.9	10.4	9.0	3.3	0.2	0.0	60.9

WBAN : 94814

REFERENCE NOTES :

<p>PAGE 1: THE TEMPERATURE GRAPH SHOWS NORMAL MAXIMUM AND NORMAL MINIMUM DAILY TEMPERATURES (SOLID CURVES) AND THE ACTUAL DAILY HIGH AND LOW TEMPERATURES (VERTICAL BARS).</p> <p>PAGE 2 AND 3: H/C INDICATES HEATING AND COOLING DEGREE DAYS. RH INDICATES RELATIVE HUMIDITY W/O INDICATES WEATHER AND OBSTRUCTIONS S INDICATES SUNSHINE. PR INDICATES PRESSURE. CLOUDINESS ON PAGE 3 IS THE SUM OF THE CEILOMETER AND SATELLITE DATA NOT TO EXCEED EIGHT EIGHTHS(OKTAS).</p> <p>GENERAL: T INDICATES TRACE PRECIPITATION, AN AMOUNT GREATER THAN ZERO BUT LESS THAN THE LOWEST REPORTABLE VALUE. + INDICATES THE VALUE ALSO OCCURS ON EARLIER DATES. BLANK ENTRIES DENOTE MISSING OR UNREPORTED DATA. NORMALS ARE 30-YEAR AVERAGES (1971 - 2000). ASOS INDICATES AUTOMATED SURFACE OBSERVING SYSTEM. PM INDICATES THE LAST DAY OF THE PREVIOUS MONTH. POR (PERIOD OF RECORD) BEGINS WITH THE JANUARY DATA MONTH AND IS THE NUMBER OF YEARS USED TO COMPUTE THE MEAN. INDIVIDUAL MONTHS WITHIN THE POR MAY BE MISSING. WHEN THE POR FOR A NORMAL IS LESS THAN 30 YEARS, THE NORMAL IS PROVISIONAL AND IS BASED ON THE NUMBER OF YEARS INDICATED. 0.* OR * INDICATES THE VALUE OR MEAN-DAYS-WITH IS BETWEEN 0.00 AND 0.05. CLOUDINESS FOR ASOS STATIONS DIFFERS FROM THE NON-ASOS OBSERVATION TAKEN BY A HUMAN OBSERVER. ASOS STATION CLOUDINESS IS BASED ON TIME-AVERAGED CEILOMETER DATA FOR CLOUDS AT OR BELOW 12,000 FEET AND ON SATELLITE DATA FOR CLOUDS ABOVE 12,000 FEET. THE NUMBER OF DAYS WITH CLEAR, PARTLY CLOUDY, AND CLOUDY CONDITIONS FOR ASOS STATIONS IS THE SUM OF THE CEILOMETER AND SATELLITE DATA FOR THE SUNRISE TO SUNSET PERIOD.</p>	<p>GENERAL CONTINUED: CLEAR INDICATES 0 - 2 OKTAS, PARTLY CLOUDY INDICATES 3 - 6 OKTAS, AND CLOUDY INDICATES 7 OR 8 OKTAS. WHEN AT LEAST ONE OF THE ELEMENTS (CEILOMETER OR SATELLITE) IS MISSING, THE DAILY CLOUDINESS IS NOT COMPUTED. WIND DIRECTION IS RECORDED IN TENS OF DEGREES (2 DIGITS) CLOCKWISE FROM TRUE NORTH. "00" INDICATES CALM. "36" INDICATES TRUE NORTH. RESULTANT WIND IS THE VECTOR AVERAGE OF THE SPEED AND DIRECTION. AVERAGE TEMPERATURE IS THE SUM OF THE MEAN DAILY MAXIMUM AND MINIMUM TEMPERATURE DIVIDED BY 2. SNOWFALL DATA COMPRISE ALL FORMS OF FROZEN PRECIPITATION, INCLUDING HAIL. A HEATING (COOLING) DEGREE DAY IS THE DIFFERENCE BETWEEN THE AVERAGE DAILY TEMPERATURE AND 65 F. DRY BULB IS THE TEMPERATURE OF THE AMBIENT AIR. DEW POINT IS THE TEMPERATURE TO WHICH THE AIR MUST BE COOLED TO ACHIEVE 100 PERCENT RELATIVE HUMIDITY. WET BULB IS THE TEMPERATURE THE AIR WOULD HAVE IF THE MOISTURE CONTENT WAS INCREASED TO 100 PERCENT RELATIVE HUMIDITY.</p> <p>ON JULY 1, 1996, THE NATIONAL WEATHER SERVICE BEGAN USING THE "METAR" OBSERVATION CODE THAT WAS ALREADY EMPLOYED BY MOST OTHER NATIONS OF THE WORLD. THE MOST NOTICEABLE DIFFERENCE IN THIS ANNUAL PUBLICATION WILL BE THE CHANGE IN UNITS FROM TENTHS TO EIGHTS(OKTAS) FOR REPORTING THE AMOUNT OF SKY COVER.</p> <p>NOTE: The "Period of Record:(POR) for all "averages" is based on the "Summary of the Day First Order Station" and "Cooperative Summary of the Day" archives.</p>
---	--

2006

HOUGHTON LAKE

MICHIGAN (KHTL)

Houghton Lake is located in north-central lower Michigan. The present station is on the northeast shore of Houghton Lake, the largest inland lake in Michigan, with a circumference of about 32 miles. The Muskegon River source is Higgins Lake, 8 miles to the north. It flows through Houghton Lake, then southwestward to Lake Michigan. The station lies within an elongated bowl shaped 1,000-foot plateau, which extends roughly 50 miles north, 75 miles southwest, and about 20 miles southeast of Houghton Lake. In the immediate area, the land is level to rolling, but there are hills and ridges from 100 to 300 feet higher in elevation surrounding the station. Soils are generally sand, or sandy loam supporting little agricultural production, but the area is rich in natural resources of forests, lakes, and streams.

The interior location diminishes the influence of the larger Great Lakes, which lie 70 to 80 miles east and west of Houghton Lake. Hence, the daily temperature range is larger, especially in summer, and temperature extremes are greater than are found nearer the shores of either Lake Michigan or Lake Huron. Temperatures reach the 100 degree mark about one summer out of ten, and at the other extreme, fall below zero an average of twenty-two times during the winter season.

Precipitation is normally a little heavier during the summer season. About 60 percent of the annual total falls in the six-month period from April through September. The heaviest precipitation occurs with summertime thunderstorms.

Snowfall averages above 80 inches per year at Houghton Lake, with considerable variation from year to year. Much heavier snows, averaging over 100 inches a season, fall within a 30- to 60-mile radius to the north and west of Houghton Lake. Seasonal totals have ranged from 24 inches to over 124 inches. Measurable amounts of snow have occurred in nine of the twelve months, and the average number of months with measurable snowfall is six.

Cloudiness is greatest in the late fall and early winter, while sunshine percentage is highest in the spring and summer. Cloudiness is increased in the late fall due to the moisture and warmth picked up by the westerly and northwesterly winds while crossing Lake Michigan.

The growing season is normally quite short, averaging about 90 days between spring and fall freezes.

Station Location

HOUGHTON LAKE

LOCATION	Occupied From	Occupied To	Airline Distances and Directions from previous Location	Latitude		Longitude		ELEVATION ABOVE								REMARKS
				NORTH	WEST	SEA LEVEL	GROUND							AUTOMATIC OBSERVING EQUIPMENT *		
						GROUND TEMPERATURE SITE	WIND INSTRUMENT	EXTREME THERMOMETERS	PSYCHROMETER	SUNSHINE SWITCH	TIPPING BUCKET RAIN GAUGE	WEIGHING RAIN GAUGE	8 INCH RAIN GAUGE		HYGROTHERMOMETER	
*NOTE:																
AIRPORT																
Hangar Building Roscommon County AP	4/20/64	1/21/65		44° 22'	84° 41'	1149	42	5	5				5	4		First Order Weather Bureau. 24-hour operation beginning November 1964.
Weather Bureau and Administration Building Roscommon County AP	1/21/65	04/01/96	100' S	44° 22'	84° 41'	1149	b50	5 c5	5 c5				5 c5	4 c5	d5	b. 42 feet to 4/23/68. c. Minor relocation 10/1/76. d. 10/1/85.
Roscommon County AP	04/01/96	Present	NA	44° 22'	84° 41'	e1148									s	ASOS Commissioned 04/01/96 e. Ground elevation.

For Hard Copy Subscription:

Price and ordering information: NCDC Subscribing Service Center, 310 State Route 956, Building 300, Rocket Center, WV 26726.

INQUIRES/COMMENTS CALL: Toll Free (866) 742-3322

Visit our Web Site for other weather data: www.ncdc.noaa.gov

Non-Subscription Request:

NCDC Customer Services;
Phone: 828-271-4800
Fax: 828-271-4876
Email: ncdc.orders@noaa.gov

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE \$300
CHANGE SERVICE REQUESTED

FIRST CLASS
POSTAGE & FEES PAID
United States Department of Commerce
NOAA Permit No. G - 19

* NOTES: for earlier station history see previous editions.