




# 2006 LOCAL CLIMATOLOGICAL DATA ANNUAL SUMMARY WITH COMPARATIVE DATA


ISSN 0197-9507

## MOBILE, ALABAMA (KMOB)


### Daily Max/Min Temperature



### Daily Precipitation



### Daily Station Pressure



I CERTIFY THAT THIS IS AN OFFICIAL PUBLICATION OF THE NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION, AND IS COMPILED FROM RECORDS ON FILE AT THE NATIONAL CLIMATIC DATA CENTER.

NATIONAL  
OCEANIC AND  
ATMOSPHERIC ADMINISTRATION

NATIONAL  
ENVIRONMENTAL SATELLITE, DATA  
AND INFORMATION SERVICE

NATIONAL  
CLIMATIC DATA CENTER  
ASHEVILLE, NORTH CAROLINA

*Thomas R. Karl*  
DIRECTOR  
NATIONAL CLIMATIC DATA CENTER

# METEOROLOGICAL DATA FOR 2006

## MOBILE (KMOB)

LATITUDE: 30 ° 41'N      LONGITUDE: -88 ° 14'W      ELEVATION (FT): GRND: 215    BARO: 212      TIME ZONE: CENTRAL (UTC -6)      WBAN: 13894

ELEMENT		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	YEAR	
TEMPERATURE °F	MEAN DAILY MAXIMUM	66.9	64.0	73.8	82.3	85.7	92.3	91.1	92.1	86.7	79.3	69.4	65.0	79.1	
	HIGHEST DAILY MAXIMUM	80	80	82	90	95	97	96	97	91	91	80	78	97	
	DATE OF OCCURRENCE	02	22	17+	18	31+	23+	22	15	18+	02	10+	19	AUG 15	
	MEAN DAILY MINIMUM	45.1	41.6	50.9	59.5	62.5	69.1	72.5	73.4	66.2	56.0	44.5	42.5	57.0	
	LOWEST DAILY MINIMUM	23	24	33	47	49	61	69	71	53	39	31	24	23	
	DATE OF OCCURRENCE	07	13	25	05	16	07	11	31+	30	24	21	08	JAN 07	
	AVERAGE DRY BULB	56.0	52.8	62.4	70.9	74.1	80.7	81.8	82.8	76.5	67.7	57.0	53.8	68.0	
	MEAN WET BULB	51.4	47.4	54.4	62.9	66.3	70.1	74.0	75.0	68.4	60.9	50.9	48.3	60.8	
	MEAN DEW POINT	45.5	40.4	46.5	57.6	61.5	64.8	70.7	72.3	64.2	56.0	45.1	42.0	55.6	
	NUMBER OF DAYS WITH:														
	MAXIMUM >= 90°	0	0	0	0	0	25	22	25	10	4	0	0	86	
	MAXIMUM <= 32°	0	0	0	0	0	0	0	0	0	0	0	0	0	
MINIMUM <= 32°	3	5	0	0	0	0	0	0	0	0	3	9	20		
MINIMUM <= 0°	0	0	0	0	0	0	0	0	0	0	0	0	0		
H/C	HEATING DEGREE DAYS	285	339	145	1	2	0	0	0	0	63	254	341	1430	
	COOLING DEGREE DAYS	15	6	70	187	293	479	530	558	350	151	22	1	2662	
RH	MEAN (PERCENT)	70	67	61	67	68	63	73	76	70	69	69	69	69	
	HOUR 00 LST	77	75	74	81	84	80	84	86	82	81	78	78	80	
	HOUR 06 LST	83	81	79	84	85	80	87	89	86	83	82	76	83	
	HOUR 12 LST	55	51	43	47	46	43	57	57	51	51	51	55	51	
	HOUR 18 LST	66	61	53	60	59	54	68	72	66	66	69	68	64	
S	PERCENT POSSIBLE SUNSHINE														
W/O	NUMBER OF DAYS WITH:														
	HEAVY FOG(VISBY <= 1/4 MI)	7	3	3	2	2	0	0	1	1	6	7	5	37	
	THUNDERSTORMS	4	4	0	5	8	9	17	18	6	4	3	2	80	
CLOUDNESS	SUNRISE-SUNSET: (OKTAS)														
	CEILOMETER (<= 12,000 FT.)														
	SATELLITE (> 12,000 FT.)														
	MIDNIGHT-MIDNIGHT: (OKTAS)														
	CEILOMETER (<= 12,000 FT.)														
SATELLITE (> 12,000 FT.)															
NUMBER OF DAYS WITH:															
CLEAR															
PARTLY CLOUDY															
CLOUDY															
PR	MEAN STATION PRESS. (IN.)	29.88	29.89	29.87	29.78	29.74	29.75	29.83	29.77	29.75	29.78	29.86	29.97	29.82	
	MEAN SEA-LEVEL PRESS. (IN.)	30.11	30.13	30.11	30.01	29.97	29.98	30.06	29.99	29.97	30.02	30.09	30.21	30.05	
WINDS	RESULTANT SPEED (MPH)	1.6	0.7	1.4	3.3	2.7	0.8	2.5	1.0	0.7	1.3	1.7	2.7	0.5	
	RES. DIR. (TENS OF DEGS.)	18	03	14	20	22	04	17	24	07	05	02	06	16	
	MEAN SPEED (MPH)	8.8	8.8	9.3	8.2	6.4	5.8	5.3	4.6	5.4	6.6	7.4	7.6	7.0	
	PREVAIL.DIR.(TENS OF DEGS.)	14	14	15	19	21	01	20	22	36	36	32	01	19	
	MAXIMUM 2-MINUTE WIND														
	SPEED (MPH)	30	36	38	32	33	31	25	28	24	29	41	28	41	
	DIR. (TENS OF DEGS.)	13	22	18	13	36	30	16	02	27	17	22	21	22	
	DATE OF OCCURRENCE	28	02	09	29	08	25	22	08	18	17	15	25	NOV 15	
	MAXIMUM 5-SECOND WIND:														
	SPEED (MPH)	38	44	47	38	40	41	32	33	31	38	52	39	52	
DIR. (TENS OF DEGS.)	26	23	20	13	33	30	13	03	26	16	21	21	21		
DATE OF OCCURRENCE	13	02	09	29	08	25	02	15	18	16	15	25	NOV 15		
PRECIPITATION	WATER EQUIVALENT:														
	TOTAL (IN.)	3.15	3.94	0.24	3.37	1.28	2.91	4.76	7.88	3.13	5.63	9.10	3.96	49.35	
	GREATEST 24-HOUR (IN.)	1.14	2.08	0.19	1.22	0.58	1.78	1.92	2.94	1.08	2.34	5.71	1.55	5.71	
	DATE OF OCCURRENCE	20-21	25	09	25-26	10	02	15	08-09	12	16-17	14-15	30-31	NOV 14-15	
	NUMBER OF DAYS WITH:														
	PRECIPITATION 0.01	11	7	4	7	4	8	11	13	9	12	5	7	98	
PRECIPITATION 0.10	6	4	1	5	3	5	7	9	5	8	2	6	61		
PRECIPITATION 1.00	1	1	0	0	0	1	1	3	1	2	2	1	13		
SNOWFALL	SNOW,ICE PELLETS,HAIL														
	TOTAL (IN.)	0.0	0.0	0.0	0.0	0.0	T	0.0	0.0	0.0	0.0	0.0	0.0	T	
	GREATEST 24-HOUR (IN.)	0.0	0.0	0.0	0.0	0.0	T	0.0	0.0	0.0	0.0	0.0	0.0	T	
	DATE OF OCCURRENCE						02							JUN 02	
	MAXIMUM SNOW DEPTH (IN.)	0	0	0	0	0	0	0	0	0	0	0	0	0	
	NUMBER OF DAYS WITH:														
SNOWFALL >= 1.0	0	0	0	0	0	0	0	0	0	0	0	0	0		

# NORMALS, MEANS, AND EXTREMES MOBILE (KMOB)

**LATITUDE:** 30 ° 41'N      **LONGITUDE:** -88 ° 14'W      **ELEVATION (FT):** GRND: 215    BARO: 212      **TIME ZONE:** CENTRAL (UTC -6)      **WBAN: 13894**

ELEMENT		POR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	YEAR
<b>TEMPERATURE °F</b>	NORMAL DAILY MAXIMUM	30	60.7	64.5	71.2	77.4	84.2	89.4	91.2	90.8	86.8	79.2	70.1	62.9	77.4
	MEAN DAILY MAXIMUM	59	61.0	64.4	69.5	77.9	84.8	89.6	91.0	90.7	86.8	79.3	69.9	63.0	77.3
	HIGHEST DAILY MAXIMUM	65	84	82	90	94	100	102	104	105	99	93	87	81	105
	YEAR OF OCCURRENCE		1949	1989	1946	1987	1953	1952	1952	2000	1990	1963	2003	1998	AUG 2000
	MEAN OF EXTREME MAXS.	59	75.1	77.4	82.2	86.6	92.4	95.9	96.8	96.3	93.7	88.5	81.9	76.6	87.0
	NORMAL DAILY MINIMUM	30	39.5	42.4	49.2	54.8	62.8	69.2	71.8	71.7	67.6	56.3	47.8	41.6	56.2
	MEAN DAILY MINIMUM	59	40.8	43.8	48.8	56.7	64.3	70.4	72.9	72.6	68.5	57.6	48.2	42.6	57.3
	LOWEST DAILY MINIMUM	65	3	11	21	32	43	49	60	59	42	30	22	8	3
	YEAR OF OCCURRENCE		1985	1996	1993	1987	1960	1984	1947	1956	1967	1993	1950	1983	JAN 1985
	MEAN OF EXTREME MINS.	59	22.4	25.8	32.2	41.4	51.9	62.4	68.6	67.4	56.8	41.0	31.4	24.9	43.9
	NORMAL DRY BULB	30	50.1	53.5	60.2	66.1	73.5	79.3	81.5	81.3	77.2	67.7	58.9	52.3	66.8
	MEAN DRY BULB	59	50.9	54.1	59.2	67.3	74.5	80.1	82.0	81.7	77.7	68.5	59.1	52.8	67.3
	MEAN WET BULB	23	46.4	49.3	54.2	60.0	67.3	72.5	74.8	74.5	70.5	61.8	54.4	47.9	61.1
	MEAN DEW POINT	23	41.8	44.6	49.5	55.6	63.9	70.0	72.6	72.2	67.7	57.9	50.4	43.8	57.5
	NORMAL NO. DAYS WITH: MAXIMUM >= 90	30	0.0	0.0	0.0	0.2	3.0	15.5	22.2	21.3	10.4	0.7	0.0	0.0	73.3
	MAXIMUM <= 32	30	0.1	*	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.2
MINIMUM <= 32	30	8.0	4.9	1.3	*	0.0	0.0	0.0	0.0	0.0	*	1.2	6.2	21.6	
MINIMUM <= 0	30	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
<b>H/C</b>	NORMAL HEATING DEG. DAYS	30	455	326	182	57	4	0	0	0	2	51	208	396	1681
	NORMAL COOLING DEG. DAYS	30	9	11	45	106	282	445	527	520	384	151	41	18	2539
<b>RH</b>	NORMAL (PERCENT)	30	74	72	72	71	74	76	78	78	77	73	75	75	75
	HOURLY 00 LST	30	81	81	83	84	86	87	89	89	87	85	84	82	85
	HOURLY 06 LST	30	83	85	86	88	89	89	91	92	91	88	87	85	88
	HOURLY 12 LST	30	61	57	55	53	55	58	61	61	60	54	58	62	58
	HOURLY 18 LST	30	70	65	65	62	65	65	68	73	74	73	69	73	69
<b>S</b>	PERCENT POSSIBLE SUNSHINE														
<b>W/O</b>	MEAN NO. DAYS WITH: HEAVY FOG (VISBY <= 1/4 MI)	43	6.1	4.3	6.2	4.5	3.2	1.3	1.3	1.7	1.7	3.4	4.7	5.0	43.4
	THUNDERSTORMS	59	2.3	2.5	4.7	4.6	7.1	12.2	17.9	14.8	7.2	2.2	2.4	2.3	80.2
<b>CLOUDNESS</b>	MEAN: SUNRISE-SUNSET (OKTAS)	48	5.3	5.0	4.9	4.6	4.6	4.6	5.1	4.6	4.4	3.5	4.2	4.9	4.6
	MIDNIGHT-MIDNIGHT (OKTAS)	32	5.0	4.6	4.7	4.2	4.2	4.0	4.5	4.2	3.9	3.3	4.0	4.7	4.3
	MEAN NO. DAYS WITH: CLEAR	48	7.9	7.6	8.7	9.2	8.6	7.0	4.1	6.3	9.0	14.2	11.0	8.8	102.4
	PARTLY CLOUDY	48	6.2	6.6	7.8	8.7	11.3	13.8	15.0	14.8	10.1	7.6	7.2	6.4	115.5
	CLOUDY	48	16.9	14.0	14.5	12.0	11.1	9.2	11.9	9.9	11.0	9.1	11.8	15.9	147.3
<b>PR</b>	MEAN STATION PRESSURE (IN)	23	29.92	29.88	29.82	29.79	29.77	29.76	29.80	29.78	29.76	29.83	29.88	29.92	29.83
	MEAN SEA-LEVEL PRES. (IN)	23	30.15	30.12	30.05	30.02	30.00	29.99	30.03	30.01	29.99	30.06	30.11	30.16	30.06
<b>WINDS</b>	MEAN SPEED (MPH)	23	9.0	9.3	9.3	8.9	7.9	6.7	6.1	6.0	7.2	7.4	8.1	8.4	7.9
	PREVAIL. DIR (TENS OF DEGS)	32	36	36	15	15	19	19	23	05	05	01	36	36	36
	MAXIMUM 2-MINUTE: SPEED (MPH)	10	43	36	39	41	33	45	41	66	59	40	41	43	66
	DIR. (TENS OF DEGS)	23	22	22	18	09	36	16	15	13	01	22	22	22	13
	YEAR OF OCCURRENCE		2001	2006	2001	2005	2006	2001	2005	2005	2004	2001	2006	2002	AUG 2005
	MAXIMUM 5-SECOND SPEED (MPH)	10	52	44	53	47	40	57	53	83	75	54	52	63	83
	DIR. (TENS OF DEGS)		22	23	24	09	33	34	19	12	02	21	21	22	12
YEAR OF OCCURRENCE		2001	2006	1999	2005	2006	1998	2005	2005	2004	2001	2006	2002	AUG 2005	
<b>PRECIPITATION</b>	NORMAL (IN)	30	5.75	5.10	7.20	5.06	6.10	5.01	6.54	6.20	6.01	3.25	5.41	4.66	66.29
	MAXIMUM MONTHLY (IN)	65	16.92	11.89	15.58	17.69	15.08	20.66	19.29	15.19	24.13	13.20	13.65	11.38	24.13
	YEAR OF OCCURRENCE		1998	1983	1946	1955	1980	2003	1949	1984	1998	1985	1948	1953	SEP 1998
	MINIMUM MONTHLY (IN)	65	0.55	1.09	0.24	0.08	0.36	1.19	1.72	1.04	0.58	T	0.25	1.29	T
	YEAR OF OCCURRENCE		2003	1999	2006	1999	1996	1966	1983	1997	1963	1978	1960	1980	OCT 1978
	MAXIMUM IN 24 HOURS (IN)	65	8.34	5.37	10.57	13.36	8.86	7.38	10.07	6.62	10.06	5.65	7.02	7.46	13.36
	YEAR OF OCCURRENCE		1965	1981	1990	1955	1995	1961	1997	1969	1998	1985	1975	1995	APR 1955
	NORMAL NO. DAYS WITH: PRECIPITATION >= 0.01	30	10.9	8.8	9.6	7.5	9.0	11.1	15.1	13.6	10.4	5.4	8.6	9.5	119.5
PRECIPITATION >= 1.00	30	1.7	1.6	2.5	1.7	1.8	1.6	2.0	2.2	1.6	1.1	1.6	1.5	20.9	
<b>SNOWFALL</b>	NORMAL (IN)	30	0.1	0.2	0.1	0.*	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.*	0.4
	MAXIMUM MONTHLY (IN)	63	3.5	3.6	2.7	T	T	T	T	0.0	0.0	0.0	T	3.0	3.6
	YEAR OF OCCURRENCE		1955	1973	1993	1988	1991	2006	1995				1966	1963	FEB 1973
	MAXIMUM IN 24 HOURS (IN)	63	3.5	3.6	2.7	T	T	T	T	0.0	0.0	0.0	T	3.0	3.6
	YEAR OF OCCURRENCE		1955	1973	1993	1988	1991	2006	1995				1966	1963	FEB 1973
	MAXIMUM SNOW DEPTH (IN)	56	22	3	2	0	0	0	0	0	0	0	0	0	22
	YEAR OF OCCURRENCE		1964	1973	1993										JAN 1964
NORMAL NO. DAYS WITH: SNOWFALL >= 1.0	30	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	

**PRECIPITATION (inches) 2006 MOBILE (KMOB)**

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
1977	5.54	1.86	6.06	2.73	5.30	1.26	7.77	5.42	9.61	4.57	9.51	4.94	64.57
1978	10.40	3.88	4.08	7.03	9.74	6.13	7.74	7.34	3.04	T	5.05	4.36	68.79
1979	5.14	9.14	8.37	4.05	7.02	3.70	10.80	6.10	11.73	2.80	6.46	3.94	79.25
1980	4.95	1.58	13.46	15.43	15.08	2.57	6.54	6.42	5.94	2.90	1.96	1.29	78.12
1981	1.23	8.75	3.00	0.96	12.51	6.50	6.53	5.06	3.97	0.94	0.85	6.82	57.12
1982	3.56	7.42	6.81	4.48	2.84	11.00	13.14	7.00	4.68	1.61	3.66	8.24	74.44
1983	5.82	11.89	6.89	12.53	1.53	8.09	1.72	11.57	5.97	3.81	5.30	8.34	83.46
1984	6.13	4.79	4.75	3.53	4.28	2.07	2.36	15.19	0.74	6.19	1.67	2.12	53.82
1985	5.06	6.39	5.49	1.22	5.77	3.94	8.31	4.32	10.32	13.20	1.61	4.34	69.97
1986	2.67	4.17	4.53	2.16	4.18	7.53	7.13	5.60	4.41	4.83	8.45	3.68	59.34
1987	5.81	8.64	6.18	0.83	10.69	7.68	4.18	10.33	3.62	0.02	5.54	3.60	67.12
1988	4.64	6.26	7.80	4.19	0.58	2.34	6.04	10.43	14.04	1.83	2.30	1.80	62.25
1989	2.13	1.47	5.57	3.55	6.47	9.82	7.16	3.82	4.55	0.90	11.33	7.23	64.00
1990	7.35	8.13	12.24	4.51	6.47	2.68	2.28	1.46	2.65	1.23	1.77	5.20	55.97
1991	16.07	3.35	4.83	10.43	15.03	7.04	8.15	5.17	1.87	0.86	5.78	3.09	81.67
1992	9.89	9.94	3.61	1.90	1.58	5.24	7.77	8.27	3.26	1.03	12.70	5.27	70.46
1993	8.03	4.48	10.45	4.80	5.24	3.01	5.64	3.52	3.35	5.32	2.87	3.69	60.40
1994	6.57	1.32	4.34	5.48	4.59	5.09	10.72	2.05	1.76	5.91	4.05	3.04	54.92
1995	7.09	3.01	8.53	7.46	12.08	3.32	4.63	7.60	1.16	8.70	8.05	8.86	80.49
1996	4.65	6.23	8.97	11.93	0.36	5.18	4.95	8.29	5.01	1.72	2.52	6.92	66.73
1997	5.67	5.98	5.42	5.66	8.50	8.49	18.52	1.04	1.98	5.83	8.68	4.37	80.14
1998	16.92	4.29	10.92	5.19	1.78	2.87	6.90	5.02	24.13	1.35	4.95	2.20	86.52
1999	5.19	1.09	9.44	0.08	4.71	7.58	4.30	2.87	4.41	4.75	3.05	3.43	50.90
2000	2.67	1.30	6.94	2.43	2.38	3.21	3.90	3.67	3.43	0.47	11.54	3.80	45.74
2001	4.08	2.70	11.04	0.88	1.52	6.20	8.55	9.49	2.59	3.53	1.24	2.83	54.65
2002	3.52	2.87	6.08	1.74	4.45	4.24	9.38	5.02	12.94	8.35	4.92	8.97	72.48
2003	0.55	5.57	4.30	3.59	9.51	20.66	9.48	5.17	1.57	3.04	3.70	3.79	70.93
2004	3.43	10.78	0.42	3.64	2.06	16.07	6.90	12.53	6.06	2.42	8.48	3.37	76.16
2005	2.40	3.85	5.28	16.62	2.75	7.33	16.23	11.01	2.34	0.21	2.22	3.59	73.83
2006	3.15	3.94	0.24	3.37	1.28	2.91	4.76	7.88	3.13	5.63	9.10	3.96	49.35
POR= 59 YRS	4.98	5.02	6.46	5.21	5.23	5.78	7.82	6.77	5.99	3.06	4.43	5.17	65.92

WBAN : 13894

**AVERAGE TEMPERATURE (°F) 2006 MOBILE (KMOB)**

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
1977	40.9	52.2	62.6	68.2	75.6	82.9	83.5	83.4	80.9	65.2	60.9	50.8	67.3
1978	41.2	45.1	56.7	68.5	75.4	81.2	82.8	83.2	81.6	69.8	65.1	54.4	67.1
1979	45.1	50.7	60.8	69.3	73.3	79.7	81.3	81.1	76.8	68.1	57.2	51.3	66.2
1980	56.2	49.7	61.6	65.9	74.6	81.2	84.6	83.2	81.8	66.3	57.8	51.6	67.9
1981	46.0	53.4	59.5	71.0	71.6	82.6	84.0	82.7	76.8	69.4	63.0	49.9	67.5
1982	49.7	53.3	63.5	67.1	74.4	80.7	81.0	81.0	76.0	68.5	60.4	56.9	67.7
1983	47.1	51.1	55.0	61.8	72.1	76.4	81.8	81.4	73.6	67.4	57.7	47.7	64.4
1984	46.1	52.4	58.6	65.7	72.5	78.1	79.9	78.8	75.6	72.7	56.3	60.4	66.4
1985	43.5	50.7	64.5	67.7	73.7	79.9	79.7	81.0	76.0	71.4	66.1	48.8	66.9
1986	49.7	56.4	59.7	66.1	74.4	81.0	83.3	80.5	79.5	68.5	64.3	51.1	67.9
1987	48.8	53.6	59.2	64.6	75.7	78.9	81.8	82.2	77.2	62.5	59.2	56.5	66.7
1988	46.8	50.6	58.6	67.3	72.8	79.5	81.8	81.3	78.3	65.3	62.7	53.8	66.6
1989	57.1	54.0	61.7	65.9	74.1	79.0	81.0	81.6	76.7	66.1	59.1	44.4	66.7
1990	54.6	59.0	61.7	65.0	73.4	81.1	81.7	83.1	78.6	68.0	60.9	56.7	68.7
1991	52.4	55.9	61.8	69.3	76.0	79.7	81.9	81.3	77.1	69.4	54.1	54.5	67.8
1992	49.4	57.0	60.3	65.4	72.2	79.3	82.4	79.4	77.2	67.4	56.4	55.6	66.8
1993	55.1	52.7	57.0	62.1	71.9	79.9	82.6	82.8	78.3	68.1	56.8	49.8	66.4
1994	47.2	56.1	60.0	68.6	73.4	79.6	79.9	80.4	76.6	68.6	63.8	55.2	67.5
1995	51.0	55.1	61.8	67.1	75.6	78.6	82.5	83.2	78.6	68.5	56.7	51.6	67.5
1996	49.0	52.4	55.4	63.8	75.6	78.8	81.7	80.0	76.4	67.3	59.2	54.3	66.2
1997	51.0	54.9	66.3	63.5	72.2	77.4	81.5	81.4	79.2	67.2	55.1	49.4	66.6
1998	52.2	53.7	57.1	65.2	76.4	82.5	83.5	83.2	78.5	70.3	63.3	57.2	68.6
1999	55.3	57.3	58.6	70.8	73.7	79.1	81.4	84.4	76.0	68.6	60.0	51.6	68.1
2000	53.6	57.6	63.6	64.7	76.9	79.6	84.3	83.9	77.3	68.2	57.0	46.1	67.7
2001	47.2	58.3	56.9	69.6	74.5	79.1	81.6	80.7	76.0	65.1	63.9	55.1	67.3
2002	52.5	50.3	59.1	69.8	73.7	79.6	81.3	80.6	79.3	71.6	56.2	51.1	67.1
2003	46.2	53.7	62.0	67.9	77.3	80.0	81.1	82.0	77.6	69.2	63.3	49.9	67.5
2004	51.0	51.2	64.2	65.8	75.1	80.2	82.7	80.2	78.5	74.2	62.7	50.7	68.0
2005	55.1	56.7	58.9	64.5	73.1	79.2	82.2	82.1	81.0	68.0	61.0	50.6	67.7
2006	56.0	52.8	62.4	70.9	74.1	80.7	81.8	82.8	76.5	67.7	57.0	53.8	68.0
POR= 59 YRS	50.9	54.1	59.2	67.3	74.5	80.1	82.0	81.7	77.7	68.5	59.1	52.8	67.3

**HEATING DEGREE DAYS (base 65°F) 2006 MOBILE (KMOB)**

YEAR	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	TOTAL
1977-78	0	0	0	73	149	439	731	551	268	16	0	0	2227
1978-79	0	0	0	20	53	355	613	401	152	8	4	0	1606
1979-80	0	0	0	43	246	424	267	454	159	52	0	0	1645
1980-81	0	0	0	63	235	420	581	323	180	9	4	0	1815
1981-82	0	0	5	42	113	463	485	323	161	48	0	0	1640
1982-83	0	0	5	63	185	296	545	383	306	119	4	0	1906
1983-84	0	0	7	60	243	529	582	363	218	69	10	0	2081
1984-85	0	0	2	17	270	172	665	397	84	50	1	0	1658
1985-86	0	0	1	22	69	503	469	251	188	40	0	0	1543
1986-87	0	0	0	43	105	433	500	311	193	106	0	0	1691
1987-88	0	0	0	108	194	283	565	421	214	33	0	0	1818
1988-89	0	0	0	53	122	363	254	335	170	81	2	0	1380
1989-90	0	0	6	71	204	630	326	186	128	71	0	0	1622
1990-91	0	0	2	58	145	287	382	258	156	13	0	0	1301
1991-92	0	0	3	32	344	342	477	236	165	77	16	0	1692
1992-93	0	0	0	18	276	297	307	340	260	110	3	0	1611
1993-94	0	0	0	64	278	464	543	260	182	46	0	0	1837
1994-95	0	0	0	35	93	304	426	281	148	41	3	0	1331
1995-96	0	0	0	29	263	445	489	381	323	97	3	0	2030
1996-97	0	0	0	48	212	346	440	293	63	80	5	0	1487
1997-98	0	0	0	89	296	475	390	313	266	60	0	0	1889
1998-99	0	0	0	24	94	287	319	234	204	30	3	0	1195
1999-00	0	0	2	52	162	414	363	242	85	68	0	0	1388
2000-01	0	0	6	45	302	579	542	208	262	36	0	0	1980
2001-02	0	0	4	95	89	312	404	405	238	24	10	0	1581
2002-03	0	0	0	18	279	424	576	314	113	48	0	0	1772
2003-04	0	0	1	16	143	459	444	395	87	66	9	0	1620
2004-05	0	0	0	10	124	449	312	241	205	54	5	0	1400
2005-06	0	0	0	70	180	448	285	339	145	1	2	0	1470
2006-	0	0	0	63	254	341							

WBAN : 13894

**COOLING DEGREE DAYS (base 65°F) 2006 MOBILE (KMOB)**

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	TOTAL
1977	0	4	74	132	333	543	579	576	482	85	31	7	2846
1978	0	0	17	127	329	496	560	573	507	177	64	34	2884
1979	0	6	28	144	267	448	512	509	361	146	16	5	2442
1980	2	17	61	89	305	495	618	571	512	110	25	9	2814
1981	0	4	15	195	217	538	595	557	366	185	60	4	2736
1982	17	2	119	118	296	475	502	503	342	177	54	53	2658
1983	0	0	4	27	229	351	532	514	271	140	29	2	2099
1984	0	3	24	96	249	401	469	435	327	261	16	34	2315
1985	4	2	77	133	275	452	461	504	339	227	108	7	2589
1986	0	15	31	79	295	486	573	489	444	158	89	8	2667
1987	4	0	21	99	341	422	527	544	373	41	27	28	2427
1988	7	10	21	108	251	442	529	513	404	67	61	20	2433
1989	16	33	74	116	289	431	498	523	366	114	31	0	2491
1990	7	23	34	80	267	493	525	569	417	155	29	36	2635
1991	1	6	66	149	348	448	528	513	371	176	23	22	2651
1992	0	9	31	97	249	437	548	454	373	102	20	13	2333
1993	5	2	21	33	224	455	554	559	408	165	37	0	2463
1994	0	18	33	161	268	443	469	485	357	155	66	6	2461
1995	0	12	55	106	338	416	554	571	417	145	20	35	2669
1996	1	23	30	69	335	419	526	473	349	125	44	17	2411
1997	15	18	109	42	236	377	521	519	435	163	7	0	2442
1998	0	0	31	73	359	531	581	569	412	196	49	52	2853
1999	24	25	11	212	280	432	516	611	340	173	19	3	2646
2000	16	32	48	69	377	446	607	592	383	151	67	0	2788
2001	1	27	16	177	303	427	524	492	338	104	62	12	2483
2002	26	0	60	176	285	444	513	488	435	230	22	0	2679
2003	0	5	23	143	386	459	504	536	388	153	100	0	2697
2004	18	0	69	97	329	460	556	479	414	306	62	10	2800
2005	10	16	24	46	265	432	538	536	486	172	66	8	2599
2006	15	6	70	187	293	479	530	558	350	151	22	1	2662

**SNOWFALL (inches) 2006 MOBILE (KMOB)**

YEAR	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	TOTAL
1977-78	0.0	0.0	0.0	0.0	0.0	0.0	0.4	T	0.0	0.0	0.0	0.0	0.4
1978-79	0.0	0.0	0.0	0.0	0.0	0.0	T	0.0	0.0	0.0	0.0	0.0	T
1979-80	0.0	0.0	0.0	0.0	0.0	0.0	0.0	T	T	0.0	0.0	0.0	T
1980-81	0.0	0.0	0.0	0.0	0.0	0.0	T	T	0.0	0.0	0.0	0.0	T
1981-82	0.0	0.0	0.0	0.0	0.0	0.0	T	0.0	0.0	0.0	0.0	0.0	T
1982-83	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1983-84	0.0	0.0	0.0	0.0	0.0	T	0.0	T	0.0	0.0	0.0	0.0	T
1984-85	0.0	0.0	0.0	0.0	0.0	0.0	T	T	0.0	0.0	0.0	0.0	T
1985-86	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1986-87	0.0	0.0	0.0	0.0	0.0	0.0	T	0.0	0.0	T	0.0	0.0	T
1987-88	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.7	0.0	T	0.0	0.0	1.7
1988-89	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	T	0.0	0.0	0.0	T
1989-90	T	0.0	0.0	0.0	0.0	T	0.0	0.0	0.0	0.0	0.0	0.0	T
1990-91	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	T	0.0	T
1991-92	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1992-93	T	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.7	0.0	0.0	0.0	2.7
1993-94	0.0	0.0	0.0	0.0	0.0	T	0.0	T	0.0	0.0	0.0	0.0	T
1994-95	0.0	0.0	0.0	0.0	0.0	0.0	T	T	0.0	0.0	0.0	0.0	T
1995-96	T	0.0	0.0	0.0	0.0	T	0.0						
1996-97						1.0							
1997-98													
1998-99				0.0	0.0		0.0	0.0	0.0	0.0	0.0	0.0	
1999-00	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	T	0.0	0.0	T
2000-01	0.0	0.0	0.0	0.0	0.0	0.0	T	0.0	0.0	0.0	0.0	0.0	T
2001-02	0.0	0.0	0.0	0.0	0.0	0.0	T	0.0	T	0.0	0.0	0.0	T
2002-03	0.0	0.0	0.0	0.0	0.0	0.0	T	0.0	0.0	0.0	0.0	0.0	T
2003-04	0.0	0.0	0.0	0.0	0.0	0.0	0.0	T	0.0	0.0	0.0	0.0	T
2004-05	0.0	0.0	0.0	0.0	0.0	T	0.0	0.0	0.0	T	0.0	0.0	T
2005-06	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	T	T
2006-	0.0	0.0	0.0	0.0	0.0	0.0							
POR= 56 YRS	T	0.0	0.0	0.0	T	0.1	0.1	0.1	0.1	T	T	T	0.4

WBAN : 13894

**REFERENCE NOTES :**

<p>PAGE 1: THE TEMPERATURE GRAPH SHOWS NORMAL MAXIMUM AND NORMAL MINIMUM DAILY TEMPERATURES (SOLID CURVES) AND THE ACTUAL DAILY HIGH AND LOW TEMPERATURES (VERTICAL BARS).</p> <p>PAGE 2 AND 3: H/C INDICATES HEATING AND COOLING DEGREE DAYS. RH INDICATES RELATIVE HUMIDITY W/O INDICATES WEATHER AND OBSTRUCTIONS S INDICATES SUNSHINE. PR INDICATES PRESSURE. CLOUDINESS ON PAGE 3 IS THE SUM OF THE CEILOMETER AND SATELLITE DATA NOT TO EXCEED EIGHT EIGHTHS(OKTAS).</p> <p>GENERAL: T INDICATES TRACE PRECIPITATION, AN AMOUNT GREATER THAN ZERO BUT LESS THAN THE LOWEST REPORTABLE VALUE. + INDICATES THE VALUE ALSO OCCURS ON EARLIER DATES. BLANK ENTRIES DENOTE MISSING OR UNREPORTED DATA. NORMALS ARE 30-YEAR AVERAGES (1971 - 2000). ASOS INDICATES AUTOMATED SURFACE OBSERVING SYSTEM. PM INDICATES THE LAST DAY OF THE PREVIOUS MONTH. POR (PERIOD OF RECORD) BEGINS WITH THE JANUARY DATA MONTH AND IS THE NUMBER OF YEARS USED TO COMPUTE THE MEAN. INDIVIDUAL MONTHS WITHIN THE POR MAY BE MISSING. WHEN THE POR FOR A NORMAL IS LESS THAN 30 YEARS, THE NORMAL IS PROVISIONAL AND IS BASED ON THE NUMBER OF YEARS INDICATED. 0.* OR * INDICATES THE VALUE OR MEAN-DAYS-WITH IS BETWEEN 0.00 AND 0.05. CLOUDINESS FOR ASOS STATIONS DIFFERS FROM THE NON-ASOS OBSERVATION TAKEN BY A HUMAN OBSERVER. ASOS STATION CLOUDINESS IS BASED ON TIME-AVERAGED CEILOMETER DATA FOR CLOUDS AT OR BELOW 12,000 FEET AND ON SATELLITE DATA FOR CLOUDS ABOVE 12,000 FEET. THE NUMBER OF DAYS WITH CLEAR, PARTLY CLOUDY, AND CLOUDY CONDITIONS FOR ASOS STATIONS IS THE SUM OF THE CEILOMETER AND SATELLITE DATA FOR THE SUNRISE TO SUNSET PERIOD.</p>	<p>GENERAL CONTINUED: CLEAR INDICATES 0 - 2 OKTAS, PARTLY CLOUDY INDICATES 3 - 6 OKTAS, AND CLOUDY INDICATES 7 OR 8 OKTAS. WHEN AT LEAST ONE OF THE ELEMENTS (CEILOMETER OR SATELLITE) IS MISSING, THE DAILY CLOUDINESS IS NOT COMPUTED. WIND DIRECTION IS RECORDED IN TENS OF DEGREES (2 DIGITS) CLOCKWISE FROM TRUE NORTH. "00" INDICATES CALM. "36" INDICATES TRUE NORTH. RESULTANT WIND IS THE VECTOR AVERAGE OF THE SPEED AND DIRECTION. AVERAGE TEMPERATURE IS THE SUM OF THE MEAN DAILY MAXIMUM AND MINIMUM TEMPERATURE DIVIDED BY 2. SNOWFALL DATA COMPRISE ALL FORMS OF FROZEN PRECIPITATION, INCLUDING HAIL. A HEATING (COOLING) DEGREE DAY IS THE DIFFERENCE BETWEEN THE AVERAGE DAILY TEMPERATURE AND 65 F. DRY BULB IS THE TEMPERATURE OF THE AMBIENT AIR. DEW POINT IS THE TEMPERATURE TO WHICH THE AIR MUST BE COOLED TO ACHIEVE 100 PERCENT RELATIVE HUMIDITY. WET BULB IS THE TEMPERATURE THE AIR WOULD HAVE IF THE MOISTURE CONTENT WAS INCREASED TO 100 PERCENT RELATIVE HUMIDITY.</p> <p>ON JULY 1, 1996, THE NATIONAL WEATHER SERVICE BEGAN USING THE "METAR" OBSERVATION CODE THAT WAS ALREADY EMPLOYED BY MOST OTHER NATIONS OF THE WORLD. THE MOST NOTICEABLE DIFFERENCE IN THIS ANNUAL PUBLICATION WILL BE THE CHANGE IN UNITS FROM TENTHS TO EIGHTS(OKTAS) FOR REPORTING THE AMOUNT OF SKY COVER.</p> <p><b>NOTE:</b> The "Period of Record:(POR) for all "averages" is based on the "Summary of the Day First Order Station" and "Cooperative Summary of the Day" archives.</p>
---	--

# 2006 MOBILE ALABAMA (KMOB)

Mobile is located at the head of Mobile Bay and approximately 30 miles from the Gulf of Mexico. Its weather is influenced to a considerable extent by the Gulf.

The summers are consistently warm, but temperatures are seldom as high as they are at inland stations. Normally, in summer, the day begins in the low 70s and the temperature rises rapidly before noon to the high 80s or low 90s, when it is checked by the onset of the sea breeze. On the rare occasions when northerly winds prevail throughout the day, temperatures may reach the high 90s or rise slightly above 100 degrees.

Winter weather is usually mild except for occasional invasions of cold air that last about three days. January is the coldest month in the year. Unusual winters may produce readings that require extensive protective measures as some citrus fruit is grown in the area and outdoor nurseries are numerous.

Based on the 1951-1980 period, the average first occurrence of 32 degrees Fahrenheit in the fall is November 26 and the average last occurrence in the spring is February 27.

The yearly rainfall is among the highest in the United States. It is fairly evenly distributed throughout the year with a slight maximum at the height of the summer thunderstorm season and a slight minimum during the late fall. Rainfall is usually of the shower type and long periods of continuous rain are rare.

Frontal thunderstorms may occur in any month of the year. There may be a thunderstorm every other day in July and August. The summer storms are usually not too violent and seldom produce hail.

The area is subject to hurricanes from the West Indies, the western Caribbean, and the Gulf of Mexico.

# Station Location

**MOBILE**

LOCATION	Occupied From	Occupied To	Airline Distances and Directions from previous Location	Latitude		Longitude		ELEVATION ABOVE								AUTOMATIC OBSERVING EQUIPMENT *	REMARKS
								SEA LEVEL	GROUND								
								GROUND TEMPERATURE SITE	WIND INSTRUMENT	EXTREME THERMOMETERS	PSYCHROMETER	SUNSHINE SWITCH	TIPPING BUCKET RAIN GAUGE	WEIGHING RAIN GAUGE	8 INCH RAIN GAUGE		
*NOTE:																	
AIRPORT																	
Bates Field; 12 miles West of Post Office	2/20/50	02/01/96	2850' W	30° 41'		88° 15'		211	a22 i33	6 c	h26	e4 g26	d4 g26	4 f	b4 j5	a. 56 feet to 3/29/62. b. Telepsychrometer (6') 2/20/50-3/24/61. Hygro. comm. 3/24/61, & moved 1700' NW on 3/20/62. c. Removed 3/30/62. d. Installed at 4 feet 5/6/58, relocated at 26 feet 12/28/63, decommissioned 9/2/65 and commissioned again at 4 feet 7/1/67. e. Commissioned 9/2/65. f. Removed prior to 1965. g. Moved to roof 7/01/72. h. Installed on roof 7/1/72. i. Raised 3/9/82. j. Minor adjustment and type change 10/23/85.	
Bates Field	02/01/96	Present	NA	30° 41'		88° 15'		k209								S	ASOS Commissioned 02/01/96  k. Ground Elevation

**For Hard Copy Subscription:**

Price and ordering information: NCDC Subscribing Service Center, 310 State Route 956, Building 300, Rocket Center, WV 26726.

**INQUIRES/COMMENTS CALL: Toll Free (866) 742-3322**

Visit our Web Site for other weather data: [www.ncdc.noaa.gov](http://www.ncdc.noaa.gov)

**Non-Subscription Request:**

NCDC Customer Services;  
 Phone: 828-271-4800  
 Fax: 828-271-4876  
 Email: [ncdc.orders@noaa.gov](mailto:ncdc.orders@noaa.gov)

**FIRST CLASS**  
**POSTAGE & FEES PAID**  
**United States Department of Commerce**  
**NOAA Permit No. G - 19**

**OFFICIAL BUSINESS**  
**PENALTY FOR PRIVATE USE \$300**  
**CHANGE SERVICE REQUESTED**

\* NOTES: For earlier station history see previous edition.