




2006 LOCAL CLIMATOLOGICAL DATA ANNUAL SUMMARY WITH COMPARATIVE DATA


ISSN 0198-3326

RENO, NEVADA (KRNO)

Daily Max/Min Temperature



Daily Precipitation



Daily Station Pressure



I CERTIFY THAT THIS IS AN OFFICIAL PUBLICATION OF THE NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION, AND IS COMPILED FROM RECORDS ON FILE AT THE NATIONAL CLIMATIC DATA CENTER.

NATIONAL
OCEANIC AND
ATMOSPHERIC ADMINISTRATION

NATIONAL
ENVIRONMENTAL SATELLITE, DATA
AND INFORMATION SERVICE

NATIONAL
CLIMATIC DATA CENTER
ASHEVILLE, NORTH CAROLINA

Thomas R. Karl
DIRECTOR
NATIONAL CLIMATIC DATA CENTER

METEOROLOGICAL DATA FOR 2006

RENO (KRNO)

LATITUDE: 39° 29'N LONGITUDE: -119° 46'W ELEVATION (FT): GRND: 4410 BARO: 4407 TIME ZONE: PACIFIC (UTC -8) WBAN: 23185

ELEMENT		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	YEAR	
TEMPERATURE °F	MEAN DAILY MAXIMUM	48.2	52.5	49.3	61.9	77.2	88.3	95.9	90.7	82.5	67.9	56.4	46.2	68.1	
	HIGHEST DAILY MAXIMUM	62	64	66	81	92	102	104	96	96	80	76	61	104	
	DATE OF OCCURRENCE	13	26	23	29	16	25	18	22	05	01	07	14	JUL 18	
	MEAN DAILY MINIMUM	27.5	25.8	28.9	39.5	47.6	57.1	63.5	56.4	48.6	37.7	32.2	23.5	40.7	
	LOWEST DAILY MINIMUM	20	13	19	28	37	47	54	50	37	27	17	8	8	
	DATE OF OCCURRENCE	20	16	12	18+	27	14	13+	17	16	31+	29	18	DEC 18	
	AVERAGE DRY BULB	37.9	39.2	39.1	50.7	62.4	72.7	79.7	73.6	65.6	52.8	44.3	34.9	54.4	
	MEAN WET BULB	32.7	32.0	32.4	41.3	47.5	53.2	56.7	52.3	47.4	41.1	36.5	29.0	41.8	
	MEAN DEW POINT	25.6	22.7	22.7	31.0	31.8	35.9	38.3	31.4	27.8	27.7	25.3	20.0	28.4	
	NUMBER OF DAYS WITH:														
	MAXIMUM >= 90°	0	0	0	0	0	12	27	21	11	0	0	0	0	71
	MAXIMUM <= 32°	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MINIMUM <= 32°	26	24	22	4	0	0	0	0	0	8	12	26	122		
MINIMUM <= 0°	0	0	0	0	0	0	0	0	0	0	0	0	0		
H/C	HEATING DEGREE DAYS	833	717	794	423	123	11	0	0	88	371	614	926	4900	
	COOLING DEGREE DAYS	0	0	0	1	52	249	463	274	114	0	0	0	1153	
RH	MEAN (PERCENT)	65	58	56	52	35	30	25	24	27	44	51	59	44	
	HOUR 04 LST	77	74	71	69	59	50	42	42	46	66	65	70	61	
	HOUR 10 LST	59	50	48	40	23	20	16	14	19	32	45	51	35	
	HOUR 16 LST	52	38	46	39	21	18	15	12	14	27	40	46	31	
	HOUR 22 LST	68	65	62	59	40	34	28	27	30	50	55	64	49	
S	PERCENT POSSIBLE SUNSHINE														
W/O	NUMBER OF DAYS WITH:														
	HEAVY FOG(VISBY <= 1/4 MI)	2	1	1	1	0	0	0	0	0	0	1	2	8	
	THUNDERSTORMS	0	0	0	1	2	1	3	0	0	1	0	0	8	
CLOUDNESS	SUNRISE-SUNSET: (OKTAS)														
	CEILOMETER (<= 12,000 FT.)														
	SATELLITE (> 12,000 FT.)														
	MIDNIGHT-MIDNIGHT: (OKTAS)														
	CEILOMETER (<= 12,000 FT.)														
SATELLITE (> 12,000 FT.)															
NUMBER OF DAYS WITH:															
CLEAR															
PARTLY CLOUDY															
CLOUDY															
PR	MEAN STATION PRESS. (IN.)	25.64	23.44	25.43	25.48	25.55	25.60	25.61	25.57	25.59	25.60	25.62	25.72	25.40	
	MEAN SEA-LEVEL PRESS. (IN.)	30.14	30.77	29.87	29.90	29.92	29.93	29.92	29.90	29.95	30.02	30.08	30.25	30.05	
WINDS	RESULTANT SPEED (MPH)	1.1	1.0	2.9	1.5	2.6	3.9	4.6	3.0	1.6	1.3	2.0	0.9	1.9	
	RES. DIR. (TENS OF DEGS.)	24	23	22	27	29	29	28	29	29	34	26	23	28	
	MEAN SPEED (MPH)	5.4	5.0	7.9	7.4	7.0	7.1	7.3	6.2	5.4	4.3	6.4	4.9	6.2	
	PREVAIL.DIR.(TENS OF DEGS.)	29	08	19	29	28	29	29	29	28	28	27	18	29	
	MAXIMUM 2-MINUTE WIND														
	SPEED (MPH)	36	48	39	41	35	33	38	26	35	32	49	51	51	
	DIR. (TENS OF DEGS.)	18	19	16	18	18	30	16	29	19	33	19	16	16	
	DATE OF OCCURRENCE	01	27	25	15	19	13	21	29	14	06	11	26	DEC 26	
	MAXIMUM 5-SECOND WIND:														
	SPEED (MPH)	43	58	48	49	39	39	45	39	41	38	63	59	63	
DIR. (TENS OF DEGS.)	15	19	16	18	17	28	17	25	19	33	19	17	19		
DATE OF OCCURRENCE	28	27	25	15	26	13	21	11	14	16	11	26	NOV 11		
PRECIPITATION	WATER EQUIVALENT:														
	TOTAL (IN.)	1.60	1.04	0.92	1.88	0.31	T	0.34	T	0.00	0.42	0.25	0.41	7.17	
	GREATEST 24-HOUR (IN.)	1.24	0.62	0.27	0.60	0.16	T	0.24	T	0.00	0.18	0.20	0.15	1.24	
	DATE OF OCCURRENCE	01-02	27-28	28	25-26	19	28+	21	02		06+	02-03	26-27+	JAN 01-02	
	NUMBER OF DAYS WITH:														
	PRECIPITATION 0.01	6	8	11	11	2	0	2	0	0	4	3	6	53	
PRECIPITATION 0.10	3	3	4	6	2	0	2	0	0	2	1	2	25		
PRECIPITATION 1.00	1	0	0	0	0	0	0	0	0	0	0	0	1		
SNOWFALL	SNOW,ICE PELLETS,HAIL														
	TOTAL (IN.)	4.3	6.4	6.1	1.0	T	0.0	0.0	0.0	0.0	0.0	T	2.4	20.2	
	GREATEST 24-HOUR (IN.)	2.7	4.0	2.0	0.7	T	0.0	0.0	0.0	0.0	0.0	T	1.8	4.0	
	DATE OF OCCURRENCE	02	18	03	16	27						28+	16	FEB 18	
	MAXIMUM SNOW DEPTH (IN.)	2	3	1	1	0	0	0	0	0	0	0	2	3	
	DATE OF OCCURRENCE	03+	18	21+	16								17	FEB 18	
NUMBER OF DAYS WITH:															
SNOWFALL >= 1.0	1	2	3	0	0	0	0	0	0	0	0	1	7		

NORMALS, MEANS, AND EXTREMES RENO (KRNO)

LATITUDE:
39 ° 29'N

LONGITUDE:
-119 ° 46'W

ELEVATION (FT):
GRND: 4410 BARO: 4407

TIME ZONE:
PACIFIC (UTC -8)

WBAN: 23185

	ELEMENT	POR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	YEAR	
TEMPERATURE °F	NORMAL DAILY MAXIMUM	30	45.5	51.7	57.2	64.1	72.6	82.8	91.2	89.9	81.7	69.9	55.3	46.4	67.4	
	MEAN DAILY MAXIMUM	82	45.0	48.5	55.7	62.7	71.8	80.3	89.7	88.8	80.0	68.9	54.5	46.2	66.0	
	HIGHEST DAILY MAXIMUM	65	71	75	83	89	97	103	108	105	101	91	77	70	108	
	YEAR OF OCCURRENCE		2003	1986	1966	1981	2003	1988	2002	1983	1950	1980	2005	1969	JUL 2002	
	MEAN OF EXTREME MAXS.	94	60.9	65.3	71.6	79.3	88.5	95.7	100.0	98.9	93.4	84.4	71.0	61.5	80.9	
	NORMAL DAILY MINIMUM	30	21.8	25.4	29.3	33.2	40.2	46.5	51.4	49.9	43.1	34.0	26.4	20.7	35.2	
	MEAN DAILY MINIMUM	82	20.5	23.4	27.5	31.5	39.2	45.0	50.6	48.4	41.5	33.2	25.7	21.0	34.0	
	LOWEST DAILY MINIMUM	65	-16	-16	-2	13	18	21	33	24	20	8	1	-16	-16	
	YEAR OF OCCURRENCE		1949	1989	1945	1956	1964	2005	1976	1962	1965	1971	1958	1972	FEB 1989	
	MEAN OF EXTREME MINS.	94	5.2	10.6	15.5	21.0	27.9	34.6	41.1	39.1	31.6	21.7	13.0	6.9	22.4	
	NORMAL DRY BULB	30	33.6	38.5	43.3	48.6	56.4	64.7	71.3	69.9	62.4	52.0	40.9	33.6	51.3	
	MEAN DRY BULB	82	32.8	36.0	41.6	47.1	55.5	62.8	70.2	68.6	60.8	51.1	40.1	33.6	50.0	
	MEAN WET BULB	23	29.5	31.8	36.0	39.5	45.3	50.3	54.9	53.4	48.2	41.6	34.0	29.0	41.1	
	MEAN DEW POINT	23	23.9	24.0	25.4	27.0	32.7	36.6	40.9	39.4	35.4	30.4	26.0	23.2	30.4	
	NORMAL NO. DAYS WITH: MAXIMUM >= 90	30	0.0	0.0	0.0	0.0	1.0	7.3	19.8	17.0	5.2	0.1	0.0	0.0	50.4	
	MAXIMUM <= 32	30	3.1	1.0	*	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	2.8	7.2	
MINIMUM <= 32	30	27.6	23.9	21.2	14.5	4.2	0.4	0.0	*	2.1	13.1	24.1	28.3	159.4		
MINIMUM <= 0	30	0.9	0.2	*	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9	2.0		
H/C	NORMAL HEATING DEG. DAYS	30	984	756	683	502	285	91	12	22	130	416	732	987	5600	
	NORMAL COOLING DEG. DAYS	30	0	0	0	0	11	72	204	164	41	1	0	0	493	
RH	NORMAL (PERCENT)	30	70	61	53	45	42	38	34	35	42	50	61	68	50	
	HOURLY 04 LST	30	81	76	71	66	66	62	60	61	66	71	75	79	70	
	HOURLY 10 LST	30	71	59	48	37	33	29	26	27	33	42	56	67	44	
	HOURLY 16 LST	30	52	42	34	28	26	22	18	19	22	27	40	48	32	
	HOURLY 22 LST	30	75	64	56	48	45	39	35	36	44	54	64	72	53	
S	PERCENT POSSIBLE SUNSHINE	45	65	68	75	80	81	85	92	92	91	83	70	64	79	
W/O	MEAN NO. DAYS WITH: HEAVY FOG (VISBY <= 1/4 MI)	43	1.8	0.8	0.3	0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.3	1.7	5.1	
	THUNDERSTORMS	61	0.0	0.0	0.1	0.4	1.8	2.6	3.4	3.0	1.2	0.5	0.0	0.0	13.0	
CLOUDNESS	MEAN: SUNRISE-SUNSET (OKTAS)						4.0	2.4								
	MIDNIGHT-MIDNIGHT (OKTAS)						4.0	2.4								
	MEAN NO. DAYS WITH: CLEAR	1	2.0	3.0	4.0		13.0	17.0								
	PARTLY CLOUDY	1	3.0	3.0	3.0		8.0									
CLOUDY	1	3.0	5.0	5.0		7.0	3.0									
PR	MEAN STATION PRESSURE (IN)	23	25.64	25.49	25.55	25.54	25.53	25.55	25.59	25.59	25.58	25.61	25.63	25.65	25.58	
	MEAN SEA-LEVEL PRES. (IN)	23	30.16	30.10	30.00	29.96	29.91	29.89	29.91	29.92	29.95	30.03	30.11	30.17	30.01	
WINDS	MEAN SPEED (MPH)	23	4.9	6.0	7.6	8.4	8.4	8.0	7.5	6.8	5.8	5.1	5.5	5.2	6.6	
	PREVAIL. DIR (TENS OF DEGS)	27	19	19	19	30	29	29	30	30	30	29	19	19	30	
	MAXIMUM 2-MINUTE: SPEED (MPH)	11	45	51	49	47	43	45	41	40	43	41	52	67	67	
	DIR. (TENS OF DEGS)		17	19	21	17	14	19	18	19	23	16	20	19	19	
	YEAR OF OCCURRENCE		2002	2004	1999	2005	1996	2005	2002	1999	1999	2000	1999	2002	DEC 2002	
	MAXIMUM 5-SECOND SPEED (MPH)	11	56	61	61	55	48	54	53	49	53	52	63	82	82	
	DIR. (TENS OF DEGS)		17	18	20	17	15	18	26	19	25	16	19	16	16	
YEAR OF OCCURRENCE		2004	2004	1999	2005	1996	2005	2003	1999	1999	1997	2006	2002	DEC 2002		
PRECIPITATION	NORMAL (IN)	30	1.06	1.06	0.86	0.35	0.62	0.47	0.24	0.27	0.45	0.42	0.80	0.88	7.48	
	MAXIMUM MONTHLY (IN)	65	4.13	4.84	2.87	2.04	2.89	1.53	1.06	1.65	2.31	2.14	3.08	5.25	5.25	
	YEAR OF OCCURRENCE		1969	1986	1995	1958	1963	1989	1971	1965	1982	1945	1983	1955	DEC 1955	
	MINIMUM MONTHLY (IN)	65	T	T	T	T	T	0.00	0.00	0.00	0.00	0.00	0.00	T	0.00	
	YEAR OF OCCURRENCE		1966	1967	1988	1985	1985	1959	1951	1957	1974	1995	1959	1989	OCT 1995	
	MAXIMUM IN 24 HOURS (IN)	65	2.37	1.80	1.25	1.64	1.76	0.79	0.80	0.97	0.91	1.55	1.65	2.16	2.37	
	YEAR OF OCCURRENCE		1943	1990	2004	1958	1987	1969	1949	1965	1982	1962	1988	1955	JAN 1943	
	NORMAL NO. DAYS WITH: PRECIPITATION >= 0.01	30	6.9	7.0	6.8	3.9	4.3	3.6	2.0	2.1	3.3	3.3	5.0	5.4	53.6	
PRECIPITATION >= 1.00	30	0.1	0.1	*	0.0	*	0.0	0.0	0.0	0.0	*	0.1	0.1	0.4		
SNOWFALL	NORMAL (IN)	30	5.2	5.4	3.3	0.9	0.7	0.*	0.0	0.0	0.1	0.5	3.1	4.3	23.5	
	MAXIMUM MONTHLY (IN)	57	22.9	23.5	29.0	7.5	14.1	0.2	0.0	T	1.5	5.1	16.5	25.6	29.0	
	YEAR OF OCCURRENCE		1993	1969	1952	1958	1964	1995			2006	1982	1971	1985	1971	MAR 1952
	MAXIMUM IN 24 HOURS (IN)	57	12.0	18.0	16.9	7.3	9.0	0.2	0.0	0.0	1.5	3.7	15.4	16.4	18.0	
	YEAR OF OCCURRENCE		1956	1990	1952	1958	1962	1995			1982	1971	1985	2004	FEB 1990	
	MAXIMUM SNOW DEPTH (IN)	50	20	13	10	4	6	0	0	0	1	3	10	16	20	
	YEAR OF OCCURRENCE		2005	1990	1952	1975	1971				1982	1984	1985	2004	JAN 2005	
NORMAL NO. DAYS WITH: SNOWFALL >= 1.0	30	1.8	1.6	1.1	0.4	0.2	0.0	0.0	0.0	0.0	0.2	0.8	1.3	7.4		

PRECIPITATION (inches) 2006 RENO (KRNO)

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
1977	0.67	0.71	0.19	T	1.24	1.03	0.07	0.01	0.01	0.14	0.23	2.54	6.84
1978	1.66	0.98	1.49	0.20	0.31	0.07	0.19	0.15	0.68	0.08	1.30	0.82	7.93
1979	0.66	0.82	0.52	0.41	0.16	T	0.58	0.38	T	0.31	0.17	2.02	6.03
1980	2.77	1.90	0.76	0.51	0.78	0.12	0.54	0.32	0.48	0.14	0.28	0.60	9.20
1981	0.85	0.21	0.58	0.21	0.57	T	0.01	0.36	0.07	0.64	2.13	1.05	6.68
1982	1.20	0.41	1.14	0.34	0.10	1.07	0.04	0.09	2.31	1.65	1.71	1.04	11.10
1983	1.72	1.58	1.31	1.35	0.21	0.53	T	0.78	0.84	0.36	3.08	1.47	13.23
1984	0.36	0.22	0.20	0.24	0.06	0.34	0.45	0.02	0.04	0.60	1.68	0.07	4.28
1985	0.24	0.68	1.07	T	T	0.12	T	0.01	0.63	0.46	1.23	0.55	4.99
1986	0.40	4.84	0.88	0.77	0.26	0.31	0.86	0.07	0.28	0.06	0.02	0.19	8.94
1987	0.49	0.78	0.80	0.49	2.29	1.12	0.01	0.01	0.01	0.54	0.37	0.59	7.50
1988	0.50	0.02	T	0.95	0.12	0.59	0.22	0.01	0.04	0.02	1.99	0.84	5.30
1989	0.20	0.80	0.46	0.03	1.33	1.53	0.00	0.82	1.19	0.43	0.55	T	7.34
1990	0.62	1.98	0.07	0.33	0.19	0.03	0.86	0.21	0.31	0.06	0.15	0.45	5.26
1991	0.01	0.21	1.42	0.47	0.50	0.39	0.04	0.24	0.60	0.23	0.89	0.15	5.15
1992	0.13	0.45	0.69	0.06	0.10	1.12	0.15	0.28	T	0.45	0.06	1.87	5.36
1993	2.42	1.27	0.55	0.01	0.27	0.35	T	T	T	1.42	0.13	0.16	6.58
1994	0.06	0.62	1.00	0.03	1.39	0.00	0.09	0.00	0.15	0.23	1.47	0.16	5.20
1995	3.31	0.20	2.87	0.40	1.81	1.29	0.22	T	T	0.00	0.19	2.27	12.56
1996	1.33	2.30	1.63	0.16	1.07	0.71	.20	.16	.45	.28	.89	3.03	12.21
1997	3.32	0.71	0.01	0.22	0.13	1.17	0.04	T	0.55	0.16	0.86	0.58	7.75
1998	1.10	2.59	2.21	0.60	0.82	1.39	T	T	2.17	0.34	0.77	0.04	12.03
1999	0.76	1.25	0.11	0.55	0.20	0.06	0.10	0.82	0.07	0.42	0.01	0.07	4.42
2000	2.14	0.98	0.38	0.34	0.23	0.23	0.00	0.79	0.04	0.04	0.40	0.14	5.71
2001	0.31	0.18	0.15	0.66	T	0.09	0.07	T	0.09	0.14	0.83	1.83	4.35
2002	0.59	0.24	0.42	1.21	0.20	0.10	0.12	0.82	T	0.12	1.08	2.18	7.08
2003	0.17	0.23	0.31	0.83	0.04	0.38	0.23	1.01	0.01	0.03	0.12	1.22	4.58
2004	0.96	1.56	1.26	T	0.32	0.20	T	0.28	0.01	1.58	1.53	1.71	9.41
2005	1.78	0.84	0.42	0.61	0.59	0.37	0.59	0.10	T	0.03	0.18	3.88	9.39
2006	1.60	1.04	0.92	1.88	0.31	T	0.34	T	0.00	0.42	0.25	0.41	7.17
POR= 94 YRS	1.26	1.05	0.78	0.46	0.60	0.39	0.28	0.27	0.32	0.40	0.65	0.99	7.45

WBAN : 23185

AVERAGE TEMPERATURE (°F) 2006 RENO (KRNO)

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
1977	32.3	40.0	38.1	51.3	48.5	68.6	69.5	69.8	60.7	52.2	41.9	38.3	50.9
1978	37.1	38.4	47.2	45.3	52.3	61.6	69.5	67.2	57.6	53.5	37.2	24.9	49.3
1979	28.9	36.9	41.9	46.9	57.1	63.9	69.9	67.7	64.2	54.0	38.0	35.5	50.4
1980	36.9	40.6	38.5	49.8	54.4	60.8	71.3	67.5	63.0	50.9	41.8	36.2	51.0
1981	36.1	38.8	41.7	50.7	57.5	68.3	67.9	69.4	64.7	46.9	42.5	39.0	52.0
1982	28.5	40.3	40.2	44.0	55.0	61.8	70.4	68.8	57.0	46.9	36.2	32.3	48.5
1983	34.2	38.6	40.5	43.8	53.3	62.5	67.2	69.9	62.9	54.1	41.2	38.8	50.6
1984	31.9	37.2	44.3	45.8	59.4	61.7	73.4	69.8	63.1	46.2	39.6	30.7	50.3
1985	30.6	37.0	38.7	52.7	56.3	68.6	73.4	68.5	57.4	50.4	34.8	31.2	50.0
1986	40.3	42.8	47.7	49.2	57.4	67.5	69.4	73.0	56.3	50.9	43.0	35.3	52.7
1987	31.6	38.4	43.4	54.8	59.7	67.9	68.2	71.3	65.0	56.3	41.8	31.9	52.5
1988	33.0	40.2	44.1	51.2	56.6	67.0	75.2	73.2	63.4	58.4	42.7	31.2	53.0
1989	30.9	31.1	46.4	54.0	57.0	66.3	72.6	67.7	61.9	51.4	41.8	35.9	51.4
1990	34.3	30.8	45.7	54.5	56.4	65.7	73.7	71.1	65.4	54.7	40.9	25.8	51.6
1991	31.8	43.7	39.9	46.9	51.8	62.5	74.3	71.5	65.8	56.6	43.4	33.7	51.8
1992	34.4	41.8	46.9	55.8	64.9	66.5	70.8	72.7	64.8	55.3	39.9	30.6	53.7
1993	25.7	34.3	48.5	48.7	58.4	61.9	69.0	70.0	65.3	54.9	40.4	36.5	51.1
1994	37.7	38.5	48.7	52.9	59.8	68.5	77.2	73.7	65.0	52.3	35.1	35.7	53.8
1995	38.2	46.0	43.3	47.5	55.0	62.1	72.1	72.7	63.0	52.4	46.4	38.1	53.1
1996	37.6	39.5	42.2	48.5	55.1	64.0	72.9	70.0	60.0	49.9	41.3	38.4	51.6
1997	34.2	37.8	46.8	47.4	60.7	62.6	69.4	69.8	62.6	49.5	42.0	31.0	51.2
1998	38.2	36.2	42.2	45.4	50.9	63.3	75.8	74.9	65.7	49.8	42.8	31.7	51.4
1999	37.7	39.7	43.9	46.7	58.8	67.3	73.7	70.0	65.8	56.0	46.7	34.9	53.4
2000	38.7	41.3	45.7	54.1	60.5	70.9	72.9	73.4	63.4	52.0	37.8	36.9	54.0
2001	33.0	35.8	48.7	47.8	66.5	69.9	74.2	76.1	68.0	58.2	44.6	36.5	54.9
2002	34.4	40.9	42.7	52.0	58.3	70.0	78.4	72.5	66.4	52.6	43.1	37.5	54.1
2003	43.1	37.6	46.5	45.5	60.4	71.6	79.2	74.1	68.1	59.4	40.0	38.1	55.3
2004	36.2	38.7	51.5	53.7	61.0	70.3	78.0	74.3	65.9	52.6	40.3	35.0	54.8
2005	28.9	38.6	46.3	49.2	60.0	64.3	80.0	75.7	62.8	55.4	45.4	39.0	53.8
2006	37.9	39.2	39.1	50.7	62.4	72.7	79.7	73.6	65.6	52.8	44.3	34.9	54.4
POR= 82 YRS	32.8	36.0	41.6	47.1	55.5	62.8	70.2	68.6	60.8	51.1	40.1	33.6	50.0

HEATING DEGREE DAYS (base 65°F) 2006 RENO (KRNO)

YEAR	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	TOTAL
1977-78	10	12	154	392	687	821	858	739	544	582	387	113	5299
1978-79	21	62	234	347	826	1236	1113	781	709	536	247	91	6203
1979-80	9	28	56	339	805	908	865	701	813	451	319	152	5446
1980-81	13	35	79	430	688	885	890	727	715	424	228	48	5162
1981-82	12	7	83	554	669	800	1123	687	760	623	307	133	5758
1982-83	15	11	278	556	855	1006	947	732	752	630	371	77	6230
1983-84	40	8	104	332	708	805	1019	801	637	570	183	133	5340
1984-85	0	8	111	575	753	1056	1060	781	810	359	266	45	5824
1985-86	5	12	230	446	896	1039	757	618	528	469	285	32	5317
1986-87	5	0	291	430	654	913	1028	737	661	299	182	34	5234
1987-88	38	5	45	265	690	1017	982	714	643	408	267	88	5162
1988-89	0	0	132	202	663	1042	1049	944	568	321	256	21	5198
1989-90	0	21	99	417	688	895	943	954	590	312	260	64	5243
1990-91	0	20	55	313	715	1209	1021	588	772	540	404	106	5743
1991-92	0	6	41	265	642	965	945	666	555	273	61	83	4502
1992-93	10	9	41	293	748	1056	1212	853	503	480	200	139	5544
1993-94	16	8	77	316	730	874	838	735	498	360	186	34	4672
1994-95	0	0	58	387	888	901	824	529	665	520	308	147	5227
1995-96	4	0	87	383	553	829	843	733	700	488	301	71	4992
1996-97	2	7	155	463	705	820	946	756	559	520	139	102	5174
1997-98	10	3	94	470	683	1047	824	801	697	582	429	87	5727
1998-99	0	0	81	464	658	1027	841	705	648	541	220	80	5265
1999-00	0	18	37	271	543	926	810	683	593	324	184	16	4405
2000-01	7	0	103	401	812	864	984	812	497	512	54	15	5061
2001-02	0	0	10	218	605	875	942	672	686	383	233	34	4658
2002-03	0	0	48	379	651	848	673	763	568	578	224	17	4749
2003-04	0	0	20	181	744	825	885	756	411	334	143	25	4324
2004-05	0	2	63	381	732	924	1113	734	576	468	179	91	5263
2005-06	0	1	103	288	580	797	833	717	794	423	123	11	4670
2006-	0	0	88	371	614	926							

WBAN : 23185

COOLING DEGREE DAYS (base 65°F) 2006 RENO (KRNO)

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	TOTAL
1977	0	0	0	0	6	141	154	167	32	0	0	0	500
1978	0	0	0	0	0	16	166	139	19	0	0	0	340
1979	0	0	0	0	9	63	169	122	38	3	0	0	404
1980	0	0	0	0	2	32	218	119	25	1	0	0	397
1981	0	0	0	2	4	153	112	151	80	0	0	0	502
1982	0	0	0	0	2	45	188	135	47	0	0	0	417
1983	0	0	0	0	16	9	115	170	49	0	0	0	359
1984	0	0	0	0	16	42	264	162	61	0	0	0	545
1985	0	0	0	0	3	157	273	126	6	0	0	0	565
1986	0	0	0	0	53	112	148	253	39	0	0	0	605
1987	0	0	0	1	27	126	142	210	53	2	0	0	561
1988	0	0	0	0	11	152	323	264	92	2	0	0	844
1989	0	0	0	0	19	66	240	112	13	0	0	0	450
1990	0	0	0	1	0	95	278	216	76	0	0	0	666
1991	0	0	0	0	0	39	296	214	71	13	0	0	633
1992	0	0	0	5	61	135	197	257	45	1	0	0	701
1993	0	0	0	0	4	52	145	171	92	10	0	0	474
1994	0	0	0	3	31	148	381	274	65	0	0	0	902
1995	0	0	0	0	6	66	231	247	35	0	0	0	585
1996	0	0	0	0	0	50	254	169	14	2	0	0	489
1997	0	0	0	0	14	35	154	160	26	0	0	0	389
1998	0	0	0	0	0	43	344	316	108	0	0	0	811
1999	0	0	0	0	36	157	276	180	69	0	0	0	718
2000	0	0	0	0	54	199	256	271	62	6	0	0	848
2001	0	0	0	0	107	174	292	348	106	14	0	0	1041
2002	0	0	0	0	33	191	423	240	97	0	0	0	984
2003	0	0	0	0	90	223	449	292	119	13	0	0	1186
2004	0	0	0	1	24	195	409	297	97	1	0	0	1024
2005	0	0	0	0	31	77	470	341	44	0	0	0	963
2006	0	0	0	1	52	249	463	274	114	0	0	0	1153

SNOWFALL (inches) 2006 RENO (KRNO)

YEAR	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	TOTAL
1977-78	0.0	0.0	0.0	0.0	0.5	5.6	0.3	5.1	0.2	0.1	0.4	0.0	12.2
1978-79	0.0	0.0	T	0.8	9.7	9.1	6.4	3.9	0.2	1.1	0.3	0.0	31.5
1979-80	0.0	0.0	0.0	0.3	T	2.1	4.7	6.1	7.6	1.2	T	0.0	22.0
1980-81	0.0	0.0	0.0	T	T	T	3.9	T	2.2	T	0.0	0.0	6.1
1981-82	0.0	0.0	0.0	1.1	2.0	0.1	12.5	2.3	6.7	0.8	0.5	0.0	26.0
1982-83	0.0	0.0	1.5	0.0	8.6	1.8	1.5	1.0	3.0	2.9	3.5	0.0	23.8
1983-84	0.0	0.0	0.0	0.0	5.7	0.5	6.7	1.5	0.1	T	0.0	0.0	14.5
1984-85	0.0	0.0	0.0	3.4	3.0	1.3	4.3	0.8	7.0	T	T	0.0	19.8
1985-86	0.0	0.0	T	1.2	16.5	1.4	0.0	T	1.4	0.4	T	0.0	20.9
1986-87	0.0	0.0	T	0.0	0.2	0.6	1.8	8.0	2.5	T	0.0	0.0	13.1
1987-88	0.0	0.0	0.0	0.0	0.8	6.3	8.2	0.0	T	T	T	0.0	15.3
1988-89	0.0	0.0	0.0	0.0	4.1	11.7	3.3	13.3	2.2	0.8	T	0.0	35.4
1989-90	0.0	0.0	0.0	T	T	T	5.6	21.6	2.0	0.0	0.0	0.0	29.2
1990-91	0.0	0.0	0.0	0.0	0.4	2.7	0.1	0.0	4.5	T	1.6	0.0	9.3
1991-92	0.0	0.0	0.0	T	5.0	1.4	0.4	1.3	T	0.0	0.0	0.0	8.1
1992-93	0.0	0.0	0.0	0.0	T	14.3	22.9	13.0	0.0	0.0	T	0.0	50.2
1993-94	0.0	0.0	T	T	T	0.3	0.5	5.2	T	T	T	0.0	6.0
1994-95	0.0	0.0	0.0	0.0	15.3	0.5	8.2	1.9	1.7	1.1	T	0.2	28.9
1995-96	0.0	0.0	0.0	0.0	0.0		1.2						
1996-97													
1997-98													
1998-99													
1999-00													
2000-01													
2001-02													
2002-03													
2003-04													
2004-05					7.0	21.6	21.1	T	T	T	0.0	0.0	
2005-06	0.0	0.0	0.0	0.0	T	3.6	4.3	6.4	6.1	1.0	T	0.0	21.4
2006-	0.0	0.0	0.0	0.0	T	2.4							
POR= 64 YRS	0.0	0.0	0.0	0.4	1.9	4.4	5.7	5.1	3.7	1.1	0.8	T	23.1

WBAN : 23185

REFERENCE NOTES :

<p>PAGE 1: THE TEMPERATURE GRAPH SHOWS NORMAL MAXIMUM AND NORMAL MINIMUM DAILY TEMPERATURES (SOLID CURVES) AND THE ACTUAL DAILY HIGH AND LOW TEMPERATURES (VERTICAL BARS).</p> <p>PAGE 2 AND 3: H/C INDICATES HEATING AND COOLING DEGREE DAYS. RH INDICATES RELATIVE HUMIDITY W/O INDICATES WEATHER AND OBSTRUCTIONS S INDICATES SUNSHINE. PR INDICATES PRESSURE. CLOUDINESS ON PAGE 3 IS THE SUM OF THE CEILOMETER AND SATELLITE DATA NOT TO EXCEED EIGHT EIGHTHS(OKTAS).</p> <p>GENERAL: T INDICATES TRACE PRECIPITATION, AN AMOUNT GREATER THAN ZERO BUT LESS THAN THE LOWEST REPORTABLE VALUE. + INDICATES THE VALUE ALSO OCCURS ON EARLIER DATES. BLANK ENTRIES DENOTE MISSING OR UNREPORTED DATA. NORMALS ARE 30-YEAR AVERAGES (1971 - 2000). ASOS INDICATES AUTOMATED SURFACE OBSERVING SYSTEM. PM INDICATES THE LAST DAY OF THE PREVIOUS MONTH. POR (PERIOD OF RECORD) BEGINS WITH THE JANUARY DATA MONTH AND IS THE NUMBER OF YEARS USED TO COMPUTE THE MEAN. INDIVIDUAL MONTHS WITHIN THE POR MAY BE MISSING. WHEN THE POR FOR A NORMAL IS LESS THAN 30 YEARS, THE NORMAL IS PROVISIONAL AND IS BASED ON THE NUMBER OF YEARS INDICATED. 0.* OR * INDICATES THE VALUE OR MEAN-DAYS-WITH IS BETWEEN 0.00 AND 0.05. CLOUDINESS FOR ASOS STATIONS DIFFERS FROM THE NON-ASOS OBSERVATION TAKEN BY A HUMAN OBSERVER. ASOS STATION CLOUDINESS IS BASED ON TIME-AVERAGED CEILOMETER DATA FOR CLOUDS AT OR BELOW 12,000 FEET AND ON SATELLITE DATA FOR CLOUDS ABOVE 12,000 FEET. THE NUMBER OF DAYS WITH CLEAR, PARTLY CLOUDY, AND CLOUDY CONDITIONS FOR ASOS STATIONS IS THE SUM OF THE CEILOMETER AND SATELLITE DATA FOR THE SUNRISE TO SUNSET PERIOD.</p>	<p>GENERAL CONTINUED: CLEAR INDICATES 0 - 2 OKTAS, PARTLY CLOUDY INDICATES 3 - 6 OKTAS, AND CLOUDY INDICATES 7 OR 8 OKTAS. WHEN AT LEAST ONE OF THE ELEMENTS (CEILOMETER OR SATELLITE) IS MISSING, THE DAILY CLOUDINESS IS NOT COMPUTED. WIND DIRECTION IS RECORDED IN TENS OF DEGREES (2 DIGITS) CLOCKWISE FROM TRUE NORTH. "00" INDICATES CALM. "36" INDICATES TRUE NORTH. RESULTANT WIND IS THE VECTOR AVERAGE OF THE SPEED AND DIRECTION. AVERAGE TEMPERATURE IS THE SUM OF THE MEAN DAILY MAXIMUM AND MINIMUM TEMPERATURE DIVIDED BY 2. SNOWFALL DATA COMPRISE ALL FORMS OF FROZEN PRECIPITATION, INCLUDING HAIL. A HEATING (COOLING) DEGREE DAY IS THE DIFFERENCE BETWEEN THE AVERAGE DAILY TEMPERATURE AND 65 F. DRY BULB IS THE TEMPERATURE OF THE AMBIENT AIR. DEW POINT IS THE TEMPERATURE TO WHICH THE AIR MUST BE COOLED TO ACHIEVE 100 PERCENT RELATIVE HUMIDITY. WET BULB IS THE TEMPERATURE THE AIR WOULD HAVE IF THE MOISTURE CONTENT WAS INCREASED TO 100 PERCENT RELATIVE HUMIDITY.</p> <p>ON JULY 1, 1996, THE NATIONAL WEATHER SERVICE BEGAN USING THE "METAR" OBSERVATION CODE THAT WAS ALREADY EMPLOYED BY MOST OTHER NATIONS OF THE WORLD. THE MOST NOTICEABLE DIFFERENCE IN THIS ANNUAL PUBLICATION WILL BE THE CHANGE IN UNITS FROM TENTHS TO EIGHTS(OKTAS) FOR REPORTING THE AMOUNT OF SKY COVER.</p> <p>NOTE: The "Period of Record:(POR) for all "averages" is based on the "Summary of the Day First Order Station" and "Cooperative Summary of the Day" archives.</p>
---	--

2006 RENO NEVADA (KRNO)

At an elevation of 4,400 feet above mean sea level, Reno is located at the west edge of Truckee Meadows in a semi-arid plateau lying in the lee of the Sierra Nevada Mountain Range. To the west, the Sierras rise to elevations of 9,000 to 11,000 feet. Hills to the east reach 6,000 to 7,000 feet. The Truckee River, flowing from the Sierras eastward through Reno, drains into Pyramid Lake to the northeast of the city.

The daily temperatures on the whole are mild, but the difference between the high and low often exceeds 45 degrees. While the afternoon high may exceed 90 degrees, a light wrap is often needed shortly after sunset. Nights with low temperatures over 60 degrees are rare. Afternoon temperatures in winter are moderate.

Based on the 1951-1980 period, the average first occurrence of 32 degrees Fahrenheit in the fall is September 16 and the average last occurrence in the spring is June 1.

More than half of the precipitation in Reno occurs mainly as mixed rain and snow, and falls from December to March. Although there is an average of about 25 inches of snow a year, it seldom remains on the ground for more than three or four days at a time. Summer rain comes mainly as brief thunderstorms in the middle and late afternoons. While precipitation is scarce, considerable water is available from the high altitude reservoirs in the Sierra Nevada, where precipitation is heavy.

Humidity is very low during the summer months, and moderately low during the winter. Fogs are rare, and are usually confined to the early morning hours of midwinter. Sunshine is abundant throughout the year.

Station Location

RENO

LOCATION	Occupied From	Occupied To	Airline Distances and Directions from previous Location	Latitude NORTH WEST		Longitude WEST		ELEVATION ABOVE								AUTOMATIC OBSERVING EQUIPMENT *	REMARKS
								SEA LEVEL	GROUND								
								GROUND TEMPERATURE SITE	WIND INSTRUMENT	EXTREME THERMOMETERS	PSYCHROMETER	SUNSHINE SWITCH	TIPPING BUCKET RAIN GAUGE	WEIGHING RAIN GAUGE	8 INCH RAIN GAUGE		
*NOTE:																	
AIRPORT																	
Hubbard Field (Later changed to United Airlines AP)	1/08/31	5/31/49	3.5 mi. SSE	39° 30'	119° 47'	4397	52	20	20	5	5	4					
CAA Building Reno Municipal Airport	6/01/49	10/23/59	60 ft. S	39° 30'	119° 47'	4397	53	6	6	4	a5	a3				Name changed from United Airlines Airport 12/1/53. a. Shielded 10/25/57.	
Federal Facilities Bldg Municipal Airport + * + International AP effective 2/3/70	10/23/59	8/13/80	0.8 mi. NNW	39° 30'	119° 47'	4404	20	c6	c6	%17	NA	c5	c4	b4	NA	b. Commissioned 11/3/59 about 3/4 mile SE of office and moved 2350 ft. N by W 11/16/63. c. Minor move 5/12/78. % - Commissioned 11/3/59.	
* Cannon International Airport eff. 8/79.																	
General Aviation Bldg. Cannon International AP	8/13/80	09/01/95	0.25mi. ESE	39° 30'	119° 47'	4404	e30	5	5	17	NA	4	4	d4 f4	NA	d. Not moved 8/13/80. e. Not moved but raised at prior site 8/13/80. f. Type change 11/22/84.	
Cannon International AP	09/01/95	Present	NA	39° 29'	119° 46'	4404									S	ASOS Commissioned 09/01/95 g. Ground elevation.	

For Hard Copy Subscription:

Price and ordering information: NCDC Subscribing Service Center, 310 State Route 956, Building 300, Rocket Center, WV 26726.

INQUIRES/COMMENTS CALL: Toll Free (866) 742-3322

Visit our Web Site for other weather data: www.ncdc.noaa.gov

Non-Subscription Request:

NCDC Customer Services;
Phone: 828-271-4800
Fax: 828-271-4876
Email: ncdc.orders@noaa.gov

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE \$300
CHANGE SERVICE REQUESTED

FIRST CLASS
POSTAGE & FEES PAID
United States Department of Commerce
NOAA Permit No. G - 19

* NOTES: For previous station history see previous editions.