




2007 LOCAL CLIMATOLOGICAL DATA ANNUAL SUMMARY WITH COMPARATIVE DATA


ISSN 1528-7432

AUSTIN/CITY, TEXAS (KATT)

Daily Max/Min Temperature



Daily Precipitation



Daily Station Pressure



I CERTIFY THAT THIS IS AN OFFICIAL PUBLICATION OF THE NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION, AND IS COMPILED FROM RECORDS ON FILE AT THE NATIONAL CLIMATIC DATA CENTER.

NATIONAL
OCEANIC AND
ATMOSPHERIC ADMINISTRATION

NATIONAL
ENVIRONMENTAL SATELLITE, DATA
AND INFORMATION SERVICE

NATIONAL
CLIMATIC DATA CENTER
ASHEVILLE, NORTH CAROLINA

Thomas R. Karl
DIRECTOR
NATIONAL CLIMATIC DATA CENTER

METEOROLOGICAL DATA FOR 2007

AUSTIN/CITY (KATT)

LATITUDE: 30° 19'N LONGITUDE: -97° 46'W ELEVATION (FT): GRND: 655 BARO: 696 TIME ZONE: CENTRAL (UTC -6) WBAN: 13958

| ELEMENT | | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP | OCT | NOV | DEC | YEAR | |
|--------------------------|-----------------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--------|-----------|-----|
| TEMPERATURE °F | MEAN DAILY MAXIMUM | 55.7 | 65.8 | 74.9 | 75.2 | 84.1 | 89.5 | 88.6 | 94.5 | 90.6 | 85.8 | 73.4 | 67.4 | 78.8 | |
| | HIGHEST DAILY MAXIMUM | 81 | 87 | 85 | 85 | 91 | 94 | 94 | 100 | 95 | 94 | 89 | 84 | 100 | |
| | DATE OF OCCURRENCE | 05 | 26 | 10 | 28+ | 13 | 19+ | 12 | 14+ | 27 | 17 | 21 | 02 | AUG 14+ | |
| | MEAN DAILY MINIMUM | 39.3 | 43.2 | 56.1 | 56.2 | 66.8 | 72.4 | 73.5 | 75.6 | 72.0 | 62.1 | 52.5 | 41.9 | 59.3 | |
| | LOWEST DAILY MINIMUM | 29 | 24 | 34 | 34 | 60 | 66 | 70 | 70 | 67 | 44 | 36 | 28 | 24 | |
| | DATE OF OCCURRENCE | 17+ | 16 | 05 | 07 | 17 | 04 | 25 | 31 | 25+ | 26 | 26 | 23 | FEB 16 | |
| | AVERAGE DRY BULB | 47.5 | 54.5 | 65.5 | 65.7 | 75.5 | 81.0 | 81.1 | 85.1 | 81.3 | 74.0 | 63.0 | 54.7 | 69.1 | |
| | MEAN WET BULB | 42.1 | 46.8 | 58.0 | 58.3 | 67.7 | 72.8 | 73.6 | 75.0 | 72.2 | 62.8 | 54.7 | 47.8 | 61.0 | |
| | MEAN DEW POINT | 36.2 | 38.1 | 50.9 | 52.8 | 63.6 | 69.5 | 71.0 | 71.4 | 68.4 | 55.4 | 47.9 | 39.7 | 55.4 | |
| | NUMBER OF DAYS WITH: | | | | | | | | | | | | | | |
| | MAXIMUM >= 90° | 0 | 0 | 0 | 0 | 3 | 17 | 16 | 30 | 24 | 15 | 0 | 0 | 0 | 105 |
| | MAXIMUM <= 32° | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| | MINIMUM <= 32° | 5 | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 6 | 16 | |
| MINIMUM <= 0° | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| H/C | HEATING DEGREE DAYS | 538 | 308 | 86 | 85 | 0 | 0 | 0 | 0 | 0 | 23 | 159 | 342 | 1541 | |
| | COOLING DEGREE DAYS | 4 | 20 | 107 | 113 | 331 | 483 | 503 | 632 | 497 | 307 | 104 | 29 | 3130 | |
| RH | MEAN (PERCENT) | 70 | 60 | 66 | 67 | 70 | 73 | 77 | 69 | 70 | 59 | 64 | 62 | 67 | |
| | HOUR 00 LST | 75 | 65 | 73 | 75 | 77 | 82 | 84 | 79 | 79 | 68 | 72 | 68 | 75 | |
| | HOUR 06 LST | 79 | 74 | 79 | 80 | 85 | 87 | 88 | 85 | 87 | 78 | 76 | 79 | 81 | |
| | HOUR 12 LST | 62 | 52 | 58 | 57 | 61 | 63 | 66 | 54 | 58 | 43 | 54 | 50 | 57 | |
| | HOUR 18 LST | 62 | 45 | 52 | 55 | 59 | 61 | 68 | 56 | 58 | 44 | 54 | 50 | 55 | |
| S | PERCENT POSSIBLE SUNSHINE | 40 | 54 | 40 | 48 | 42 | 48 | 38 | 66 | 65 | 78 | 53 | 65 | 53 | |
| W/O | NUMBER OF DAYS WITH: | | | | | | | | | | | | | | |
| | HEAVY FOG(VISBY <= 1/4 MI) | 2 | 0 | 3 | 0 | 1 | 1 | 3 | 0 | 1 | 1 | 0 | 2 | 14 | |
| | THUNDERSTORMS | 3 | 0 | 6 | 10 | 14 | 12 | 17 | 6 | 6 | 1 | 3 | 1 | 79 | |
| CLOUDNESS | SUNRISE-SUNSET: (OKTAS) | | | | | | | | | | | | | | |
| | CEILOMETER (<= 12,000 FT.) | | | | | | | | | | | | | | |
| | SATELLITE (> 12,000 FT.) | | | | | | | | | | | | | | |
| | MIDNIGHT-MIDNIGHT: (OKTAS) | | | | | | | | | | | | | | |
| | CEILOMETER (<= 12,000 FT.) | | | | | | | | | | | | | | |
| SATELLITE (> 12,000 FT.) | | | | | | | | | | | | | | | |
| NUMBER OF DAYS WITH: | | | | | | | | | | | | | | | |
| CLEAR | | | | | | | | | | | | | | | |
| PARTLY CLOUDY | | | | | | | | | | | | | | | |
| CLOUDY | | | | | | | | | | | | | | | |
| PR | MEAN STATION PRESS. (IN.) | 29.50 | 29.36 | 29.37 | 29.29 | 29.28 | 29.23 | 29.24 | 29.28 | 29.31 | 29.30 | 29.43 | 29.38 | 29.33 | |
| | MEAN SEA-LEVEL PRESS. (IN.) | 30.22 | 30.05 | 30.06 | 29.99 | 29.95 | 29.90 | 29.92 | 29.94 | 29.98 | 29.98 | 30.13 | 30.08 | 30.02 | |
| WINDS | RESULTANT SPEED (MPH) | 1.7 | 0.2 | 2.7 | 1.5 | 2.5 | 2.4 | 1.3 | 1.8 | 1.1 | 0.1 | 0.3 | 0.3 | 0.9 | |
| | RES. DIR. (TENS OF DEGS.) | 35 | 28 | 15 | 13 | 15 | 16 | 16 | 15 | 14 | 04 | 36 | 32 | 15 | |
| | MEAN SPEED (MPH) | 5.4 | 5.9 | 6.0 | 5.3 | 4.5 | 4.3 | 2.8 | 3.6 | 2.7 | 3.6 | 4.0 | 4.4 | 4.4 | |
| | PREVAIL.DIR.(TENS OF DEGS.) | 34 | 35 | 15 | 15 | 16 | 16 | 17 | 17 | 12 | 02 | 18 | 17 | 15 | |
| | MAXIMUM 2-MINUTE WIND | | | | | | | | | | | | | | |
| | SPEED (MPH) | 20 | 23 | 26 | 24 | 22 | 20 | 24 | 17 | 14 | 21 | 21 | 24 | 26 | |
| | DIR. (TENS OF DEGS.) | 34 | 28 | 14 | 34 | 03 | 36 | 14 | 07 | 16 | 32 | 34 | 30 | 14 | |
| | DATE OF OCCURRENCE | 27 | 24 | 30 | 13 | 24 | 04 | 01 | 31 | 29 | 22 | 21 | 22 | MAR 30 | |
| | MAXIMUM 5-SECOND WIND: | | | | | | | | | | | | | | |
| | SPEED (MPH) | 29 | 35 | 38 | 44 | 35 | 33 | 35 | 36 | 24 | 36 | 31 | 41 | 44 | |
| DIR. (TENS OF DEGS.) | 31 | 29 | 15 | 34 | 03 | 35 | 14 | 08 | 15 | 32 | 36 | 32 | 34 | | |
| DATE OF OCCURRENCE | 07 | 24 | 30 | 13 | 24 | 20 | 01 | 31 | 29 | 22 | 21 | 22 | APR 13 | | |
| PRECIPITATION | WATER EQUIVALENT: | | | | | | | | | | | | | | |
| | TOTAL (IN.) | 6.92 | 0.14 | 5.95 | 2.25 | 7.01 | 5.41 | 9.84 | 2.50 | 3.97 | 1.13 | 1.16 | 0.67 | 46.95 | |
| | GREATEST 24-HOUR (IN.) | 3.68 | 0.04 | 2.39 | 0.80 | 2.25 | 1.79 | 3.03 | 1.02 | 1.64 | 1.05 | 1.05 | 1.31 | 3.68 | |
| | DATE OF OCCURRENCE | 12-13 | 12+ | 11-12 | 17 | 28 | 03-04 | 20-21 | 22 | 11 | 24-25 | 24-25 | 15-16 | JAN 12-13 | |
| | NUMBER OF DAYS WITH: | | | | | | | | | | | | | | |
| PRECIPITATION 0.01 | 13 | 4 | 11 | 10 | 13 | 13 | 17 | 8 | 8 | 4 | 4 | 7 | 112 | | |
| PRECIPITATION 0.10 | 10 | 0 | 7 | 6 | 9 | 11 | 15 | 5 | 5 | 1 | 2 | 3 | 74 | | |
| PRECIPITATION 1.00 | 1 | 0 | 4 | 0 | 3 | 1 | 2 | 0 | 2 | 1 | 0 | 0 | 14 | | |
| SNOWFALL | SNOW,ICE PELLETS,HAIL | | | | | | | | | | | | | | |
| | TOTAL (IN.) | 0.2 | 0.0 | 0.0 | T | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.2 | |
| | GREATEST 24-HOUR (IN.) | 0.1 | 0.0 | 0.0 | T | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.1 | |
| | DATE OF OCCURRENCE | 17+ | | | 07 | | | | | | | | | JAN 17+ | |
| | MAXIMUM SNOW DEPTH (IN.) | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | |
| | DATE OF OCCURRENCE | 17 | | | | | | | | | | | | JAN 17 | |
| NUMBER OF DAYS WITH: | | | | | | | | | | | | | | | |
| SNOWFALL >= 1.0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |

NORMALS, MEANS, AND EXTREMES AUSTIN/CITY (KATT)

LATITUDE: 30 ° 19'N **LONGITUDE:** -97 ° 46'W **ELEVATION (FT):** GRND: 655 BARO: 696 **TIME ZONE:** CENTRAL (UTC -6) **WBAN: 13958**

| ELEMENT | | POR | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP | OCT | NOV | DEC | YEAR |
|--|---|-----|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|----------|
| TEMPERATURE °F | NORMAL DAILY MAXIMUM | 30 | 60.3 | 65.1 | 72.5 | 78.9 | 84.8 | 90.9 | 95.0 | 95.6 | 90.1 | 81.4 | 70.1 | 62.3 | 78.9 |
| | MEAN DAILY MAXIMUM | 77 | 60.1 | 62.9 | 71.7 | 78.6 | 85.2 | 90.6 | 94.1 | 95.5 | 88.7 | 81.4 | 69.8 | 62.6 | 78.4 |
| | HIGHEST DAILY MAXIMUM | 66 | 90 | 99 | 98 | 99 | 102 | 108 | 109 | 110 | 112 | 98 | 91 | 90 | 112 |
| | YEAR OF OCCURRENCE | | 1971 | 1996 | 1971 | 2006 | 1998 | 1998 | 1954 | 2003 | 2000 | 1991 | 2006 | 1955 | SEP 2000 |
| | MEAN OF EXTREME MAXS. | 77 | 79.5 | 82.3 | 86.9 | 90.8 | 94.0 | 97.4 | 100.7 | 101.6 | 98.3 | 92.5 | 85.1 | 79.8 | 90.7 |
| | NORMAL DAILY MINIMUM | 30 | 40.0 | 44.0 | 50.9 | 57.6 | 65.4 | 71.1 | 73.4 | 73.3 | 68.8 | 59.8 | 49.3 | 41.9 | 58.0 |
| | MEAN DAILY MINIMUM | 77 | 39.7 | 42.2 | 49.5 | 57.4 | 65.1 | 70.7 | 73.1 | 73.5 | 68.0 | 59.3 | 48.3 | 41.4 | 57.4 |
| | LOWEST DAILY MINIMUM | 66 | -2 | 7 | 18 | 34 | 43 | 53 | 64 | 61 | 41 | 30 | 20 | 4 | -2 |
| | YEAR OF OCCURRENCE | | 1949 | 1951 | 1948 | 2007 | 1954 | 1970 | 1970 | 1967 | 1942 | 1993 | 1976 | 1989 | JAN 1949 |
| | MEAN OF EXTREME MINS. | 77 | 23.4 | 26.9 | 32.5 | 42.4 | 53.4 | 63.0 | 69.3 | 68.4 | 57.0 | 44.4 | 32.8 | 25.8 | 44.9 |
| | NORMAL DRY BULB | 30 | 50.2 | 54.6 | 61.7 | 68.3 | 75.1 | 81.0 | 84.2 | 84.5 | 79.5 | 70.6 | 59.7 | 52.1 | 68.5 |
| | MEAN DRY BULB | 77 | 49.9 | 52.6 | 60.6 | 68.0 | 75.2 | 80.7 | 83.6 | 84.5 | 78.4 | 70.4 | 59.0 | 52.0 | 67.9 |
| | MEAN WET BULB | 24 | 45.0 | 47.9 | 54.0 | 60.7 | 68.2 | 72.7 | 73.9 | 73.7 | 69.6 | 62.9 | 53.5 | 46.5 | 60.7 |
| | MEAN DEW POINT | 24 | 39.9 | 42.5 | 48.8 | 55.7 | 65.0 | 69.7 | 70.2 | 69.8 | 65.5 | 58.3 | 49.0 | 41.5 | 56.3 |
| | NORMAL NO. DAYS WITH: MAXIMUM >= 90 | 30 | * | 0.3 | 0.6 | 1.6 | 7.2 | 20.8 | 28.0 | 28.2 | 18.2 | 4.4 | 0.0 | 0.0 | 109.3 |
| | MAXIMUM <= 32 | 30 | 0.4 | 0.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.3 | 1.0 |
| MINIMUM <= 32 | 30 | 6.6 | 3.5 | 0.8 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | * | 0.8 | 4.9 | 16.6 | |
| MINIMUM <= 0 | 30 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | |
| H/C | NORMAL HEATING DEG. DAYS | 30 | 475 | 319 | 163 | 44 | 2 | 0 | 0 | 0 | 2 | 32 | 205 | 406 | 1648 |
| | NORMAL COOLING DEG. DAYS | 30 | 7 | 18 | 59 | 147 | 323 | 495 | 605 | 610 | 439 | 207 | 51 | 13 | 2974 |
| RH | NORMAL (PERCENT) | 30 | 68 | 67 | 66 | 67 | 73 | 71 | 66 | 65 | 68 | 69 | 70 | 68 | 68 |
| | HOURLY 00 LST | 30 | 73 | 72 | 72 | 74 | 82 | 81 | 76 | 75 | 77 | 76 | 78 | 74 | 76 |
| | HOURLY 06 LST | 30 | 79 | 80 | 80 | 83 | 89 | 90 | 89 | 88 | 86 | 85 | 83 | 80 | 84 |
| | HOURLY 12 LST | 30 | 61 | 59 | 57 | 56 | 62 | 58 | 52 | 51 | 55 | 57 | 60 | 60 | 57 |
| | HOURLY 18 LST | 30 | 57 | 53 | 51 | 52 | 58 | 56 | 48 | 47 | 53 | 55 | 60 | 59 | 54 |
| S | PERCENT POSSIBLE SUNSHINE | 58 | 49 | 51 | 55 | 54 | 56 | 69 | 74 | 74 | 66 | 64 | 55 | 49 | 60 |
| W/O | MEAN NO. DAYS WITH: HEAVY FOG(VISBY <= 1/4 MI) | 44 | 3.8 | 2.1 | 2.3 | 1.0 | 1.0 | 0.5 | 0.5 | 0.4 | 0.7 | 1.7 | 2.9 | 3.6 | 20.5 |
| | THUNDERSTORMS | 60 | 1.1 | 2.2 | 3.3 | 4.5 | 6.8 | 5.3 | 4.5 | 5.0 | 4.1 | 3.2 | 1.8 | 1.3 | 43.1 |
| CLOUDNESS | MEAN: SUNRISE-SUNSET (OKTAS) | | | | 4.8 | | | | | 2.4 | | | | 4.8 | |
| | MIDNIGHT-MIDNIGHT (OKTAS) | | | | 4.8 | | | | | | | | | | |
| | MEAN NO. DAYS WITH: CLEAR | | | | | | | | | | | | | | |
| | PARTLY CLOUDY CLOUDY | | | | | | | | | | | | | | |
| PR | MEAN STATION PRESSURE(IN) | 24 | 29.46 | 29.42 | 29.34 | 29.28 | 29.26 | 29.26 | 29.32 | 29.31 | 29.31 | 29.36 | 29.41 | 29.46 | 29.35 |
| | MEAN SEA-LEVEL PRES. (IN) | 24 | 30.14 | 30.09 | 30.00 | 29.94 | 29.91 | 29.91 | 29.97 | 29.96 | 29.96 | 30.02 | 30.08 | 30.14 | 30.01 |
| WINDS | MEAN SPEED (MPH) | 24 | 7.8 | 8.2 | 8.6 | 8.5 | 8.0 | 7.3 | 6.9 | 6.3 | 6.3 | 6.6 | 7.2 | 7.3 | 7.4 |
| | PREVAIL.DIR.(TENS OF DEGS) | 36 | 36 | 36 | 17 | 17 | 17 | 17 | 19 | 19 | 17 | 19 | 19 | 36 | 19 |
| | MAXIMUM 2-MINUTE: SPEED (MPH) | 12 | 32 | 34 | 33 | 46 | 52 | 34 | 30 | 33 | 47 | 33 | 29 | 33 | 52 |
| | DIR. (TENS OF DEGS) | | 03 | 36 | 03 | 27 | 02 | 29 | 10 | 09 | 03 | 36 | 01 | 36 | 02 |
| | YEAR OF OCCURRENCE | | 1998 | 1998 | 1996 | 1997 | 1997 | 1997 | 2004 | 1999 | 1997 | 1998 | 1996 | 1996 | MAY 1997 |
| | MAXIMUM 5-SECOND SPEED (MPH) | 12 | 45 | 45 | 52 | 55 | 71 | 47 | 40 | 54 | 57 | 43 | 44 | 46 | 71 |
| | DIR. (TENS OF DEGS) | | 03 | 00 | 03 | 27 | 02 | 28 | 11 | 09 | 05 | 01 | 30 | 30 | 02 |
| | YEAR OF OCCURRENCE | | 1996 | 1996 | 1996 | 1997 | 1997 | 1997 | 2004 | 1999 | 1997 | 1998 | 2006 | 2003 | MAY 1997 |
| PRECIPITATION | NORMAL (IN) | 30 | 1.89 | 1.99 | 2.14 | 2.51 | 5.03 | 3.81 | 1.97 | 2.31 | 2.91 | 3.97 | 2.68 | 2.44 | 33.65 |
| | MAXIMUM MONTHLY (IN) | 66 | 9.21 | 6.56 | 7.54 | 9.93 | 9.98 | 14.96 | 10.54 | 9.48 | 8.11 | 12.39 | 14.10 | 14.16 | 14.96 |
| | YEAR OF OCCURRENCE | | 1991 | 1992 | 2006 | 1957 | 1965 | 1981 | 1979 | 2001 | 1942 | 1998 | 2004 | 1991 | JUN 1981 |
| | MINIMUM MONTHLY (IN) | 66 | 0.04 | 0.03 | T | 0.06 | 0.73 | T | 0.00 | 0.00 | 0.07 | T | T | T | 0.00 |
| | YEAR OF OCCURRENCE | | 1971 | 1999 | 1972 | 1984 | 1998 | 1967 | 1962 | 1952 | 1947 | 1952 | 1970 | 1950 | JUL 1962 |
| | MAXIMUM IN 24 HOURS (IN) | 66 | 4.41 | 3.73 | 3.46 | 3.86 | 5.66 | 6.50 | 5.46 | 6.01 | 6.74 | 7.51 | 7.55 | 6.19 | 7.55 |
| | YEAR OF OCCURRENCE | | 1991 | 1958 | 2006 | 1942 | 1979 | 1964 | 1961 | 1994 | 1973 | 1998 | 2001 | 1991 | NOV 2001 |
| | NORMAL NO. DAYS WITH: PRECIPITATION >= 0.01 | 30 | 7.7 | 7.0 | 7.9 | 7.2 | 9.5 | 7.5 | 5.1 | 5.2 | 7.2 | 7.4 | 8.2 | 7.9 | 87.8 |
| PRECIPITATION >= 1.00 | 30 | 0.3 | 0.3 | 0.5 | 0.7 | 1.6 | 1.3 | 0.5 | 0.7 | 0.8 | 1.2 | 0.7 | 0.7 | 9.3 | |
| SNOWFALL | NORMAL (IN) | 30 | 0.4 | 0.1 | 0.* | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.1 | 0.* | 0.6 |
| | MAXIMUM MONTHLY (IN) | 60 | 7.5 | 6.0 | 2.0 | T | T | T | 0.0 | 0.0 | 0.0 | 0.0 | 2.0 | T | 7.5 |
| | YEAR OF OCCURRENCE | | 1985 | 1966 | 1965 | 2007 | 2006 | | | | | | 1980 | 1996 | JAN 1985 |
| | MAXIMUM IN 24 HOURS (IN) | 60 | 7.0 | 6.0 | 2.0 | T | T | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 2.0 | T | 7.0 |
| | YEAR OF OCCURRENCE | | 1944 | 1966 | 1965 | 1995 | 1993 | | | | | | 1980 | 1993 | JAN 1944 |
| | MAXIMUM SNOW DEPTH (IN) | 55 | 6 | 6 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 6 |
| | YEAR OF OCCURRENCE | | 1949 | 1966 | 1965 | | | | | | | | | | FEB 1966 |
| NORMAL NO. DAYS WITH: SNOWFALL >= 1.0 | 30 | 0.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.1 | 0.0 | 0.2 | |

PRECIPITATION (inches) 2007 AUSTIN/CITY (KATT)

| YEAR | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP | OCT | NOV | DEC | ANNUAL |
|----------------|------|------|------|------|------|-------|-------|------|------|-------|-------|-------|--------|
| 1978 | 0.88 | 1.95 | 0.84 | 1.72 | 5.78 | 2.98 | 1.19 | 1.49 | 4.44 | 1.38 | 5.48 | 2.84 | 30.97 |
| 1979 | 2.11 | 3.54 | 3.76 | 2.98 | 7.29 | 0.83 | 10.54 | 0.61 | 1.40 | 0.45 | 0.59 | 3.40 | 37.50 |
| 1980 | 0.85 | 2.33 | 3.20 | 2.20 | 5.43 | 0.31 | 0.28 | 1.18 | 5.66 | 1.29 | 3.41 | 1.24 | 27.38 |
| 1981 | 1.61 | 1.18 | 3.05 | 0.81 | 9.02 | 14.96 | 3.39 | 0.91 | 2.65 | 7.04 | 0.72 | 0.39 | 45.73 |
| 1982 | 0.85 | 0.80 | 1.39 | 4.17 | 5.68 | 2.99 | 0.13 | 0.77 | 1.88 | 2.66 | 3.19 | 2.12 | 26.63 |
| 1983 | 1.88 | 2.84 | 6.03 | 0.16 | 5.33 | 3.84 | 2.85 | 2.21 | 2.83 | 2.82 | 2.66 | 0.53 | 33.98 |
| 1984 | 1.66 | 1.00 | 2.49 | 0.06 | 1.27 | 1.69 | 1.44 | 0.45 | 0.79 | 10.34 | 1.88 | 3.23 | 26.30 |
| 1985 | 1.34 | 2.10 | 1.84 | 2.39 | 1.65 | 5.64 | 1.53 | 0.37 | 3.98 | 5.84 | 4.75 | 1.06 | 32.49 |
| 1986 | 0.45 | 1.14 | 0.41 | 1.46 | 7.36 | 2.20 | 0.45 | 1.21 | 4.77 | 7.98 | 1.81 | 5.77 | 35.01 |
| 1987 | 0.92 | 2.87 | 1.36 | 0.45 | 6.75 | 10.85 | 3.46 | 0.27 | 5.03 | 0.31 | 3.08 | 1.31 | 36.66 |
| 1988 | 0.27 | 0.32 | 2.66 | 2.02 | 3.33 | 2.60 | 2.77 | 1.67 | 1.43 | 0.66 | 0.34 | 1.14 | 19.21 |
| 1989 | 3.79 | 0.85 | 2.12 | 2.43 | 6.90 | 3.10 | 0.09 | 2.72 | 0.27 | 2.20 | 1.26 | 0.14 | 25.87 |
| 1990 | 1.28 | 3.55 | 2.08 | 3.12 | 3.65 | 1.55 | 3.14 | 0.33 | 1.76 | 3.39 | 3.87 | 0.72 | 28.44 |
| 1991 | 9.21 | 2.99 | 0.90 | 4.91 | 3.98 | 4.40 | 1.16 | 4.28 | 2.25 | 3.06 | 0.91 | 14.16 | 52.21 |
| 1992 | 4.83 | 6.56 | 5.43 | 1.90 | 9.05 | 4.96 | 0.96 | 1.95 | 1.98 | 1.38 | 3.76 | 3.29 | 46.05 |
| 1993 | 3.39 | 3.14 | 2.09 | 2.94 | 5.30 | 3.99 | T | 0.75 | 0.34 | 2.42 | 1.00 | 1.14 | 26.50 |
| 1994 | 1.43 | 2.13 | 1.70 | 1.68 | 3.68 | 0.74 | 0.26 | 8.50 | 5.69 | 7.85 | 1.83 | 5.67 | 41.16 |
| 1995 | 0.81 | 1.44 | 2.21 | 3.08 | 9.49 | 2.74 | 0.64 | 5.71 | 2.86 | 1.43 | 3.22 | 0.51 | 34.14 |
| 1996 | 0.06 | 0.62 | 0.60 | 1.90 | 1.82 | 4.48 | 0.15 | 8.81 | 4.02 | .78 | 4.13 | 2.19 | 29.56 |
| 1997 | 1.07 | 3.94 | 1.58 | 5.59 | 7.10 | 8.97 | 2.37 | 2.34 | 1.46 | 5.42 | 2.91 | 4.28 | 47.03 |
| 1998 | 2.68 | 3.26 | 3.07 | 0.78 | 0.73 | 1.56 | 0.90 | 1.39 | 6.76 | 12.39 | 4.04 | 1.56 | 39.12 |
| 1999 | 0.20 | 0.03 | 4.09 | 0.79 | 7.07 | 3.37 | 4.43 | 0.70 | 0.28 | 1.67 | 0.15 | 1.15 | 23.93 |
| 2000 | 2.85 | 1.75 | 1.49 | 2.40 | 3.59 | 5.27 | 1.87 | 0.13 | 1.76 | 6.03 | 7.95 | 2.87 | 37.96 |
| 2001 | 2.72 | 1.41 | 5.51 | 0.50 | 3.27 | 0.85 | 0.34 | 9.48 | 1.71 | 2.46 | 10.00 | 4.62 | 42.87 |
| 2002 | 1.69 | 0.66 | 1.24 | 0.76 | 1.25 | 5.64 | 4.94 | 2.35 | 3.23 | 6.68 | 3.04 | 4.52 | 36.00 |
| 2003 | 1.70 | 3.86 | 0.54 | 0.10 | 1.37 | 4.55 | 1.42 | 2.94 | 2.08 | 1.03 | 1.32 | 0.50 | 21.41 |
| 2004 | 4.15 | 3.73 | 2.31 | 3.97 | 3.34 | 11.41 | 0.83 | 1.91 | 1.57 | 4.62 | 14.10 | 0.33 | 52.27 |
| 2005 | 2.25 | 2.21 | 4.30 | 0.72 | 3.13 | 0.89 | 2.75 | 2.44 | 1.44 | 1.78 | 0.33 | 0.09 | 22.33 |
| 2006 | 1.80 | 0.89 | 7.54 | 2.89 | 5.28 | 3.18 | 0.48 | 0.22 | 3.00 | 3.93 | 1.29 | 4.20 | 34.70 |
| 2007 | 6.92 | 0.14 | 5.95 | 2.25 | 7.01 | 5.41 | 9.84 | 2.50 | 3.97 | 1.13 | 1.16 | 0.67 | 46.95 |
| POR= 77 YRS | 2.20 | 2.35 | 2.21 | 2.88 | 4.31 | 3.58 | 2.08 | 2.28 | 3.28 | 3.36 | 2.55 | 2.43 | 33.51 |

WBAN : 13958

AVERAGE TEMPERATURE (°F) 2007 AUSTIN/CITY (KATT)

| YEAR | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP | OCT | NOV | DEC | ANNUAL |
|----------------|------|------|------|------|------|------|------|------|------|------|------|------|--------|
| 1978 | 40.7 | 45.0 | 58.5 | 69.8 | 77.3 | 82.3 | 86.4 | 84.8 | 79.0 | 69.8 | 60.6 | 49.7 | 67.0 |
| 1979 | 40.4 | 48.5 | 61.1 | 67.0 | 71.5 | 79.8 | 83.1 | 82.5 | 77.6 | 73.5 | 56.5 | 53.0 | 66.2 |
| 1980 | 51.2 | 52.8 | 61.4 | 66.7 | 75.1 | 84.6 | 87.9 | 86.0 | 81.7 | 68.4 | 57.5 | 53.7 | 68.9 |
| 1981 | 50.6 | 53.4 | 59.3 | 72.4 | 74.6 | 81.4 | 84.9 | 85.5 | 79.7 | 72.2 | 63.7 | 53.7 | 69.3 |
| 1982 | 51.9 | 51.0 | 64.7 | 67.3 | 75.6 | 81.6 | 86.5 | 87.4 | 81.8 | 70.7 | 58.5 | 52.3 | 69.1 |
| 1983 | 47.4 | 51.3 | 57.8 | 64.6 | 72.7 | 78.4 | 82.7 | 84.4 | 78.3 | 72.0 | 62.4 | 41.9 | 66.2 |
| 1984 | 46.3 | 55.5 | 63.4 | 71.1 | 78.0 | 82.6 | 85.1 | 86.0 | 76.3 | 70.5 | 58.7 | 58.4 | 69.3 |
| 1985 | 44.1 | 49.7 | 64.3 | 70.0 | 76.3 | 80.7 | 82.9 | 87.0 | 79.3 | 71.7 | 63.0 | 49.1 | 68.2 |
| 1986 | 54.0 | 57.6 | 63.7 | 71.8 | 73.8 | 81.4 | 85.9 | 84.7 | 82.0 | 68.8 | 59.0 | 50.8 | 69.5 |
| 1987 | 50.9 | 55.5 | 57.9 | 67.4 | 76.1 | 80.2 | 83.4 | 85.4 | 78.8 | 69.9 | 60.0 | 53.3 | 68.2 |
| 1988 | 47.3 | 53.3 | 60.4 | 68.5 | 74.7 | 80.2 | 84.6 | 86.7 | 81.6 | 72.5 | 64.9 | 55.5 | 69.2 |
| 1989 | 55.3 | 48.6 | 60.8 | 69.2 | 78.3 | 81.3 | 85.7 | 84.7 | 79.3 | 72.0 | 62.7 | 44.3 | 68.5 |
| 1990 | 57.9 | 59.3 | 61.7 | 69.8 | 78.5 | 85.9 | 83.4 | 86.1 | 81.2 | 70.0 | 63.6 | 51.3 | 70.7 |
| 1991 | 47.3 | 56.6 | 63.5 | 71.4 | 76.7 | 81.5 | 83.9 | 85.1 | 77.2 | 72.7 | 56.8 | 54.5 | 68.9 |
| 1992 | 50.6 | 58.9 | 62.7 | 68.0 | 73.2 | 81.6 | 83.9 | 82.0 | 80.8 | 72.7 | 56.9 | 54.8 | 68.8 |
| 1993 | 49.9 | 54.5 | 60.9 | 66.3 | 73.7 | 81.4 | 85.3 | 87.4 | 81.8 | 70.5 | 55.7 | 55.0 | 68.5 |
| 1994 | 52.2 | 55.3 | 62.8 | 69.3 | 74.7 | 84.2 | 87.2 | 83.7 | 77.5 | 71.4 | 64.0 | 55.7 | 69.8 |
| 1995 | 53.6 | 56.2 | 60.6 | 67.6 | 76.2 | 79.3 | 84.5 | 84.4 | 78.7 | 70.8 | 59.0 | 55.0 | 68.8 |
| 1996 | 50.5 | 57.6 | 57.2 | 68.6 | 80.6 | 82.5 | 86.7 | 83.9 | 77.6 | 69.9 | 60.5 | 54.9 | 69.2 |
| 1997 | 48.9 | 53.1 | 62.9 | 63.0 | 72.5 | 79.1 | 83.9 | 83.1 | 81.5 | 70.4 | 56.5 | 50.5 | 67.1 |
| 1998 | 56.5 | 55.5 | 59.5 | 67.4 | 79.9 | 86.4 | 88.0 | 85.8 | 82.9 | 71.6 | 62.8 | 52.9 | 70.8 |
| 1999 | 55.6 | 62.3 | 62.4 | 71.8 | 76.5 | 81.7 | 83.2 | 88.3 | 81.4 | 71.2 | 64.4 | 55.7 | 71.2 |
| 2000 | 55.4 | 62.1 | 66.3 | 70.3 | 79.1 | 81.7 | 86.7 | 87.2 | 81.5 | 71.4 | 55.9 | 45.4 | 70.3 |
| 2001 | 48.4 | 56.2 | 54.9 | 70.8 | 76.4 | 82.7 | 87.2 | 86.2 | 77.2 | 68.1 | 62.8 | 53.8 | 68.7 |
| 2002 | 53.5 | 51.2 | 59.2 | 73.4 | 78.0 | 82.7 | 82.4 | 85.3 | 79.8 | 69.6 | 57.2 | 53.2 | 68.8 |
| 2003 | 49.7 | 51.2 | 60.1 | 70.8 | 80.1 | 82.2 | 84.7 | 86.0 | 78.5 | 72.4 | 63.7 | 55.2 | 69.6 |
| 2004 | 54.5 | 51.8 | 66.5 | 68.3 | 76.5 | 79.8 | 82.9 | 83.2 | 80.1 | 75.9 | 59.7 | 52.5 | 69.3 |
| 2005 | 54.4 | 55.8 | 60.7 | 67.6 | 74.6 | 83.5 | 85.2 | 85.6 | 84.4 | 70.8 | 64.8 | 52.1 | 70.0 |
| 2006 | 58.6 | 54.6 | 65.8 | 74.9 | 77.2 | 82.7 | 86.1 | 88.5 | 80.2 | 71.7 | 63.9 | 54.8 | 71.6 |
| 2007 | 47.5 | 54.5 | 65.5 | 65.7 | 75.5 | 81.0 | 81.1 | 85.1 | 81.3 | 74.0 | 63.0 | 54.7 | 69.1 |
| POR= 77 YRS | 49.9 | 52.6 | 60.6 | 68.0 | 75.2 | 80.7 | 83.6 | 84.5 | 78.4 | 70.4 | 59.0 | 52.0 | 67.9 |

HEATING DEGREE DAYS (base 65°F) 2007 AUSTIN/CITY (KATT)

| YEAR | JUL | AUG | SEP | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | TOTAL |
|---------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-------|
| 1978-79 | 0 | 0 | 0 | 5 | 186 | 475 | 754 | 460 | 144 | 37 | 10 | 0 | 2071 |
| 1979-80 | 0 | 0 | 0 | 16 | 278 | 372 | 425 | 357 | 168 | 47 | 0 | 0 | 1663 |
| 1980-81 | 0 | 0 | 0 | 69 | 262 | 361 | 443 | 340 | 196 | 6 | 0 | 0 | 1677 |
| 1981-82 | 0 | 0 | 0 | 44 | 86 | 349 | 424 | 400 | 147 | 81 | 2 | 0 | 1533 |
| 1982-83 | 0 | 0 | 0 | 37 | 245 | 408 | 538 | 376 | 229 | 93 | 4 | 0 | 1930 |
| 1983-84 | 0 | 0 | 4 | 7 | 154 | 721 | 573 | 280 | 123 | 16 | 0 | 0 | 1878 |
| 1984-85 | 0 | 0 | 18 | 34 | 221 | 228 | 643 | 428 | 99 | 19 | 0 | 0 | 1690 |
| 1985-86 | 0 | 0 | 7 | 12 | 134 | 490 | 338 | 267 | 87 | 14 | 2 | 0 | 1351 |
| 1986-87 | 0 | 0 | 0 | 18 | 214 | 431 | 434 | 266 | 228 | 83 | 0 | 0 | 1674 |
| 1987-88 | 0 | 0 | 0 | 11 | 203 | 369 | 548 | 357 | 193 | 34 | 0 | 0 | 1715 |
| 1988-89 | 0 | 0 | 0 | 3 | 116 | 307 | 307 | 464 | 198 | 64 | 0 | 0 | 1459 |
| 1989-90 | 0 | 0 | 0 | 39 | 157 | 638 | 239 | 171 | 154 | 26 | 0 | 0 | 1424 |
| 1990-91 | 0 | 0 | 0 | 44 | 121 | 430 | 540 | 242 | 110 | 8 | 1 | 0 | 1496 |
| 1991-92 | 0 | 0 | 8 | 34 | 280 | 332 | 440 | 188 | 105 | 39 | 4 | 0 | 1430 |
| 1992-93 | 0 | 0 | 0 | 0 | 267 | 327 | 462 | 296 | 163 | 54 | 0 | 0 | 1569 |
| 1993-94 | 0 | 0 | 0 | 70 | 298 | 324 | 396 | 287 | 139 | 36 | 15 | 0 | 1565 |
| 1994-95 | 0 | 0 | 0 | 20 | 104 | 301 | 359 | 247 | 201 | 35 | 2 | 0 | 1269 |
| 1995-96 | 0 | 0 | 8 | 9 | 194 | 347 | 442 | 286 | 282 | 59 | 0 | 0 | 1627 |
| 1996-97 | 0 | 0 | 6 | 33 | 176 | 327 | 513 | 343 | 118 | 98 | 0 | 0 | 1614 |
| 1997-98 | 0 | 0 | 0 | 36 | 273 | 445 | 271 | 258 | 218 | 13 | 0 | 0 | 1514 |
| 1998-99 | 0 | 0 | 0 | 17 | 116 | 405 | 303 | 126 | 118 | 21 | 0 | 0 | 1106 |
| 1999-00 | 0 | 0 | 0 | 41 | 80 | 304 | 313 | 146 | 85 | 30 | 0 | 0 | 999 |
| 2000-01 | 0 | 0 | 5 | 63 | 291 | 599 | 509 | 258 | 309 | 12 | 0 | 0 | 2046 |
| 2001-02 | 0 | 0 | 1 | 32 | 137 | 365 | 373 | 380 | 219 | 21 | 0 | 0 | 1528 |
| 2002-03 | 0 | 0 | 0 | 36 | 241 | 368 | 477 | 386 | 170 | 22 | 0 | 0 | 1700 |
| 2003-04 | 0 | 0 | 0 | 11 | 143 | 308 | 340 | 379 | 30 | 38 | 2 | 0 | 1251 |
| 2004-05 | 0 | 0 | 0 | 4 | 164 | 387 | 359 | 270 | 164 | 29 | 5 | 0 | 1382 |
| 2005-06 | 0 | 0 | 0 | 36 | 127 | 397 | 202 | 302 | 91 | 0 | 0 | 0 | 1155 |
| 2006-07 | 0 | 0 | 0 | 26 | 113 | 332 | 538 | 308 | 86 | 85 | 0 | 0 | 1488 |
| 2007- | 0 | 0 | 0 | 23 | 159 | 342 | | | | | | | |

WBAN : 13958

COOLING DEGREE DAYS (base 65°F) 2007 AUSTIN/CITY (KATT)

| YEAR | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP | OCT | NOV | DEC | TOTAL |
|------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-------|
| 1978 | 5 | 6 | 31 | 167 | 396 | 526 | 670 | 621 | 427 | 161 | 60 | 7 | 3077 |
| 1979 | 2 | 7 | 29 | 102 | 216 | 449 | 570 | 549 | 385 | 285 | 29 | 8 | 2631 |
| 1980 | 5 | 11 | 62 | 106 | 322 | 598 | 718 | 659 | 510 | 182 | 45 | 19 | 3237 |
| 1981 | 2 | 23 | 27 | 233 | 304 | 501 | 627 | 641 | 446 | 272 | 54 | 5 | 3135 |
| 1982 | 23 | 14 | 144 | 157 | 337 | 506 | 672 | 701 | 509 | 219 | 61 | 18 | 3361 |
| 1983 | 0 | 0 | 13 | 90 | 250 | 406 | 556 | 608 | 409 | 227 | 80 | 11 | 2650 |
| 1984 | 0 | 13 | 80 | 204 | 413 | 535 | 629 | 659 | 364 | 206 | 40 | 30 | 3173 |
| 1985 | 0 | 9 | 85 | 174 | 358 | 480 | 562 | 687 | 443 | 228 | 82 | 4 | 3112 |
| 1986 | 2 | 64 | 53 | 227 | 278 | 499 | 654 | 618 | 519 | 141 | 39 | 0 | 3094 |
| 1987 | 5 | 4 | 17 | 158 | 352 | 463 | 576 | 638 | 421 | 170 | 58 | 14 | 2876 |
| 1988 | 7 | 23 | 57 | 146 | 305 | 463 | 614 | 679 | 503 | 243 | 123 | 19 | 3182 |
| 1989 | 16 | 10 | 76 | 197 | 417 | 498 | 650 | 620 | 435 | 263 | 93 | 2 | 3277 |
| 1990 | 28 | 16 | 57 | 178 | 425 | 634 | 579 | 662 | 495 | 204 | 86 | 11 | 3375 |
| 1991 | 0 | 11 | 72 | 207 | 372 | 501 | 594 | 633 | 382 | 280 | 39 | 15 | 3106 |
| 1992 | 0 | 15 | 41 | 137 | 264 | 505 | 595 | 538 | 479 | 246 | 28 | 17 | 2865 |
| 1993 | 0 | 7 | 44 | 99 | 276 | 498 | 641 | 700 | 509 | 248 | 27 | 19 | 3068 |
| 1994 | 9 | 22 | 80 | 173 | 320 | 579 | 693 | 586 | 385 | 224 | 79 | 18 | 3168 |
| 1995 | 12 | 6 | 75 | 121 | 355 | 438 | 612 | 607 | 426 | 198 | 21 | 42 | 2913 |
| 1996 | 3 | 83 | 47 | 174 | 491 | 529 | 682 | 588 | 392 | 192 | 45 | 21 | 3247 |
| 1997 | 15 | 16 | 58 | 46 | 240 | 431 | 592 | 569 | 500 | 211 | 26 | 0 | 2704 |
| 1998 | 15 | 1 | 53 | 92 | 470 | 648 | 715 | 653 | 543 | 231 | 57 | 35 | 3513 |
| 1999 | 18 | 56 | 39 | 231 | 361 | 509 | 572 | 729 | 500 | 242 | 70 | 18 | 3345 |
| 2000 | 23 | 67 | 133 | 198 | 443 | 506 | 681 | 694 | 508 | 270 | 26 | 0 | 3549 |
| 2001 | 0 | 17 | 4 | 192 | 362 | 536 | 691 | 667 | 374 | 138 | 79 | 24 | 3084 |
| 2002 | 24 | 0 | 46 | 279 | 411 | 538 | 547 | 637 | 451 | 183 | 15 | 8 | 3139 |
| 2003 | 5 | 6 | 26 | 202 | 475 | 519 | 621 | 658 | 411 | 247 | 111 | 11 | 3292 |
| 2004 | 18 | 1 | 83 | 145 | 367 | 447 | 563 | 571 | 458 | 348 | 13 | 6 | 3020 |
| 2005 | 39 | 19 | 39 | 116 | 309 | 562 | 631 | 648 | 590 | 223 | 127 | 6 | 3309 |
| 2006 | 12 | 16 | 120 | 304 | 389 | 536 | 662 | 739 | 463 | 242 | 89 | 24 | 3596 |
| 2007 | 4 | 20 | 107 | 113 | 331 | 483 | 503 | 632 | 497 | 307 | 104 | 29 | 3130 |

SNOWFALL (inches) 2007 AUSTIN/CITY (KATT)

| YEAR | JUL | AUG | SEP | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | TOTAL |
|----------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-------|
| 1978-79 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | T | T | T | 0.0 | 0.0 | 0.0 | 0.0 | T |
| 1979-80 | 0.0 | 0.0 | 0.0 | 0.0 | T | 0.0 | T | T | 0.0 | 0.0 | 0.0 | 0.0 | T |
| 1980-81 | 0.0 | 0.0 | 0.0 | 0.0 | 2.0 | 0.0 | T | T | 0.0 | 0.0 | 0.0 | 0.0 | 2.0 |
| 1981-82 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 2.0 | T | T | 0.0 | 0.0 | 0.0 | 2.0 |
| 1982-83 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 1983-84 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | T | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | T |
| 1984-85 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 7.5 | 1.2 | 0.0 | 0.0 | 0.0 | 0.0 | 8.7 |
| 1985-86 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | T | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | T |
| 1986-87 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | T | 0.0 | 0.0 | 0.0 | T |
| 1987-88 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | T | 0.0 | 0.0 | 0.0 | 0.0 | T |
| 1988-89 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | T | T | 0.0 | T | 0.0 | T |
| 1989-90 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | T | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | T |
| 1990-91 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | T | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | T |
| 1991-92 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 1992-93 | 0.0 | 0.0 | 0.0 | 0.0 | T | 0.0 | T | 0.0 | T | 0.0 | T | 0.0 | T |
| 1993-94 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | T | T | 0.4 | T | 0.0 | 0.0 | 0.0 | 0.4 |
| 1994-95 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | T | 0.0 | 0.0 | T | 0.0 | 0.0 | T |
| 1995-96 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.3 |
| 1996-97 | 0.0 | 0.0 | 0.0 | 0.0 | T | T | T | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | T |
| 1997-98 | 0.0 | 0.0 | 0.0 | 0.0 | T | T | 0.0 | T | T | 0.0 | 0.0 | 0.0 | T |
| 1998-99 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | T | 0.0 | 0.0 | 0.0 | 0.0 | T | 0.0 | T |
| 1999-00 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 2000-01 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | T | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | T |
| 2001-02 | 0.0 | 0.0 | 0.0 | 0.0 | T | T | T | 0.0 | T | 0.0 | 0.0 | 0.0 | T |
| 2002-03 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.6 | 0.0 | 0.0 | 0.0 | 0.0 | 0.6 |
| 2003-04 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.6 | 0.0 | 0.0 | 0.0 | 0.0 | 1.6 |
| 2004-05 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | T | T | T | 0.0 | T |
| 2005-06 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | T | 0.0 | 0.0 | T | T | T | 0.0 | T |
| 2006-07 | 0.0 | 0.0 | 0.0 | 0.0 | T | 0.0 | 0.2 | 0.0 | 0.0 | T | 0.0 | 0.0 | 0.2 |
| 2007- | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | | | | | | | |
| POR= 76 YRS | 0.0 | 0.0 | 0.0 | 0.0 | 0.2 | T | 0.4 | 0.3 | T | T | T | 0.0 | 0.9 |

WBAN : 13958

REFERENCE NOTES :

| | |
|---|--|
| <p>PAGE 1: THE TEMPERATURE GRAPH SHOWS NORMAL MAXIMUM AND NORMAL MINIMUM DAILY TEMPERATURES (SOLID CURVES) AND THE ACTUAL DAILY HIGH AND LOW TEMPERATURES (VERTICAL BARS).</p> <p>PAGE 2 AND 3: H/C INDICATES HEATING AND COOLING DEGREE DAYS. RH INDICATES RELATIVE HUMIDITY W/O INDICATES WEATHER AND OBSTRUCTIONS S INDICATES SUNSHINE. PR INDICATES PRESSURE. CLOUDINESS ON PAGE 3 IS THE SUM OF THE CEILOMETER AND SATELLITE DATA NOT TO EXCEED EIGHT EIGHTHS(OKTAS).</p> <p>GENERAL: T INDICATES TRACE PRECIPITATION, AN AMOUNT GREATER THAN ZERO BUT LESS THAN THE LOWEST REPORTABLE VALUE. + INDICATES THE VALUE ALSO OCCURS ON EARLIER DATES. BLANK ENTRIES DENOTE MISSING OR UNREPORTED DATA. NORMALS ARE 30-YEAR AVERAGES (1971 - 2000). ASOS INDICATES AUTOMATED SURFACE OBSERVING SYSTEM. PM INDICATES THE LAST DAY OF THE PREVIOUS MONTH. POR (PERIOD OF RECORD) BEGINS WITH THE JANUARY DATA MONTH AND IS THE NUMBER OF YEARS USED TO COMPUTE THE MEAN. INDIVIDUAL MONTHS WITHIN THE POR MAY BE MISSING. WHEN THE POR FOR A NORMAL IS LESS THAN 30 YEARS, THE NORMAL IS PROVISIONAL AND IS BASED ON THE NUMBER OF YEARS INDICATED. 0.* OR * INDICATES THE VALUE OR MEAN-DAYS-WITH IS BETWEEN 0.00 AND 0.05. CLOUDINESS FOR ASOS STATIONS DIFFERS FROM THE NON-ASOS OBSERVATION TAKEN BY A HUMAN OBSERVER. ASOS STATION CLOUDINESS IS BASED ON TIME-AVERAGED CEILOMETER DATA FOR CLOUDS AT OR BELOW 12,000 FEET AND ON SATELLITE DATA FOR CLOUDS ABOVE 12,000 FEET. THE NUMBER OF DAYS WITH CLEAR, PARTLY CLOUDY, AND CLOUDY CONDITIONS FOR ASOS STATIONS IS THE SUM OF THE CEILOMETER AND SATELLITE DATA FOR THE SUNRISE TO SUNSET PERIOD.</p> | <p>GENERAL CONTINUED: CLEAR INDICATES 0 - 2 OKTAS, PARTLY CLOUDY INDICATES 3 - 6 OKTAS, AND CLOUDY INDICATES 7 OR 8 OKTAS. WHEN AT LEAST ONE OF THE ELEMENTS (CEILOMETER OR SATELLITE) IS MISSING, THE DAILY CLOUDINESS IS NOT COMPUTED. WIND DIRECTION IS RECORDED IN TENS OF DEGREES (2 DIGITS) CLOCKWISE FROM TRUE NORTH. "00" INDICATES CALM. "36" INDICATES TRUE NORTH. RESULTANT WIND IS THE VECTOR AVERAGE OF THE SPEED AND DIRECTION. AVERAGE TEMPERATURE IS THE SUM OF THE MEAN DAILY MAXIMUM AND MINIMUM TEMPERATURE DIVIDED BY 2. SNOWFALL DATA COMPRISE ALL FORMS OF FROZEN PRECIPITATION, INCLUDING HAIL. A HEATING (COOLING) DEGREE DAY IS THE DIFFERENCE BETWEEN THE AVERAGE DAILY TEMPERATURE AND 65 F. DRY BULB IS THE TEMPERATURE OF THE AMBIENT AIR. DEW POINT IS THE TEMPERATURE TO WHICH THE AIR MUST BE COOLED TO ACHIEVE 100 PERCENT RELATIVE HUMIDITY. WET BULB IS THE TEMPERATURE THE AIR WOULD HAVE IF THE MOISTURE CONTENT WAS INCREASED TO 100 PERCENT RELATIVE HUMIDITY.</p> <p>ON JULY 1, 1996, THE NATIONAL WEATHER SERVICE BEGAN USING THE "METAR" OBSERVATION CODE THAT WAS ALREADY EMPLOYED BY MOST OTHER NATIONS OF THE WORLD. THE MOST NOTICEABLE DIFFERENCE IN THIS ANNUAL PUBLICATION WILL BE THE CHANGE IN UNITS FROM TENTHS TO EIGHTS(OKTAS) FOR REPORTING THE AMOUNT OF SKY COVER.</p> <p>NOTE: The "Period of Record:(POR) for all "averages" is based on the "Summary of the Day First Order Station" and "Cooperative Summary of the Day" archives.</p> |
|---|--|

2007 AUSTIN/CITY TEXAS (KATT)

Austin, capital of Texas, is located on the Colorado River where the stream crosses the Balcones escarpment separating the Texas Hill Country from the Blackland Prairies to the east. Elevations within the city vary from 400 feet to nearly 1,000 feet above sea level. Native trees include cedar, oak, walnut, mesquite, and pecan.

The climate of Austin is humid subtropical with hot summers. Winters are mild, with below freezing temperatures occurring on an average of about 25 days each year. Rather strong northerly winds, accompanied by sharp drops in temperature, frequently occur during the winter months in connection with cold fronts, but cold spells are usually of short duration, seldom lasting more than two days. Daytime temperatures in summer are hot, but summer nights are usually pleasant.

Precipitation is fairly evenly distributed throughout the year, with heaviest amounts occurring in late spring. A secondary rainfall peak occurs in September, primarily because of tropical cyclones that migrate out of the Gulf of Mexico. Precipitation from April through

September usually results from thunderstorms, with fairly large amounts of rain falling within short periods of time. While thunderstorms and heavy rains may occur in all months of the year, most of the winter precipitation consists of light rain. Snow is insignificant as a source of moisture, and usually melts as rapidly as it falls. The city may experience several seasons in succession with no measurable snowfall.

Prevailing winds are southerly, however in winter, northerly winds are about as frequent as those from the south. Destructive winds and damaging hailstorms are infrequent. On rare occasions dissipating tropical storms produce strong winds and heavy rains in the area. Blowing dust occurs occasionally in spring, but visibility rarely drops substantially, and then only for a few hours.

The average length of the warm season (freeze-free period) is 273 days. The average occurrence of the last temperature of 32 degrees in spring is early March and the average occurrence of the first temperature of 32 degrees is late November.

EDITORIAL NOTE:

With the opening of Austin Bergstrom International Airport in May 1999, there are now two sets of Local Climatological Data (LCD) maintained for Austin, Texas. As a user of National Climate Data Center products, you should be aware of the history of the data sets; in addition, you should know where and how these climatological data records are kept for the two Austin area weather observation sites.

Austin City/Camp Mabry (Texas National Guard) (Identifier ATT)

The Local Climatological Data for this site is based on weather records started back in the 1800s in the downtown Austin area. This National Weather Service first order data set was moved 3 miles northeast of the downtown area with the opening of Austin Robert Mueller Municipal Airport in the 1940s and continued until the closure of the Robert Mueller Airport on May 23, 1999. The National Weather Service ASOS was left without human augmentation effective with the closure of the airport. With the planned demolition of the former airport site, the National Weather Service held discussions with local users about finding a comparable location (geography and elevation) to maintain this "in city" climate data set. With cooperation of Texas National Guard officials, the National Weather Service moved the ASOS (no human augmentation) to Camp Mabry on July 21, 1999. This location, which is very similar to the former airport site, is along Loop 1/MoPac Expressway about 4 miles west northwest of the former Robert Mueller airport site and about 3 miles northwest of downtown Austin.

Austin Bergstrom International Airport

(Identifier AUS) The Local Climatological Data for this site is based upon U.S. Air Force weather records taken at Bergstrom Air Force Base (formerly occupying this site) for the time period 1942 through 1995. With base conversion to civilian use, Austin Bergstrom International Airport was opened to cargo operations on September 1, 1997, with resumption of manual surface weather observations. On October 2, 1997, an ASOS was commissioned at this airport. Austin Bergstrom International Airport was opened to full civilian operations (with full human augmentation as FAA Service Level "A" weather observations) on May 23, 1999. This weather observation site is located about 6 miles southeast of downtown Austin (immediately southeast of the intersection of U.S. Highway 183 and State Highway 71) in the Onion Creek watershed. Because the location is in a more outlying and lowlying area, nighttime temperatures (especially during calm wind conditions during the winter time of the year) tend to be considerably cooler than the Austin City/Camp Mabry (Texas National Guard) weather observation site.

As a NCDC Local Climatological data user, you should be aware of these 1999 changes and how it affects the choice of which Local Climatological Data set you use for Austin, Texas.

Station Location

AUSTIN/CITY

| LOCATION | Occupied From | Occupied To | Airline Distances and Directions from previous Location | Latitude | | ELEVATION ABOVE | | | | | | | | | | REMARKS |
|---|---------------|-------------|---|----------|---------|-------------------------|-----------------|----------------------|--------------|-----------------|---------------------------|---------------------|-------------------|---------------------------------|-----------------------|--|
| | | | | NORTH | WEST | SEA LEVEL | GROUND | | | | | | | AUTOMATIC OBSERVING EQUIPMENT * | | |
| | | | | | | GROUND TEMPERATURE SITE | WIND INSTRUMENT | EXTREME THERMOMETERS | PSYCHROMETER | SUNSHINE SWITCH | TIPPING BUCKET RAIN GAUGE | WEIGHING RAIN GAUGE | 8 INCH RAIN GAUGE | | HYGROTHERMOMETER | |
| *NOTE: | | | | | | | | | | | | | | | | |
| AIRPORT | | | | | | | | | | | | | | | | |
| Administration Building Municipal Airport | 8/16/42 | 6/30/61 | 3 mi. NNE | 30° 18' | 97° 42' | 615 | 41 a32 | 6 | 5 | Unk | 3 | | 3 | | a. Effective 9/13/57. | |
| Administration Building 3600 Manor Road Municipal Airport | 7/1/61 | 10/24/79 | 0.7 mi. SE | 30° 18' | 97° 42' | 597 | 20 | 5 b | 5 b | 35 | 3 | NA | 3 c6 | 6 | NA | b. Removed 7/1/63. c. Minor adjustment 2/20/67. |
| Weather Svc Bldg. 3724 Manor Rd. Municipal Airport | 10/24/79 | 07/01/95 | 0.25 SE mi. | 30° 17' | 97° 42' | 597 | d20 g33 | NA | NA | 20 | 5 i5 | e5 i5 | d3 f3 | d6 h5 | NA | d. Not moved 10/24/79. e. Installed 10/25/79. f. Relocated 10/30/79. g. Relocated 7/1/82. h. Moved 20' NE & type change 11/15/84. i. Minor move 02/23/89. |
| Weather Svc Bldg. 3724 Manor Rd. | 07/01/95 | 07/21/99 | 0.25 SE mi. | 30° 17' | 97° 42' | 597 | d20 g33 | NA | NA | 20 | 5 i5 | e5 i5 | d3 f3 | d6 | NA | |
| Camp Mabry Army Nat'l Guard Base | 07/21/99 | Present | 4 mi. WNW | 30° 19' | 97° 46' | 1648 | | | | | | | | | S | ASOS Commissioned 7/1/95 j. Ground elevation. Thunderstorm Sensor Installed 7/14/2000 |

For Hard Copy Subscription:

Price and ordering information: NCDC Subscribing Service Center, 310 State Route 956, Building 300, Rocket Center, WV 26726.

INQUIRES/COMMENTS CALL: Toll Free (866) 742-3322

Visit our Web Site for other weather data: www.ncdc.noaa.gov

Non-Subscription Request:

NCDC Customer Services;
Phone: 828-271-4800
Fax: 828-271-4876
Email: ncdc.orders@noaa.gov

FIRST CLASS
POSTAGE & FEES PAID
United States Department of Commerce
NOAA Permit No. G - 19

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE \$300
CHANGE SERVICE REQUESTED

* NOTES: For earlier station history see previous edition.