




# 2007 LOCAL CLIMATOLOGICAL DATA ANNUAL SUMMARY WITH COMPARATIVE DATA


ISSN 0198-5361

## RICHMOND, VIRGINIA (KRIC)


### Daily Max/Min Temperature



### Daily Precipitation



### Daily Station Pressure



I CERTIFY THAT THIS IS AN OFFICIAL PUBLICATION OF THE NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION, AND IS COMPILED FROM RECORDS ON FILE AT THE NATIONAL CLIMATIC DATA CENTER.

NATIONAL  
OCEANIC AND  
ATMOSPHERIC ADMINISTRATION

NATIONAL  
ENVIRONMENTAL SATELLITE, DATA  
AND INFORMATION SERVICE

NATIONAL  
CLIMATIC DATA CENTER  
ASHEVILLE, NORTH CAROLINA

*Thomas R. Karl*  
DIRECTOR  
NATIONAL CLIMATIC DATA CENTER

# METEOROLOGICAL DATA FOR 2007

## RICHMOND (KRIC)

LATITUDE: 37 ° 30'N      LONGITUDE: -77 ° 19'W      ELEVATION (FT): GRND: 163    BARO: 167      TIME ZONE: EASTERN (UTC -5)      WBAN: 13740

ELEMENT		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	YEAR	
TEMPERATURE °F	MEAN DAILY MAXIMUM	53.1	45.4	64.3	69.0	78.4	86.5	89.9	90.9	84.3	78.1	60.5	52.4	71.1	
	HIGHEST DAILY MAXIMUM	74	67	86	90	92	99	98	104	93	95	76	79	104	
	DATE OF OCCURRENCE	14	22	27	25	02	19	19	08	11	09	21+	10	AUG 08	
	MEAN DAILY MINIMUM	33.9	25.5	39.1	45.2	56.5	65.0	67.5	69.9	60.8	55.7	38.4	35.5	49.4	
	LOWEST DAILY MINIMUM	17	12	23	28	42	57	59	62	49	35	27	20	12	
	DATE OF OCCURRENCE	26	06	08	09	07	16+	03	19	30+	30	24	18	FEB 06	
	AVERAGE DRY BULB	43.5	35.5	51.7	57.1	67.5	75.8	78.7	80.4	72.6	66.9	49.5	44.0	60.3	
	MEAN WET BULB	38.5	29.7	43.7	48.7	59.2	67.0	68.3	71.3	64.1	59.5	43.4	39.8	52.8	
	MEAN DEW POINT	29.8	16.8	32.6	39.0	53.1	61.6	62.7	67.1	58.8	54.2	35.3	33.7	45.4	
	NUMBER OF DAYS WITH:														
	MAXIMUM >= 90°	0	0	0	1	1	7	17	18	7	2	0	0	0	53
	MAXIMUM <= 32°	0	2	0	0	0	0	0	0	0	0	0	0	0	2
	MINIMUM <= 32°	17	21	9	5	0	0	0	0	0	0	9	11	72	
MINIMUM <= 0°	0	0	0	0	0	0	0	0	0	0	0	0	0		
H/C	HEATING DEGREE DAYS	662	821	421	264	64	0	0	0	12	80	458	643	3425	
	COOLING DEGREE DAYS	0	0	16	36	148	332	431	488	247	146	0	0	1844	
RH	MEAN (PERCENT)	61	50	52	55	64	65	63	68	66	68	61	70	62	
	HOUR 01 LST	67	57	66	70	77	79	79	82	82	82	73	77	74	
	HOUR 07 LST	70	63	62	61	67	68	67	73	72	79	73	78	69	
	HOUR 13 LST	48	39	34	38	44	46	40	49	43	47	42	56	44	
	HOUR 19 LST	61	48	49	51	65	66	65	71	68	71	60	73	62	
S	PERCENT POSSIBLE SUNSHINE														
W/O	NUMBER OF DAYS WITH:														
	HEAVY FOG(VISBY <= 1/4 MI)	2	0	0	0	1	0	0	1	0	5	0	3	12	
	THUNDERSTORMS	0	0	0	1	6	10	8	9	0	1	0	0	35	
CLOUDNESS	SUNRISE-SUNSET: (OKTAS)														
	CEILOMETER (<= 12,000 FT.)														
	SATELLITE (> 12,000 FT.)														
	MIDNIGHT-MIDNIGHT: (OKTAS)														
	CEILOMETER (<= 12,000 FT.)														
SATELLITE (> 12,000 FT.)															
NUMBER OF DAYS WITH:															
CLEAR															
PARTLY CLOUDY															
CLOUDY															
PR	MEAN STATION PRESS. (IN.)	29.93	29.85	29.99	29.74	29.95	29.80	29.78	29.81	29.95	29.91	29.93	29.96	29.88	
	MEAN SEA-LEVEL PRESS. (IN.)	30.13	30.04	30.31	29.93	30.14	29.99	29.97	30.00	30.14	30.10	30.12	30.15	30.09	
WINDS	RESULTANT SPEED (MPH)	3.8	3.8	1.5	3.0	0.5	1.2	1.2	0.5	1.3	0.3	2.1	1.2	1.2	
	RES. DIR. (TENS OF DEGS.)	25	30	24	32	16	27	24	10	07	27	30	31	29	
	MEAN SPEED (MPH)	8.7	8.4	9.2	8.4	6.9	6.3	6.2	5.1	5.6	5.6	6.7	6.8	7.0	
	PREVAIL.DIR.(TENS OF DEGS.)	19	30	20	31	03	22	22	20	02	20	02	05	19	
	MAXIMUM 2-MINUTE WIND														
	SPEED (MPH)	30	38	33	39	35	43	47	36	22	24	25	35	47	
	DIR. (TENS OF DEGS.)	31	29	23	33	22	21	31	30	30	03	01	27	31	
	DATE OF OCCURRENCE	29	22	03	16	26	27	19	16	11	28	22	16	JUL 19	
	MAXIMUM 5-SECOND WIND:														
	SPEED (MPH)	38	49	44	51	41	54	56	59	30	31	32	45	59	
DIR. (TENS OF DEGS.)	32	29	23	31	24	23	31	30	30	02	32	27	30		
DATE OF OCCURRENCE	29	22	03	16	26	27	19	16	11	28	16	16	AUG 16		
PRECIPITATION	WATER EQUIVALENT:														
	TOTAL (IN.)	3.46	2.06	2.66	3.62	3.69	5.22	1.69	6.81	1.11	3.54	0.80	3.24	37.90	
	GREATEST 24-HOUR (IN.)	1.60	1.58	1.96	2.24	0.92	2.30	0.58	3.50	1.09	1.87	0.62	0.93	3.50	
	DATE OF OCCURRENCE	01	13-14	15-16	14-15	13	29-30	19-20	16-17	14-15	24-25	15	15-16	AUG 16-17	
	NUMBER OF DAYS WITH:														
	PRECIPITATION 0.01	10	5	6	7	9	14	7	9	3	5	8	12	95	
PRECIPITATION 0.10	6	4	4	5	6	7	4	8	1	4	1	6	56		
PRECIPITATION 1.00	1	1	1	1	0	2	0	1	1	2	0	0	10		
SNOWFALL	SNOW,ICE PELLETS,HAIL														
	TOTAL (IN.)	T	0.3	0.0	1.0	T	0.0	0.0	0.0	0.0	0.0	0.0	T	1.3	
	GREATEST 24-HOUR (IN.)	T	0.3	0.0	1.0	T	0.0	0.0	0.0	0.0	0.0	0.0	T	1.0	
	DATE OF OCCURRENCE	28+	01		07	26							07+	APR 07	
	MAXIMUM SNOW DEPTH (IN.)														
	DATE OF OCCURRENCE														
NUMBER OF DAYS WITH:															
SNOWFALL >= 1.0	0	0	0	1	0	0	0	0	0	0	0	0	0	1	

# NORMALS, MEANS, AND EXTREMES RICHMOND (KRIC)

**LATITUDE:** 37 ° 30'N      **LONGITUDE:** -77 ° 19'W      **ELEVATION (FT):** GRND: 163    BARO: 167      **TIME ZONE:** EASTERN (UTC -5)      **WBAN: 13740**

	ELEMENT	POR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	YEAR	
<b>TEMPERATURE °F</b>	NORMAL DAILY MAXIMUM	30	45.3	49.3	58.4	68.9	76.2	83.6	87.5	85.7	79.7	69.3	59.7	49.7	67.8	
	MEAN DAILY MAXIMUM	87	47.4	50.3	58.9	69.4	77.6	84.9	88.3	86.7	80.9	70.7	60.5	50.2	68.8	
	HIGHEST DAILY MAXIMUM	78	81	83	93	96	100	104	105	104	103	99	86	81	105	
	YEAR OF OCCURRENCE		2002	1932	1938	1990	1941	1952	1977	2007	1954	1941	1993	1998	1998	JUL 1977
	MEAN OF EXTREME MAXS.	87	69.6	71.2	80.2	88.0	91.0	95.9	97.5	96.1	93.2	85.5	77.8	70.1	84.7	
	NORMAL DAILY MINIMUM	30	27.6	29.7	37.0	45.3	54.6	63.3	68.3	66.8	59.9	47.2	38.4	31.1	47.4	
	MEAN DAILY MINIMUM	87	28.5	29.9	36.8	45.5	54.8	63.5	68.1	66.8	60.2	48.0	38.6	30.9	47.6	
	LOWEST DAILY MINIMUM	78	-12	-10	11	23	31	40	51	46	35	21	10	-1	-12	
	YEAR OF OCCURRENCE		1940	1936	1960	1985	1956	1967	1965	1934	1974	1962	1933	1942	1940	JAN 1940
	MEAN OF EXTREME MINS.	87	10.5	14.4	21.5	30.8	41.0	51.1	58.0	55.9	45.6	32.6	23.0	14.8	33.3	
	NORMAL DRY BULB	30	36.4	39.5	47.7	57.1	65.4	73.5	77.9	76.3	69.8	58.3	49.0	40.4	57.6	
	MEAN DRY BULB	87	38.0	40.1	47.9	57.5	66.2	74.3	78.2	76.8	70.6	59.3	49.6	40.5	58.3	
	MEAN WET BULB	24	33.7	35.2	41.4	50.0	58.7	67.0	71.2	70.0	63.9	53.6	44.6	36.5	52.2	
	MEAN DEW POINT	24	28.0	29.2	35.2	44.2	54.6	63.6	68.5	67.5	60.9	49.9	39.7	30.9	47.7	
	NORMAL NO. DAYS WITH: MAXIMUM >= 90	30	0.0	0.0	*	0.8	1.9	8.2	15.0	10.9	3.6	0.3	0.0	0.0	40.7	
	MAXIMUM <= 32	30	3.5	1.9	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.6	7.2	
	MINIMUM <= 32	30	21.6	18.3	10.3	1.9	*	0.0	0.0	0.0	0.0	1.3	9.2	18.3	80.9	
MINIMUM <= 0	30	0.2	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3		
<b>H/C</b>	NORMAL HEATING DEG. DAYS	30	873	705	528	254	80	8	0	1	27	225	470	748	3919	
	NORMAL COOLING DEG. DAYS	30	0	1	8	33	107	277	415	367	187	33	6	1	1435	
<b>RH</b>	NORMAL (PERCENT)	30	69	66	63	62	70	72	74	76	76	74	70	69	70	
	HOURLY 01 LST	30	75	73	72	73	83	86	88	90	89	87	80	76	81	
	HOURLY 07 LST	30	80	79	78	76	81	83	85	89	90	89	84	81	83	
	HOURLY 13 LST	30	57	53	50	46	53	54	56	57	57	53	52	56	54	
	HOURLY 19 LST	30	67	62	57	54	63	66	68	72	75	76	69	68	66	
<b>S</b>	PERCENT POSSIBLE SUNSHINE	46	54	58	62	66	65	69	68	66	65	63	59	54	62	
<b>W/O</b>	MEAN NO. DAYS WITH: HEAVY FOG (VISBY <= 1/4 MI)	44	2.5	2.1	1.5	1.4	1.9	1.3	1.4	2.0	2.2	2.7	2.2	2.4	23.6	
	THUNDERSTORMS	87	0.3	0.3	1.5	2.3	5.0	6.3	8.2	6.1	2.7	0.8	0.6	0.2	34.3	
<b>CLOUDNESS</b>	MEAN: SUNRISE-SUNSET (OKTAS)				5.6		5.6	3.2								
	MIDNIGHT-MIDNIGHT (OKTAS)				5.6											
	MEAN NO. DAYS WITH: CLEAR	1	2.0	1.0	9.0		9.0	10.0								
	PARTLY CLOUDY			1.0	5.0		4.0	8.0								
	CLOUDY	1	7.0	4.0	10.0		8.0	1.0								
<b>PR</b>	MEAN STATION PRESSURE (IN)	24	29.92	29.91	29.87	29.80	29.82	29.81	29.82	29.85	29.88	29.92	29.93	29.94	29.87	
	MEAN SEA-LEVEL PRES. (IN)	24	30.12	30.11	30.07	29.99	30.01	30.00	30.01	30.04	30.07	30.11	30.13	30.14	30.07	
<b>WINDS</b>	MEAN SPEED (MPH)	24	8.5	8.6	9.3	9.2	8.1	7.6	7.2	6.6	7.0	6.9	7.7	7.8	7.9	
	PREVAIL. DIR (TENS OF DEGS)	32	01	36	21	20	22	21	20	20	36	01	36	36	20	
	MAXIMUM 2-MINUTE: SPEED (MPH)	12	38	39	38	46	41	45	47	44	46	37	36	40	47	
	DIR. (TENS OF DEGS)		31	22	36	33	30	26	31	36	09	10	30	15	31	
	YEAR OF OCCURRENCE		2000	2002	2005	1999	1997	2000	2007	1996	2003	1996	2003	1996	JUL 2007	
	MAXIMUM 5-SECOND SPEED (MPH)	12	48	49	49	56	60	55	56	59	72	46	46	48	72	
	DIR. (TENS OF DEGS)		31	29	34	25	28	27	31	30	10	10	27	16	10	
YEAR OF OCCURRENCE		2000	2007	2005	1998	1996	2000	2007	2007	2007	2003	1996	2003	1996	SEP 2003	
<b>PRECIPITATION</b>	NORMAL (IN)	30	3.55	2.98	4.09	3.18	3.96	3.54	4.67	4.18	3.98	3.60	3.06	3.12	43.91	
	MAXIMUM MONTHLY (IN)	70	7.97	5.97	8.65	7.31	8.87	9.93	18.87	16.30	16.60	9.39	7.64	7.07	18.87	
	YEAR OF OCCURRENCE		1978	1979	1984	1987	1972	2004	1945	2004	1999	1971	1959	1973	JUL 1945	
	MINIMUM MONTHLY (IN)	70	0.64	0.48	0.20	0.64	0.87	0.38	0.51	0.52	.08	0.01	0.17	0.40	0.01	
	YEAR OF OCCURRENCE		1981	1978	2006	1963	1965	1980	1983	1943	2005	2000	2001	1980	OCT 2000	
	MAXIMUM IN 24 HOURS (IN)	70	3.31	2.67	3.43	2.97	3.40	4.61	5.73	8.79	6.52	6.50	4.07	3.16	8.79	
	YEAR OF OCCURRENCE		1962	1979	1992	1987	2003	1963	1969	1955	1999	1961	1956	1958	AUG 1955	
	NORMAL NO. DAYS WITH: PRECIPITATION >= 0.01	30	10.7	9.5	10.5	9.2	11.0	9.6	11.1	9.0	8.7	7.5	8.1	9.7	114.6	
PRECIPITATION >= 1.00	30	1.0	0.7	1.0	0.8	1.0	0.8	1.3	1.2	1.2	1.2	0.8	0.5	11.5		
<b>SNOWFALL</b>	NORMAL (IN)	30	4.3	4.8	1.4	0.*	0.0	0.0	0.0	0.0	0.0	0.*	0.3	1.6	12.4	
	MAXIMUM MONTHLY (IN)	68	28.5	21.4	19.7	2.0	T	0.0	0.0	T	0.0	T	7.3	12.5	28.5	
	YEAR OF OCCURRENCE		1940	1983	1960	1940	2007		2003			1979	1953	1958	JAN 1940	
	MAXIMUM IN 24 HOURS (IN)	68	21.6	16.8	12.1	2.0	T	0.0	T	0.0	0.0	T	7.3	7.5	21.6	
	YEAR OF OCCURRENCE		1940	1983	1962	1940	1994		2003			1979	1953	1966	JAN 1940	
	MAXIMUM SNOW DEPTH (IN)	79	18	20	13	1	0	0	0	0	0	0	6	9	20	
	YEAR OF OCCURRENCE		1922	1922	1980	1964							1938	1958	FEB 1922	
NORMAL NO. DAYS WITH: SNOWFALL >= 1.0	30	1.1	1.3	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.6	3.5		

**PRECIPITATION (inches) 2007 RICHMOND (KRIC)**

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
1978	7.97	0.48	5.67	4.31	3.92	5.26	4.24	5.93	0.26	1.21	4.57	3.80	47.62
1979	6.16	5.97	2.59	3.97	3.80	2.42	4.36	7.08	9.76	3.87	5.50	1.64	57.12
1980	6.05	1.01	5.49	4.28	4.68	0.38	5.18	2.15	2.37	6.96	2.18	0.40	41.13
1981	0.64	2.76	1.52	2.96	6.62	3.69	4.01	2.89	2.70	2.36	0.68	5.04	35.87
1982	2.76	4.44	3.74	2.97	3.48	3.97	9.21	4.39	2.55	2.90	2.70	3.37	46.48
1983	1.59	3.95	6.04	5.21	2.50	5.46	0.51	0.97	3.05	4.02	5.63	4.50	43.43
1984	3.98	3.97	8.65	5.92	4.52	2.01	3.55	4.58	1.86	2.14	3.34	1.52	46.04
1985	3.54	3.20	1.80	0.65	2.36	4.01	5.31	10.58	4.97	5.09	6.99	0.58	49.08
1986	2.69	2.67	1.16	1.16	3.15	1.30	7.01	6.75	0.63	2.43	2.46	5.15	36.56
1987	5.53	2.57	1.65	7.31	2.94	6.29	1.20	1.11	4.43	1.25	3.13	2.86	40.27
1988	2.53	3.08	1.98	2.55	4.81	2.25	7.50	2.95	1.74	2.74	4.34	0.79	37.26
1989	1.88	4.34	5.00	4.27	5.02	5.85	4.00	4.89	5.33	3.54	3.00	2.62	49.74
1990	2.84	2.38	2.54	2.81	6.85	0.97	6.74	5.76	1.92	3.90	1.70	3.52	41.93
1991	3.62	1.09	5.87	0.87	0.91	6.24	3.47	3.32	2.69	2.50	0.67	4.53	35.78
1992	1.57	2.89	5.87	2.21	4.95	2.28	5.68	6.40	2.35	1.94	2.62	2.79	41.55
1993	4.48	2.88	7.24	3.23	4.66	1.75	1.91	3.89	2.97	2.23	3.24	3.77	42.25
1994	3.10	4.38	7.92	2.70	2.49	1.73	7.46	2.54	3.99	2.56	3.99	0.95	43.81
1995	3.15	1.14	3.00	1.98	4.33	1.85	2.89	2.59	3.82	5.11	2.87	1.71	34.44
1996	4.65	2.97	2.71	2.88	3.18	4.35	6.51	4.40	6.87	7.18	3.52	4.91	54.13
1997	1.93	3.71	2.96	3.94	1.36	2.21	4.85	1.41	0.82	3.25	5.33	2.36	34.13
1998	6.85	5.76	6.72	4.32	3.72	4.41	2.37	1.89	3.94	0.47	1.30	5.00	46.75
1999	4.70	1.47	4.04	2.60	2.75	6.29	2.77	2.00	16.60	2.25	1.01	1.72	48.20
2000	3.96	1.60	3.67	4.78	3.03	6.07	4.05	8.28	3.60	0.01	1.72	2.38	43.15
2001	2.06	2.55	3.77	2.14	2.03	6.53	2.73	5.08	2.14	0.65	0.17	1.67	31.52
2002	3.58	0.82	4.48	2.33	3.49	1.56	1.63	3.18	2.88	6.09	4.28	3.45	37.77
2003	2.18	4.21	5.92	4.38	8.59	3.87	9.26	4.66	10.12	2.43	3.39	4.28	63.29
2004	1.55	1.87	2.22	3.42	3.06	9.93	6.42	16.30	6.14	1.95	3.27	2.37	58.50
2005	3.42	1.39	3.99	2.05	4.22	1.19	9.28	2.56	0.08	3.74	3.81	5.81	41.54
2006	2.89	1.47	0.20	2.18	3.24	7.85	4.57	5.99	9.52	6.12	6.67	1.42	52.12
2007	3.46	2.06	2.66	3.62	3.69	5.22	1.69	6.81	1.11	3.54	0.80	3.24	37.90
POR= 87 YRS	3.33	2.89	3.65	3.11	3.66	3.81	5.08	4.87	3.61	3.12	2.91	3.12	43.16

WBAN : 13740

**AVERAGE TEMPERATURE (°F) 2007 RICHMOND (KRIC)**

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
1978	33.4	30.3	44.5	57.3	65.5	74.7	77.5	80.1	72.9	58.3	52.5	42.5	57.5
1979	36.4	28.6	51.1	58.4	67.1	70.8	76.9	77.8	71.0	58.3	53.3	42.3	57.7
1980	38.8	36.0	47.4	61.1	68.3	72.8	80.0	80.7	74.7	56.9	46.2	38.6	58.5
1981	31.2	42.2	44.6	60.6	64.1	77.9	79.6	75.1	69.4	56.4	49.1	38.0	57.4
1982	31.6	41.7	49.1	55.9	70.4	73.4	78.6	75.0	69.8	59.2	51.9	46.1	58.6
1983	37.8	39.1	50.4	56.1	66.1	75.6	79.4	77.7	68.8	58.1	49.0	36.2	57.9
1984	32.6	44.5	43.6	55.8	65.4	77.7	76.0	77.0	67.5	66.1	46.6	47.7	58.4
1985	32.6	40.2	49.7	62.0	68.0	74.3	79.0	77.5	70.8	62.6	56.6	37.8	59.3
1986	36.2	39.3	50.0	59.2	66.9	76.1	80.9	74.2	70.8	61.8	49.1	40.9	58.8
1987	34.7	37.0	47.1	54.3	67.3	75.8	81.3	78.5	72.3	52.9	51.3	43.0	58.0
1988	32.3	39.1	47.9	56.0	65.8	72.8	79.9	79.8	68.4	53.6	50.6	39.2	57.1
1989	42.3	39.6	47.9	55.8	64.1	76.1	77.7	75.3	70.8	60.2	49.3	31.3	57.5
1990	46.3	48.0	52.1	57.9	65.8	75.0	79.9	76.3	69.5	63.1	52.6	46.3	61.1
1991	40.2	44.0	50.8	60.2	72.1	75.3	80.7	78.6	71.6	59.9	49.6	44.3	60.6
1992	40.7	42.7	47.2	57.8	61.7	70.8	79.5	73.7	70.3	56.3	50.6	40.9	57.7
1993	41.4	37.8	45.9	55.9	67.7	75.0	82.5	78.5	72.5	58.6	50.9	39.0	58.8
1994	33.4	40.2	48.9	63.2	63.2	78.0	81.1	75.4	69.2	57.6	52.6	45.6	59.0
1995	40.7	38.7	50.2	58.1	65.8	74.1	80.8	78.9	69.1	61.1	44.2	35.6	58.1
1996	34.1	37.8	43.2	57.9	64.8	75.1	76.4	74.3	70.1	58.9	43.2	43.8	56.6
1997	37.7	43.7	49.6	53.6	62.9	71.4	77.8	75.8	70.3	58.9	46.5	39.9	57.3
1998	43.2	44.2	48.5	58.0	67.4	74.0	78.3	78.3	74.2	59.7	49.5	44.2	60.0
1999	42.0	42.2	45.2	57.7	65.5	72.3	79.6	77.9	68.5	57.2	52.9	42.4	58.6
2000	36.3	43.4	52.0	56.4	68.0	75.4	74.7	74.9	67.5	59.7	46.1	33.0	57.3
2001	37.1	42.3	45.2	58.2	65.2	75.0	74.9	78.2	67.8	59.1	54.6	46.0	58.6
2002	42.1	42.7	49.1	60.5	65.4	76.0	80.2	79.3	71.8	60.0	47.7	38.5	59.4
2003	33.7	36.7	49.6	56.9	63.5	72.7	77.8	78.3	70.0	58.1	53.9	39.6	57.6
2004	33.4	38.7	50.0	59.1	73.1	74.5	78.7	75.7	71.6	60.2	52.6	42.4	59.2
2005	40.1	42.1	45.2	58.5	63.4	76.2	81.7	80.6	75.6	61.9	53.1	38.6	59.8
2006	45.1	40.3	49.8	60.2	65.4	74.9	81.5	80.7	69.9	59.8	53.7	47.3	60.7
2007	43.5	35.5	51.7	57.1	67.5	75.8	78.7	80.4	72.6	66.9	49.5	44.0	60.3
POR= 87 YRS	38.0	40.1	47.9	57.5	66.2	74.3	78.2	76.8	70.6	59.3	49.6	40.5	58.2

**HEATING DEGREE DAYS (base 65°F) 2007 RICHMOND (KRIC)**

YEAR	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	TOTAL
1978-79	0	0	16	214	366	694	876	1011	439	218	44	4	3882
1979-80	0	0	8	242	353	698	806	835	541	135	47	2	3667
1980-81	0	0	14	267	557	813	1042	633	626	171	107	0	4230
1981-82	0	1	29	273	473	834	1029	645	486	280	6	1	4057
1982-83	0	6	10	213	399	585	836	718	445	282	69	2	3565
1983-84	0	1	86	236	475	887	994	589	657	282	93	3	4303
1984-85	0	0	73	57	546	531	997	692	484	177	35	5	3597
1985-86	0	0	31	114	257	838	886	713	465	187	78	3	3572
1986-87	0	16	24	172	476	741	931	777	550	317	57	0	4061
1987-88	0	0	5	370	409	677	1008	746	527	279	79	32	4132
1988-89	0	0	27	361	425	794	696	709	546	293	108	0	3959
1989-90	0	3	38	181	468	1036	574	472	436	258	50	3	3519
1990-91	0	0	33	146	365	574	762	582	443	193	27	1	3126
1991-92	0	0	25	190	458	637	749	640	545	261	142	10	3657
1992-93	0	0	37	275	427	739	724	757	585	280	24	0	3848
1993-94	0	0	26	213	436	799	973	687	497	130	120	0	3881
1994-95	0	0	11	232	365	595	750	731	453	236	72	1	3446
1995-96	0	0	28	166	620	905	952	782	669	247	122	8	4499
1996-97	0	0	10	193	652	654	840	589	472	337	117	45	3909
1997-98	0	0	19	247	547	771	667	575	536	232	50	7	3651
1998-99	0	0	10	173	457	652	710	631	606	237	60	7	3543
1999-00	0	0	29	249	362	693	882	620	404	257	45	2	3543
2000-01	0	0	61	190	561	983	858	631	605	244	67	0	4200
2001-02	0	0	57	213	312	582	704	616	490	210	101	1	3286
2002-03	0	0	0	214	512	814	962	785	470	257	98	7	4119
2003-04	0	0	13	216	341	779	974	756	461	238	25	1	3804
2004-05	0	0	6	178	370	695	770	634	608	214	102	3	3580
2005-06	0	0	2	150	359	810	612	686	481	173	84	3	3360
2006-07	0	0	16	197	339	543	662	821	421	264	64	0	3327
2007-	0	0	12	80	458	643							

WBAN : 13740

**COOLING DEGREE DAYS (base 65°F) 2007 RICHMOND (KRIC)**

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	TOTAL
1978	0	0	0	12	112	302	393	475	263	15	0	1	1573
1979	0	0	16	30	117	188	374	404	195	42	9	0	1375
1980	0	0	1	25	157	243	472	494	313	23	1	0	1729
1981	0	0	1	45	89	395	458	319	169	16	0	0	1492
1982	0	0	0	13	181	259	428	323	157	43	13	7	1424
1983	0	0	0	23	108	325	452	405	207	27	0	0	1547
1984	0	0	0	10	114	392	346	381	154	100	0	2	1499
1985	0	4	20	94	139	290	441	392	213	51	10	0	1654
1986	0	0	8	19	142	344	498	308	205	79	6	0	1609
1987	0	0	0	2	136	329	513	427	227	0	3	0	1637
1988	0	0	3	16	108	269	466	465	137	12	0	0	1476
1989	0	3	24	27	88	341	403	331	218	42	4	0	1481
1990	0	1	43	51	81	312	470	356	177	96	0	2	1589
1991	0	0	10	53	254	316	494	428	227	40	3	0	1825
1992	0	0	0	51	48	192	457	275	202	12	3	0	1240
1993	0	0	0	14	112	307	547	426	261	20	18	0	1705
1994	0	0	5	80	70	396	507	332	142	9	2	2	1545
1995	1	0	0	35	105	281	495	437	157	52	3	0	1566
1996	0	0	0	40	123	315	360	293	173	12	0	0	1316
1997	0	0	4	2	59	244	406	341	182	65	0	0	1303
1998	2	0	32	26	131	282	420	418	292	15	0	12	1630
1999	1	0	0	24	82	231	460	409	140	13	2	0	1362
2000	0	0	5	6	143	320	305	313	141	33	0	0	1266
2001	0	0	0	45	79	307	314	414	149	38	7	0	1353
2002	3	0	6	83	122	340	478	451	213	67	1	0	1764
2003	0	0	0	20	56	246	406	418	172	9	15	0	1342
2004	0	0	3	66	284	293	433	336	210	36	5	0	1666
2005	3	0	0	26	55	346	521	492	328	60	7	0	1838
2006	0	0	17	34	103	308	519	492	171	41	7	3	1695
2007	0	0	16	36	148	332	431	488	247	146	0	0	1844

## SNOWFALL (inches) 2007 RICHMOND (KRIC)

YEAR	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	TOTAL
1978-79	0.0	0.0	0.0	0.0	0.0	0.0	0.7	19.5	T	0.0	0.0	0.0	20.2
1979-80	0.0	0.0	0.0	T	0.0	T	16.6	7.0	15.0	0.0	0.0	0.0	38.6
1980-81	0.0	0.0	0.0	0.0	0.0	0.2	0.6	0.0	0.2	0.0	0.0	0.0	1.0
1981-82	0.0	0.0	0.0	0.0	T	1.9	8.3	10.8	T	0.2	0.0	0.0	21.2
1982-83	0.0	0.0	0.0	0.0	0.0	7.9	0.1	21.4	0.0	T	0.0	0.0	29.4
1983-84	0.0	0.0	0.0	0.0	0.1	T	1.1	2.8	0.3	0.0	0.0	0.0	4.3
1984-85	0.0	0.0	0.0	0.0	0.0	T	8.3	T	T	0.0	0.0	0.0	8.3
1985-86	0.0	0.0	0.0	0.0	0.0	1.3	3.3	4.4	T	T	0.0	0.0	9.0
1986-87	0.0	0.0	0.0	0.0	0.0	0.0	15.8	5.3	0.7	T	0.0	0.0	21.8
1987-88	0.0	0.0	0.0	0.0	4.5	T	8.1	T	T	T	0.0	0.0	12.6
1988-89	0.0	0.0	0.0	0.0	0.0	1.8	T	13.6	T	T	T	0.0	15.4
1989-90	0.0	0.0	0.0	0.0	1.1	9.9	0.0	T	T	0.2	0.0	0.0	11.2
1990-91	0.0	0.0	0.0	0.0	0.0	T	T	1.9	T	0.0	0.0	0.0	1.9
1991-92	0.0	0.0	0.0	0.0	0.1	T	0.0	0.8	T	T	0.0	0.0	0.9
1992-93	0.0	0.0	0.0	0.0	0.0	0.0	0.5	5.3	3.5	T	0.0	0.0	9.3
1993-94	0.0	0.0	0.0	0.0	0.0	5.1	2.2	1.7	0.7	0.0	T	0.0	9.7
1994-95	0.0	0.0	0.0	0.0	0.0	T	3.1	T	0.8	0.0	0.0	0.0	3.9
1995-96	0.0	0.0	0.0	0.0	T		12.3						
1996-97					T	1.0	0.7	1.0	T	T	0.0	0.0	
1997-98	0.0	0.0	0.0	0.0									
1998-99													
1999-00							15.2	0.2					
2000-01							0.3	2.5	0.5	0.0	0.0	0.0	
2001-02	0.0	0.0	0.0	0.0	0.0	0.0	8.7	T	T	0.0	0.0	0.0	8.7
2002-03	0.0	0.0	0.0	0.0	0.0	5.0	5.9	6.0	0.1	0.0	0.0	0.0	17.0
2003-04	T	0.0	0.0	0.0	0.0	T	4.9	1.4	0.0	0.0	0.0	0.0	6.3
2004-05	0.0	0.0	0.0	0.0	0.0	1.3	2.1	2.0	0.3	0.0	0.0	0.0	5.7
2005-06	0.0	0.0	0.0	0.0	T	4.4	T	3.2	0.9	T	0.0	0.0	8.5
2006-07	0.0	0.0	0.0	0.0	0.0	0.0	T	0.3	0.0	1.0	T	0.0	1.3
2007-	0.0	0.0	0.0	0.0	0.0	T							
POR= 83 YRS	T	0.0	0.0	T	0.4	2.1	4.5	3.6	1.9	0.1	T	0.0	12.6

WBAN : 13740

### REFERENCE NOTES :

<p>PAGE 1: THE TEMPERATURE GRAPH SHOWS NORMAL MAXIMUM AND NORMAL MINIMUM DAILY TEMPERATURES (SOLID CURVES) AND THE ACTUAL DAILY HIGH AND LOW TEMPERATURES (VERTICAL BARS).</p> <p>PAGE 2 AND 3: H/C INDICATES HEATING AND COOLING DEGREE DAYS. RH INDICATES RELATIVE HUMIDITY W/O INDICATES WEATHER AND OBSTRUCTIONS S INDICATES SUNSHINE. PR INDICATES PRESSURE. CLOUDINESS ON PAGE 3 IS THE SUM OF THE CEILOMETER AND SATELLITE DATA NOT TO EXCEED EIGHT EIGHTHS(OKTAS).</p> <p>GENERAL: T INDICATES TRACE PRECIPITATION, AN AMOUNT GREATER THAN ZERO BUT LESS THAN THE LOWEST REPORTABLE VALUE. + INDICATES THE VALUE ALSO OCCURS ON EARLIER DATES. BLANK ENTRIES DENOTE MISSING OR UNREPORTED DATA. NORMALS ARE 30-YEAR AVERAGES (1971 - 2000). ASOS INDICATES AUTOMATED SURFACE OBSERVING SYSTEM. PM INDICATES THE LAST DAY OF THE PREVIOUS MONTH. POR (PERIOD OF RECORD) BEGINS WITH THE JANUARY DATA MONTH AND IS THE NUMBER OF YEARS USED TO COMPUTE THE MEAN. INDIVIDUAL MONTHS WITHIN THE POR MAY BE MISSING. WHEN THE POR FOR A NORMAL IS LESS THAN 30 YEARS, THE NORMAL IS PROVISIONAL AND IS BASED ON THE NUMBER OF YEARS INDICATED. 0.* OR * INDICATES THE VALUE OR MEAN-DAYS-WITH IS BETWEEN 0.00 AND 0.05. CLOUDINESS FOR ASOS STATIONS DIFFERS FROM THE NON-ASOS OBSERVATION TAKEN BY A HUMAN OBSERVER. ASOS STATION CLOUDINESS IS BASED ON TIME-AVERAGED CEILOMETER DATA FOR CLOUDS AT OR BELOW 12,000 FEET AND ON SATELLITE DATA FOR CLOUDS ABOVE 12,000 FEET. THE NUMBER OF DAYS WITH CLEAR, PARTLY CLOUDY, AND CLOUDY CONDITIONS FOR ASOS STATIONS IS THE SUM OF THE CEILOMETER AND SATELLITE DATA FOR THE SUNRISE TO SUNSET PERIOD.</p>	<p>GENERAL CONTINUED: CLEAR INDICATES 0 - 2 OKTAS, PARTLY CLOUDY INDICATES 3 - 6 OKTAS, AND CLOUDY INDICATES 7 OR 8 OKTAS. WHEN AT LEAST ONE OF THE ELEMENTS (CEILOMETER OR SATELLITE) IS MISSING, THE DAILY CLOUDINESS IS NOT COMPUTED. WIND DIRECTION IS RECORDED IN TENS OF DEGREES (2 DIGITS) CLOCKWISE FROM TRUE NORTH. "00" INDICATES CALM. "36" INDICATES TRUE NORTH. RESULTANT WIND IS THE VECTOR AVERAGE OF THE SPEED AND DIRECTION. AVERAGE TEMPERATURE IS THE SUM OF THE MEAN DAILY MAXIMUM AND MINIMUM TEMPERATURE DIVIDED BY 2. SNOWFALL DATA COMPRISE ALL FORMS OF FROZEN PRECIPITATION, INCLUDING HAIL. A HEATING (COOLING) DEGREE DAY IS THE DIFFERENCE BETWEEN THE AVERAGE DAILY TEMPERATURE AND 65 F. DRY BULB IS THE TEMPERATURE OF THE AMBIENT AIR. DEW POINT IS THE TEMPERATURE TO WHICH THE AIR MUST BE COOLED TO ACHIEVE 100 PERCENT RELATIVE HUMIDITY. WET BULB IS THE TEMPERATURE THE AIR WOULD HAVE IF THE MOISTURE CONTENT WAS INCREASED TO 100 PERCENT RELATIVE HUMIDITY.</p> <p>ON JULY 1, 1996, THE NATIONAL WEATHER SERVICE BEGAN USING THE "METAR" OBSERVATION CODE THAT WAS ALREADY EMPLOYED BY MOST OTHER NATIONS OF THE WORLD. THE MOST NOTICEABLE DIFFERENCE IN THIS ANNUAL PUBLICATION WILL BE THE CHANGE IN UNITS FROM TENTHS TO EIGHTS(OKTAS) FOR REPORTING THE AMOUNT OF SKY COVER.</p> <p><b>NOTE:</b> The "Period of Record:(POR) for all "averages" is based on the "Summary of the Day First Order Station" and "Cooperative Summary of the Day" archives.</p>
---	--

# 2007

## RICHMOND

### VIRGINIA (KRIC)

Richmond is located in east-central Virginia at the head of navigation on the James River and along a line separating the Coastal Plains (Tidewater Virginia) from the Piedmont. The Blue Ridge Mountains lie about 90 miles to the west and the Chesapeake Bay 60 miles to the east. Elevations range from a few feet above sea level along the river to a little over 300 feet in parts of the western section of the city.

The climate might be classified as modified continental. Summers are warm and humid and winters generally mild. The mountains to the west act as a partial barrier to outbreaks of cold, continental air in winter. The cold winter air is delayed long enough to be modified, then further warmed as it subsides in its approach to Richmond. The open waters of the Chesapeake Bay and Atlantic Ocean contribute to the humid summers and mild winters. The coldest weather normally occurs in late December and January, when low temperatures usually average in the upper 20s, and the high temperatures in the upper 40s. Temperatures seldom lower to zero, but there have been several occurrences of below zero temperatures. Summertime high temperatures above 100 degrees are not uncommon, but do not occur every year.

Precipitation is rather uniformly distributed throughout the year. However, dry periods lasting several weeks do occur, especially in autumn when long periods of pleasant, mild weather are most common. There is considerable variability in total monthly amounts from year to year. Snow usually remains on the ground only one or two days at a time. Ice storms (freezing rain or glaze) are not uncommon, but they are seldom severe enough to do any considerable damage. A notable exception was the spectacular glaze storm of January 27-28, 1943, when nearly 1 inch of ice accumulation caused heavy damage to trees and overhead transmission lines.

The James River reaches tidewater at Richmond where flooding may occur in every month of the year, most frequently in March and least in July. Hurricanes and tropical storms have been responsible for most of the flooding during the summer and early fall months. Hurricanes passing near Richmond have produced record rainfalls. In 1955, three hurricanes brought record rainfall to Richmond within a six-week period. The most noteworthy of these were Hurricanes Connie and Diane that brought heavy rains five days apart.

Damaging storms occur mainly from snow and freezing rain in winter and from hurricanes, tornadoes, and severe thunderstorms in other seasons. Damage may be from wind, flooding, or rain, or from any combination of these. Tornadoes are infrequent but some notable occurrences have been observed within the Richmond area.

Based on the 1951-1980 period, the average first occurrence of 32 degrees Fahrenheit in the fall is October 26 and the average last occurrence in the spring is April 10.

# Station Location

RICHMOND

LOCATION	Occupied From	Occupied To	Airline Distances and Directions from previous Location	Latitude		ELEVATION ABOVE										REMARKS		
				NORTH	WEST	SEA LEVEL	GROUND							HYGROTHERMOMETER	AUTOMATIC OBSERVING EQUIPMENT *			
						GROUND TEMPERATURE SITE	WIND INSTRUMENT	EXTREME THERMOMETERS	PSYCHROMETER	SUNSHINE SWITCH	TIPPING BUCKET RAIN GAUGE	WEIGHING RAIN GAUGE	8 INCH RAIN GAUGE					
*NOTES: AIRPORT WB-CAA Building	7/15/25	9/24/42	None	37° 30'	77° 20'	158	#	5	5									CAA to 8/3/30. WBAS 8/3/30 to 5/26/35 and 7/14/38 to 9/24/42. # - 40 feet 8/3/30 to 5/26/35, estimated 40 feet 5/26/35 to 7/14/38 and estimated 50 feet to 9/24/42.
Army Hangar (Operations Annex)	9/24/42	4/19/46	1/2 mi. NNW	37° 30'	77° 20'	156	55	5	5									AF operation.
Old Airport Administration Bldg.	4/19/46	6/01/50	1/3 mi. SSE	37° 30'	77° 20'	156	46	5	5									WBAS reopened.
Byrd Field + New Terminal Building + R.E. Byrd International Airport effective 2/18/71 ++	6/01/50	8/19/88	4/5 mi. N	37° 30'	77° 20'	c164	b20 g33	d6	d6	%60 j30	e19	f19	e19	a4 h4 i4	NA M			a. Installed 2700 feet ENE of thermometer site 6/26/59. b. 67 feet to 1/11/61. c. 162 feet to 6/26/59. d. Discontinued 6/26/59. e. 3 feet to 10/9/69. % - Commissioned 11/19/63. f. Installed on roof 1/1/80. g. Minor move 12/2/82. h. Type change 7/9/84. M. ASOS installed 10/1985. i. Type change 11/12/85. j. Inactive summer 1985 until relocated 12/10/85. k. Not moved 8/19/88, other instruments moved 8/20-31/88.
++ Richmond International Airport effective 9/22/85.																		
Executive Terminal Richmond International Airport	8/19/88	10/01/95	1/4 mi. N	37° 31'	77° 20'	164	k33	NA	NA	NA	3	3	3	k4	M			
R.E. Byrd International Airport	10/01/95	Present	NA	37° 31'	77° 19'	1164									S			ASOS Commissioned 10/01/95 1. Ground Elevation

**For Hard Copy Subscription:**

Price and ordering information: NCDC Subscribing Service Center, 310 State Route 956, Building 300, Rocket Center, WV 26726.

**INQUIRES/COMMENTS CALL: Toll Free (866) 742-3322**

Visit our Web Site for other weather data: [www.ncdc.noaa.gov](http://www.ncdc.noaa.gov)

**Non-Subscription Request:**

NCDC Customer Services;  
Phone: 828-271-4800  
Fax: 828-271-4876  
Email: [ncdc.orders@noaa.gov](mailto:ncdc.orders@noaa.gov)

**FIRST CLASS**  
**POSTAGE & FEES PAID**  
**United States Department of Commerce**  
**NOAA Permit No. G - 19**

**OFFICIAL BUSINESS**  
**PENALTY FOR PRIVATE USE \$300**  
**CHANGE SERVICE REQUESTED**

\* NOTES: For earlier station history see previous editions.