




2007 LOCAL CLIMATOLOGICAL DATA ANNUAL SUMMARY WITH COMPARATIVE DATA


ISSN 0198-2192

TOPEKA, KANSAS (KTOP)


Daily Max/Min Temperature



Daily Precipitation



Daily Station Pressure



I CERTIFY THAT THIS IS AN OFFICIAL PUBLICATION OF THE NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION, AND IS COMPILED FROM RECORDS ON FILE AT THE NATIONAL CLIMATIC DATA CENTER.

NATIONAL
OCEANIC AND
ATMOSPHERIC ADMINISTRATION

NATIONAL
ENVIRONMENTAL SATELLITE, DATA
AND INFORMATION SERVICE

NATIONAL
CLIMATIC DATA CENTER
ASHEVILLE, NORTH CAROLINA

Thomas R. Karl
DIRECTOR
NATIONAL CLIMATIC DATA CENTER

METEOROLOGICAL DATA FOR 2007

TOPEKA (KTOP)

LATITUDE: 39 ° 4 'N LONGITUDE: -95 ° 37'W ELEVATION (FT): GRND: 884 BARO: 883 TIME ZONE: CENTRAL (UTC -6) WBAN: 13996

ELEMENT		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	YEAR	
TEMPERATURE °F	MEAN DAILY MAXIMUM	39.0	40.6	65.2	64.4	78.4	83.4	88.5	94.3	84.0	71.6	57.5	40.2	67.3	
	HIGHEST DAILY MAXIMUM	66	70	83	88	89	91	96	103	94	89	79	65	103	
	DATE OF OCCURRENCE	11	28+	25	29	13	25+	27	15	06+	05	19	02+	AUG 15	
	MEAN DAILY MINIMUM	19.8	19.1	42.4	40.8	58.9	65.0	69.5	72.7	58.7	48.4	31.2	21.2	45.6	
	LOWEST DAILY MINIMUM	1	0	18	19	49	51	63	59	45	32	10	11	0	
	DATE OF OCCURRENCE	16	16	04	07	18+	09	14+	31	28+	31+	23	24	FEB 16	
	AVERAGE DRY BULB	29.4	29.9	53.8	52.6	68.7	74.2	79.0	83.5	71.4	60.0	44.4	30.7	56.5	
	MEAN WET BULB	26.4	26.0	47.4	46.0	61.9	66.9	70.7	73.3	62.7	53.4	38.4	27.8	50.1	
	MEAN DEW POINT	19.9	18.7	41.0	38.1	57.5	62.7	66.8	68.7	57.2	47.4	29.9	22.9	44.2	
	NUMBER OF DAYS WITH:														
	MAXIMUM >= 90°	0	0	0	0	0	5	16	26	7	0	0	0	54	
	MAXIMUM <= 32°	10	12	0	0	0	0	0	0	0	0	1	10	33	
MINIMUM <= 32°	29	23	10	7	0	0	0	0	0	2	20	30	121		
MINIMUM <= 0°	0	1	0	0	0	0	0	0	0	0	0	0	1		
H/C	HEATING DEGREE DAYS	1097	977	364	388	22	0	0	0	28	213	618	1057	4764	
	COOLING DEGREE DAYS	0	0	24	22	142	284	442	581	228	63	6	0	1792	
RH	MEAN (PERCENT)	68	65	66	61	70	70	68	64	65	66	60	75	67	
	HOUR 00 LST	75	71	74	68	79	80	76	72	76	76	69	78	75	
	HOUR 06 LST	76	74	80	78	85	85	83	80	83	81	77	82	80	
	HOUR 12 LST	60	56	55	51	60	57	59	51	51	52	46	68	56	
	HOUR 18 LST	62	57	54	46	58	58	55	52	51	55	50	71	56	
S	PERCENT POSSIBLE SUNSHINE														
W/O	NUMBER OF DAYS WITH:														
	HEAVY FOG(VISBY <= 1/4 MI)	0	3	3	0	2	1	1	0	3	1	1	5	20	
	THUNDERSTORMS	0	0	4	3	8	4	3	5	5	6	0	1	39	
CLOUDNESS	SUNRISE-SUNSET: (OKTAS)														
	CEILOMETER (<= 12,000 FT.)														
	SATELLITE (> 12,000 FT.)														
	MIDNIGHT-MIDNIGHT: (OKTAS)														
	CEILOMETER (<= 12,000 FT.)														
SATELLITE (> 12,000 FT.)															
NUMBER OF DAYS WITH:															
CLEAR															
PARTLY CLOUDY															
CLOUDY															
PR	MEAN STATION PRESS. (IN.)	29.23	29.11	29.10	29.05	29.06	29.03	29.05	29.00	29.09	29.05	29.18	29.13	29.09	
	MEAN SEA-LEVEL PRESS. (IN.)	30.21	30.08	30.03	29.99	30.00	29.95	29.97	29.92	30.02	29.98	30.14	30.10	30.03	
WINDS	RESULTANT SPEED (MPH)	3.3	1.8	1.0	1.3	3.6	2.2	2.0	4.1	2.7	2.2	1.0	1.7	1.1	
	RES. DIR. (TENS OF DEGS.)	28	36	17	29	15	15	15	18	17	19	26	33	19	
	MEAN SPEED (MPH)	8.1	8.7	9.2	8.8	7.5	7.2	5.2	6.7	6.9	7.7	6.5	7.2	7.5	
	PREVAIL.DIR.(TENS OF DEGS.)	32	35	09	34	16	18	18	19	18	18	19	28	19	
	MAXIMUM 2-MINUTE WIND														
	SPEED (MPH)	29	37	31	32	28	33	23	29	30	30	30	35	37	
	DIR. (TENS OF DEGS.)	20	32	32	22	15	01	32	01	19	19	36	18	32	
	DATE OF OCCURRENCE	10	16	03	22	05	22	04	22	30	21	05	01	FEB 16	
	MAXIMUM 5-SECOND WIND:														
	SPEED (MPH)	40	47	45	48	37	46	31	45	40	43	40	47	48	
DIR. (TENS OF DEGS.)	20	31	30	20	16	18	17	33	21	19	35	18	20		
DATE OF OCCURRENCE	10	16	02	22	22	07	18	08	30	21	05	01	APR 22		
PRECIPITATION	WATER EQUIVALENT:														
	TOTAL (IN.)	0.67	1.48	3.65	3.20	10.25	4.39	1.99	2.79	1.35	6.61	0.10	4.13	40.61	
	GREATEST 24-HOUR (IN.)	0.30	0.73	2.25	1.11	7.47	1.13	0.79	1.10	0.66	1.40	0.08	2.64	7.47	
	DATE OF OCCURRENCE	14	24-25	30-31	13-14	06-07	29-30	04	08-09	06-07	12-13	24	10-11	MAY 06-07	
	NUMBER OF DAYS WITH:														
	PRECIPITATION 0.01	6	5	12	10	13	11	8	7	8	11	2	9	102	
PRECIPITATION 0.10	2	3	5	8	10	8	4	4	5	7	0	7	63		
PRECIPITATION 1.00	0	0	1	0	2	1	0	1	0	3	0	1	9		
SNOWFALL	SNOW,ICE PELLETS,HAIL														
	TOTAL (IN.)	4.9	4.2	T	T	0.0	0.0	0.0	0.0	0.0	0.0	0.8	16.5	26.4	
	GREATEST 24-HOUR (IN.)	2.5	1.8	T	T	0.0	0.0	0.0	0.0	0.0	0.0	0.8	9.0	9.0	
	DATE OF OCCURRENCE	20	12	03+	14+							24	22	DEC 22	
	MAXIMUM SNOW DEPTH (IN.)	3	3	0	0	0	0	0	0	0	0	T	6	6	
	DATE OF OCCURRENCE	21	17									24	23	DEC 23	
NUMBER OF DAYS WITH:															
SNOWFALL >= 1.0	1	2	0	0	0	0	0	0	0	0	0	5	8		

NORMALS, MEANS, AND EXTREMES TOPEKA (KTOP)

LATITUDE: 39° 4' N **LONGITUDE:** -95° 37' W **ELEVATION (FT):** GRND: 884 BARO: 883 **TIME ZONE:** CENTRAL (UTC -6) **WBAN: 13996**

	ELEMENT	POR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	YEAR
TEMPERATURE °F	NORMAL DAILY MAXIMUM	30	37.2	43.8	55.5	66.1	75.3	84.5	89.1	87.9	80.3	68.9	53.1	40.9	65.2
	MEAN DAILY MAXIMUM	60	38.0	43.9	54.5	66.7	76.0	84.5	89.5	88.5	80.6	69.4	54.1	41.9	65.6
	HIGHEST DAILY MAXIMUM	60	74	84	89	95	97	107	110	110	109	96	85	73	110
	YEAR OF OCCURRENCE		2003	1972	1986	2006	1998	1953	1980	1984	2000	2006	2006	2001	AUG 1984
	MEAN OF EXTREME MAXS.	60	61.8	67.8	78.3	86.5	90.0	95.4	99.7	99.7	94.5	87.4	74.5	64.1	83.3
	NORMAL DAILY MINIMUM	30	17.2	23.0	32.9	42.9	53.4	63.2	67.7	65.4	55.9	44.3	32.1	21.8	43.3
	MEAN DAILY MINIMUM	60	17.6	22.8	31.6	43.0	53.7	63.1	67.8	65.8	56.1	44.4	32.1	22.2	43.4
	LOWEST DAILY MINIMUM	60	-20	-23	-7	10	26	43	43	41	29	19	2	-26	-26
	YEAR OF OCCURRENCE		1974	1979	1978	1975	1963	1993	1972	1988	1984	1993	1976	1989	DEC 1989
	MEAN OF EXTREME MINS.	60	-2.7	2.3	12.9	26.3	37.5	49.6	55.4	53.0	38.5	27.4	15.4	2.6	26.5
	NORMAL DRY BULB	30	27.2	33.4	44.2	54.5	64.4	73.9	78.4	76.7	68.1	56.6	42.6	31.4	54.3
	MEAN DRY BULB	60	27.9	33.4	43.1	54.8	64.9	73.9	78.7	77.2	68.4	56.9	43.1	32.1	54.5
	MEAN WET BULB	24	26.4	29.9	38.7	48.1	58.5	66.6	70.7	69.3	60.9	50.1	38.2	29.2	48.9
	MEAN DEW POINT	24	21.5	25.0	32.6	42.6	54.4	63.4	67.6	66.2	57.3	45.6	33.6	24.6	44.5
	NORMAL NO. DAYS WITH: MAXIMUM >= 90	30	0.0	0.0	0.0	0.4	1.1	7.9	15.7	14.0	5.5	0.5	0.0	0.0	45.1
	MAXIMUM <= 32	30	10.6	6.7	1.3	*	0.0	0.0	0.0	0.0	0.0	0.0	1.4	6.7	26.7
MINIMUM <= 32	30	28.9	22.3	15.2	4.0	0.2	0.0	0.0	0.0	0.2	3.8	16.1	26.6	117.3	
MINIMUM <= 0	30	3.3	2.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.5	7.0	
H/C	NORMAL HEATING DEG. DAYS	30	1174	898	647	336	106	7	1	1	73	287	665	1030	5225
	NORMAL COOLING DEG. DAYS	30	0	0	3	22	85	278	419	357	166	26	1	0	1357
RH	NORMAL (PERCENT)	30	71	70	66	65	70	71	70	72	71	68	71	73	70
	HOURLY 00 LST	30	77	76	73	73	80	81	80	81	81	77	78	79	78
	HOURLY 06 LST	30	79	79	79	81	86	87	87	88	88	83	81	81	83
	HOURLY 12 LST	30	64	62	57	55	59	58	59	58	56	54	61	66	59
	HOURLY 18 LST	30	66	61	54	52	57	57	56	58	58	57	65	69	59
S	PERCENT POSSIBLE SUNSHINE	51	57	55	57	58	61	67	71	71	66	64	56	51	61
W/O	MEAN NO. DAYS WITH: HEAVY FOG (VISBY <= 1/4 MI)	44	2.0	1.6	1.0	1.1	1.2	0.8	0.7	1.4	1.4	2.0	1.5	2.2	16.9
	THUNDERSTORMS	60	0.4	0.7	2.5	5.2	8.8	9.6	8.4	7.8	5.9	3.4	1.2	0.4	54.3
CLOUDNESS	MEAN: SUNRISE-SUNSET (OKTAS)	1	7.2	5.6	4.0	6.4	4.8	4.0	5.2	3.2	2.8	4.4	4.4	3.6	4.6
	MIDNIGHT-MIDNIGHT (OKTAS)	1	7.2	5.6	4.0	6.4	4.8	4.0	5.2	3.2	2.8	4.8	4.4	2.4	4.6
	MEAN NO. DAYS WITH: CLEAR	3	4.3	8.7	7.0	8.0	11.0	11.0	6.5	12.0	7.0	10.0	6.5	10.5	102.5
	PARTLY CLOUDY	3	4.0	3.3	5.0	4.0	4.3	6.0	9.0	7.0	1.0	2.0	2.5	3.0	51.1
	CLOUDY	3	9.7	7.3	6.0	9.5	6.3	5.3	5.5	4.5	4.5	7.5	8.5	8.0	82.6
PR	MEAN STATION PRESSURE (IN)	24	29.17	29.16	29.08	29.00	28.99	29.00	29.04	29.06	29.08	29.10	29.12	29.17	29.08
	MEAN SEA-LEVEL PRES. (IN)	24	30.15	30.12	30.03	29.94	29.93	29.92	29.95	29.98	30.01	30.04	30.07	30.14	30.02
WINDS	MEAN SPEED (MPH)	24	8.5	8.5	9.9	10.0	8.6	7.9	7.1	6.5	7.3	7.9	8.6	8.0	8.2
	PREVAIL. DIR. (TENS OF DEGS)	35	36	36	36	19	19	19	19	19	19	19	19	31	19
	MAXIMUM 2-MINUTE: SPEED (MPH)	14	39	37	37	43	47	54	44	44	43	37	45	37	54
	DIR. (TENS OF DEGS)		31	32	21	21	34	36	34	24	32	14	31	33	36
	YEAR OF OCCURRENCE		1996	2007	2000	2001	1999	2004	1996	2005	2000	2001	1997	2000	JUN 2004
	MAXIMUM 5-SECOND SPEED (MPH)	14	49	47	48	60	59	74	62	67	52	52	54	49	74
	DIR. (TENS OF DEGS)		31	31	23	21	34	36	33	24	32	23	30	33	36
YEAR OF OCCURRENCE		1996	2007	2000	2003	1999	2004	1994	2005	2000	1996	1997	2003	JUN 2004	
PRECIPITATION	NORMAL (IN)	30	0.95	1.18	2.56	3.14	4.86	4.88	3.83	3.81	3.71	2.99	2.31	1.42	35.64
	MAXIMUM MONTHLY (IN)	60	5.24	3.49	8.44	8.69	10.25	15.20	12.02	11.18	12.71	7.24	6.27	4.30	15.20
	YEAR OF OCCURRENCE		1949	1971	1973	1999	2007	1967	1950	1977	1973	1980	1964	1973	JUN 1967
	MINIMUM MONTHLY (IN)	60	T	0.02	0.10	0.62	0.41	0.56	0.59	0.26	0.66	0.04	T	0.04	T
	YEAR OF OCCURRENCE		1986	2006	1966	1989	1966	1980	1983	1971	1952	1952	1989	1996	NOV 1989
	MAXIMUM IN 24 HOURS (IN)	60	1.55	2.33	3.76	3.59	7.47	5.52	4.19	4.48	5.61	4.10	4.66	2.65	7.47
	YEAR OF OCCURRENCE		1988	1971	1987	1967	2007	1967	1951	1962	2005	1985	1964	1980	MAY 2007
	NORMAL NO. DAYS WITH: PRECIPITATION >= 0.01	30	6.2	6.1	9.2	10.1	11.8	10.5	8.6	8.7	7.9	7.2	7.3	6.4	100.0
PRECIPITATION >= 1.00	30	0.1	0.1	0.4	0.7	1.5	1.4	1.3	1.4	1.1	1.0	0.5	0.2	9.7	
SNOWFALL	NORMAL (IN)	30	6.1	4.9	2.2	0.5	0.0	0.0	0.0	0.0	0.0	0.3	1.5	4.8	20.3
	MAXIMUM MONTHLY (IN)	60	23.0	22.4	22.1	6.8	T	T	T	T	T	8.0	9.4	18.8	23.0
	YEAR OF OCCURRENCE		1993	1971	1960	1970	2006	1992	1992	1994	2002	1996	1972	1983	JAN 1993
	MAXIMUM IN 24 HOURS (IN)	60	15.2	15.2	8.4	7.6	T	T	T	T	T	8.0	7.4	9.0	15.2
	YEAR OF OCCURRENCE		1993	1971	1960	1970	1991	1992	1992	1994	2002	1996	1975	1973	JAN 1993
	MAXIMUM SNOW DEPTH (IN)	62	12	12	18	4	0	T	0	T	0	6	8	9	18
	YEAR OF OCCURRENCE		1979	1971	1960	1970	1993	1993	1949	1996	1996	1975	1983	1983	MAR 1960
NORMAL NO. DAYS WITH: SNOWFALL >= 1.0	30	1.9	1.5	0.7	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.6	1.6	6.5	

PRECIPITATION (inches) 2007 TOPEKA (KTOP)

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
1978	0.19	0.84	1.63	2.35	5.75	4.57	2.26	2.89	6.65	0.36	3.22	0.55	31.26
1979	1.81	0.63	3.95	2.37	2.25	5.63	5.84	4.05	2.17	4.15	1.80	0.05	34.70
1980	1.34	0.91	4.15	1.03	4.85	0.56	0.87	5.86	1.19	7.24	0.25	3.86	32.11
1981	0.32	0.21	1.61	1.98	5.93	9.40	7.63	3.92	2.03	3.72	3.63	0.22	40.60
1982	1.67	0.59	1.14	1.58	9.39	5.99	5.08	4.53	1.17	1.25	2.26	3.61	38.26
1983	0.69	0.63	4.39	6.29	4.93	6.08	0.59	0.62	2.25	5.19	3.61	1.34	36.61
1984	0.11	1.35	4.57	4.26	3.45	10.17	1.66	1.04	4.24	4.10	0.72	2.36	38.03
1985	0.70	2.02	2.38	3.60	3.79	5.15	2.90	7.97	8.16	5.20	2.02	0.71	44.60
1986	T	1.55	1.35	3.15	7.53	2.51	4.21	5.50	6.21	3.30	0.87	1.20	37.38
1987	1.09	2.71	5.92	2.33	3.89	4.86	2.78	5.90	1.81	1.86	1.94	1.87	36.96
1988	2.04	0.48	0.73	2.93	3.08	3.13	1.74	1.34	1.94	0.26	0.86	0.86	19.39
1989	1.24	0.86	3.11	0.62	4.05	4.76	5.21	6.22	8.65	3.44	T	0.61	38.77
1990	1.22	2.31	3.75	1.01	4.45	5.57	3.01	5.69	0.83	2.71	2.91	0.97	34.43
1991	0.76	0.02	2.98	3.63	7.09	1.49	1.47	1.76	2.15	3.20	2.20	2.44	29.19
1992	0.89	1.18	5.29	3.25	1.75	3.35	6.37	1.24	3.92	1.41	5.27	2.01	35.93
1993	1.11	1.61	2.56	5.43	6.95	2.18	10.98	5.32	7.03	1.37	1.12	0.90	46.56
1994	0.42	0.82	0.19	4.31	0.95	4.63	3.16	7.87	1.46	1.30	2.87	1.52	29.50
1995	1.50	0.71	2.11	3.32	11.82	3.43	5.10	4.29	2.90	0.21	0.66	0.57	36.62
1996	0.76	0.19	1.48	1.57	7.72	7.97	2.65	6.09	3.60	2.79	2.66	0.04	37.52
1997	0.24	2.67	0.26	4.99	3.54	1.36	2.59	4.65	2.15	3.58	2.14	2.41	30.58
1998	0.79	0.77	2.88	2.16	2.08	7.22	9.32	0.88	4.19	5.01	5.64	1.22	42.16
1999	1.17	0.94	0.99	8.69	6.38	6.20	0.59	1.09	4.43	0.87	1.60	1.76	34.71
2000	0.19	2.00	2.62	1.07	2.08	7.25	2.77	0.61	2.97	3.52	1.91	0.35	27.34
2001	1.22	2.90	3.56	4.27	3.85	6.39	2.31	5.95	7.46	3.51	1.13	0.13	42.68
2002	1.51	0.75	0.72	4.64	4.87	4.12	0.81	3.05	1.63	5.42	0.26	0.05	27.83
2003	0.50	1.37	0.86	5.91	3.70	3.70	0.70	6.25	2.91	0.69	0.45	2.36	29.40
2004	0.84	1.68	3.83	1.96	4.46	6.39	7.27	4.91	1.68	3.98	2.44	0.62	40.06
2005	2.50	2.26	0.74	1.34	4.58	9.59	2.08	10.91	7.71	5.00	0.91	1.00	48.62
2006	0.48	0.02	2.15	5.13	3.20	1.18	3.41	9.04	2.47	3.04	0.90	1.70	32.72
2007	0.67	1.48	3.65	3.20	10.25	4.39	1.99	2.79	1.35	6.61	0.10	4.13	40.61
POR= 60 YRS	0.96	1.15	2.31	3.24	4.52	5.16	4.02	4.09	3.44	2.91	1.77	1.32	34.89

WBAN : 13996

AVERAGE TEMPERATURE (°F) 2007 TOPEKA (KTOP)

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
1978	17.3	20.4	38.4	55.9	63.0	74.6	77.3	75.7	72.9	54.6	43.0	30.0	51.9
1979	11.8	19.2	42.6	51.6	63.1	72.4	77.8	76.9	68.0	57.0	40.0	35.5	51.3
1980	28.6	26.0	40.8	53.7	62.8	76.5	86.4	80.7	70.0	53.9	45.0	32.6	54.8
1981	31.4	35.5	46.1	60.6	60.9	75.5	79.5	73.1	68.0	56.1	47.2	30.1	55.3
1982	21.9	28.5	43.2	50.2	63.7	69.0	78.7	75.5	66.5	55.9	42.0	35.8	52.6
1983	32.5	36.1	44.9	49.4	62.5	73.5	81.1	83.0	72.2	58.7	45.8	14.4	54.5
1984	26.0	40.2	38.1	51.7	62.4	73.9	77.0	78.0	66.5	56.6	45.5	36.8	54.4
1985	19.9	25.6	48.6	58.7	66.5	72.0	79.7	72.8	66.8	56.6	36.7	25.1	52.4
1986	35.8	32.5	49.8	57.7	65.9	77.0	80.4	72.3	71.6	56.6	38.3	34.6	56.0
1987	29.7	40.3	46.7	57.1	70.4	76.2	78.1	75.5	68.2	52.6	47.4	35.9	56.5
1988	28.1	30.8	43.4	53.9	68.8	75.1	76.7	79.5	70.3	52.8	45.2	35.3	55.0
1989	38.0	22.9	44.4	57.9	64.2	71.4	77.6	74.8	62.3	57.1	42.3	21.0	52.8
1990	37.3	36.2	45.5	51.9	60.3	77.2	77.7	76.5	71.6	57.0	49.1	29.6	55.8
1991	25.2	48.2	57.7	69.4	77.1	80.2	77.3	69.3	58.6	37.9	37.4	37.4	55.9
1992	37.2	41.5	47.8	54.7	62.5	69.1	75.9	71.7	67.9	56.5	39.1	32.6	54.7
1993	26.4	29.9	40.8	50.2	63.1	72.9	78.2	77.8	63.4	54.0	39.3	34.8	52.6
1994	26.1	29.9	47.0	54.1	64.5	76.4	76.1	75.9	67.4	58.3	45.8	36.0	54.8
1995	29.3	37.0	45.1	52.0	59.3	72.5	80.2	80.9	65.8	57.2	40.1	30.6	54.2
1996	24.5	35.0	38.5	54.0	65.7	75.3	76.4	74.6	64.6	56.2	37.6	30.1	52.7
1997	26.2	35.0	46.2	49.9	60.5	73.5	78.5	75.5	69.7	58.1	40.3	32.8	53.9
1998	32.4	39.8	38.3	53.0	70.3	74.0	79.2	78.9	74.0	59.1	48.7	36.0	57.0
1999	28.6	42.9	43.3	55.1	64.8	73.4	82.4	77.6	65.6	56.9	51.3	36.2	56.5
2000	32.3	41.9	47.5	55.2	68.1	72.1	79.2	85.4	72.3	60.5	37.3	20.7	56.0
2001	30.3	30.5	40.8	60.6	67.6	73.4	82.9	79.0	66.5	56.7	51.1	37.8	56.4
2002	34.6	37.5	40.7	57.3	62.6	76.3	81.6	79.0	72.9	50.6	42.1	36.1	55.9
2003	28.8	31.3	44.0	57.9	64.2	72.1	82.2	81.0	64.9	57.9	43.7	36.2	55.4
2004	27.7	30.4	48.1	56.4	67.7	71.4	75.6	72.8	70.2	58.3	45.8	35.3	55.0
2005	29.2	38.3	44.7	57.0	65.0	76.2	78.6	77.8	71.9	57.3	46.4	29.3	56.0
2006	41.0	34.4	46.1	60.6	66.1	75.7	81.8	80.0	65.9	55.0	46.1	39.2	57.7
2007	29.4	29.9	53.8	52.6	68.7	74.2	79.0	83.5	71.4	60.0	44.4	30.7	56.5
POR= 60 YRS	27.9	33.4	43.1	54.8	64.9	73.9	78.7	77.2	68.4	56.9	43.1	32.1	54.5

HEATING DEGREE DAYS (base 65°F) 2007 TOPEKA (KTOP)

YEAR	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	TOTAL
1978-79	0	0	34	319	655	1078	1643	1277	693	401	129	9	6238
1979-80	0	4	45	267	741	908	1123	1123	744	344	129	3	5431
1980-81	0	0	65	344	591	1001	1035	822	579	175	176	0	4788
1981-82	0	2	46	283	529	1076	1329	1014	664	449	76	32	5500
1982-83	0	0	93	303	683	896	1002	804	615	466	120	13	4995
1983-84	0	0	56	223	570	1565	1204	713	830	405	137	0	5703
1984-85	0	0	145	276	578	871	1389	1098	501	228	35	8	5129
1985-86	0	0	127	259	844	1228	899	906	491	252	49	0	5055
1986-87	0	9	27	263	792	934	1084	688	560	292	16	0	4665
1987-88	0	3	24	376	531	893	1136	988	662	331	16	5	4965
1988-89	2	4	24	383	587	912	832	1174	641	296	125	5	4985
1989-90	0	2	155	276	672	1360	851	801	600	413	176	4	5310
1990-91	1	1	39	276	477	1093	1227		523	233	48	0	
1991-92	0	0	95	262	808	849	855	673	528	326	132	7	4535
1992-93	0	2	68	278	770	995	1189	979	744	440	101	22	5588
1993-94	0	1	108	356	763	930	1202	974	553	347	94	0	5328
1994-95	0	1	64	237	568	892	1097	774	613	382	193	1	4822
1995-96	0	0	107	246	740	1059	1250	867	814	347	93	6	5529
1996-97	0	0	98	294	813	1076	1193	833	577	450	173	0	5507
1997-98	1	0	21	286	737	994	1000	699	830	361	27	27	4983
1998-99	0	0	9	203	485	893	1122	613	667	295	58	12	4357
1999-00	0	0	92	261	408	886	1006	666	536	295	51	10	4211
2000-01	0	0	61	174	824	1368	1069	958	742	182	53	9	5440
2001-02	0	0	58	262	415	837	934	766	745	274	141	0	4432
2002-03	0	0	15	455	677	888	1115	937	643	256	78	21	5085
2003-04	0	0	90	229	629	885	1149	993	526	283	87	2	4873
2004-05	0	9	12	222	571	911	1105	740	626	269	107	0	4572
2005-06	0	0	31	285	550	1103	736	852	578	175	105	0	4415
2006-07	0	0	50	358	561	794	1097	977	364	388	22	0	4611
2007-	0	0	28	213	618	1057							

WBAN : 13996

COOLING DEGREE DAYS (base 65°F) 2007 TOPEKA (KTOP)

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	TOTAL
1978	0	0	6	15	101	298	390	339	277	5	3	0	1434
1979	0	0	4	7	76	237	401	379	144	27	0	0	1275
1980	0	0	0	9	69	356	670	496	220	9	0	0	1829
1981	0	0	0	53	58	321	457	260	143	17	0	0	1309
1982	0	0	0	11	43	157	432	334	147	28	0	0	1152
1983	0	0	0	7	50	274	509	564	278	33	2	0	1717
1984	0	0	0	14	67	274	379	407	196	20	0	3	1360
1985	0	0	0	46	88	225	461	249	188	6	0	0	1263
1986	0	0	26	42	85	363	488	243	233	9	0	0	1489
1987	0	0	0	61	192	344	410	335	126	0	9	0	1477
1988	0	0	0	4	140	314	375	458	191	11	0	0	1493
1989	0	0	11	90	107	206	399	311	81	41	0	0	1246
1990	0	0	1	26	39	377	403	366	241	37	7	0	1497
1991	0	0	11	22	192	371	478	387	229	69	0	0	1759
1992	0	0	0	25	61	134	344	217	162	20	0	0	963
1993	0	0	0	0	48	269	417	405	64	22	0	0	1225
1994	0	0	0	26	86	348	351	345	140	36	0	0	1332
1995	0	0	4	1	22	237	481	502	140	16	0	0	1403
1996	0	0	0	25	125	321	358	302	92	28	0	0	1251
1997	0	0	0	1	38	262	424	330	166	81	0	0	1302
1998	0	0	10	9	196	304	445	440	287	26	1	0	1718
1999	0	0	0	5	57	269	545	396	120	20	1	0	1413
2000	0	0	2	6	153	231	446	640	284	44	0	0	1806
2001	0	0	0	59	140	267	563	441	109	12	5	0	1596
2002	0	0	0	50	75	347	519	437	261	17	0	0	1706
2003	0	0	0	52	60	240	541	502	92	12	0	0	1499
2004	0	0	6	29	175	198	337	259	176	24	0	0	1204
2005	0	0	1	34	114	344	432	405	243	54	1	0	1628
2006	0	0	0	50	144	327	526	471	77	54	0	0	1649
2007	0	0	24	22	142	284	442	581	228	63	6	0	1792

SNOWFALL (inches) 2007 TOPEKA (KTOP)

YEAR	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	TOTAL
1978-79	0.0	0.0	0.0	0.0	T	11.1	20.1	3.1	7.5	1.1	0.0	0.0	42.9
1979-80	0.0	0.0	0.0	0.0	T	T	3.5	11.4	3.4	0.0	0.0	0.0	18.3
1980-81	0.0	0.0	0.0	T	0.0	3.8	2.6	2.5	0.0	0.0	0.0	0.0	8.9
1981-82	0.0	0.0	0.0	0.0	T	1.4	3.2	8.0	0.3	0.5	0.0	0.0	13.4
1982-83	0.0	0.0	0.0	0.0	1.1	5.0	6.1	10.1	0.6	4.5	0.0	0.0	27.4
1983-84	0.0	0.0	0.0	0.0	4.1	18.8	2.6	T	4.2	0.0	0.0	0.0	29.7
1984-85	0.0	0.0	0.0	0.0	T	9.8	18.2	7.9	0.5	0.0	0.0	0.0	36.4
1985-86	0.0	0.0	0.0	0.0	3.3	5.8	T	1.5	T	0.0	0.0	0.0	10.6
1986-87	0.0	0.0	0.0	T	0.7	1.7	15.1	2.3	0.5	0.0	0.0	0.0	20.3
1987-88	0.0	0.0	0.0	0.0	0.9	9.6	0.6	6.0	4.7	0.0	0.0	0.0	21.8
1988-89	0.0	0.0	0.0	0.0	0.7	0.8	T	9.0	1.6	0.0	T	T	12.1
1989-90	0.0	0.0	0.0	0.0	T	9.5	1.0	0.1	7.6	0.0	0.0	0.0	18.2
1990-91	0.0	0.0	0.0	0.0	0.0	2.9	9.6	T	T	T	T	0.0	
1991-92	0.0	0.0	0.0	T	6.2	0.1	T	T	0.9	T	0.0	T	7.2
1992-93	T	0.0	0.0	T	4.5	0.9	23.0	14.2	0.6	T	T	T	
1993-94	0.0	0.0	0.0	T	T	3.3	2.0	6.0	1.9	1.4	0.0	0.0	14.6
1994-95	0.0	T	0.0	0.0	T	0.8	2.0	0.1	5.0	T	T	0.0	
1995-96	0.0	0.0	0.0	0.0	0.7	5.5	8.3	T	T	T	0.0	T	14.5
1996-97	0.0	0.0	0.0	8.0	1.1	0.8	3.9	5.8	T	1.6	T	0.0	21.2
1997-98	0.0	0.0	0.0	T	T	8.2	2.0	T	4.4	T	0.0	T	14.6
1998-99	0.0	0.0	0.0	0.0	0.0	0.5	4.0	2.0	1.8	T	T	0.0	8.3
1999-00	0.0	0.0	0.0	0.0	0.0	7.6	3.7	0.2	T	0.0	0.0	0.0	11.5
2000-01	0.0	0.0	0.0	0.0	T	8.3	1.2	8.3	1.3	T	T	0.0	19.1
2001-02	0.0	0.0	0.0	0.0	0.0	T	6.2	0.4	2.8	0.0	T	0.0	9.4
2002-03	0.0	0.0	T	T	T	0.4	5.4	6.4	0.5	T	0.0	0.0	12.7
2003-04	0.0	0.0	0.0	0.0	0.0	3.8	2.0	13.3	0.0	0.0	0.0	0.0	19.1
2004-05	0.0	0.0	0.0	0.0	4.5	0.0	3.5	3.2	T	0.0	0.0	T	11.2
2005-06	0.0	0.0	0.0	0.0	0.5	10.8	0.5	0.1	0.6	T	T	0.0	12.5
2006-07	0.0	0.0	0.0	0.0	0.4	0.1	4.9	4.2	T	T	0.0	0.0	9.6
2007-	0.0	0.0	0.0	0.0	0.8	16.5							
POR= 60 YRS	T	T	T	0.1	1.1	4.8	5.5	4.4	3.1	0.5	T	T	19.5

WBAN : 13996

REFERENCE NOTES :

<p>PAGE 1: THE TEMPERATURE GRAPH SHOWS NORMAL MAXIMUM AND NORMAL MINIMUM DAILY TEMPERATURES (SOLID CURVES) AND THE ACTUAL DAILY HIGH AND LOW TEMPERATURES (VERTICAL BARS).</p> <p>PAGE 2 AND 3: H/C INDICATES HEATING AND COOLING DEGREE DAYS. RH INDICATES RELATIVE HUMIDITY W/O INDICATES WEATHER AND OBSTRUCTIONS S INDICATES SUNSHINE. PR INDICATES PRESSURE. CLOUDINESS ON PAGE 3 IS THE SUM OF THE CEILOMETER AND SATELLITE DATA NOT TO EXCEED EIGHT EIGHTHS(OKTAS).</p> <p>GENERAL: T INDICATES TRACE PRECIPITATION, AN AMOUNT GREATER THAN ZERO BUT LESS THAN THE LOWEST REPORTABLE VALUE. + INDICATES THE VALUE ALSO OCCURS ON EARLIER DATES. BLANK ENTRIES DENOTE MISSING OR UNREPORTED DATA. NORMALS ARE 30-YEAR AVERAGES (1971 - 2000). ASOS INDICATES AUTOMATED SURFACE OBSERVING SYSTEM. PM INDICATES THE LAST DAY OF THE PREVIOUS MONTH. POR (PERIOD OF RECORD) BEGINS WITH THE JANUARY DATA MONTH AND IS THE NUMBER OF YEARS USED TO COMPUTE THE MEAN. INDIVIDUAL MONTHS WITHIN THE POR MAY BE MISSING. WHEN THE POR FOR A NORMAL IS LESS THAN 30 YEARS, THE NORMAL IS PROVISIONAL AND IS BASED ON THE NUMBER OF YEARS INDICATED. 0.* OR * INDICATES THE VALUE OR MEAN-DAYS-WITH IS BETWEEN 0.00 AND 0.05. CLOUDINESS FOR ASOS STATIONS DIFFERS FROM THE NON-ASOS OBSERVATION TAKEN BY A HUMAN OBSERVER. ASOS STATION CLOUDINESS IS BASED ON TIME-AVERAGED CEILOMETER DATA FOR CLOUDS AT OR BELOW 12,000 FEET AND ON SATELLITE DATA FOR CLOUDS ABOVE 12,000 FEET. THE NUMBER OF DAYS WITH CLEAR, PARTLY CLOUDY, AND CLOUDY CONDITIONS FOR ASOS STATIONS IS THE SUM OF THE CEILOMETER AND SATELLITE DATA FOR THE SUNRISE TO SUNSET PERIOD.</p>	<p>GENERAL CONTINUED: CLEAR INDICATES 0 - 2 OKTAS, PARTLY CLOUDY INDICATES 3 - 6 OKTAS, AND CLOUDY INDICATES 7 OR 8 OKTAS. WHEN AT LEAST ONE OF THE ELEMENTS (CEILOMETER OR SATELLITE) IS MISSING, THE DAILY CLOUDINESS IS NOT COMPUTED. WIND DIRECTION IS RECORDED IN TENS OF DEGREES (2 DIGITS) CLOCKWISE FROM TRUE NORTH. "00" INDICATES CALM. "36" INDICATES TRUE NORTH. RESULTANT WIND IS THE VECTOR AVERAGE OF THE SPEED AND DIRECTION. AVERAGE TEMPERATURE IS THE SUM OF THE MEAN DAILY MAXIMUM AND MINIMUM TEMPERATURE DIVIDED BY 2. SNOWFALL DATA COMPRISE ALL FORMS OF FROZEN PRECIPITATION, INCLUDING HAIL. A HEATING (COOLING) DEGREE DAY IS THE DIFFERENCE BETWEEN THE AVERAGE DAILY TEMPERATURE AND 65 F. DRY BULB IS THE TEMPERATURE OF THE AMBIENT AIR. DEW POINT IS THE TEMPERATURE TO WHICH THE AIR MUST BE COOLED TO ACHIEVE 100 PERCENT RELATIVE HUMIDITY. WET BULB IS THE TEMPERATURE THE AIR WOULD HAVE IF THE MOISTURE CONTENT WAS INCREASED TO 100 PERCENT RELATIVE HUMIDITY.</p> <p>ON JULY 1, 1996, THE NATIONAL WEATHER SERVICE BEGAN USING THE "METAR" OBSERVATION CODE THAT WAS ALREADY EMPLOYED BY MOST OTHER NATIONS OF THE WORLD. THE MOST NOTICEABLE DIFFERENCE IN THIS ANNUAL PUBLICATION WILL BE THE CHANGE IN UNITS FROM TENTHS TO EIGHTS(OKTAS) FOR REPORTING THE AMOUNT OF SKY COVER.</p> <p>NOTE: The "Period of Record:(POR) for all "averages" is based on the "Summary of the Day First Order Station" and "Cooperative Summary of the Day" archives.</p>
---	--

2007 TOPEKA KANSAS (KTOP)

Topeka, is located near the geographical center of the United States, and the middle of the temperate zone. The city straddles the Kansas River about 60 miles above its junction with the Missouri River. The Kansas River flows in an easterly direction through northeastern Kansas. Near Topeka, the river valley ranges from 2 to 4 miles wide, and is bordered on both sides by rolling prairie uplands of some 200 to 300 feet. The city is built on both banks of the Kansas River and along two tributaries, Soldier Creek in north Topeka and Shunganunga Creek in the south and east part of town. Flooding is always a threat following periods of heavy rains but protective construction has reduced the problem.

Seventy percent of the annual precipitation normally falls during the six crop-growing months, April through September. The rains of this period are usually of short duration, predominantly of the thunderstorm type. They occur more frequently during the nighttime and early morning hours than at other times of the day. Excessive precipitation rates may occur with warm-season thunderstorms. Rainfall accumulations over 8 inches in 24 hours have occurred in Topeka. Tornadoes have occurred in the area on several occasions and caused severe damage and numerous injuries.

Individual summers show wide departures from average conditions. Hottest summers may produce temperatures of 100 degrees or higher on more than 50 days. On the other hand, 25 percent of the summers pass with two or fewer 100 degree days. Similarly, precipitation has shown a wide range for June, July, and August, varying from under 3 inches to more than 27 inches during the 3 months. Summers are hot with low relative humidity and persistent southerly winds. Oppressively warm periods with high relative humidity are usually of short duration.

Winter temperatures average about 45 degrees cooler than summer. Cold spells are seldom prolonged. Only on rare occasions do daytime temperatures fail to rise above freezing. Winter precipitation is often in the form of snow, sleet, or glaze, but storms of such severity to prevent normal movement of traffic or to interfere with scheduled activity are not common.

In the transitional spring and fall seasons, the numerous days of fair weather are interspersed with short intervals of stormy weather. Strong, blustery winds are quite common in late winter and spring. Autumn is characteristically a season of warm days, cool nights, and infrequent precipitation, with cold air invasions gradually increasing in intensity as the season progresses.

Nearly all crops of the temperate zone can be produced in the vicinity of Topeka. Wheat and other small grains, clover, soybeans, fruit, and berries do well, and the area supports an extensive dairy industry.

Based on the 1951-1980 period, the average first occurrence of 32 degrees Fahrenheit in the fall is October 14 and the average last occurrence in the spring is April 21.

Station Location

TOPEKA

LOCATION	Occupied From	Occupied To	Airline Distances and Directions from previous Location	Latitude		ELEVATION ABOVE								REMARKS	
				NORTH	WEST	SEA LEVEL	GROUND								AUTOMATIC OBSERVING EQUIPMENT *
						GROUND TEMPERATURE SITE	WIND INSTRUMENT	EXTREME THERMOMETERS	PSYCHROMETER	SUNSHINE SWITCH	TIPPING BUCKET RAIN GAUGE	WEIGHING RAIN GAUGE	8 INCH RAIN GAUGE		
*NOTES:															
<u>AIRPORT</u>															
Tower atop Hangar #1 Municipal Airport	2/18/44	1/30/47		39° 04'	95° 38'	879	52	43	43				a3	6-hourly observations begun 8/15/46. a. Added 7/1/46.	
Ground Floor Hangar #1 Municipal Airport	1/30/47	8/03/56		39° 04'	95° 38'	879	*72	4	4		4	3		*Wind instrument elevations: 58 feet 1/30/47-11/20/50. 73 feet 11/20/50-11/16/51. 58 feet 11/16/51-6/25/54.	
Weather Bureau Building Municipal Airport Philip Billard Field	8/03/56	4/16/76	1200 ft. SW	39° 04'	95° 38'	c877	d20	5	5		4	4	b4	b. Commissioned 2600 feet E of thermometer site 8/20/64. c. 877 feet to 8/20/64. Published as 876 feet from 8/20/64 until new survey in 1969. d. 72 feet to 8/10/64.	
Weather Service Forecast Office Municipal Airport Philip Billard Field	4/16/76	12/1/92	2200 ft. N	39° 04'	95° 38'	877 g884	e20	5	5	9	4	4	e4 f4	NA e. Same site as prior to 4/16/76. f. Type change 7/22/85. g. Changed 03/29/95	
Municipal (Philip Billard) AP	12/01/92	Present	NA	39° 04'	95° 38'	h880							S	ASOS Commissioned 12/01/92 h. Ground elevation.	

For Hard Copy Subscription:

Price and ordering information: NCDC Subscribing Service Center, 310 State Route 956, Building 300, Rocket Center, WV 26726.

INQUIRES/COMMENTS CALL: Toll Free (866) 742-3322

Visit our Web Site for other weather data: www.ncdc.noaa.gov

Non-Subscription Request:

NCDC Customer Services;
Phone: 828-271-4800
Fax: 828-271-4876
Email: ncdc.orders@noaa.gov

FIRST CLASS
POSTAGE & FEES PAID
United States Department of Commerce
NOAA Permit No. G - 19

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE \$300
CHANGE SERVICE REQUESTED

* NOTES: For earlier station history see previous edition.