




2008 LOCAL CLIMATOLOGICAL DATA ANNUAL SUMMARY WITH COMPARATIVE DATA


ISSN 0198-5027

EL PASO, TEXAS (KELP)


Daily Max/Min Temperature



Daily Precipitation



Daily Station Pressure



I CERTIFY THAT THIS IS AN OFFICIAL PUBLICATION OF THE NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION, AND IS COMPILED FROM RECORDS ON FILE AT THE NATIONAL CLIMATIC DATA CENTER.

NATIONAL
OCEANIC AND
ATMOSPHERIC ADMINISTRATION

NATIONAL
ENVIRONMENTAL SATELLITE, DATA
AND INFORMATION SERVICE

NATIONAL
CLIMATIC DATA CENTER
ASHEVILLE, NORTH CAROLINA

Thomas R. Karl
DIRECTOR
NATIONAL CLIMATIC DATA CENTER

METEOROLOGICAL DATA FOR 2008

EL PASO (KELP)

LATITUDE: 31° 48'N LONGITUDE: -106° 22'W ELEVATION (FT): GRND: 3937 BARO: 3945 TIME ZONE: MOUNTAIN (UTC -7) WBAN: 23044

ELEMENT		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	YEAR	
TEMPERATURE °F	MEAN DAILY MAXIMUM	56.5	66.9	72.5	79.9	88.1	98.4	90.7	89.6	83.1	80.2	68.4	61.7	78.0	
	HIGHEST DAILY MAXIMUM	69	79	84	91	100	106	97	98	92	88	81	72	106	
	DATE OF OCCURRENCE	06	28	30	15	31+	17+	30+	01	06	10+	04+	02	JUN 17+	
	MEAN DAILY MINIMUM	34.0	38.6	43.3	50.8	60.2	72.2	70.2	68.7	60.7	51.1	39.7	33.8	51.9	
	LOWEST DAILY MINIMUM	18	21	27	38	46	62	65	64	53	37	28	22	18	
	DATE OF OCCURRENCE	20	01	07	13	17	06+	01	31+	16	24+	08	28	JAN 20	
	AVERAGE DRY BULB	45.3	52.8	57.9	65.4	74.2	85.3	80.5	79.2	71.9	65.7	54.1	47.8	65.0	
	MEAN WET BULB	34.9	38.8	41.1	43.9	51.1	58.4	66.4	65.5	59.8	51.3	40.9	37.7	49.2	
	MEAN DEW POINT	17.8	17.4	14.2	10.6	24.2	33.8	59.0	58.3	51.3	37.1	23.5	23.0	30.9	
	NUMBER OF DAYS WITH:														
	MAXIMUM >= 90°	0	0	0	1	13	27	21	18	3	0	0	0	83	
	MAXIMUM <= 32°	0	0	0	0	0	0	0	0	0	0	0	0	0	
MINIMUM <= 32°	16	5	2	0	0	0	0	0	0	0	5	15	43		
MINIMUM <= 0°	0	0	0	0	0	0	0	0	0	0	0	0	0		
H/C	HEATING DEGREE DAYS	607	349	235	73	10	0	0	0	1	56	330	527	2188	
	COOLING DEGREE DAYS	0	0	24	90	301	617	487	448	212	85	8	0	2272	
RH	MEAN (PERCENT)	36	27	21	13	20	19	53	54	52	39	34	41	34	
	HOUR 05 LST	47	39	33	21	31	27	71	70	72	57	47	54	47	
	HOUR 11 LST	29	21	15	10	15	15	42	43	42	29	25	33	27	
	HOUR 17 LST	28	19	11	8	12	12	41	44	37	28	26	31	25	
	HOUR 23 LST	40	29	23	15	22	22	60	61	58	46	38	46	38	
S	PERCENT POSSIBLE SUNSHINE														
W/O	NUMBER OF DAYS WITH:														
	HEAVY FOG(VISBY <= 1/4 MI)	1	0	0	0	0	0	0	0	0	0	0	0	1	
	THUNDERSTORMS	0	0	0	0	0	3	15	15	4	3	0	0	40	
CLOUDNESS	SUNRISE-SUNSET: (OKTAS)														
	CEILOMETER (<= 12,000 FT.)														
	SATELLITE (> 12,000 FT.)														
	MIDNIGHT-MIDNIGHT: (OKTAS)														
	CEILOMETER (<= 12,000 FT.)														
SATELLITE (> 12,000 FT.)															
NUMBER OF DAYS WITH:															
CLEAR															
PARTLY CLOUDY															
CLOUDY															
PR	MEAN STATION PRESS. (IN.)	26.10	26.02	26.00	25.98	25.92	25.97	26.13	26.00	26.08	26.23	26.12	25.40	26.00	
	MEAN SEA-LEVEL PRESS. (IN.)	30.06	29.93	29.89	29.83	29.72	29.73	29.82	29.81	29.92	29.99	30.04	30.01	29.90	
WINDS	RESULTANT SPEED (MPH)	2.3	6.0	5.4	6.1	6.0	3.1	1.4	2.3	3.2	0.8	1.4	3.4	2.2	
	RES. DIR. (TENS OF DEGS.)	30	26	27	27	25	26	14	12	10	04	32	24	26	
	MEAN SPEED (MPH)	8.8	10.6	11.0	11.5	11.7	10.4	8.1	7.2	6.4	6.6	6.8	7.8	8.9	
	PREVAIL.DIR.(TENS OF DEGS.)	36	25	26	26	25	26	11	16	10	01	02	24	36	
	MAXIMUM 2-MINUTE WIND														
	SPEED (MPH)	44	43	44	51	44	39	47	37	39	31	33	47	51	
	DIR. (TENS OF DEGS.)	25	26	21	26	05	26	03	31	02	02	25	25	26	
	DATE OF OCCURRENCE	07	04	16	09	17	05	17	14	07	22	05	23	APR 09	
	MAXIMUM 3-SECOND WIND:														
	SPEED (MPH)	54	53	59	61	49	48	53	44	46	38	41	60	61	
DIR. (TENS OF DEGS.)	26	26	26	25	04	24	03	31	02	27	26	24	25		
DATE OF OCCURRENCE	29	04	14	09	17	04	17	14	07	05	05	23	APR 09		
PRECIPITATION	WATER EQUIVALENT:														
	TOTAL (IN.)	0.14	0.15	T	T	0.03	0.48	4.34	2.61	1.52	0.15	0.17	0.27	9.86	
	GREATEST 24-HOUR (IN.)	0.09	0.15	T	T	0.03	0.45	1.81	0.59	1.25	0.06	0.17	0.24	1.81	
	DATE OF OCCURRENCE	28	15	09+	04	16	30	26-27	30-31	07-08	12	27	09	JUL 26-27	
	NUMBER OF DAYS WITH:														
	PRECIPITATION 0.01	2	1	0	0	1	3	13	14	5	5	1	3	48	
PRECIPITATION 0.10	0	1	0	0	0	1	8	8	2	0	1	1	22		
PRECIPITATION 1.00	0	0	0	0	0	0	1	0	1	0	0	0	2		
SNOWFALL	SNOW,ICE PELLETS,HAIL														
	TOTAL (IN.)	0.0	T	T	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	T	T	
	GREATEST 24-HOUR (IN.)	0.0	T	T	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	T	T	
	DATE OF OCCURRENCE		04	03									27+	DEC 27+	
	MAXIMUM SNOW DEPTH (IN.)	0	0	0	0	0	0	0	0	0	0	0	0	0	
	DATE OF OCCURRENCE														
NUMBER OF DAYS WITH:															
SNOWFALL >= 1.0	0	0	0	0	0	0	0	0	0	0	0	0	0		

NORMALS, MEANS, AND EXTREMES EL PASO (KELP)

LATITUDE: 31 ° 48'N LONGITUDE: -106 ° 22'W ELEVATION (FT): GRND: 3937 BARO: 3945 TIME ZONE: MOUNTAIN (UTC -7) WBAN: 23044

ELEMENT		POR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	YEAR
TEMPERATURE °F	NORMAL DAILY MAXIMUM	30	57.2	63.4	70.2	78.1	86.7	95.3	94.5	92.0	87.1	77.9	65.5	57.4	77.1
	MEAN DAILY MAXIMUM	61	57.8	63.2	70.0	78.8	87.6	95.9	95.2	92.9	87.8	78.7	66.1	58.0	77.7
	HIGHEST DAILY MAXIMUM	69	80	83	89	98	105	114	112	108	104	96	87	80	114
	YEAR OF OCCURRENCE		1970	2006	1989	1989	2005	1994	1979	1980	1982	1994	1983	1973	JUN 1994
	MEAN OF EXTREME MAXS.	61	70.7	76.4	82.7	90.4	97.9	104.4	103.4	100.3	96.6	89.7	78.8	70.8	88.5
	NORMAL DAILY MINIMUM	30	32.9	37.5	43.7	51.1	60.6	68.8	72.0	70.2	63.7	51.8	39.8	33.4	52.1
	MEAN DAILY MINIMUM	61	31.5	35.6	41.6	49.6	58.5	66.8	70.0	68.5	62.2	50.7	38.4	31.8	50.4
	LOWEST DAILY MINIMUM	69	-8	8	14	23	31	46	57	56	41	25	0	5	-8
	YEAR OF OCCURRENCE		1962	1985	1971	1983	1967	1988	1988	1973	1945	1970	1996	1953	JAN 1962
	MEAN OF EXTREME MINS.	61	17.3	21.3	26.4	35.2	45.1	55.9	63.5	62.1	51.8	37.3	24.3	17.9	38.2
	NORMAL DRY BULB	30	45.1	50.5	57.0	64.6	73.7	82.1	83.3	81.1	75.4	64.9	52.7	45.4	64.7
	MEAN DRY BULB	61	44.6	49.4	55.8	64.3	73.0	81.5	82.6	80.7	75.0	64.7	52.3	44.9	64.1
	MEAN WET BULB	25	34.8	37.3	40.2	44.5	51.4	58.2	64.3	65.0	60.0	50.6	40.8	34.9	48.5
	MEAN DEW POINT	25	26.1	27.3	27.7	30.0	37.2	46.8	56.4	58.5	52.4	42.3	31.6	26.7	38.6
	NORMAL NO. DAYS WITH: MAXIMUM >= 90	30	0.0	0.0	0.0	2.3	13.2	25.9	26.8	24.0	14.3	2.4	0.0	0.0	108.9
	MAXIMUM <= 32	30	0.3	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.2	0.8
MINIMUM <= 32	30	17.8	10.7	4.4	0.9	0.0	0.0	0.0	0.0	0.0	0.5	8.1	17.6	60.0	
MINIMUM <= 0	30	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
H/C	NORMAL HEATING DEG. DAYS	30	632	424	272	100	8	0	0	0	9	89	386	623	2543
	NORMAL COOLING DEG. DAYS	30	0	2	8	72	262	497	552	483	305	71	2	0	2254
RH	NORMAL (PERCENT)	30	52	43	34	28	29	31	45	49	49	48	47	53	42
	HOURLY 05 LST	30	66	58	48	42	43	47	64	69	68	65	64	67	58
	HOURLY 11 LST	30	44	37	29	23	24	26	37	41	41	39	39	45	35
	HOURLY 17 LST	30	35	28	21	18	18	19	29	33	33	31	33	38	28
	HOURLY 23 LST	30	56	46	35	30	30	30	33	48	54	55	53	57	46
S	PERCENT POSSIBLE SUNSHINE	54	78	82	86	89	90	90	82	81	83	84	83	77	84
W/O	MEAN NO. DAYS WITH: HEAVY FOG (VISIBY <= 1/4 MI)	45	0.6	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.2	0.6	1.6
	THUNDERSTORMS	61	0.2	0.4	0.6	1.0	2.9	4.6	10.6	9.8	4.1	1.9	0.3	0.3	36.7
CLOUDNESS	MEAN: SUNRISE-SUNSET (OKTAS)	53	3.7	3.4	3.4	2.8	2.6	2.2	3.5	3.4	2.7	2.5	2.7	3.4	3.0
	MIDNIGHT-MIDNIGHT (OKTAS)	32	3.3	3.1	2.8	2.4	2.4	2.2	3.6	3.6	2.9	2.2	2.5	3.0	2.8
	MEAN NO. DAYS WITH: CLEAR	53	13.9	13.6	15.1	16.7	18.5	19.8	12.0	13.6	17.4	18.5	17.2	14.8	191.1
	PARTLY CLOUDY	53	7.5	7.3	8.4	8.0	8.2	7.4	13.1	11.9	7.1	6.7	6.1	7.2	98.9
	CLOUDY	53	9.7	7.3	7.5	5.2	4.2	2.7	5.4	4.9	5.0	5.2	6.2	8.5	71.8
PR	MEAN STATION PRESSURE (IN)	25	26.10	26.06	26.01	25.98	25.97	25.98	26.05	26.07	26.06	26.07	26.09	26.08	26.04
	MEAN SEA-LEVEL PRES. (IN)	25	30.06	29.99	29.90	29.82	29.77	29.76	29.84	29.86	29.88	29.93	30.01	30.07	29.91
WINDS	MEAN SPEED (MPH)	25	7.5	8.4	9.5	10.2	9.6	8.5	7.6	6.9	6.9	7.1	7.3	7.1	8.1
	PREVAIL. DIR. (TENS OF DEGS)	37	36	28	28	26	26	16	15	15	36	36	01	36	36
	MAXIMUM 2-MINUTE: SPEED (MPH)	13	64	51	52	56	45	51	47	54	41	41	53	47	64
	DIR. (TENS OF DEGS)		26	24	28	26	25	32	03	26	35	28	27	25	26
	YEAR OF OCCURRENCE		1996	1998	2001	2001	1999	2000	2008	2002	1996	2001	2005	2008	JAN 1996
	MAXIMUM 3-SECOND SPEED (MPH)	13	75	60	63	70	58	61	68	69	49	58	64	60	75
	DIR. (TENS OF DEGS)		26	26	26	24	24	33	09	26	14	26	24	24	26
	YEAR OF OCCURRENCE		1996	1998	1999	2001	1999	2006	2005	2002	2007	1998	1998	2008	JAN 1996
PRECIPITATION	NORMAL (IN)	30	0.45	0.39	0.26	0.23	0.38	0.87	1.49	1.75	1.61	0.81	0.42	0.77	9.43
	MAXIMUM MONTHLY (IN)	69	1.84	1.92	2.26	1.42	4.22	3.18	5.53	6.85	6.68	4.31	2.01	3.29	6.85
	YEAR OF OCCURRENCE		1949	2005	1958	1983	1992	1984	1968	2006	1974	1945	2004	1991	AUG 2006
	MINIMUM MONTHLY (IN)	69	0.00	0.00	0.00	0.00	0.00	T	0.04	T	T	0.00	0.00	0.00	0.00
	YEAR OF OCCURRENCE		1967	1943	2002	1978	1962	1990	1978	1962	1959	1952	1964	1955	MAR 2002
	MAXIMUM IN 24 HOURS (IN)	69	0.80	1.02	1.72	1.08	2.40	1.56	2.63	2.89	2.52	1.77	1.19	1.76	2.89
	YEAR OF OCCURRENCE		2007	2003	1941	1966	1992	1986	1968	2005	1958	1945	1943	1987	AUG 2005
	NORMAL NO. DAYS WITH: PRECIPITATION >= 0.01	30	4.7	3.1	2.2	1.7	2.8	3.5	8.2	8.8	6.5	4.9	3.1	4.3	53.8
	PRECIPITATION >= 1.00	30	0.0	0.0	0.0	0.0	0.1	0.1	0.3	0.3	0.4	*	0.0	0.1	1.3
SNOWFALL	NORMAL (IN)	30	1.5	0.8	0.3	0.7	0.0	0.0	0.0	0.0	0.0	0.1	0.9	2.4	6.7
	MAXIMUM MONTHLY (IN)	59	8.3	8.9	7.3	16.5	T	T	T	T	T	1.0	12.7	25.9	25.9
	YEAR OF OCCURRENCE		1949	1956	1958	1983	2007	1992	2007	2007	2007	1980	1976	1987	DEC 1987
	MAXIMUM IN 24 HOURS (IN)	59	5.2	7.2	7.3	8.8	T	T	T	T	T	1.0	7.8	16.8	16.8
	YEAR OF OCCURRENCE		1992	1956	1958	1983	1992	1992	1990	2007	1993	1980	1961	1987	DEC 1987
	MAXIMUM SNOW DEPTH (IN)	50	6	7	7	9	0	0	0	0	0	1	7	14	14
	YEAR OF OCCURRENCE		1983	1956	1958	1983						1993	1968	1987	DEC 1987
NORMAL NO. DAYS WITH: SNOWFALL >= 1.0	30	0.5	0.3	0.1	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.5	1.9	

PRECIPITATION (inches) 2008 EL PASO (KELP)

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
1979	0.77	0.68	T	0.28	0.24	0.03	0.98	2.16	0.41	T	0.04	0.25	5.84
1980	0.54	0.73	0.25	0.31	0.08	T	0.21	1.76	1.90	0.95	0.54	0.04	7.31
1981	1.10	0.36	0.39	0.65	0.72	0.64	2.08	5.26	0.52	0.53	0.30	0.08	12.63
1982	0.34	0.55	T	0.05	0.19	0.18	1.00	0.48	5.28	T	0.29	2.61	10.97
1983	0.35	0.60	0.45	1.42	0.05	0.23	0.43	0.97	1.51	1.48	0.34	0.16	7.99
1984	0.31	0.00	0.44	0.01	0.59	3.18	0.69	5.57	0.58	3.12	0.51	1.17	16.17
1985	0.95	0.19	0.59	0.07	0.01	0.10	1.32	1.46	1.47	1.82	0.13	0.05	8.16
1986	0.01	0.39	0.39	T	0.83	3.05	2.66	0.70	0.85	0.45	1.42	1.42	12.17
1987	0.29	0.30	0.49	0.32	0.24	2.24	0.64	2.22	0.89	0.15	0.29	2.87	10.94
1988	0.25	0.70	0.10	0.23	0.15	0.03	3.35	3.46	1.52	0.59	0.24	0.44	11.06
1989	0.11	0.72	0.62	T	0.65	T	1.23	3.06	0.48	0.23	T	0.16	7.26
1990	0.29	0.14	0.41	0.25	0.10	T	3.96	1.98	3.46	0.58	1.34	0.34	12.85
1991	0.82	0.66	0.10	T	0.23	0.01	2.69	2.06	1.82	0.20	0.50	3.29	12.38
1992	1.14	0.16	0.50	0.30	4.22	0.27	0.65	2.11	0.15	0.27	0.28	1.35	11.40
1993	1.34	0.32	0.01	0.12	T	1.47	0.95	2.73	1.32	0.17	0.49	0.71	9.63
1994	0.03	0.23	0.37	0.65	0.80	0.67	0.18	0.02	0.03	0.35	0.54	1.61	5.48
1995	0.26	0.88	0.42	0.04	0.01	1.74	0.28	0.76	3.18	T	0.26	0.03	7.86
1996	0.11	0.19	T	0.49	0.00	2.36	1.97	1.87	1.24	T	0.16	.00	8.39
1997	0.38	0.29	0.64	0.43	0.52	1.11	0.91	1.41	1.55	0.19	0.79	1.41	9.63
1998	0.05	0.15	0.18	0.04	T	0.27	2.07	0.53	0.66	2.14	0.34	0.34	6.77
1999	0.10	0.00	0.04	T	0.02	1.44	2.00	1.43	1.94	0.56	0.00	0.63	8.16
2000	0.00	0.03	0.06	0.28	T	2.45	1.59	0.70	T	0.82	1.06	0.42	7.41
2001	0.06	0.24	0.40	T	0.18	0.30	0.36	1.72	0.30	T	0.60	0.13	4.29
2002	T	1.22	0.00	0.00	T	0.35	1.34	0.76	0.48	1.09	T	1.65	6.89
2003	T	1.37	0.18	0.02	T	0.49	0.55	0.66	0.08	0.33	0.52	0.01	4.21
2004	0.36	0.05	0.80	1.06	0.50	0.93	1.70	3.04	0.89	0.39	2.01	0.36	12.09
2005	0.66	1.92	0.08	0.14	0.93	T	0.66	4.35	2.77	1.36	0.00	T	12.87
2006	0.02	0.28	T	0.01	0.89	0.27	3.17	6.85	4.99	0.92	0.06	0.05	17.51
2007	1.81	0.19	0.02	0.31	1.30	0.51	2.08	0.57	1.71	0.09	1.07	0.46	10.12
2008	0.14	0.15	T	T	0.03	0.48	4.34	2.61	1.52	0.15	0.17	0.27	9.86
POR= 61 YRS	0.41	0.45	0.28	0.21	0.34	0.71	1.60	1.61	1.40	0.69	0.39	0.59	8.68

WBAN : 23044

AVERAGE TEMPERATURE (°F) 2008 EL PASO (KELP)

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
1979	41.0	47.1	53.1	63.6	70.1	78.4	85.1	78.8	74.2	66.2	47.9	43.1	62.4
1980	46.8	50.6	54.1	60.6	70.5	86.3	87.2	82.4	75.6	60.3	49.2	48.5	64.3
1981	45.2	50.3	57.2	64.8	73.6	82.6	83.6	79.5	75.9	64.6	54.3	48.7	65.0
1982	42.3	48.7	57.7	64.4	69.6	80.9	84.2	83.5	77.1	64.6	53.2	43.3	64.1
1983	41.6	49.5	54.6	56.3	68.9	77.3	82.9	81.8	78.7	66.6	54.3	45.5	63.2
1984	44.4	47.0	55.7	62.0	75.0	79.5	81.1	80.4	72.9	61.4	51.6	45.7	63.1
1985	40.0	45.6	55.2	64.2	72.1	79.0	79.4	80.6	72.8	61.4	52.9	43.1	62.2
1986	44.7	52.1	55.7	67.3	71.5	77.7	80.0	80.4	74.1	62.4	49.4	42.6	63.2
1987	41.3	46.2	51.2	59.7	68.6	78.1	81.6	79.1	72.1	67.0	51.4	40.5	61.4
1988	42.6	48.4	53.4	61.1	70.3	79.0	80.3	77.6	72.4	66.7	54.0	42.6	62.4
1989	43.6	51.4	58.7	67.4	74.2	81.3	81.8	79.1	73.4	63.2	53.3	41.9	64.1
1990	44.1	49.1	56.1	66.4	73.1	87.1	80.2	76.8	73.9	63.4	52.9	44.8	64.0
1991	44.3	51.1	53.9	64.0	72.6	79.0	78.6	79.5	70.7	65.4	50.3	46.3	63.0
1992	44.0	50.2	58.1	67.9	70.6	81.5	85.1	81.3	77.8	66.5	48.0	44.7	64.6
1993	48.5	51.4	57.9	66.7	74.6	82.7	85.2	82.5	75.8	64.4	52.3	46.9	65.7
1994	45.6	50.4	58.3	66.7	75.7	89.0	88.1	86.2	78.3	66.6	54.4	49.4	67.4
1995	47.1	56.3	59.7	65.2	74.3	80.2	83.1	82.8	74.1	65.6	55.0	47.6	65.9
1996	46.5	54.5	54.6	65.5	80.1	83.5	82.9	79.6	73.5	65.5		46.3	
1997	44.2	48.2	58.6	61.5	74.3	81.0	82.7	81.6	78.4	63.6	52.2	40.6	63.9
1998	47.1	47.6	54.0	59.5	74.4	82.2	83.5	80.6	79.2	66.0	55.2	45.8	64.6
1999	48.1	53.6	58.0	63.2	74.2	80.0	81.2	81.2	75.4	63.9	56.5	43.4	64.9
2000	49.7	54.0	57.2	68.3	79.0	80.3	84.1	81.5	78.6	62.5	47.6	44.0	65.6
2001	41.8	50.1	56.3	65.5	76.0	83.3	84.3	81.0	76.9	67.6	54.7	42.7	65.0
2002	46.2	47.1	56.8	69.9	75.0	85.2	82.3	84.5	77.0	64.4	52.2	43.9	65.4
2003	48.7	50.2	55.5	65.4	76.0	81.3	84.9	83.8	77.6	68.5	55.2	44.6	66.0
2004	46.4	45.8	59.9	63.8	76.3	81.5	82.8	79.2	73.8	65.8	50.3	43.8	64.1
2005	48.7	50.0	55.4	64.8	74.0	83.8	85.6	80.0	78.1	65.0	55.4	47.9	65.7
2006	49.1	52.3	59.1	69.8	78.2	83.6	83.7	78.8	71.5	64.5	56.5	43.6	65.9
2007	42.6	50.6	59.3	64.3	72.6	81.7	82.2	83.4	77.6	68.0	55.5	46.0	65.3
2008	45.3	52.8	57.9	65.4	74.2	85.3	80.5	79.2	71.9	65.7	54.1	47.8	65.0
POR= 61 YRS	44.6	49.4	55.8	64.3	73.0	81.5	82.6	80.7	75.0	64.7	52.3	44.9	64.1

HEATING DEGREE DAYS (base 65°F) 2008 EL PASO (KELP)

YEAR	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	TOTAL
1979-80	0	0	24	56	505	670	555	410	331	157	19	0	2727
1980-81	0	0	2	203	467	503	607	405	233	82	2	0	2504
1981-82	0	0	0	93	313	499	697	449	237	82	17	0	2387
1982-83	0	0	0	88	344	668	720	430	316	284	23	0	2873
1983-84	0	0	0	52	317	599	633	514	285	126	8	0	2534
1984-85	0	0	18	144	404	592	768	537	302	71	5	0	2841
1985-86	0	0	10	125	358	670	621	356	283	47	22	0	2492
1986-87	0	0	1	116	460	687	725	521	420	173	5	0	3108
1987-88	0	0	0	13	405	750	686	474	360	121	16	0	2825
1988-89	0	2	2	17	337	684	661	377	208	52	9	0	2349
1989-90	0	0	2	108	344	708	640	439	271	45	20	0	2577
1990-91	0	2	8	88	354	617	636	383	336	78	3	0	2505
1991-92	0	0	26	66	434	576	644	423	209	49	3	0	2430
1992-93	0	0	0	21	502	624	504	373	222	53	4	0	2303
1993-94	0	0	0	145	375	551	596	401	218	38	0	0	2324
1994-95	0	0	0	41	313	475	548	240	185	84	6	0	1892
1995-96	0	0	15	31	292	533	562	305	322	89	0	0	2149
1996-97	0	0	0	103		571	635	467	202	155	0	0	
1997-98	0	0	0	150	378	746	550	481	342	187	0	0	2834
1998-99	0	0	0	80	289	590	518	315	218	114	1	0	2125
1999-00	0	0	4	108	253	662	466	314	242	49	2	0	2100
2000-01	0	0	3	145	513	644	711	412	265	71	0	0	2764
2001-02	0	0	0	18	315	684	578	496	264	12	0	0	2367
2002-03	0	0	0	87	377	647	499	409	291	65	1	0	2376
2003-04	0	0	0	41	302	625	568	549	188	100	6	0	2379
2004-05	0	0	1	44	434	654	498	416	293	75	9	0	2424
2005-06	0	0	0	69	293	523	486	349	189	16	0	0	1925
2006-07	0	0	0	75	251	654	689	397	202	82	5	0	2355
2007-08	0	0	0	51	279	581	607	349	235	73	10	0	2185
2008-	0	0	1	56	330	527							

WBAN : 23044

COOLING DEGREE DAYS (base 65°F) 2008 EL PASO (KELP)

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	TOTAL
1979	0	0	0	84	190	414	630	432	308	99	0	0	2157
1980	0	0	0	34	198	646	693	546	329	63	0	0	2509
1981	0	2	2	84	275	534	586	455	333	89	0	2	2362
1982	0	0	14	70	167	484	602	583	371	82	0	0	2373
1983	0	0	0	32	151	374	564	527	417	108	6	0	2179
1984	0	0	2	44	324	441	507	482	260	38	8	0	2106
1985	0	0	9	55	233	428	457	488	252	18	0	0	1940
1986	0	3	0	122	228	391	474	485	281	41	0	0	2025
1987	0	0	0	22	121	399	521	446	222	83	2	0	1816
1988	0	0	9	15	186	429	478	399	226	76	16	0	1834
1989	0	2	20	130	300	494	530	442	261	60	0	0	2239
1990	0	1	0	96	278	667	480	374	282	43	0	0	2221
1991	0	0	0	55	245	424	428	455	204	88	0	0	1899
1992	0	0	3	144	182	500	628	511	389	75	0	0	2432
1993	0	0	11	110	306	538	632	550	331	132	2	0	2612
1994	0	0	17	92	338	725	722	666	404	100	3	0	3067
1995	0	0	27	97	304	462	567	559	292	58	1	0	2367
1996	0	6	7	112	475	560	561	462	263	125		0	
1997	0	0	10	53	298	489	556	518	408	116	0	0	2448
1998	0	0	8	30	299	527	581	491	434	116	0	0	2486
1999	0	0	8	67	291	457	506	511	324	81	5	0	2250
2000	0	0	4	159	443	463	600	517	417	77	0	0	2680
2001	0	0	4	95	351	554	606	506	365	108	13	0	2602
2002	0	0	16	166	316	612	543	609	365	74	0	0	2701
2003	0	0	3	83	346	494	626	591	386	155	13	0	2697
2004	0	0	37	72	363	501	559	448	274	75	0	0	2329
2005	0	0	2	75	298	569	647	473	398	75	9	0	2546
2006	0	1	12	167	416	566	585	437	201	68	4	0	2457
2007	0	0	33	65	251	508	543	577	384	150	1	0	2512
2008	0	0	24	90	301	617	487	448	212	85	8	0	2272

SNOWFALL (inches) 2008 EL PASO (KELP)

YEAR	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	TOTAL
1979-80	0.0	0.0	0.0	0.0	0.0	0.0	T	3.6	0.0	2.0	0.0	0.0	5.6
1980-81	0.0	0.0	0.0	1.0	4.0	0.0	4.8	0.0	0.0	0.0	0.0	0.0	9.8
1981-82	0.0	0.0	0.0	0.0	0.0	0.0	T	T	0.0	0.0	0.0	0.0	T
1982-83	0.0	0.0	0.0	0.0	0.3	18.2	T	0.0	T	16.5	0.0	0.0	35.0
1983-84	0.0	0.0	0.0	0.0	T	T	T	0.0	6.1	0.0	0.0	0.0	6.1
1984-85	0.0	0.0	0.0	0.0	T	2.9	5.4	1.1	0.0	0.0	0.0	0.0	9.4
1985-86	0.0	0.0	0.0	0.0	0.0	0.9	T	0.9	T	0.0	0.0	0.0	1.8
1986-87	0.0	0.0	0.0	0.0	0.0	0.6	3.4	2.8	0.6	0.0	0.0	0.0	7.4
1987-88	0.0	0.0	0.0	0.0	0.0	25.9	T	6.6	0.0	0.0	0.0	0.0	32.5
1988-89	0.0	0.0	0.0	0.0	T	0.3	0.0	0.0	T	0.0	T	0.0	0.3
1989-90	0.0	0.0	0.0	0.0	0.0	T	T	T	0.0	T	T	0.0	T
1990-91	T	0.0	0.0	0.0	4.3	T	1.5	T	T	0.0	T	0.0	5.8
1991-92	0.0	0.0	0.0	0.0	0.0	0.5	6.9	0.0	T	0.0	T	T	7.4
1992-93	0.0	0.0	0.0	0.0	0.0	1.6	0.0	0.0	0.0	0.0	0.0	0.0	1.6
1993-94	0.0	0.0	T	0.8	0.0	1.6	0.3	0.0	0.0	0.0	0.0	0.0	2.7
1994-95	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1995-96	0.0	0.0	0.0	0.0	0.0	T	1.6	0.0		T	0.0		
1996-97													
1997-98													
1998-99													
1999-00													
2000-01													
2001-02													
2002-03													
2003-04													
2004-05													
2005-													
2006-07													
2007-08	T	T	T	0.0	7.7	0.0	2.1	T	0.0	0.0	T	0.0	
2008-	0.0	0.0	0.0	0.0	0.0	T	0.0	T	T	0.0	0.0	0.0	7.7
POR= 60 YRS	T	T	T	0.0	0.9	1.5	1.0	0.8	0.3	0.3	T	T	4.8

WBAN : 23044

REFERENCE NOTES :

<p>PAGE 1: THE TEMPERATURE GRAPH SHOWS NORMAL MAXIMUM AND NORMAL MINIMUM DAILY TEMPERATURES (SOLID CURVES) AND THE ACTUAL DAILY HIGH AND LOW TEMPERATURES (VERTICAL BARS).</p> <p>PAGE 2 AND 3: H/C INDICATES HEATING AND COOLING DEGREE DAYS. RH INDICATES RELATIVE HUMIDITY W/O INDICATES WEATHER AND OBSTRUCTIONS S INDICATES SUNSHINE. PR INDICATES PRESSURE. CLOUDINESS ON PAGE 3 IS THE SUM OF THE CEILOMETER AND SATELLITE DATA NOT TO EXCEED EIGHT EIGHTHS(OKTAS).</p> <p>GENERAL: T INDICATES TRACE PRECIPITATION, AN AMOUNT GREATER THAN ZERO BUT LESS THAN THE LOWEST REPORTABLE VALUE. + INDICATES THE VALUE ALSO OCCURS ON EARLIER DATES. BLANK ENTRIES DENOTE MISSING OR UNREPORTED DATA. NORMALS ARE 30-YEAR AVERAGES (1971 - 2000). ASOS INDICATES AUTOMATED SURFACE OBSERVING SYSTEM. PM INDICATES THE LAST DAY OF THE PREVIOUS MONTH. POR (PERIOD OF RECORD) BEGINS WITH THE JANUARY DATA MONTH AND IS THE NUMBER OF YEARS USED TO COMPUTE THE MEAN. INDIVIDUAL MONTHS WITHIN THE POR MAY BE MISSING. WHEN THE POR FOR A NORMAL IS LESS THAN 30 YEARS, THE NORMAL IS PROVISIONAL AND IS BASED ON THE NUMBER OF YEARS INDICATED. 0.* OR * INDICATES THE VALUE OR MEAN-DAYS-WITH IS BETWEEN 0.00 AND 0.05. CLOUDINESS FOR ASOS STATIONS DIFFERS FROM THE NON-ASOS OBSERVATION TAKEN BY A HUMAN OBSERVER. ASOS STATION CLOUDINESS IS BASED ON TIME-AVERAGED CEILOMETER DATA FOR CLOUDS AT OR BELOW 12,000 FEET AND ON SATELLITE DATA FOR CLOUDS ABOVE 12,000 FEET. THE NUMBER OF DAYS WITH CLEAR, PARTLY CLOUDY, AND CLOUDY CONDITIONS FOR ASOS STATIONS IS THE SUM OF THE CEILOMETER AND SATELLITE DATA FOR THE SUNRISE TO SUNSET PERIOD.</p>	<p>GENERAL CONTINUED: CLEAR INDICATES 0 - 2 OKTAS, PARTLY CLOUDY INDICATES 3 - 6 OKTAS, AND CLOUDY INDICATES 7 OR 8 OKTAS. WHEN AT LEAST ONE OF THE ELEMENTS (CEILOMETER OR SATELLITE) IS MISSING, THE DAILY CLOUDINESS IS NOT COMPUTED. WIND DIRECTION IS RECORDED IN TENS OF DEGREES (2 DIGITS) CLOCKWISE FROM TRUE NORTH. "00" INDICATES CALM. "36" INDICATES TRUE NORTH. RESULTANT WIND IS THE VECTOR AVERAGE OF THE SPEED AND DIRECTION. AVERAGE TEMPERATURE IS THE SUM OF THE MEAN DAILY MAXIMUM AND MINIMUM TEMPERATURE DIVIDED BY 2. SNOWFALL DATA COMPRISE ALL FORMS OF FROZEN PRECIPITATION, INCLUDING HAIL. A HEATING (COOLING) DEGREE DAY IS THE DIFFERENCE BETWEEN THE AVERAGE DAILY TEMPERATURE AND 65 F. DRY BULB IS THE TEMPERATURE OF THE AMBIENT AIR. DEW POINT IS THE TEMPERATURE TO WHICH THE AIR MUST BE COOLED TO ACHIEVE 100 PERCENT RELATIVE HUMIDITY. WET BULB IS THE TEMPERATURE THE AIR WOULD HAVE IF THE MOISTURE CONTENT WAS INCREASED TO 100 PERCENT RELATIVE HUMIDITY.</p> <p>ON JULY 1, 1996, THE NATIONAL WEATHER SERVICE BEGAN USING THE "METAR" OBSERVATION CODE THAT WAS ALREADY EMPLOYED BY MOST OTHER NATIONS OF THE WORLD. THE MOST NOTICEABLE DIFFERENCE IN THIS ANNUAL PUBLICATION WILL BE THE CHANGE IN UNITS FROM TENTHS TO EIGHTS(OKTAS) FOR REPORTING THE AMOUNT OF SKY COVER.</p> <p>NOTE: The "Period of Record:(POR) for all "averages" is based on the "Summary of the Day First Order Station" and "Cooperative Summary of the Day" archives.</p>
---	--

2008 EL PASO TEXAS (KELP)

The city of El Paso is located in the extreme west point of Texas at an elevation of about 3,700 feet . The National Weather Service station is located on a mesa about 200 feet higher than the city. The climate of the region is characterized by an abundance of sunshine throughout the year, high daytime summer temperatures, very low humidity, scanty rainfall, and a relatively mild winter season. The Franklin Mountains begin within the city limits and extend northward for about 16 miles. Peaks of these mountains range from 4,687 to 7,152 feet above sea level.

Rainfall throughout the year is light, insufficient for any growth except desert vegetation. Irrigation is necessary for crops, gardens, and lawns. Dry periods lasting several months are not unusual. Almost half of the precipitation occurs in the three-month period, July through September, from brief but often heavy thunderstorms. Small amounts of snow fall nearly every winter, but snow cover rarely amounts to more than an inch and seldom remains on the ground for more than a few hours.

Daytime summer temperatures are high, frequently above 90 degrees and occasionally above 100 degrees. Summer nights are usually comfortable, with temperatures in the 60s. It should be noted that when temperatures are high the relative humidity is generally quite low. A 20-year tabulation of observations with temperatures above 90 degrees shows that in April, May, and June the humidity averaged from 10 to 14 percent, while in July, August, and September it averaged 22 to 24 percent. This low humidity aids the efficiency of evaporative air coolers, which are widely used in homes and public buildings and are quite effective in cooling the air to comfortable temperatures.

Winter daytime temperatures are mild. At night they drop below freezing about half the time in December and January. The flat, irrigated land of the Rio Grande Valley in the vicinity of El Paso is noticeably cooler, particularly at night, than the airport or the city proper, both in summer and winter. This results in more comfortable temperatures in summer but increases the severity of freezes in winter. The cooler air in the Valley also causes marked short-period fluctuations of temperature and dewpoint at the airport with changes in wind direction, especially during the early morning hours.

Dust and sandstorms are the most unpleasant features of the weather in El Paso. While wind velocities are not excessively high, the soil surface is dry and loose and natural vegetation is sparse, so moderately strong winds raise considerable dust and sand. A tabulation of duststorms for a period of 20 years shows that they are most frequent in March and April, and comparatively rare in the period July through December. prevailing winds are from the north in winter and the south in summer.

Station Location

EL PASO

LOCATION	Occupied From	Occupied To	Airline Distances and Directions from previous Location	Latitude		ELEVATION ABOVE										REMARKS
				NORTH	WEST	SEA LEVEL	GROUND							AUTOMATIC OBSERVING EQUIPMENT *		
						GROUND TEMPERATURE SITE	WIND INSTRUMENT	EXTREME THERMOMETERS	PSYCHROMETER	SUNSHINE SWITCH	TIPPING BUCKET RAIN GAUGE	WEIGHING RAIN GAUGE	8 INCH RAIN GAUGE		HYGROTHERMOMETER	
*NOTES																
AIRPORT																
American Airlines Adm. Building, Municipal AP	11/20/31	12/14/42	NA	31° 48'	106° 24'	3913	54	6	6				3	3		a. Moved to roof 5/7/44. b. Moved 33' SW 4/23/59. c. Commissioned 4000' N of d. Effective 9/1/60. e. Moved to a site 4000' N of office 5/1/61. f. Not moved 4/1/64. g. Effective 11/20/70. h. Effective 4/10/78. i. Moved 1.6 mi. W 9/20/78. j. Type change 11/13/84. k. Moved to ground 11/19/87. m. Moved 30' SE 11/19/87.
Administration Building International Airport	12/14/42	4/1/64	2000 ft. E	31° 48'	106° 24'	3920 d3918	85 e20	5 a37 b32	5 a37 b31	Unk	3 a29	3 a30	3 a29	c5		
FAA-WB Building + International Airport	4/1/64	06/01/95	0.3 mi. SE	31° 48'	106° 24'	3918	f20 i32	h26 k5	h26 k5	g30 h27 m27	h24 m24	26 m26	25 h24 m24	f5 i5 j5		
+ FAA-NWS Building (Effective 1970)																
International Airport	06/01/95	Present	NA	31° 49'	106° 23'	n3942								S	ASOS Commissioned 06/01/95. n. Ground Elevation	

For Hard Copy Subscription:

Price and ordering information: NCDC Subscribing Service Center, 310 State Route 956, Building 300, Rocket Center, WV 26726.

INQUIRES/COMMENTS CALL: Toll Free (866) 742-3322

Visit our Web Site for other weather data: www.ncdc.noaa.gov

Non-Subscription Request:

NCDC Customer Services;
Phone: 828-271-4800
Fax: 828-271-4876
Email: ncdc.orders@noaa.gov

FIRST CLASS
POSTAGE & FEES PAID
United States Department of Commerce
NOAA Permit No. G - 19

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE \$300
CHANGE SERVICE REQUESTED

* NOTES: For earlier station history see previous editions.