




2008 LOCAL CLIMATOLOGICAL DATA ANNUAL SUMMARY WITH COMPARATIVE DATA


ISSN 0198-3598

NEW YORK, NEW YORK (KNYC)


Daily Max/Min Temperature



Daily Precipitation



Daily Station Pressure



I CERTIFY THAT THIS IS AN OFFICIAL PUBLICATION OF THE NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION, AND IS COMPILED FROM RECORDS ON FILE AT THE NATIONAL CLIMATIC DATA CENTER.

NATIONAL
OCEANIC AND
ATMOSPHERIC ADMINISTRATION

NATIONAL
ENVIRONMENTAL SATELLITE, DATA
AND INFORMATION SERVICE

NATIONAL
CLIMATIC DATA CENTER
ASHEVILLE, NORTH CAROLINA

Thomas R. Karl
DIRECTOR
NATIONAL CLIMATIC DATA CENTER

METEOROLOGICAL DATA FOR 2008

NEW YORK (KNYC)

LATITUDE: 40 ° 47'N LONGITUDE: -73 ° 58'W ELEVATION (FT): GRND: 156 BARO: 161 TIME ZONE: EASTERN (UTC -5) WBAN: 94728

ELEMENT		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	YEAR	
TEMPERATURE °F	MEAN DAILY MAXIMUM	42.4	43.1	50.3	63.5	68.9	82.6	86.2	82.6	75.8	62.3	51.2	44.9	62.8	
	HIGHEST DAILY MAXIMUM	64	68	63	84	83	96	96	90	90	75	67	67	96	
	DATE OF OCCURRENCE	09+	06	04	18	27	10+	19	01	04	16+	15	15	JUL 19	
	MEAN DAILY MINIMUM	30.6	28.4	35.0	46.4	51.2	65.4	70.6	65.0	61.9	48.0	40.5	31.3	47.9	
	LOWEST DAILY MINIMUM	12	10	27	33	44	57	66	58	51	36	23	13	10	
	DATE OF OCCURRENCE	03	11	10	03	01	19+	28+	20	20	30	22	22	FEB 11	
	AVERAGE DRY BULB	36.5	35.8	42.7	55.0	60.1	74.0	78.4	73.8	68.9	55.2	45.9	38.1	55.4	
	MEAN WET BULB	31.0	31.7	35.9	46.3	51.5	65.0	68.2	63.8	61.8	48.3	40.6	33.5	48.1	
	MEAN DEW POINT	20.1	23.1	24.7	36.1	43.5	59.6	62.8	57.6	57.0	41.1	32.8	25.6	40.3	
	NUMBER OF DAYS WITH:														
	MAXIMUM >= 90°	0	0	0	0	0	4	6	1	1	0	0	0	0	12
	MAXIMUM <= 32°	2	4	0	0	0	0	0	0	0	0	1	5	12	
MINIMUM <= 32°	20	19	8	0	0	0	0	0	0	0	6	19	72		
MINIMUM <= 0°	0	0	0	0	0	0	0	0	0	0	0	0	0		
H/C	HEATING DEGREE DAYS	874	841	687	301	171	1	0	0	27	302	566	828	4598	
	COOLING DEGREE DAYS	0	0	0	10	25	278	422	278	147	3	0	0	1163	
RH	MEAN (PERCENT)	54	62	54	56	59	65	63	61	69	62	63	63	61	
	HOUR 01 LST	59	65	59	62	64	74	71	72	76	70	66	65	67	
	HOUR 07 LST	61	65	59	62	64	68	70	66	74	69	69	68	66	
	HOUR 13 LST	45	56	46	45	50	52	50	47	58	49	56	58	51	
	HOUR 19 LST	51	62	52	51	61	65	59	60	69	59	62	61	59	
S	PERCENT POSSIBLE SUNSHINE														
W/O	NUMBER OF DAYS WITH:														
	HEAVY FOG(VISBY <= 1/4 MI)	1	2	1	1	0	3	1	4	1	0	0	1	15	
	THUNDERSTORMS	0	0	0	0	0	0	0	0	0	0	0	0	0	
CLOUDNESS	SUNRISE-SUNSET: (OKTAS)														
	CEILOMETER (<= 12,000 FT.)														
	SATELLITE (> 12,000 FT.)														
	MIDNIGHT-MIDNIGHT: (OKTAS)														
	CEILOMETER (<= 12,000 FT.)														
SATELLITE (> 12,000 FT.)															
NUMBER OF DAYS WITH:															
CLEAR															
PARTLY CLOUDY															
CLOUDY															
PR	MEAN STATION PRESS. (IN.)	29.95	29.85	29.90	29.93	29.70	29.78	29.80	29.80	29.96	29.97	29.88	29.94	29.87	
	MEAN SEA-LEVEL PRESS. (IN.)	30.10	30.00	30.04	30.08	29.84	29.92	29.94	29.94	30.10	30.11	30.03	30.08	30.02	
WINDS	RESULTANT SPEED (MPH)	2.6	2.4	1.7	1.9	1.3	0.9	0.7	0.5	1.8	1.2	1.2	2.7	0.8	
	RES. DIR. (TENS OF DEGS.)	27	27	29	05	05	25	22	28	06	30	29	28	30	
	MEAN SPEED (MPH)	6.3	7.2	7.7	6.7	6.5	4.6	4.7	4.4	5.4	5.6	6.5	8.0	6.1	
	PREVAIL.DIR.(TENS OF DEGS.)	27	27	29	06	05	27	24	27	05	27	26	27	27	
	MAXIMUM 2-MINUTE WIND														
	SPEED (MPH)	30	28	32	24	30	29	17	17	24	25	25	26	32	
	DIR. (TENS OF DEGS.)	27	29	25	05	05	28	19	26	06	27	06	29	25	
	DATE OF OCCURRENCE	30	10	08	06	12	10	27	11	25	21	30	31	MAR 08	
	MAXIMUM 3-SECOND WIND:														
	SPEED (MPH)	49	41	48	37	45	45	28	29	36	35	33	43	49	
DIR. (TENS OF DEGS.)	28	32	24	30	33	27	16	28	05	14	06	30	28		
DATE OF OCCURRENCE	30	10	08	01	27	10	27	02	26	25	06	31	JAN 30		
PRECIPITATION	WATER EQUIVALENT:														
	TOTAL (IN.)	2.85	5.95	4.08	2.77	4.01	4.70	2.84	5.58	7.05	3.62	3.54	6.62	53.61	
	GREATEST 24-HOUR (IN.)	1.30	2.42	1.93	1.18	1.27	2.09	1.45	2.18	3.54	2.00	0.89	3.20	3.54	
	DATE OF OCCURRENCE	10-11	12-13	07-08	28	09	14-15	23-24	30	05-06	27-28	15-16	11-12	SEP 05-06	
	NUMBER OF DAYS WITH:														
	PRECIPITATION 0.01	12	14	12	11	13	16	10	10	8	8	11	16	141	
PRECIPITATION 0.10	6	8	9	4	8	8	5	7	7	4	10	10	86		
PRECIPITATION 1.00	1	2	1	1	1	1	1	1	2	2	1	1	14		
SNOWFALL	SNOW,ICE PELLETS,HAIL														
	TOTAL (IN.)	T	9.0	T	0.0	0.0	0.0	0.0	0.0	0.0	0.0	T	6.0	15.0	
	GREATEST 24-HOUR (IN.)	T	6.0	T	0.0	0.0	0.0	0.0	0.0	0.0	0.0	T	4.0	6.0	
	DATE OF OCCURRENCE	27+	22	01								30+	19	FEB 22	
	MAXIMUM SNOW DEPTH (IN.)	0	5	0	0	0	0	0	0	0	0	0	3	5	
	DATE OF OCCURRENCE		23										23+	FEB 23	
NUMBER OF DAYS WITH:															
SNOWFALL >= 1.0	0	2	0	0	0	0	0	0	0	0	0	2	4		

NORMALS, MEANS, AND EXTREMES NEW YORK (KNYC)

LATITUDE: 40° 47'N LONGITUDE: -73° 58'W ELEVATION (FT): GRND: 156 BARO: 161 TIME ZONE: EASTERN (UTC -5) WBAN: 94728

ELEMENT		POR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	YEAR
TEMPERATURE °F	NORMAL DAILY MAXIMUM	30	38.0	41.0	49.8	60.7	70.9	79.0	84.2	82.4	74.7	63.5	53.1	42.9	61.7
	MEAN DAILY MAXIMUM	133	38.2	37.2	47.7	58.1	70.6	77.6	84.3	82.3	74.0	64.5	51.6	41.8	60.7
	HIGHEST DAILY MAXIMUM	140	72	75	86	96	99	101	106	104	102	94	84	75	106
	YEAR OF OCCURRENCE		2007	1985	1998	2002	1962	1966	1936	1918	1953	1941	1950	1998	JUL 1936
	MEAN OF EXTREME MAXS.	133	58.9	59.3	70.7	82.5	88.2	92.9	95.7	93.4	89.2	79.4	71.1	61.9	78.6
	NORMAL DAILY MINIMUM	30	26.2	28.1	35.1	44.2	54.2	63.3	68.8	67.7	60.3	49.6	41.0	31.6	47.5
	MEAN DAILY MINIMUM	133	25.6	24.5	33.1	42.1	53.3	61.2	68.1	66.7	58.9	49.6	39.2	29.9	46.0
	LOWEST DAILY MINIMUM	140	-6	-15	3	12	32	44	52	50	39	28	5	-13	-15
	YEAR OF OCCURRENCE		1882	1934	1872	1923	1891	1945	1943	1986	1912	1936	1875	1917	FEB 1934
	MEAN OF EXTREME MINS.	133	8.4	11.2	18.8	31.2	42.8	52.3	59.8	57.8	47.8	36.8	27.0	15.2	34.1
	NORMAL DRY BULB	30	32.1	34.6	42.5	52.5	62.6	71.2	76.5	75.1	67.5	56.6	47.1	37.3	54.6
	MEAN DRY BULB	133	31.9	30.9	40.4	50.1	62.0	69.5	76.2	74.6	66.5	57.1	45.4	35.9	53.4
	MEAN WET BULB	25	45.1	46.0	48.5	53.9	59.1	64.9	67.0	66.9	64.0	58.3	52.5	47.6	56.2
	MEAN DEW POINT	25	40.8	41.5	44.2	49.6	55.4	61.5	63.6	63.8	60.8	54.7	48.3	43.2	52.3
	NORMAL NO. DAYS WITH: MAXIMUM >= 90	30	0.0	0.0	0.0	0.2	1.0	3.1	7.7	5.0	1.1	0.0	0.0	0.0	18.1
	MAXIMUM <= 32	30	9.2	5.5	0.8	*	0.0	0.0	0.0	0.0	0.0	0.0	0.1	4.1	19.7
	MINIMUM <= 32	30	22.0	18.4	10.5	1.2	0.0	0.0	0.0	0.0	0.0	0.3	4.0	15.1	71.5
MINIMUM <= 0	30	0.3	*	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	*	0.3	
H/C	NORMAL HEATING DEG. DAYS	30	1009	853	695	372	127	16	7	2	43	261	525	844	4754
	NORMAL COOLING DEG. DAYS	30	0	0	2	10	63	214	379	331	134	16	2	0	1151
RH	NORMAL (PERCENT)	30	63	61	60	58	65	68	66	69	70	67	64	64	65
	HOURLY 01 LST	30	64	63	63	62	70	73	71	75	76	72	68	66	69
	HOURLY 07 LST	30	68	67	67	65	73	76	74	78	79	76	72	68	72
	HOURLY 13 LST	30	58	55	53	48	54	58	55	56	58	56	56	59	56
	HOURLY 19 LST	30	60	58	56	53	60	63	61	65	67	65	61	61	61
S	PERCENT POSSIBLE SUNSHINE	107	51	55	57	58	61	64	65	64	62	61	52	49	58
W/O	MEAN NO. DAYS WITH: HEAVY FOG(VISBY <= 1/4 MI)	42	0.6	0.6	0.4	0.1	0.2	0.5	0.5	0.5	0.3	0.1	0.2	0.3	4.3
	THUNDERSTORMS	43	0.1	0.2	0.6	0.9	1.7	2.8	3.0	2.5	0.9	0.5	0.3	0.1	13.6
CLOUDNESS	MEAN: SUNRISE-SUNSET (OKTAS)														
	MIDNIGHT-MIDNIGHT (OKTAS)														
	MEAN NO. DAYS WITH: CLEAR														
	PARTLY CLOUDY CLOUDY														
PR	MEAN STATION PRESSURE(IN)	25	29.92	29.91	29.89	29.87	29.87	29.87	29.87	29.89	29.90	29.92	29.92	29.91	29.90
	MEAN SEA-LEVEL PRES. (IN)	25	30.03	30.02	30.00	29.97	29.98	29.98	29.97	30.00	30.01	30.03	30.02	30.02	30.00
WINDS	MEAN SPEED (MPH)	25	7.6	7.6	7.7	7.3	6.7	6.2	6.2	5.9	6.1	6.4	6.8	7.2	6.8
	PREVAIL.DIR(TENS OF DEGS)	16	28	33	33	33	05	24	24	24	05	28	28	28	28
	MAXIMUM 2-MINUTE: SPEED (MPH)	13	40	34	37	35	30	29	24	33	29	28	32	34	40
	DIR. (TENS OF DEGS)		00	08	00	08	05	28	17	30	09	27	28	07	00
	YEAR OF OCCURRENCE		1996	1998	1996	2000	2008	2008	1996	1997	1999	2003	2003	1997	JAN 1996
	MAXIMUM 3-SECOND SPEED (MPH)	13	53	52	52	51	45	45	41	57	46	46	47	51	57
	DIR. (TENS OF DEGS)		00	07	00	07	33	27	16	31	30	26	28	06	31
YEAR OF OCCURRENCE		1996	1998	1996	1998	2008	2008	1996	1997	2002	2006	2003	1997	AUG 1997	
PRECIPITATION	NORMAL (IN)	30	4.13	3.15	4.37	4.28	4.69	3.84	4.62	4.22	4.23	3.85	4.36	3.95	49.69
	MAXIMUM MONTHLY (IN)	39	10.52	6.87	10.41	13.05	10.24	10.26	11.89	12.36	16.85	16.73	12.41	9.98	16.85
	YEAR OF OCCURRENCE		1979	1869	1980	2007	1989	2003	1889	1990	1882	2005	1972	1973	SEP 1882
	MINIMUM MONTHLY (IN)	139	0.58	0.46	0.80	0.95	0.30	0.02	0.44	0.18	0.21	0.14	0.34	0.25	0.02
	YEAR OF OCCURRENCE		1981	1895	2006	1881	1903	1949	1999	1995	1884	1963	1976	1955	JUN 1949
	MAXIMUM IN 24 HOURS (IN)	139	3.91	3.04	4.25	7.81	4.88	4.74	4.39	5.78	8.30	11.17	8.09	3.21	11.17
	YEAR OF OCCURRENCE		1979	1973	1876	2007	1968	1884	1997	1971	1882	1903	1977	1909	OCT 1903
	NORMAL NO. DAYS WITH: PRECIPITATION >= 0.01	30	10.3	9.4	10.7	11.1	11.4	10.8	10.2	9.5	9.1	8.3	9.3	10.6	120.7
PRECIPITATION >= 1.00	30	1.0	0.9	1.0	1.2	1.1	0.9	1.3	1.1	1.2	1.0	1.2	1.2	13.1	
SNOWFALL	NORMAL (IN)	30	8.1	7.6	3.2	0.5	0.*	0.0	0.0	0.0	0.0	0.*	0.4	2.6	22.4
	MAXIMUM MONTHLY (IN)	140	27.4	27.9	30.5	13.5	T	0.0	T	0.0	0.0	0.8	19.0	29.6	30.5
	YEAR OF OCCURRENCE		1925	1934	1896	1875	1995		1990			1925	1898	1947	MAR 1896
	MAXIMUM IN 24 HOURS (IN)	40	19.2	17.6	18.1	10.2	T	0.0	T	0.0	0.0	0.8	10.0	26.4	26.4
	YEAR OF OCCURRENCE		1996	1983	1941	1915	1995		1990			1925	1898	1947	DEC 1947
	MAXIMUM SNOW DEPTH (IN)	132	15	22	9	9	0	0	0	0	0	0	5	7	22
	YEAR OF OCCURRENCE		1978	1994	1967	1982							1989	1995	FEB 1994
NORMAL NO. DAYS WITH: SNOWFALL >= 1.0	30	2.4	1.8	1.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.7	6.1	

PRECIPITATION (inches) 2008 NEW YORK (KNYC)

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
1979	10.52	4.58	4.40	4.04	6.23	1.56	1.76	4.27	4.83	3.87	3.38	2.69	52.13
1980	1.72	1.04	10.41	8.26	2.33	3.84	5.26	1.16	1.98	3.86	4.11	0.58	44.55
1981	0.58	6.04	1.19	3.42	3.56	2.71	6.21	0.59	3.45	3.49	1.69	5.18	38.11
1982	6.46	2.37	2.56	5.67	2.43	5.12	3.14	4.66	1.77	2.31	3.44	1.47	41.40
1983													
1984	1.87	4.86	6.30	6.62	9.74	5.76	7.03	1.38	2.51	3.63	4.07	3.26	57.03
1985	1.00	2.41	1.91	1.41	5.72	4.41	4.41	2.58	4.75	1.30	8.09	0.83	38.82
1986	4.23	2.86	1.46	3.93	1.68	1.86	5.56	4.24	2.20	1.92	6.85	6.16	42.95
1987	5.81	1.01	4.93	5.90	1.45	3.94	4.12	4.89	5.25	3.89	3.08	2.17	46.44
1988	3.64	3.91	2.10	2.20	5.27	1.29	8.14	2.19	2.34	3.56	8.90	1.13	44.67
1989	2.29	3.03	4.93	4.26	10.24	8.79	5.13	8.44	6.90	7.48	2.79	0.83	65.11
1990	5.34	2.33	3.64	5.12	9.10	2.50	3.51	12.36	2.24	6.38	2.82	5.58	60.92
1991	3.38	1.93	5.16	3.68	3.11	4.16	4.57	7.13	3.71	2.13	1.96	4.26	45.18
1992	1.68	1.87	4.08	1.76	4.02	4.77	4.49	3.49	4.89	1.16	5.64	5.50	43.35
1993	3.44	2.81	6.64	4.28	1.56	1.49	1.70	5.41	5.25	4.55	2.20	4.95	44.28
1994	5.62	3.44	6.33	2.42	4.26	3.21	3.86	6.33	3.33	1.35	4.34	2.90	47.39
1995	3.75	3.13	1.26	2.29	2.84	2.09	6.13	0.18	3.03	7.82	5.78	2.12	40.42
1996	5.64	2.59	3.81	6.33	2.64	5.71	5.76	1.87	4.97	7.52	2.87	6.48	56.19
1997	3.65	2.54	5.18	2.86	3.05	1.93	8.36	3.21	2.10	2.10	4.68	4.27	43.93
1998	5.20	5.81	5.08	7.05	6.94	5.94	1.09	2.78	3.44	2.76	1.48	1.12	48.69
1999	7.02	3.49	4.01	1.93	4.04	0.59	0.44	2.89	8.81	2.73	2.33	3.23	41.51
2000	3.23	1.66	3.34	3.53	4.50	4.87	7.28	3.82	5.82	0.67	3.54	3.19	45.45
2001	3.16	1.95	7.48	1.58	2.03	5.29	2.04	2.56	5.30	0.66	1.36	2.24	35.65
2002	1.93	0.71	3.54	3.41	3.69	4.48	1.05	4.91	5.16	7.20	5.06	4.06	45.20
2003	2.30	4.55	4.57	3.20	3.40	10.26	3.76	5.85	6.03	4.90	4.18	5.42	58.42
2004	2.13	2.68	2.99	4.11	5.76	3.02	7.64	3.02	11.51	1.15	4.21	3.71	51.93
2005	4.67	3.04	4.96	4.81	1.48	3.21	3.56	3.96	0.48	16.73	4.47	4.60	55.97
2006	4.99	2.88	0.80	5.56	4.62	8.55	6.16	6.08	3.69	7.07	7.34	2.15	59.89
2007	3.63	1.99	5.35	13.05	1.88	6.55	6.89	7.18	1.81	4.65	3.47	5.22	61.67
2008	2.85	5.95	4.08	2.77	4.01	4.70	2.84	5.58	7.05	3.62	3.54	6.62	53.61
POR= 132 YRS	3.49	3.34	3.94	3.62	3.70	3.62	4.27	4.26	3.88	3.63	3.58	3.56	44.89

WBAN : 94728

AVERAGE TEMPERATURE (°F) 2008 NEW YORK (KNYC)

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
1979	33.6	25.5	46.9	52.6	65.3	69.2	76.9	76.8	70.5	57.3	52.5	41.1	55.7
1980	33.7	31.4	41.2	54.5	65.6	70.3	79.3	80.3	70.8	55.2	44.6	32.5	55.0
1981	26.3	39.3	42.3	56.2	64.8	73.0	78.5	76.0	67.6	54.4	47.7	36.5	55.2
1982	26.1	35.3	42.0	51.2	64.1	68.6	77.9	73.2	68.3	58.5	50.4	42.8	54.9
1983	34.5	36.4	44.0	52.3	60.2	73.4	79.5	77.7	71.8	57.9	48.9	35.2	56.0
1984	29.9	40.6	36.7	51.9	61.6	74.5	74.7	76.7	65.9	61.8	47.3	43.8	55.5
1985	28.8	36.6	45.8	55.5	65.3	68.6	76.2	75.4	70.5	59.5	50.0	34.2	55.5
1986	34.1	32.0	45.1	54.5	66.0	71.6	76.0	73.1	67.9	58.0	45.7	39.0	55.3
1987	32.3	33.2	45.2	53.4	63.6	72.8	78.0	74.2	67.7	53.8	47.7	39.5	55.1
1988	29.5	35.0	43.6	51.2	62.7	71.8	79.3	78.8	67.4	52.8	49.4	35.9	54.8
1989	37.4	34.5	42.4	52.2	62.1	72.0	75.0	74.0	68.1	58.2	45.7	25.9	54.0
1990	41.4	39.8	45.1	53.5	60.2	72.1	76.8	75.3	67.5	61.9	50.4	42.6	57.2
1991	34.9	40.0	44.6	55.7	68.7	74.1	77.7	77.1	67.5	58.4	48.3	39.6	57.2
1992	35.7	36.4	40.0	50.5	61.0	70.3	74.2	73.0	67.2	54.5	46.5	37.9	53.9
1993	36.3	30.8	39.7	53.3	65.7	73.3	80.2	77.2	67.3	56.0	48.8	37.3	55.5
1994	25.6	30.6	40.7	55.6	61.8	75.2	79.4	74.0	67.6	58.0	52.0	42.2	55.2
1995	37.5	31.6	45.0	51.9	61.9	71.8	79.2	78.6	68.3	61.6	43.6	32.4	55.3
1996	30.5	33.8	38.9	52.2	61.1	71.4	73.3	74.5	68.0	56.4	43.0	41.3	53.7
1997	32.2	40.0	41.9	51.7	59.4	70.9	75.8	73.3	67.0	56.7	44.5	38.3	54.3
1998	40.0	40.6	45.4	54.0	64.3	69.2	76.5	76.7	70.2	57.6	48.1	43.2	57.2
1999	33.9	38.9	42.5	53.5	63.1	73.2	81.4	75.5	69.1	56.0	50.8	40.0	56.5
2000	31.3	37.3	47.2	51.0	63.5	71.3	72.3	72.5	66.0	57.0	45.3	31.1	53.8
2001	33.7	35.9	39.6	54.0	63.6	73.0	73.2	78.7	67.7	58.5	52.7	44.1	56.2
2002	40.0	40.6	44.2	56.1	60.7	71.5	78.8	77.8	70.3	55.2	46.0	36.0	56.4
2003	27.5	30.1	43.1	49.8	58.7	68.4	75.8	76.7	68.0	55.1	50.0	37.6	53.4
2004	24.8	35.0	43.6	53.6	65.2	71.3	74.5	74.3	69.4	56.0	48.2	38.4	54.5
2005	31.3	36.6	39.5	55.2	58.9	74.0	77.6	79.7	73.3	57.9	49.7	35.3	55.8
2006	40.9	35.8	43.1	55.7	63.1	71.0	78.0	75.8	66.6	56.3	51.9	43.6	56.8
2007	37.5	28.3	42.2	50.3	65.3	71.4	75.0	74.0	70.3	63.6	45.5	37.0	55.0
2008	36.5	35.8	42.7	55.0	60.1	74.0	78.4	73.8	68.9	55.2	45.9	38.1	55.4
POR= 133 YRS	31.9	30.9	40.4	50.1	62.0	69.5	76.2	74.6	66.5	57.1	45.4	35.9	53.4

HEATING DEGREE DAYS (base 65°F) 2008 NEW YORK (KNYC)

YEAR	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	TOTAL
1979-80	4	4	20	271	373	734	963	969	731	310	67	22	4468
1980-81	0	0	31	305	602	1000	1194	715	698	264	78	3	4890
1981-82	0	0	48	320	513	876	1198	825	707	413	74	36	5010
1982-83	0	5	24	229	446	679	936	793	644	393	161	3	4313
1983-84	0	0	34	249	480	914	1082	698	870	389	137	9	4862
1984-85	0	0	69	114	525	654	1113	789	596	305	79	24	4268
1985-86	0	0	17	188	448	947	950	917	615	312	89	11	4494
1986-87	0	10	27	236	572	797	1008	883	608	348	146	8	4643
1987-88	0	2	29	343	512	780	1093	867	656	409	133	31	4855
1988-89	3	0	23	385	459	896	844	849	696	376	143	14	4688
1989-90	0	1	54	217	572	1205	724	702	612	366	150	4	4607
1990-91	3	2	57	166	436	686	927	696	625	311	61	3	3973
1991-92	0	0	60	222	496	782	902	827	767	434	160	12	4662
1992-93	0	3	54	324	547	834	882	953	779	347	57	14	4794
1993-94	0	0	65	275	483	852	1215	958	749	282	142	0	5021
1994-95	0	0	18	212	388	700	846	931	614	386	130	2	4227
1995-96	0	0	31	146	637	1001	1065	894	801	389	183	8	5155
1996-97	0	0	46	263	656	726	1010	691	712	393	174	40	4711
1997-98	2	0	48	284	611	822	768	676	635	322	99	29	4296
1998-99	0	0	20	222	499	670	955	725	687	340	98	4	4220
1999-00	0	3	23	271	418	769	1038	795	544	411	118	31	4421
2000-01	0	0	81	256	586	1041	965	809	780	340	124	6	4988
2001-02	0	0	47	228	364	639	769	677	639	332	172	20	3887
2002-03	0	2	11	327	562	891	1156	972	671	462	195	47	5296
2003-04	0	0	18	299	450	843	1241	862	658	342	76	12	4801
2004-05	0	0	16	273	495	820	1035	789	782	300	194	9	4713
2005-06	1	0	6	249	453	915	739	813	674	279	113	19	4261
2006-07	0	0	33	279	383	655	845	1024	698	445	89	9	4460
2007-08	0	12	19	124	580	860	874	841	687	301	171	1	4470
2008-	0	0	27	302	566	828							

WBAN : 94728

COOLING DEGREE DAYS (base 65°F) 2008 NEW YORK (KNYC)

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	TOTAL
1979	0	0	0	4	71	149	378	376	192	43	5	0	1218
1980	0	0	0	1	94	188	448	480	213	11	0	0	1435
1981	0	0	0	4	78	252	425	347	129	0	0	0	1235
1982	0	0	0	7	55	152	405	266	129	36	16	0	1066
1983	0	0	0	19	16	259	460	404	244	35	0	0	1437
1984	0	0	0	3	39	301	306	367	106	26	0	0	1148
1985	0	0	8	28	95	139	353	329	189	21	5	0	1167
1986	0	0	5	4	127	214	348	269	120	27	0	0	1114
1987	0	0	0	5	110	251	406	295	118	0	2	0	1187
1988	0	0	0	0	66	243	455	435	104	12	0	0	1315
1989	0	0	4	0	61	231	313	287	151	10	0	0	1057
1990	0	0	4	25	8	225	375	328	140	77	4	0	1186
1991	0	0	0	38	182	280	403	382	142	24	1	0	1452
1992	0	0	0	5	46	174	292	256	127	8	0	0	908
1993	0	0	0	0	82	269	474	386	140	3	4	0	1358
1994	0	0	0	7	51	316	454	286	102	2	3	0	1221
1995	0	0	0	0	40	212	445	428	137	48	0	0	1310
1996	0	0	0	13	67	209	267	300	142	4	0	0	1002
1997	0	0	0	0	7	222	343	265	113	32	0	0	982
1998	0	0	36	0	89	162	366	368	184	1	0	2	1208
1999	0	0	0	3	46	258	517	336	152	3	0	0	1315
2000	0	0	0	0	81	227	234	240	117	12	0	0	911
2001	0	0	0	15	89	250	262	430	137	32	1	0	1216
2002	0	0	0	73	44	221	436	404	175	31	0	0	1384
2003	0	0	0	12	9	155	341	369	114	3	7	0	1010
2004	0	0	0	6	90	204	299	297	155	2	0	0	1053
2005	0	0	0	12	13	288	398	464	263	34	0	0	1472
2006	0	0	0	7	63	206	407	343	89	15	0	0	1130
2007	0	0	0	12	104	207	317	302	182	88	0	0	1212
2008	0	0	0	10	25	278	422	278	147	3	0	0	1163

SNOWFALL (inches) 2008 NEW YORK (KNYC)

YEAR	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	TOTAL
1979-80	0.0	0.0	0.0	T	0.0	3.5	2.0	2.7	4.6	T	0.0	0.0	12.8
1980-81	0.0	0.0	0.0	0.0	T	2.8	8.0	T	8.6	0.0	0.0	0.0	19.4
1981-82	0.0	0.0	0.0	0.0	0.0	2.1	11.8	0.4	0.7	9.6	0.0	0.0	24.6
1982-83	0.0	0.0	0.0	0.0	0.0	3.0	1.9	23.5	T	0.8	0.0	0.0	29.2
1983-84	0.0	0.0	0.0	0.0	T	1.6	11.7	0.2	11.9	0.0	0.0	0.0	25.4
1984-85	0.0	0.0	0.0	0.0	T	5.5	8.4	10.0	0.2	T	0.0	0.0	24.1
1985-86	0.0	0.0	0.0	0.0	T	0.9	2.2	9.9	T	T	0.0	0.0	13.0
1986-87	0.0	0.0	0.0	0.0	T	0.6	13.6	7.0	1.9	0.0	0.0	0.0	23.1
1987-88	0.0	0.0	0.0	0.0	1.1	2.6	13.9	1.5	T	0.0	0.0	0.0	19.1
1988-89	0.0	0.0	0.0	0.0	0.0	0.3	5.0	0.3	2.5	0.0	0.0	0.0	8.1
1989-90	0.0	0.0	0.0	0.0	4.7	1.4	1.8	1.8	3.1	0.6	0.0	0.0	13.4
1990-91	T	0.0	0.0	0.0	0.0	7.2	8.4	9.1	0.2	0.0	0.0	0.0	24.9
1991-92	0.0	0.0	0.0	0.0	T	0.7	1.5	1.0	9.4	T	0.0	0.0	12.6
1992-93	0.0	0.0	0.0	0.0	0.0	0.4	1.5	10.7	11.9	0.0	0.0	0.0	24.5
1993-94	0.0	0.0	0.0	0.0	T	6.9	12.0	26.4	8.1	0.0	0.0	0.0	53.4
1994-95	0.0	0.0	0.0	0.0	T	T	0.2	11.6	T	T	T	0.0	11.8
1995-96	0.0	0.0	0.0	0.0	2.9	11.5	26.1	21.2	13.2	0.7	0.0	0.0	75.6
1996-97	0.0	0.0	0.0	0.0	.1	T	4.4	3.8	1.7	T	0.0	0.0	10.0
1997-98	0.0	0.0	0.0	0.0	T	T	0.5	0.0	5.0	0.0	0.0	0.0	5.5
1998-99	0.0	0.0	0.0	0.0	0.0	2.0	4.5	1.7	4.5	0.0	0.0	0.0	12.7
1999-00	0.0	0.0	0.0	0.0	0.0	T	9.5	5.2	0.4	1.2	0.0	0.0	16.3
2000-01	0.0	0.0	0.0	T	0.0	13.4	8.3	9.5	3.8	0.0	0.0	0.0	35.0
2001-02	0.0	0.0	0.0	0.0	0.0	T	3.5	T	T	T	0.0	0.0	3.5
2002-03	0.0	0.0	0.0	T	T	11.0	4.7	26.1	3.5	4.0	0.0	0.0	49.3
2003-04	0.0	0.0	0.0	0.0	0.0	19.8	17.3	0.7	4.8	0.0	0.0	0.0	42.6
2004-05	0.0	0.0	0.0	0.0	T	3.0	15.3	15.8	6.9	0.0	0.0	0.0	41.0
2005-06	0.0	0.0	0.0	0.0	T	9.7	2.0	26.9	1.3	0.1	0.0	0.0	40.0
2006-07	0.0	0.0	0.0	0.0	0.0	0.0	2.6	3.8	6.0	T	0.0	0.0	12.4
2007-08	0.0	0.0	0.0	0.0	T	2.9	T	9.0	T	0.0	0.0	0.0	11.9
2008-	0.0	0.0	0.0	0.0	T	6.0							
POR= 97 YRS	0.1	0.1	0.1	0.1	0.8	5.2	7.2	8.7	5.2	1.0	0.1	0.1	28.7

WBAN : 94728

REFERENCE NOTES :

<p>PAGE 1: THE TEMPERATURE GRAPH SHOWS NORMAL MAXIMUM AND NORMAL MINIMUM DAILY TEMPERATURES (SOLID CURVES) AND THE ACTUAL DAILY HIGH AND LOW TEMPERATURES (VERTICAL BARS).</p> <p>PAGE 2 AND 3: H/C INDICATES HEATING AND COOLING DEGREE DAYS. RH INDICATES RELATIVE HUMIDITY W/O INDICATES WEATHER AND OBSTRUCTIONS S INDICATES SUNSHINE. PR INDICATES PRESSURE. CLOUDINESS ON PAGE 3 IS THE SUM OF THE CEILOMETER AND SATELLITE DATA NOT TO EXCEED EIGHT EIGHTHS(OKTAS).</p> <p>GENERAL: T INDICATES TRACE PRECIPITATION, AN AMOUNT GREATER THAN ZERO BUT LESS THAN THE LOWEST REPORTABLE VALUE. + INDICATES THE VALUE ALSO OCCURS ON EARLIER DATES. BLANK ENTRIES DENOTE MISSING OR UNREPORTED DATA. NORMALS ARE 30-YEAR AVERAGES (1971 - 2000). ASOS INDICATES AUTOMATED SURFACE OBSERVING SYSTEM. PM INDICATES THE LAST DAY OF THE PREVIOUS MONTH. POR (PERIOD OF RECORD) BEGINS WITH THE JANUARY DATA MONTH AND IS THE NUMBER OF YEARS USED TO COMPUTE THE MEAN. INDIVIDUAL MONTHS WITHIN THE POR MAY BE MISSING. WHEN THE POR FOR A NORMAL IS LESS THAN 30 YEARS, THE NORMAL IS PROVISIONAL AND IS BASED ON THE NUMBER OF YEARS INDICATED. 0.* OR * INDICATES THE VALUE OR MEAN-DAYS-WITH IS BETWEEN 0.00 AND 0.05. CLOUDINESS FOR ASOS STATIONS DIFFERS FROM THE NON-ASOS OBSERVATION TAKEN BY A HUMAN OBSERVER. ASOS STATION CLOUDINESS IS BASED ON TIME-AVERAGED CEILOMETER DATA FOR CLOUDS AT OR BELOW 12,000 FEET AND ON SATELLITE DATA FOR CLOUDS ABOVE 12,000 FEET. THE NUMBER OF DAYS WITH CLEAR, PARTLY CLOUDY, AND CLOUDY CONDITIONS FOR ASOS STATIONS IS THE SUM OF THE CEILOMETER AND SATELLITE DATA FOR THE SUNRISE TO SUNSET PERIOD.</p>	<p>GENERAL CONTINUED: CLEAR INDICATES 0 - 2 OKTAS, PARTLY CLOUDY INDICATES 3 - 6 OKTAS, AND CLOUDY INDICATES 7 OR 8 OKTAS. WHEN AT LEAST ONE OF THE ELEMENTS (CEILOMETER OR SATELLITE) IS MISSING, THE DAILY CLOUDINESS IS NOT COMPUTED. WIND DIRECTION IS RECORDED IN TENS OF DEGREES (2 DIGITS) CLOCKWISE FROM TRUE NORTH. "00" INDICATES CALM. "36" INDICATES TRUE NORTH. RESULTANT WIND IS THE VECTOR AVERAGE OF THE SPEED AND DIRECTION. AVERAGE TEMPERATURE IS THE SUM OF THE MEAN DAILY MAXIMUM AND MINIMUM TEMPERATURE DIVIDED BY 2. SNOWFALL DATA COMPRISE ALL FORMS OF FROZEN PRECIPITATION, INCLUDING HAIL. A HEATING (COOLING) DEGREE DAY IS THE DIFFERENCE BETWEEN THE AVERAGE DAILY TEMPERATURE AND 65 F. DRY BULB IS THE TEMPERATURE OF THE AMBIENT AIR. DEW POINT IS THE TEMPERATURE TO WHICH THE AIR MUST BE COOLED TO ACHIEVE 100 PERCENT RELATIVE HUMIDITY. WET BULB IS THE TEMPERATURE THE AIR WOULD HAVE IF THE MOISTURE CONTENT WAS INCREASED TO 100 PERCENT RELATIVE HUMIDITY.</p> <p>ON JULY 1, 1996, THE NATIONAL WEATHER SERVICE BEGAN USING THE "METAR" OBSERVATION CODE THAT WAS ALREADY EMPLOYED BY MOST OTHER NATIONS OF THE WORLD. THE MOST NOTICEABLE DIFFERENCE IN THIS ANNUAL PUBLICATION WILL BE THE CHANGE IN UNITS FROM TENTHS TO EIGHTS(OKTAS) FOR REPORTING THE AMOUNT OF SKY COVER.</p> <p>NOTE: The "Period of Record:(POR) for all "averages" is based on the "Summary of the Day First Order Station" and "Cooperative Summary of the Day" archives.</p>
---	--

2008 NEW YORK NEW YORK (KNYC)

New York City, in area exceeding 300 square miles, is located on the Atlantic coastal plain at the mouth of the Hudson River. The terrain is laced with numerous waterways, all but one of the five boroughs in the city are situated on islands. Elevations range from less than 50 feet over most of Manhattan, Brooklyn, and Queens to almost 300 feet in northern Manhattan and the Bronx, and over 400 feet in Staten Island. Extensive suburban areas on Long Island, and in Connecticut, New York State and New Jersey border the city on the east, north, and west. About 30 miles to the west and northwest, hills rise to about 1,500 feet and to the north in upper Westchester County to 800 feet. To the southwest and to the east are the low-lying land areas of the New Jersey coastal plain and of Long Island, bordering on the Atlantic.

The New York Metropolitan area is close to the path of most storm and frontal systems which move across the North American continent. Therefore, weather conditions affecting the city most often approach from a westerly direction. New York City can thus experience higher temperatures in summer and lower ones in winter than would otherwise be expected in a coastal area. However, the frequent passage of weather systems often helps reduce the length of both warm and cold spells, and is also a major factor in keeping periods of prolonged air stagnation to a minimum.

Although continental influence predominates, oceanic influence is by no means absent. During the summer local sea breezes, winds blowing onshore from the cool water surface, often moderate the afternoon heat. The effect of the sea breeze diminishes inland. On winter mornings, ocean temperatures which are warm relative to the land reinforce the effect of the city heat island and low temperatures are often 10-20 degrees lower in the inland suburbs than in the central city. The relatively warm water temperatures also delay the advent of winter snows. Conversely, the lag in warming of water temperatures keeps spring temperatures relatively cool. One year-round measure of the ocean influence is the small average daily variation in temperature.

Precipitation is moderate and distributed fairly evenly throughout the year. Most of the rainfall from May through October comes from thunderstorms, usually of brief duration and sometimes intense. Heavy rains of long duration associated with tropical storms occur infrequently in late summer or fall. For the other months of the year precipitation is more likely to be associated with widespread storm areas, so that day-long rain, snow or a mixture of both is more common. Coastal storms, occurring most often in the fall and winter months, produce on occasion considerable amounts of precipitation and have been responsible for record rains, snows, and high winds.

The average annual precipitation is reasonably uniform within the city but is higher in the northern and western suburbs and less on eastern Long Island. Annual snowfall totals also show a consistent increase to the north and west of the city with lesser amounts along the south shores and the eastern end of Long Island, reflecting the influence of the ocean waters.

Local Climatological Data is published for three locations in New York City, Central Park, La Guardia Airport, and John F. Kennedy International Airport. Other nearby locations for which it is published are Newark, New Jersey, and Bridgeport, Connecticut.

Based on the 1951-1980 period, the average first occurrence of 32 degrees Fahrenheit in the fall is November 11 and the average last occurrence in the spring is April 1.

Station Location

NEW YORK

LOCATION	Occupied From	Occupied To	Airline Distances and Directions from previous Location	Latitude		Longitude		ELEVATION ABOVE								REMARKS	
				NORTH	WEST	GROUND TEMPERATURE SITE	GROUND							HYGROTHERMOMETER	AUTOMATIC OBSERVING EQUIPMENT *		
							SEA LEVEL	WIND INSTRUMENT	EXTREME THERMOMETERS	PSYCHROMETER	SUNSHINE SWITCH	TIPPING BUCKET RAIN GAUGE	WEIGHING RAIN GAUGE				8 INCH RAIN GAUGE
*NOTE:																	
Belvedere Tower, near 79th and 81st Streets Transverse Road	1/01/20	11/01/95	1 mi. N	40° 47'	73° 58'	132	62 d68	4	6 b	c63	22 e3	22 f3	22 g	a4		a. Commissioned 12/29/60. b. Removed 12/29/60. c. Relocated from Battery 11/60. d. Effective 5/62. e. Moved to ground 1/1/63. f. Moved to ground 4/18/64. g. Removed in 1969. NWS Eastern Region determined that precipitation for 1983 was excessive due to malfunctioning equipment.	
Central Park Observatory	11/01/95	Present	NA	40° 47'	73° 58'	h158									S	ASOS Commissioned 11/01/95 h. Ground elevation.	

For Hard Copy Subscription:

Price and ordering information: NCDC Subscribing Service Center, 310 State Route 956, Building 300, Rocket Center, WV 26726.

INQUIRES/COMMENTS CALL: Toll Free (866) 742-3322

Visit our Web Site for other weather data: www.ncdc.noaa.gov

Non-Subscription Request:

NCDC Customer Services;
 Phone: 828-271-4800
 Fax: 828-271-4876
 Email: ncdc.orders@noaa.gov

FIRST CLASS
POSTAGE & FEES PAID
 United States Department of Commerce
 NOAA Permit No. G - 19

OFFICIAL BUSINESS
 PENALTY FOR PRIVATE USE \$300
 CHANGE SERVICE REQUESTED

* NOTES: For earlier station history see previous editions.