

I CERTIFY THAT THIS IS AN OFFICIAL PUBLICATION OF THE NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION, AND IS COMPILED FROM RECORDS ON FILE AT THE NATIONAL CLIMATIC DATA CENTER.

NATIONAL	NATIONAL	NATIONAL	-1
OCEANIC AND	ENVIRONMENTAL SATELLITE, DATA	CLIMATIC DATA CENTER	
ATMOSPHERIC ADMINISTRATION	AND INFORMATION SERVICE	ASHEVILLE, NORTH CAROLINA	NATION

DIRECTOR

DIRECTOR NATIONAL CLIMATIC DATA CENTER

METEOROLOGICAL DATA FOR 2009 SAN FRANCISCO C.O. (SFOC)

	LATITUDE: LONGITUDE: 37 ° 46'N -122° 26'W				TION (I		0. (5	TIME ZONE: PACIFIC (UTC -8)				WBAN: 23272		
	ELEMENT	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	YEAR
TEMPERATURE °F	MEAN DAILY MAXIMUM HIGHEST DAILY MAXIMUM DATE OF OCCURRENCE MEAN DAILY MINIMUM LOWEST DAILY MINIMUM DATE OF OCCURRENCE AVERAGE DRY BULB MEAN WET BULB MEAN DEW POINT NUMBER OF DAYS WITH: MAXIMUM >= 90° MAXIMUM <= 32° MINIMUM <= 0°	60.9 74 12 47.3 39 04 1.8 0 0 0 0	58.3 67 03+ 47.5 40 10 52.9 0 12 0 0	60.2 72 27 48.0 42 10 54.1	63.0 93 20 48.7 40 24 55.9	64.7 89 16 50.6 47 01 57.7 0 0 0 0	66.4 79 27 54.5 51 27+ 60.5 0 0 0	65.1 83 14 53.2 51 27+ 59.2 0 0 0 0	69.7 96 28 55.5 53 31+ 62.6	71.3 88 02 55.6 51 30 63.5 0 0 0	67.9 77 01 54.3 50 04 61.1 0 0 0 0	64.2 79 02 50.5 46 21+ 57.4 0 0 0	60.9 74 12 47.3 39 04 1.8 0 0 0 0	64.4 96 AUG 28 51.1 39 DEC 04 49.0 2 12 0 0
H/C	HEATING DEGREE DAYS COOLING DEGREE DAYS	331 0	332 0	331 0	289 24	230 11	132 3	180 7	97 31	74 36	122 9	228 7	331 0	2677 128
RH	MEAN (PERCENT) HOUR 04 LST HOUR 10 LST HOUR 16 LST HOUR 22 LST													
s	PERCENT POSSIBLE SUNSHINE													
0/M	NUMBER OF DAYS WITH: HEAVY FOG(VISBY <= 1/4 MI) THUNDERSTORMS													
CLOUDNESS	SUNRISE-SUNSET: (OKTAS) CEILOMETER (<= 12,000 FT.) SATELLITE (> 12,000 FT.) MIDNIGHT-MIDNIGHT: (OKTAS) CEILOMETER (<= 12,000 FT.) SATELLITE (> 12,000 FT.) NUMBER OF DAYS WITH: CLEAR PARTLY CLOUDY CLOUDY													
PR	MEAN STATION PRESS. (IN.) MEAN SEA-LEVEL PRESS. (IN.)													
SUNIM	RESULTANT SPEED (MPH) RES. DIR. (TENS OF DEGS.) MEAN SPEED (MPH) PREVAIL.DIR.(TENS OF DEGS.) MAXIMUM 2-MINUTE WIND SPEED (MPH) DIR. (TENS OF DEGS.) DATE OF OCCURRENCE MAXIMUM 3-SECOND WIND: SPEED (MPH) DIR. (TENS OF DEGS.) DATE OF OCCURRENCE													
PRECIPITATION	WATER EQUIVALENT: TOTAL (IN.) GREATEST 24-HOUR (IN.) DATE OF OCCURRENCE NUMBER OF DAYS WITH: PRECIPITATION 0.01 PRECIPITATION 0.10 PRECIPITATION 1.00	0.90 0.49 21-22 5 4 0	7.92 2.45 15-16 16 12 2	2.76 1.04 04-05 9 7 0	0.24 0.23 07-08 3 1 0	0.80 0.44 04-05 5 2 0	0.00 0.00 0 0 0	0.00 0.00 0 0 0	0.00 0.00 0 0 0	0.28 0.28 12-13 2 1 0	3.11 2.48 13 2 2 1	0.45 0.29 20 5 1 0	$0.90 \\ 0.49 \\ 21-22 \\ 5 \\ 4 \\ 0 \\ 0$	17.36 2.48 OCT 13 52 34 3
SNOWFALL	SNOW,ICE PELLETS,HAIL TOTAL (IN.) GREATEST 24-HOUR (IN.) DATE OF OCCURRENCE MAXIMUM SNOW DEPTH (IN.) DATE OF OCCURRENCE NUMBER OF DAYS WITH: SNOWFALL >= 1.0													

NORMALS, MEANS, AND EXTREMES SAN FRANCISCO C.O. (SFOC)

	LATITUDE: LONGITUDE: 37 ° 46'N -122° 26'W	ELEVATION (FT): GRND: 75 BARO: 75								TIME ZONE: PACIFIC (UTC -8)				WBAN: 23272	
	ELEMENT	POR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	YEAR
TEMPERATURE °F	NORMAL DAILY MAXIMUM MEAN DAILY MAXIMUM HIGHEST DAILY MAXIMUM YEAR OF OCCURRENCE MEAN OF EXTREME MAXS. NORMAL DAILY MINIMUM MEAN DAILY MINIMUM LOWEST DAILY MINIMUM YEAR OF OCCURRENCE MEAN OF EXTREME MINS. NORMAL DRY BULB MEAN OF BULB MEAN WET BULB MEAN WET BULB MEAN WET BULB MEAN DEW POINT NORMAL NO. DAYS WITH: MAXIMUM >= 90 MAXIMUM <= 32	30 89 73 89 30 89 73 89 30 89 30 89	58.1 56.5 79 1962 65.8 46.4 45.7 30 1937 39.4 52.3 49.9 0.0 0.0	61.4 59.8 81 1986 70.2 48.5 48.0 31 1989 42.0 55.0 53.3	62.5 61.5 84 2004 74.8 49.2 48.9 38 1942 43.7 55.9 55.2 0.0 0.0	64.5 62.8 94 1989 78.9 50.1 49.7 40 2009 45.1 57.3 56.2 0.3 0.0	65.4 64.1 101 2001 82.1 51.4 51.2 43 2003 47.7 58.4 57.7 0.4 0.0	67.7 66.1 103 2000 84.1 53.2 53.0 47 1999 49.9 60.5 59.6	68.2 65.9 103 1988 80.3 54.4 53.8 47 1953 50.8 61.3 59.8 0.3 0.0	69.2 66.8 98 1993 81.5 55.6 54.6 48 1969 51.6 62.4 60.7 0.2 0.0	71.3 69.9 101 1971 88.9 56.1 55.6 48 1955 51.7 63.7 62.7	70.4 69.2 102 1987 86.0 54.6 54.5 45 1949 49.9 62.5 61.8 0.8 0.0	64.1 63.8 86 1966 75.5 50.8 51.1 40 1994 45.3 57.5 57.5 57.5	58.6 57.4 76 1958 66.4 46.7 47.0 28 1990 40.5 52.7 51.0 0.0 0.0	65.1 63.7 103 JUN 2000 77.9 51.4 51.1 28 DEC 1990 46.5 58.3 57.1 4.0 0.0
	MINIMUM <= 32 MINIMUM <= 0	30 30	0.0 0.0	* 0.0	0.0 0.0	* 0.0	0.0 0.0	0.0 0.0	0.0 0.0	0.0 0.0	0.0 0.0	0.0 0.0	0.0 0.0	0.2 0.0	0.2 0.0
H/C	NORMAL HEATING DEG. DAYS NORMAL COOLING DEG. DAYS	30 30	396 0	283 2	271 3	233 7	214 9	150 14	133 19	107 26	95 56	100 22	232 5	383 0	2597 163
RH	NORMAL (PERCENT) HOUR 04 LST HOUR 10 LST HOUR 16 LST HOUR 22 LST	30 30 30 30 30 30													
S	PERCENT POSSIBLE SUNSHINE	38	56	62	69	73	72	73	66	65	72	70	62	53	66
0/M	MEAN NO. DAYS WITH: HEAVY FOG(VISBY <= 1/4 MI) THUNDERSTORMS	13 40	0.0 0.0	0.0 0.2	0.0 0.0	0.0 0.1	$\begin{array}{c} 0.0\\ 0.0\end{array}$	0.0 0.0	0.0 0.1	0.0 0.1	0.0 0.1	0.0 0.1	0.0 0.1	0.0 0.0	0.0 0.8
CLOUDNESS	MEAN: SUNRISE-SUNSET (OKTAS) MIDNIGHT-MIDNIGHT (OKTAS) MEAN NO. DAYS WITH: CLEAR PARTLY CLOUDY CLOUDY														
PR	MEAN STATION PRESSURE(IN) MEAN SEA-LEVEL PRES. (IN)														
SUNDS	MEAN SPEED (MPH) PREVAIL.DIR(TENS OF DEGS) MAXIMUM 2-MINUTE: SPEED (MPH) DIR. (TENS OF DEGS) YEAR OF OCCURRENCE MAXIMUM 3-SECOND SPEED (MPH) DIR. (TENS OF DEGS) YEAR OF OCCURRENCE	28 36	6.7 47 14 1965	7.5 47 23 1938	8.5 44 18 1948	9.5 38 27 1965	10.4 38 27 1965	10.9 40 27 1965	11.2 38 27 1939	10.5 34 27 1966	9.1 32 27 1956	7.6 43 14 1950	6.3 41 18 1953	6.5 45 14 1965	8.7 47 14 JAN 1965
PRECIPITATION	NORMAL (IN) MAXIMUM MONTHLY (IN) YEAR OF OCCURRENCE MINIMUM MONTHLY (IN) YEAR OF OCCURRENCE MAXIMUM IN 24 HOURS (IN) YEAR OF OCCURRENCE NORMAL NO. DAYS WITH: PRECIPITATION >= 0.01 PRECIPITATION >= 1.00	30 73 73 73 73 30 30	4.72 12.08 1998 0.31 1976 4.22 1982 11.4 1.2	4.15 14.89 1998 0.04 1953 3.22 2008 10.8 0.9	3.40 9.04 1983 0.07 1988 3.65 1940 11.2 0.5	1.25 5.47 1958 T 1949 2.36 1953 6.2 0.2	0.54 3.92 1998 0.00 1982 1.47 1990 3.3 0.1	0.13 1.42 1967 0.00 1983 1.36 1967 1.4 0.0	0.04 0.62 1974 0.00 1982 0.61 1974 0.4 0.0	0.09 0.78 1976 0.00 1982 2.05 2006 0.9 0.0	0.28 2.06 1959 0.00 1980 2.06 1959 2.1 0.0	1.19 5.51 1962 0.00 1980 3.11 1962 4.1 0.2	3.31 10.49 1994 T 1959 6.19 1994 8.7 0.7	3.18 12.03 2002 0.00 1989 3.69 1995 9.6 0.6	22.28 14.89 FEB 1998 0.00 DEC 1989 6.19 NOV 1994 70.1 4.4
SNOWFALL	NORMAL (IN) MAXIMUM MONTHLY (IN) YEAR OF OCCURRENCE MAXIMUM IN 24 HOURS (IN) YEAR OF OCCURRENCE' MAXIMUM SNOW DEPTH (IN) YEAR OF OCCURRENCE NORMAL NO. DAYS WITH: SNOWFALL >= 1.0	30 42 38 52 30	T T 1962 T 1962 0	0.0 T 1951 T 1951 0 0.0	0.0 T 1951 T 1951 0 0.0	0.0 0.0 0.0 0	0.0 0.0 0.0 0 0.0	0.0 0.0 0.0 0	0.0 0.0 0.0 0	0.0 0.0 0.0 0	0.0 0.0 0.0 0 0.0	0.0 0.0 0.0 0 0.0	0.0 0.0 0.0 0	0.0 T 1972 T 1941 0 0.0	0.0 T DEC 1972 T JAN 1962 0 0.0

PRECIPITATION (inches) 2009 SAN FRANCISCO C.O. (SFOC)

YEARJANFEBMARAPRMAYJUNJULAUGSEPOCTNOVDECANN1980 3.77 4.84 1.25 0.97 0.23 0.02 0.04 0.00 0.00 0.00 0.14 2.95 $14.$ 1981 4.00 1.78 3.71 0.17 0.12 0.00 0.00 0.00 0.22 1.74 3.73 4.15 $19.$ 1982 6.84 3.26 7.65 3.03 0.00 0.06 0.00 0.00 0.72 2.79 5.62 2.22 $32.$ 1983 5.77 8.06 9.04 3.48 0.47 0.00 0.01 0.06 0.68 0.26 8.20 7.72 $43.$ 1984 0.50 2.34 1.32 0.92 0.16 0.30 0.00 0.24 0.10 2.94 7.45 2.10 $18.$ 1985 0.59 1.98 3.94 0.27 0.09 0.31 0.00 0.00 0.38 0.80 4.83 2.47 $15.$ 1986 4.77 8.29 6.25 0.76 0.13 0.00 0.00 0.00 1.32 0.11 0.20 1.64 $23.$ 1987 4.26 3.77 2.31 0.44 0.06 0.70 0.00 0.00 0.00 1.64 $23.$ 1988 4.93 0.40 0.07 1.73 0.66 0.70 0.00 0.04 0.12 0.20
$ \begin{array}{ c c c c c c c c c c c c c c c c c c c$
$ \begin{array}{ c c c c c c c c c c c c c c c c c c c$
$ \begin{array}{ c c c c c c c c c c c c c c c c c c c$
$ \begin{array}{ c c c c c c c c c c c c c c c c c c c$
$ \begin{array}{ c c c c c c c c c c c c c c c c c c c$
$ \begin{array}{ c c c c c c c c c c c c c c c c c c c$
POR= 89 YRS 4.30 3.81 2.88 1.47 0.54 0.15 0.02 0.05 0.20 1.09 2.63 4.07 21.3 WBAN : 23

AVERAGE TEMPERATURE (°F) 2009 SAN FRANCISCO C.O. (SFOC)

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	ОСТ	NOV	DEC	ANNUAL
1980	53.0	57.2	56.0	56.9	55.4	57.9	59.5	58.0	61.3	62.0	58.3	53.4	57.4
1981	52.4	56.1	54.9	55.8	56.8	62.2	57.8	59.2	60.4	59.3	58.3	54.0	57.3
1982	48.5	55.0	52.8	55.6	55.8	56.3	57.9	60.1	62.6	62.8	54.4	52.2	56.2
1983	49.4	54.6	55.3	56.8	59.7	61.8	63.4	65.9	67.1	64.0	56.1	52.8	58.9
1984	51.6	52.6	56.7	54.2	59.9	59.7	63.9	62.8	69.4	61.5	56.0	50.9	58.3
1985	50.0	56.0	53.2	59.8	58.1	63.9	64.1	64.1	64.1	63.2	55.0	51.3	58.6
1986	56.6	58.9	60.4	58.6	60.0	63.2	62.8	61.9	62.8	63.6	60.2	52.5	60.1
1987	51.8	56.4	57.1	60.5	61.1	60.5	61.5	63.5	63.8	65.1	58.8	52.3	59.4
1988	52.8	57.7	59.1	58.8	59.1	61.1	64.2	64.0	63.1	61.5	57.3	53.3	59.3
1989	51.3	50.0	55.4	60.9	59.3	61.6	62.4	63.0	61.8	62.0	58.8	52.6	58.3
1990	52.8	52.0	54.9	59.2	59.0	62.4	62.9	65.3	66.0	64.2	58.0	49.1	58.8
1991	53.4	57.9	53.2	57.1	56.8	58.6	61.3	63.0	63.1	64.4	60.1	53.4	58.5
1992	51.5	58.4	59.2	62.6	62.7	62.5	65.1	63.8	65.8	66.7	59.8	51.7	60.8
1993	51.1	53.8	59.0	59.4	62.5	65.9	63.4	66.6	63.4	64.3	58.2	51.5	59.9
1994	53.7	52.7	58.1	57.6	58.7	61.1	59.7	63.4	63.7	62.2	51.9	49.6	57.7
1995 1996 1997 1998 1999	54.1 54.1 52.7 53.6 50.5	56.9 57.1 56.1 52.7 51.5	56.2 58.8 58.2 55.7 51.2	56.9 61.4 58.1 55.5 54.9	57.4 61.7 62.6 56.6 53.7	61.7 62.8 61.6 59.3 56.4	66.0 63.7 62.3 60.1 58.7	64.1 63.7 65.8 61.1 60.9	64.7 63.6 67.8 61.7 61.5	64.6 62.8 62.5 60.6 62.4	60.9 59.3 55.2 57.8	55.5 55.9 53.9 50.0 54.2	59.9 60.1 56.8 56.1
2000	52.7	53.9	54.9	57.1	58.3	59.5	58.3	60.7	64.7	59.5	53.8	54.0	57.3
2001	51.4	52.1	55.9	52.5	61.5	61.3	60.5	61.5	61.0	62.7	58.6	52.8	57.7
2002	50.7	55.5	53.9	54.9	55.0	58.1	59.2	60.4	61.6	60.8	59.4	54.2	57.0
2003	56.3	54.6	56.5	53.9	58.1	60.5	59.4	63.5	64.9	63.0	55.4	52.9	58.3
2004	51.8	53.7	60.3	58.5	58.2	59.0	60.7	62.8	64.9	60.0	56.5	53.5	58.3
2005	50.3	55.9	57.5	55.9	59.1	59.3	61.0	59.8	59.7	60.5	60.3	55.5	57.9
2006	52.6	54.7	50.9	54.9	57.4	60.2	61.7	59.6	59.6	60.7	56.3	52.4	56.8
2007	-2.3	53.0	57.0	55.4	57.3	59.1	61.5	62.0	63.4	60.4	57.3	50.8	52.9
2008	49.8	-2.5	54.5	54.9	57.6	59.6	60.5	61.9	63.4	63.4	59.1	-2.5	48.3
2009	1.8	52.9	54.1	55.9	57.7	60.5	59.2	62.6	63.5	61.1	57.4	1.8	49.0
POR= 89 YRS	49.9	53.3	55.2	56.2	57.7	59.6	59.8	60.7	62.7	61.8	57.5	51.0	57.1

published by: NCDC Asheville, NC

HEATING DEGREE DAYS (base 65°F) 2009 SAN FRANCISCO C.O. (SFOC)

YEAR	JUL	AUG	SEP	ОСТ	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	TOTAL
1980-81	165	212	132	128	201	350	384	243	304	284	248	121	2772
1981-82	220	175	136	174	196	334	506	273	369	278	281	253	3195
1982-83	210	151	82	90	311	391	478	283	296	238	174	112	2816
1983-84	83	14	30	52	257	369	408	354	251	321	172	159	2470
1984-85	70	84	19	117	263	430	459	254	359	173	209	57	2494
1985-86	71	49	35	99	302	419	254	172	146	196	154	67	1964
1986-87	78	93	63	84	152	383	399	233	243	140	154	147	2169
1987-88	106	52	50	60	179	387	370	207	183	197	196	125	2112
1988-89	60	53	79	137	229	358	419	416	289	171	181	129	2521
1989-90	86	68	94	113	183	377	371	357	305	170	188	97	2409
1990-91	74	23	8	56	204	487	351	192	358	234	248	188	2423
1991-92	129	74	74	74	150	350	414	186	171	87	75	76	1860
1992-93	30	51	28	31	163	406	423	310	178	163	90	49	1922
1993-94	73	33	74	63	204	411	346	339	211	215	188	134	2291
1994-95	163	70	54	95	384	471	331	221	268	236	227	133	2653
1995-96 1996-97 1997-98 1998-99 1999-00	30 69 83 156 192	63 58 16 127 126	43 74 4 107 135	68 112 100 145 115	117 184 287 215	286 275 338 458 326	334 375 345 441 374	226 242 339 373 318	191 206 284 421 312	139 200 282 314 237	131 110 253 341 217	109 97 165 252 186	1737 2393 3422 2753
2000-01	197	131	62	168	327	336	417	355	280	367	138	119	2897
2001-02	142	100	124	105	187	370	436	261	338	299	300	214	2876
2002-03	179	155	130	159	163	327	262	283	263	325	220	162	2628
2003-04	171	60	73	121	282	368	404	320	173	215	207	177	2571
2004-05	127	79	68	180	249	350	447	251	228	266	175	163	2583
2005-06 2006-07 2007-08 2008-09 2009-	123 124 105 144 180	161 160 100 102 97	156 163 69 94 74	137 141 150 90 122	149 278 227 185 228	289 384 433 466 331	383 457 466 331	281 328 466 332	428 247 316 331	297 279 304 289	239 261 257 230	150 177 190 132	2793 2999 3083 2726

WBAN : 23272

COOLING DEGREE DAYS (base 65°F) 2009 SAN FRANCISCO C.O. (SFOC)

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	ОСТ	NOV	DEC	TOTAL
1980 1981 1982 1983 1984	0 0 0 0 0	0 0 0 0 0	0 0 0 0 0	5 13 7 0 5	$\begin{array}{c} 0 \\ 1 \\ 1 \\ 16 \\ 20 \end{array}$	$ \begin{array}{r} 12 \\ 44 \\ 0 \\ 21 \\ 5 \end{array} $	$\begin{array}{c}2\\6\\0\\41\\42\end{array}$	3 3 8 50 20	29 3 16 101 158	43 5 27 27 14	$\begin{array}{c}3\\2\\0\\0\\0\end{array}$	0 0 0 0 0	97 77 59 256 264
1985 1986 1987 1988 1989	0 0 0 0	7 7 0 3 0	$ \begin{array}{c} 0 \\ 10 \\ 5 \\ 6 \\ 0 \end{array} $	24 8 12 18 56	2 6 38 20 9	28 22 19 12 35	50 17 5 42 15	27 1 14 27 12	16 4 22 30 5	49 49 68 34 28	8 12 0 3 2	0 0 0 0	211 136 183 195 162
1990 1991 1992 1993 1994	0 0 0 0	0 0 2 0 0	0 0 0 5	5 3 21 1 0	8 1 13 21 3	25 5 9 82 22	18 20 41 32 4	39 20 23 88 29	45 26 61 31 24	40 62 93 48 19	1 9 10 7 0	0 0 0 0	181 146 273 310 106
1995 1996 1997 1998 1999	0 0 0 0	0 3 0 0 0	0 4 7 0 0	3 39 1 2 17	$ \begin{array}{c} 0 \\ 38 \\ 44 \\ 0 \\ 0 \end{array} $	40 49 2 2 1	70 34 5 11 4	43 26 47 12 5	43 37 97 17 38	63 53 30 15 40	4 24 0 3	0 0 0 0	266 257 59 108
2000 2001 2002 2003 2004	0 0 0 0	0 0 3 0 0	7 1 0 7 34	$\begin{array}{c}11\\0\\0\\0\\26\end{array}$	$ \begin{array}{r} 16 \\ 40 \\ 0 \\ 11 \\ 1 \end{array} $	27 15 10 36 0	$\begin{array}{c} 0\\ 10\\ 4\\ 2\\ 0\end{array}$	4 1 19 21 20	61 14 33 76 69	7 38 34 64 33	$ \begin{array}{c} 0 \\ 2 \\ 1 \\ 0 \\ 0 \end{array} $	0 0 0 0	133 121 104 217 183
2005 2006 2007 2008 2009	0 0 0 0	0 0 0 0 0	2 0 6 0 0	$\begin{array}{c} 0\\ 0\\ 0\\ 8\\ 24 \end{array}$	0 3 19 33 11	0 13 11 34 3	6 32 1 11 7	9 0 12 16 31	5 8 30 51 36	8 15 16 48 9	12 0 1 16 7	0 0 0 0	42 71 96 217 128

SNOW	VFALL	(inches)	2009	SAN FR	ANCIS	CO C.O	. (SFOC	C)					
YEAR	JUL	AUG	SEP	ОСТ	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	TOTAL
1967-68 1968-69	$\begin{array}{c} 0.0 \\ 0.0 \end{array}$	$\begin{array}{c} 0.0\\ 0.0\end{array}$	$\begin{array}{c} 0.0 \\ 0.0 \end{array}$	$\begin{array}{c} 0.0\\ 0.0\end{array}$	$\begin{array}{c} 0.0\\ 0.0\end{array}$	$\begin{array}{c} 0.0\\ 0.0\end{array}$	$\begin{array}{c} 0.0\\ 0.0\end{array}$	$\begin{array}{c} 0.0 \\ 0.0 \end{array}$	$\begin{array}{c} 0.0\\ 0.0\end{array}$	$\begin{array}{c} 0.0 \\ 0.0 \end{array}$	$\begin{array}{c} 0.0\\ 0.0\end{array}$	$\begin{array}{c} 0.0 \\ 0.0 \end{array}$	$\begin{array}{c} 0.0\\ 0.0\end{array}$
1969-70 1970-71 1971-72 1972-73 1973-74	$\begin{array}{c} 0.0 \\ 0.0 \\ 0.0 \\ 0.0 \\ 0.0 \end{array}$	$\begin{array}{c} 0.0 \\ 0.0 \\ 0.0 \\ 0.0 \\ 0.0 \end{array}$	$\begin{array}{c} 0.0 \\ 0.0 \\ 0.0 \\ 0.0 \end{array}$	$\begin{array}{c} 0.0 \\ 0.0 \\ 0.0 \\ 0.0 \end{array}$	$\begin{array}{c} 0.0 \\ 0.0 \\ 0.0 \\ 0.0 \end{array}$	0.0 0.0 0.0 T	$\begin{array}{c} 0.0 \\ 0.0 \\ 0.0 \\ 0.0 \end{array}$	$\begin{array}{c} 0.0 \\ 0.0 \\ 0.0 \\ 0.0 \end{array}$	$\begin{array}{c} 0.0 \\ 0.0 \\ 0.0 \\ 0.0 \end{array}$	$\begin{array}{c} 0.0 \\ 0.0 \\ 0.0 \\ 0.0 \end{array}$	$\begin{array}{c} 0.0 \\ 0.0 \\ 0.0 \end{array}$	$0.0 \\ 0.0 \\ 0.0$	$0.0 \\ 0.0 \\ 0.0$
1975-76 1976-77 1977-78 1978-79 1979-80													
1980-81 1981-82 1982-83 1983-84 1984-85													
1996-97 1997-98 1998-99 1999-00 2000-01	$\begin{array}{c} 0.0\\ 0.0\end{array}$	$\begin{array}{c} 0.0\\ 0.0\end{array}$	$\begin{array}{c} 0.0\\ 0.0\end{array}$	0.0	0.0	0.0	$\begin{array}{c} 0.0\\ 0.0\end{array}$	$\begin{array}{c} 0.0\\ 0.0\end{array}$	$\begin{array}{c} 0.0\\ 0.0\end{array}$	0.0	$\begin{array}{c} 0.0\\ 0.0\end{array}$	$\begin{array}{c} 0.0\\ 0.0\end{array}$	
2001-02 2002-03 2003-04 2004-05 2005-													
POR= 68 YRS	0.0	0.0	0.0	0.0	0.0	Т	0.0	0.0	0.0	0.0	0.0	0.0	Т
		•											N : 23272

REFERENCE NOTES :

PAGE 1:

THE TEMPERATURE GRAPH SHOWS NORMAL MAXIMUM AND NORMAL MINIMUM DAILY TEMPERATURES (SOLID CURVES) AND THE ACTUAL DAILY HIGH AND LOW TEMPERATURES (VERTICAL BARS).

PAGE 2 AND 3

H/C INDICATES HEATING AND COOLING DEGREE DAYS.

RH INDICATES RELATIVE HUMIDITY

W/O INDICATES WEATHER AND OBSTRUCTIONS

S INDICATES SUNSHINE.

PR INDICATES PRESSURE

CLOUDINESS ON PAGE 3 IS THE SUM OF THE CEILOMETER AND SATELLITE DATA NOT TO EXCEED EIGHT EIGHTHS(OKTAS).

GENERAL:

T INDICATES TRACE PRECIPITATION, AN AMOUNT GREATER THAN ZERO BUT LESS THAN THE LOWEST REPORTABLE VALUE. + INDICATES THE VALUE ALSO OCCURS ON EARLIER DATES. BLANK ENTRIES DENOTE MISSING OR UNREPORTED DATA.

NORMALS ARE 30-YEAR AVERAGES (1971 - 2000). ASOS INDICATES AUTOMATED SURFACE OBSERVING SYSTEM. PM INDICATES THE LAST DAY OF THE PREVIOUS MONTH. POR (PERIOD OF RECORD) BEGINS WITH THE JANUARY DATA

MONTH AND IS THE NUMBER OF YEARS USED TO COMPUTE THE MEAN. INDIVIDUAL MONTHS WITHIN THE POR MAY BE MISSING.

WHEN THE POR FOR A NORMAL IS LESS THAN 30 YEARS, THE NORMAL IS PROVISIONAL AND IS BASED ON THE NUMBER OF YEARS INDICATED.

0.* OR * INDICATES THE VALUE OR MEAN-DAYS-WITH IS BETWEEN 0.00 AND 0.05.

- CLOUDINESS FOR ASOS STATIONS DIFFERS FROM THE NON-ASOS OBSERVATION TAKEN BY A HUMAN OBSERVER. ASOS STATION CLOUDINESS IS BASED ON TIME-AVERAGED CEILOMETER DATA FOR CLOUDS AT OR BELOW 12,000 FEET AND ON SATELLITE DATA FOR CLOUDS ABOVE 12,000 FEET.
- THE NUMBER OF DAYS WITH CLEAR, PARTLY CLOUDY, AND CLOUDY CONDITIONS FOR ASOS STATIONS IS THE SUM OF THE CEILOMETER AND SATELLITE DATA FOR THE SUNRISE TO SUNSET PERIOD.
- CLEAR INDICATES 0 2 OKTAS, PARTLY CLOUDY INDICATES 3 - 6 OKTAS, AND CLOUDY INDICATES 7 OR 8 OKTAS. WHEN AT LEAST ONE OF THE ELEMENTS (CEILOMETER OR SATELLITE) IS MISSING, THE DAILY CLOUDINESS IS NOT COMPUTED.

GENERAL CONTINUED:

WIND DIRECTION IS RECORDED IN TENS OF DEGREES (2 DIGITS) CLOCKWISE FROM TRUE NORTH. "00" INDICATES CALM. "36" INDICATES TRUE NORTH.

RESULTANT WIND IS THE VECTOR AVERAGE OF THE SPEED AND DIRECTION.

AVERAGE TEMPERATURE IS THE SUM OF THE MEAN DAILY MAXIMUM AND MINIMUM TEMPERATURE DIVIDED BY 2.

SNOWFALL DATA COMPRISE ALL FORMS OF FROZEN PRECIPITATION, INCLUDING HAIL.

A HEATING (COOLING) DEGREE DAY IS THE DIFFERENCE BETWEEN THE AVERAGE DAILY TEMPERATURE AND 65 F.

DRY BULB IS THE TEMPERATURE OF THE AMBIENT AIR.

DEW POINT IS THE TEMPERATURE TO WHICH THE AIR MUST BE

COOLED TO ACHIEVE 100 PERCENT RELATIVE HUMIDITY. WET BULB IS THE TEMPERATURE THE AIR WOULD HAVE IF THE

- MOISTURE CONTENT WAS INCREASED TO 100 PERCENT RELATIVE HUMIDITY.
- ON JULY 1, 1996, THE NATIONAL WEATHER SERVICE BEGAN USING THE "METAR" OBSERVATION CODE THAT WAS ALREADY EMPLOYED BY MOST OTHER NATIONS OF THE WORLD. THE MOST NOTICEABLE DIFFERENCE IN THIS ANNUAL PUBLICATION WILL BE THE CHANGE IN UNITS FROM TENTHS TO EIGHTS(OKTAS) FOR REPORTING THE AMOUNT OF SKY COVER.
- STATION HISTORY STOPPED WITH THE 2009 ANNUAL. IF YOU NEED HISTORY GO TO "MULTI-NETWORK MEDADATA SYSTEM", URL IS: https://mi3.ncdc.noaa.gov/mi3qry/login.cfm

NOTE:

The "Period of Record:(POR) for all "averages" is based on the "Summary of the Day First Order Station" and "Cooperative Summary of the Day" archives.

2009 SAN FRANCISCO DOWNTOWN CALIFORNIA (SFOC)

San Francisco is located at the northern end of a narrow peninsula which separates San Francisco Bay from the Pacific Ocean. It is known as the air conditioned city with cool pleasant summers and mild winters. Flowers bloom throughout the year and warm clothing may be needed at times during any month.

Precipitation averages about 20 inches a year with pronounced wet and dry seasons, characteristic of its Mediterranean climate. Little or no rain falls from June through September while about 80 percent of the annual total falls from November through March. Snow is extremely rare. Measurable amounts fall about once every 15 years. Freezing temperatures are also extremely rare. On average, thunderstorms occur on only two days each year. The average annual wind speed is about 9 mph with lighter winds, 6 to 7 mph, occurring in the winter and stronger winds, 10 to 11 mph, in the summer.

San Francisco probably has greater climatic variability by far with respect to temperature, cloudiness, and sunshine within its 49 square mile area than any other similarly sized urban area in the country. Likewise, the San Francisco Bay area has considerably more variability than San Francisco itself.

Sea fogs, and the low stratus clouds associated with them are most common in the summertime, but may occur at any time of the year. In the summer the temperature of the Pacific Ocean is much lower than the temperature inland, particularly in the Central Valley of California. This condition tends to enhance the sea breeze effect common to coastal areas. Brisk westerly winds blow throughout the afternoon and evening hours. The fog is carried inland by these westerly winds in the late afternoon and evening and then evaporates during the subsequent forenoon.

The complex topography of San Francisco causes complex patterns of fog and sun as well as temperature. A range of hills with elevations of nearly 1000 feet above sea level, bisects the city from north to south. This range partially blocks the inland movement of the fog, but gaps in the hills permit small masses of fog to pass through, further complicating the pattern. Occasionally, the fog will reach 50 miles south to San Jose, while the area just to the lee of the highest hills is still mostly clear. Sunshine varies greatly from one part of the city to another, especially in the summer. Spring and fall are the sunniest seasons. In the summer the sunniest area is a triangular shaped area to the lee of the highest hills and extending to the bay. The least sunny area is along the ocean due to the high frequency of fog there. The percent of possible summer sunshine varies from an estimated 25 to 35 percent at the ocean to 70 to 80 percent in the sunniest area.

The extent and behavior of the summertime fog on a particular day depends on several factors. A typical day would find the fog covering the entire city at sunrise and little wind. During the forenoon the skies become sunny in the eastern part of the city with some partial clearing reaching the ocean for a couple of hours in the early afternoon. By early afternoon the winds pick up and by late afternoon the fog is rolling inland again. The wind usually reaches a maximum velocity in the early evening.

In the winter relatively little difference in the climate is observed from one part of the city to another. This is due to the lack of temperature contrast between the ocean and the land and to the relative frequency of passage of Pacific frontal systems. However, those areas near the ocean have more sunshine than areas further inland. The source region for fog is inland during winter, mainly in the Central Valley, rather than the ocean.

Temperature patterns in the city are the same as those of sunshine. In the winter there is little variation, with average maximums from 55 to 60 degrees and average minimums in the mid to upper 40s. Average temperatures rise until June and remain nearly constant through August with average maximums in the lower 60s near the ocean and upper 60s in the sunny eastern half of the city. Summer minimums range from 50 to 55. The warmest time of the year is September and October when the fog diminishes greatly and some of the warmth from the Central Valley flows westward. At this time of year the average maximums are in the mid 60s near the ocean and in the mid 70s in the warmest areas of the city. The average minimums are about the same as they are during the summer.

Non-Subscription Request: NCDC Customer Services; Phone: 828-271-4800 Fax: 828-271-4876 Email: ncdc.orders@noaa.gov

OFFICAL BUSINESS PENALTY FOR PRIVATE USE \$300 CHANGE SERVICE REQUESTED

FIRST CLASS POSTAGE & FEES PAID United States Department of Commerce NOAA Permit No. G - 19

INQUIRES/COMMENTS CALL: Toll Free (866) 742-3322 Visit our Web Site for other weather data: www.ncdc.noa.gov

For Hard Copy Subscription: Price and ordering information: NCDC Subscripting Service Center, 310 State Route 956, Building 300, Rocket Center, WV 26726.