




2009 LOCAL CLIMATOLOGICAL DATA ANNUAL SUMMARY WITH COMPARATIVE DATA


ISSN 0198-0866

BISHOP, CALIFORNIA (KBIH)

Daily Max/Min Temperature



Daily Precipitation



Daily Station Pressure



I CERTIFY THAT THIS IS AN OFFICIAL PUBLICATION OF THE NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION, AND IS COMPILED FROM RECORDS ON FILE AT THE NATIONAL CLIMATIC DATA CENTER.

NATIONAL
OCEANIC AND
ATMOSPHERIC ADMINISTRATION

NATIONAL
ENVIRONMENTAL SATELLITE, DATA
AND INFORMATION SERVICE

NATIONAL
CLIMATIC DATA CENTER
ASHEVILLE, NORTH CAROLINA

Thomas R. Karl
DIRECTOR
NATIONAL CLIMATIC DATA CENTER

METEOROLOGICAL DATA FOR 2009

BISHOP (KBIH)

LATITUDE: 37° 22'N LONGITUDE: -118° 21'W ELEVATION (FT): GRND: 4102 BARO: 4112 TIME ZONE: PACIFIC (UTC -8) WBAN: 23157

ELEMENT		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	YEAR	
TEMPERATURE °F	MEAN DAILY MAXIMUM	59.3	55.4	65.3	72.1	87.7	85.8	100.5	94.7	91.6	72.4	64.4	48.4	74.8	
	HIGHEST DAILY MAXIMUM	73	68	78	87	97	102	105	103	98	82	79	64	105	
	DATE OF OCCURRENCE	14	03	19	20	17	29	27+	21	11	18+	02	01	JUL 27+	
	MEAN DAILY MINIMUM	25.6	24.2	28.0	33.3	49.4	50.1	56.9	53.3	48.6	36.6	26.3	21.3	37.8	
	LOWEST DAILY MINIMUM	17	12	14	19	36	36	44	47	41	22	17	5	5	
	DATE OF OCCURRENCE	27	14	10+	05	07	04	05	27+	30	05	20	09	DEC 09	
	AVERAGE DRY BULB	42.5	39.8	46.7	52.7	68.6	68.0	78.7	74.0	70.1	54.5	45.4	34.9	56.3	
	MEAN WET BULB	33.3	32.6	35.2	39.1	50.1	51.5	56.2	52.6	50.3	41.7	33.6	28.0	42.0	
	MEAN DEW POINT	16.5	21.1	15.4	16.6	29.6	34.3	34.6	29.5	28.8	25.5	16.9	19.0	24.0	
	NUMBER OF DAYS WITH:														
	MAXIMUM >= 90°	0	0	0	0	10	10	31	25	26	0	0	0	102	
	MAXIMUM <= 32°	0	0	0	0	0	0	0	0	0	0	0	0	0	
	MINIMUM <= 32°	28	24	24	14	0	0	0	0	0	5	25	31	151	
MINIMUM <= 0°	0	0	0	0	0	0	0	0	0	0	0	0	0		
H/C	HEATING DEGREE DAYS	693	698	561	361	7	33	0	0	9	319	583	928	4192	
	COOLING DEGREE DAYS	0	0	0	0	124	129	433	284	170	0	0	0	1140	
RH	MEAN (PERCENT)	40	54	32	27	27	34	23	22	24	39	39	61	35	
	HOUR 04 LST	58	74	54	46	47	58	46	43	44	61	60	75	56	
	HOUR 10 LST	25	39	21	15	14	21	12	13	13	22	21	46	22	
	HOUR 16 LST	27	36	16	14	16	22	12	11	12	23	24	51	22	
	HOUR 22 LST	48	63	37	34	35	40	28	24	29	50	50	69	42	
S	PERCENT POSSIBLE SUNSHINE														
W/O	NUMBER OF DAYS WITH:														
	HEAVY FOG(VISBY <= 1/4 MI)	1	1	0	0	0	0	0	0	0	0	0	2	4	
	THUNDERSTORMS	0	0	0	0	0	0	0	0	0	0	0	0	0	
CLOUDNESS	SUNRISE-SUNSET: (OKTAS)														
	CEILOMETER (<= 12,000 FT.)														
	SATELLITE (> 12,000 FT.)														
	MIDNIGHT-MIDNIGHT: (OKTAS)														
	CEILOMETER (<= 12,000 FT.)														
SATELLITE (> 12,000 FT.)															
NUMBER OF DAYS WITH:															
CLEAR															
PARTLY CLOUDY															
CLOUDY															
PR	MEAN STATION PRESS. (IN.)	25.98	25.79	25.76	25.73	25.75	25.69	25.79	25.79	25.80	25.76	25.84	25.81	25.79	
	MEAN SEA-LEVEL PRESS. (IN.)	30.21	30.00	29.94	29.88	29.84	29.77	29.85	29.87	29.90	29.91	30.04	30.04	29.94	
WINDS	RESULTANT SPEED (MPH)	5.4	2.9	2.4	4.1	4.4	1.0	1.1	1.2	1.1	3.3	3.0	3.7	1.9	
	RES. DIR. (TENS OF DEGS.)	34	16	34	35	34	22	25	20	28	34	33	33	33	
	MEAN SPEED (MPH)	7.4	8.4	9.1	10.4	8.0	7.6	7.1	7.9	6.6	8.2	6.7	5.8	7.8	
	PREVAIL.DIR.(TENS OF DEGS.)	32	17	36	36	36	34	35	16	35	35	34	33	32	
	MAXIMUM 2-MINUTE WIND														
	SPEED (MPH)	35	36	40	41	39	40	32	35	36	44	35	45	45	
	DIR. (TENS OF DEGS.)	35	16	35	36	01	16	26	15	17	35	14	36	36	
	DATE OF OCCURRENCE	08	15	29	03	29	03	26	22	12	27	20	05	DEC 05	
	MAXIMUM 3-SECOND WIND:														
	SPEED (MPH)	43	44	53	54	49	49	45	45	48	61	47	54	61	
DIR. (TENS OF DEGS.)	35	16	03	01	01	15	33	16	18	35	18	36	35		
DATE OF OCCURRENCE	08	15	29	03	29	03	28	22	12	27	20	22	OCT 27		
PRECIPITATION	WATER EQUIVALENT:														
	TOTAL (IN.)	0.03	0.53	0.04	0.02	0.12	0.58	0.11	0.12	0.01	1.77	0.07	1.30	4.70	
	GREATEST 24-HOUR (IN.)	0.02	0.33	0.03	0.02	0.07	0.30	0.10	0.12	0.01	1.77	0.07	1.13	1.77	
	DATE OF OCCURRENCE	23	06	22	07	23	16	20	22-23	04	13-14	28	12-13	OCT 13-14	
	NUMBER OF DAYS WITH:														
	PRECIPITATION 0.01	2	4	2	1	3	5	2	2	1	2	1	4	29	
PRECIPITATION 0.10	0	2	0	0	0	2	1	0	0	2	0	1	8		
PRECIPITATION 1.00	0	0	0	0	0	0	0	0	0	1	0	1	2		
SNOWFALL	SNOW,ICE PELLETS,HAIL														
	TOTAL (IN.)														
	GREATEST 24-HOUR (IN.)														
	DATE OF OCCURRENCE														
	NUMBER OF DAYS WITH:														
SNOWFALL >= 1.0															

NORMALS, MEANS, AND EXTREMES BISHOP (KBIH)

LATITUDE: 37 ° 22'N LONGITUDE: -118 ° 21'W ELEVATION (FT): GRND: 4102 BARO: 4112 TIME ZONE: PACIFIC (UTC -8) WBAN: 23157

	ELEMENT	POR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	YEAR	
TEMPERATURE °F	NORMAL DAILY MAXIMUM	30	53.6	58.4	64.3	72.1	81.2	91.5	97.9	95.8	87.6	76.0	62.4	54.3	74.6	
	MEAN DAILY MAXIMUM	62	53.1	57.9	64.1	71.7	80.9	90.8	97.7	95.5	87.8	76.5	63.1	54.1	74.4	
	HIGHEST DAILY MAXIMUM	62	77	81	87	93	102	109	110	107	112	97	84	78	112	
	YEAR OF OCCURRENCE		1948	1986	1966	1989	2003	1954	2002	1993	1995	1980	1988	1958	1958	SEP 1995
	MEAN OF EXTREME MAXS.	62	67.2	70.6	76.8	85.1	93.7	101.8	104.9	103.3	97.9	88.2	77.0	68.2	86.2	
	NORMAL DAILY MINIMUM	30	22.4	26.4	31.0	36.0	43.7	50.7	55.7	53.7	46.9	37.1	27.1	21.6	37.7	
	MEAN DAILY MINIMUM	62	21.7	25.9	30.1	36.0	43.9	50.7	56.2	53.6	46.7	37.2	27.6	21.8	37.6	
	LOWEST DAILY MINIMUM	62	-7	-2	9	15	25	29	34	37	26	16	5	-8	-8	
	YEAR OF OCCURRENCE		1982	1969	2007	1953	1964	1988	1987	1959	1986	1970	1958	1990	1990	DEC 1990
	MEAN OF EXTREME MINS.	62	9.5	14.4	17.8	24.2	32.2	39.2	46.8	44.4	36.7	25.9	15.5	10.1	26.4	
	NORMAL DRY BULB	30	38.0	42.4	47.7	54.1	62.5	71.1	76.8	74.8	67.3	56.6	44.8	38.0	56.2	
	MEAN DRY BULB	61	37.4	41.9	47.1	53.8	62.4	70.9	77.0	74.6	67.3	56.9	45.4	38.0	56.1	
	MEAN WET BULB	26	30.3	32.7	35.8	39.0	45.1	49.8	55.3	52.5	47.6	40.8	34.0	28.7	41.0	
	MEAN DEW POINT	26	21.7	22.8	23.7	25.6	31.5	35.9	40.8	40.3	35.2	28.2	23.1	19.1	29.0	
	NORMAL NO. DAYS WITH:															
	MAXIMUM >= 90	30	0.0	0.0	0.0	0.4	5.0	19.0	28.7	26.6	12.6	1.4	0.0	0.0	93.7	
	MAXIMUM <= 32	30	0.5	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	1.3	
	MINIMUM <= 32	30	29.1	24.1	18.4	8.3	1.2	0.1	0.0	0.0	0.4	7.3	24.1	29.3	142.3	
MINIMUM <= 0	30	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.3		
H/C	NORMAL HEATING DEG. DAYS	30	843	643	545	344	138	21	1	1	46	276	609	847	4314	
	NORMAL COOLING DEG. DAYS	30	0	0	0	3	45	191	357	293	106	8	0	0	1003	
RH	NORMAL (PERCENT)	30														
	HOUR 04 LST	30														
	HOUR 10 LST	30	52	45	34	25	23	20	20	22	25	28	36	45	31	
	HOUR 16 LST	30	36	29	23	18	19	15	15	15	17	19	27	35	22	
	HOUR 22 LST	30														
S	PERCENT POSSIBLE SUNSHINE															
W/O	MEAN NO. DAYS WITH:															
	HEAVY FOG(VISBY <= 1/4 MI) THUNDERSTORMS	27 29	0.3 0.0	0.2 0.0	0.0 0.1	0.0 0.0	0.0 0.2	0.0 0.4	0.0 0.9	0.0 0.5	0.0 0.2	0.0 0.1	0.0 0.0	0.4 0.0	0.9 2.4	
CLOUDNESS	MEAN:															
	SUNRISE-SUNSET (OKTAS)						3.2	1.6								
	MIDNIGHT-MIDNIGHT (OKTAS)						3.2	1.6				0.0				
	MEAN NO. DAYS WITH:															
	CLEAR															
	PARTLY CLOUDY															
	CLOUDY															
PR	MEAN STATION PRESSURE(IN)	26	25.89	25.83	25.79	25.75	25.73	25.74	25.79	25.80	25.80	25.83	25.87	25.89	25.81	
	MEAN SEA-LEVEL PRES. (IN)	26	30.13	30.04	29.96	29.90	29.84	29.82	29.86	29.87	29.90	29.98	30.08	30.13	29.96	
WINDS	MEAN SPEED (MPH)	26	7.4	8.2	9.9	9.9	9.2	8.4	8.0	8.0	7.6	7.8	7.4	6.9	8.2	
	PREVAIL.DIR(TENS OF DEGS)	15	33	36	36	36	36	36	17	17	17	33	33	36	36	
	MAXIMUM 2-MINUTE:															
	SPEED (MPH)	14	41	46	43	44	43	44	38	36	37	44	44	45	46	
	DIR. (TENS OF DEGS)		35	22	15	01	35	35	16	07	35	35	33	36	22	
	YEAR OF OCCURRENCE		2000	2001	2001	2007	2001	1998	2007	2004	2007	2009	2004	2009	FEB 2001	
	MAXIMUM 3-SECOND															
	SPEED (MPH)	14	53	67	53	54	55	54	49	46	51	61	53	61	67	
DIR. (TENS OF DEGS)		35	23	03	01	36	35	16	08	35	35	34	29	23		
YEAR OF OCCURRENCE		2000	2001	2009	2009	2008	1998	2007	2004	2007	2009	1996	2006	FEB 2001		
PRECIPITATION	NORMAL (IN)	30	0.88	0.97	0.62	0.24	0.26	0.21	0.17	0.13	0.28	0.20	0.44	0.62	5.02	
	MAXIMUM MONTHLY (IN)	60	8.93	6.01	2.94	2.26	1.30	1.31	1.47	0.64	1.28	1.77	2.59	5.79	8.93	
	YEAR OF OCCURRENCE		1969	1969	1991	1956	1962	1998	1976	1983	1994	2009	1960	1966	JAN 1969	
	MINIMUM MONTHLY (IN)	61	0.00	T	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	YEAR OF OCCURRENCE		1976	1967	1972	1973	1983	1981	1982	1980	1974	1973	1976	1975	MAY 1983	
	MAXIMUM IN 24 HOURS (IN)	61	4.00	3.64	1.79	1.58	0.95	0.72	0.86	0.46	1.25	1.77	1.79	3.35	4.00	
	YEAR OF OCCURRENCE		2008	1969	1995	1982	1953	1982	1976	1979	1994	2009	1950	1966	JAN 2008	
	NORMAL NO. DAYS WITH:															
	PRECIPITATION >= 0.01	30	3.9	3.9	3.8	1.9	2.4	1.7	1.9	1.7	2.2	1.4	2.2	2.4	29.4	
PRECIPITATION >= 1.00	30	0.1	0.1	0.1	*	0.0	0.0	0.0	0.0	*	0.0	*	0.1	0.4		
SNOWFALL	NORMAL (IN)	30	3.5	1.3	0.6	0.1	0.*	0.0	0.0	0.0	0.0	0.1	0.4	1.2	7.2	
	MAXIMUM MONTHLY (IN)	47	23.2	31.9	14.5	8.8	2.3	0.0	0.0	0.0	T	1.8	3.9	13.2	31.9	
	YEAR OF OCCURRENCE		1969	1969	1952	1956	1964				1955	1978	1964	1967	FEB 1969	
	MAXIMUM IN 24 HOURS (IN)	47	18.0	14.2	7.5	8.8	2.3	0.0	0.0	0.0	T	1.8	3.9	6.7	18.0	
	YEAR OF OCCURRENCE'		1969	1976	1952	1956	1964				1955	1978	1964	1967	JAN 1969	
	MAXIMUM SNOW DEPTH (IN)	48	22	14	13	1	2	0	0	0	0	0	4	6	22	
	YEAR OF OCCURRENCE		1969	1976	1969	1980	1964						1964	1984	JAN 1969	
	NORMAL NO. DAYS WITH:															
SNOWFALL >= 1.0	30	1.1	0.1	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.5	2.1		

PRECIPITATION (inches) 2009 BISHOP (KBIH)

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
1980	1.56	2.72	0.28	0.43	0.10	T	0.35	0.00	0.14	T	0.08	1.25	6.91
1981	0.65	0.11	0.85	0.68	0.88	0.00	0.00	0.04	0.03	0.09	1.30	0.11	4.74
1982	1.43	0.02	0.50	1.62	0.08	1.29	0.00	0.51	0.74	0.68	0.87	2.67	10.41
1983	1.82	1.29	1.20	0.22	0.00	T	0.05	0.64	0.40	0.08	1.31	1.14	8.15
1984	T	0.36	0.09	0.02	T	0.04	1.04	0.58	T	0.16	1.97	0.85	5.11
1985	0.25	0.01	0.06	0.00	0.00	0.67	0.31	0.00	0.34	0.05	0.95	0.55	3.19
1986	0.86	3.04	1.00	0.65	T	0.00	0.31	0.06	0.12	0.00	0.03	0.08	6.15
1987	0.42	0.31	0.03	0.04	0.54	0.16	0.18	0.03	0.01	0.13	1.67	0.60	4.12
1988	0.87	0.30	0.07	0.63	0.12	0.23	T	T	0.50	0.00	0.12	0.68	3.52
1989	0.06	0.12	0.04	0.00	1.04	0.04	0.00	0.01	0.24	0.00	0.26	0.00	1.81
1990	0.95	0.50	0.00	0.56	0.21	0.15	0.26	0.45	0.28	0.00	0.00	0.00	3.36
1991	T	0.07	2.94	0.07	T	0.02	0.00	0.00	0.21	0.69	0.00	0.58	4.58
1992	0.38	1.31	0.67	0.00	0.06	0.30	0.12	0.06	0.05	0.53	0.00	1.50	4.98
1993	2.03	2.62	0.91	0.00	0.04	0.00	0.00	T	0.00	0.06	0.12	0.08	5.86
1994	0.04	1.33	0.57	0.03	0.54	0.00	0.00	0.00	1.28	0.24	0.05	0.25	4.33
1995	2.87	0.60	2.28	0.07	0.72	0.20	0.23	0.01	T	T	0.02	1.06	8.06
1996	0.38	1.85	0.79	0.43	0.02	0.00	.12	T	T	.77	.78	T	5.14
1997	T	T	0.00	0.00	0.01	0.47	0.23	T	0.24	T	0.25	0.48	
1998	0.55	5.16	0.85	0.28	0.57	1.31	0.01	0.03	0.28	0.17	0.01	0.06	9.28
1999	1.10	0.41	0.01	0.38	0.08	0.02	0.04	0.19	0.15	0.00	0.02	0.00	2.40
2000	0.30	0.98	0.29	0.45	T	T	T	0.30	0.02	0.25	0.00	0.00	2.59
2001	0.79	1.40	0.37	0.41	0.12	T	0.73	T	0.00	T	1.02	0.21	5.05
2002	0.03	T	0.01	0.04	0.00	T	0.05	T	0.01	T	1.68	0.86	2.68
2003	0.04	0.46	0.57	0.21	T	T	T	T	T	0.00	0.88	0.30	2.46
2004	0.03	1.34	0.10	0.10	T	0.05	0.02	0.01	T	1.26	1.13	1.80	5.84
2005	3.78	0.83	1.23	T	0.25	0.00	0.02	0.58	0.36	0.28	T	2.16	9.49
2006	3.01	0.79	0.18	0.39	0.08	0.06	0.26	0.00	0.00	0.52	0.00	0.05	5.34
2007	0.35	0.12	0.03	0.17	0.00	0.00	0.39	0.17	0.22	0.01	0.03	0.37	1.86
2008	4.82	1.24	0.00	0.00	0.15	0.00	0.15	0.00	0.08	T	0.70	0.61	7.75
2009	0.03	0.53	0.04	0.02	0.12	0.58	0.11	0.12	0.01	1.77	0.07	1.30	4.70
POR= 62 YRS	1.13	0.93	0.47	0.28	0.26	0.15	0.17	0.12	0.19	0.22	0.54	0.81	5.27

WBAN : 23157

AVERAGE TEMPERATURE (°F) 2009 BISHOP (KBIH)

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
1980	40.2	42.5	43.2	53.0	57.4	67.4	76.6	74.1	66.5	56.5	45.9	42.7	55.5
1981	39.4	44.7	46.2	56.8	63.6	75.8	77.6	76.7	70.1	53.1	46.8	42.7	57.8
1982	31.9	43.5	43.8	52.1	62.3	68.3	75.3	74.4	64.7	54.5	40.4	37.3	54.0
1983	39.7	43.1	46.2	47.9	61.0	70.0	72.5	72.6	68.4	57.3	45.0	40.6	55.4
1984	42.4	43.1	50.6	52.0	68.6	70.5	78.0	75.1	69.4	52.3	42.4	32.1	56.4
1985	38.1	41.7	44.3	57.8	62.6	74.4	78.1	73.2	61.9	54.4	41.8	38.9	55.6
1986	42.3	44.0	50.0	53.0	62.8	72.1	73.3	75.6	60.6	53.9	45.6	38.1	55.9
1987	36.7	41.1	45.8	56.9	62.2	71.6	72.7	74.9	67.9	59.5	44.9	32.4	55.6
1988	36.8	44.9	49.0	53.8	61.1	70.4	79.2	75.1	66.4	61.8	45.3	34.6	56.5
1989	35.3	38.9	51.2	60.5	63.0	71.0	78.1	72.2	66.2	54.8	46.9	40.9	56.6
1990	38.2	39.1	50.5	58.2	61.3	71.7	77.7	73.3	67.8	57.7	45.8	31.6	56.1
1991	37.3	45.8	41.9	51.6	57.8	69.1	77.2	74.5	69.3	59.6	46.1	38.6	55.7
1992	37.5	44.0	47.5	59.0	66.6	68.6	74.7	76.3	69.1	60.2	43.5	34.3	56.8
1993	30.8	37.9	50.1	55.2	64.1	68.7	75.1	73.6	66.5	57.5	42.5	36.8	54.9
1994	39.9	37.7	51.0	55.6	62.4	73.9	79.8	76.8	65.5	54.5	37.2	36.9	55.9
1995		48.3	46.5	52.5	57.7	65.3	74.5	74.6	68.9	57.6	51.1	39.7	
1996	40.5	43.5	48.4		63.7	72.4	78.8	76.4	66.1	55.1	45.1	39.8	
1997	40.1	42.4	50.1	53.9	66.3	70.4	73.9	74.2	67.1	54.6	44.6	35.4	56.1
1998	39.2	38.1	47.1	49.2	54.1	65.5	75.7	76.2	66.9	52.7	43.4	37.3	53.8
1999	40.6	41.2	47.2	49.8	62.9	70.6	75.5	72.0	67.7	59.3	47.3	40.2	56.2
2000	39.7	42.5	48.1	57.4	66.3	73.8	75.1	75.0	66.5	55.1	39.9	40.3	56.6
2001	36.8	36.2	50.5	51.6	68.4	73.4	74.6	77.1	70.0	60.6	45.1	36.4	56.7
2002	36.6	44.0	45.0	55.5	63.0	74.7	79.8	75.0	68.1	55.5	46.5	36.6	56.7
2003	44.4	41.0	49.8	50.1	63.1	73.7	80.1	75.2	70.5	61.2	40.5	36.5	57.2
2004	37.1	39.5	55.0	55.5	63.7	72.3	77.3	73.7	65.7	53.8	43.5	40.3	56.5
2005	39.8	42.8	48.3	51.3	63.1	68.5	80.6	74.6	63.5	56.6	48.2	40.5	56.5
2006	35.1	42.9	41.4	54.1	64.6	73.8	79.7	72.7	65.7	54.7	47.0	38.1	55.8
2007	36.7	42.8	52.2	56.6	64.5	72.9	79.7	76.3	65.9	55.6	47.7	34.6	57.1
2008	35.4	42.0	48.3	53.7	60.9	70.9	78.1	76.7	67.2	56.3	49.9	34.0	56.1
2009	42.5	39.8	46.7	52.7	68.6	68.0	78.7	74.0	70.1	54.5	45.4	34.9	56.3
POR= 61 YRS	37.4	41.9	47.1	53.8	62.4	70.9	77.0	74.6	67.3	56.9	45.4	38.0	56.1

HEATING DEGREE DAYS (base 65°F) 2009 BISHOP (KBIH)

YEAR	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	TOTAL
1980-81	0	0	27	298	567	684	787	563	574	249	90	4	3843
1981-82	0	0	8	361	541	685	1021	593	649	380	111	31	4380
1982-83	3	0	109	317	735	853	775	608	574	508	201	6	4689
1983-84	0	0	45	231	594	749	693	627	440	383	44	8	3814
1984-85	0	0	31	387	668	1014	828	645	632	208	84	20	4517
1985-86	0	0	113	326	687	802	699	583	458	354	134	0	4156
1986-87	1	0	199	336	576	824	871	662	588	239	116	4	4416
1987-88	15	0	1	187	597	1003	869	578	491	330	173	41	4285
1988-89	0	0	69	106	582	933	916	723	421	157	107	7	4021
1989-90	0	0	34	305	536	742	823	719	440	205	122	8	3934
1990-91	0	8	37	227	571	1029	852	530	711	391	225	3	4584
1991-92	0	1	6	200	559	813	845	602	536	186	23	36	3807
1992-93	0	0	0	146	638	947	1056	753	454	291	62	54	4401
1993-94	0	0	55	231	669	868	773	758	426	280	136	1	4197
1994-95	0	0	40	320	828	861		464	565	366	224	83	
1995-96	0	0	18	223	411	773	751	615	508		64	8	
1996-97	0	0	41	322	591	775	766	626	455	330	38	18	3962
1997-98	0	0	23	326	606	910	795	748	550	470	330	56	4814
1998-99	0	0	45	375	641	853	748	659	542	451	102	38	4454
1999-00	0	0	15	173	529	764	778	646	514	223	70	12	3724
2000-01	0	0	47	308	748	759	867	799	440	395	46	1	4410
2001-02	0	0	0	155	590	880	874	582	613	280	119	7	4100
2002-03	0	0	32	290	544	872	630	665	465	442	154	0	4094
2003-04	0	0	2	118	729	878	858	730	304	280	61	6	3966
2004-05	0	0	65	339	637	759	771	613	512	404	124	23	4247
2005-06	0	3	62	256	498	753	919	615	724	330	73	2	4235
2006-07	0	0	65	316	534	825	870	616	380	257	82	22	3967
2007-08	0	0	99	282	512	933	908	660	512	332	168	5	4411
2008-09	0	0	14	269	446	954	693	698	561	361	7	33	4036
2009-	0	0	9	319	583	928							

WBAN : 23157

COOLING DEGREE DAYS (base 65°F) 2009 BISHOP (KBIH)

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	TOTAL
1980	0	0	0	0	6	122	370	289	78	42	0	0	907
1981	0	0	0	9	53	334	398	371	170	0	0	0	1335
1982	0	0	0	0	35	134	331	299	106	0	0	0	905
1983	0	0	0	0	83	164	238	241	156	0	0	0	882
1984	0	0	0	0	159	177	411	320	168	0	0	0	1235
1985	0	0	0	0	17	312	417	260	27	7	0	0	1040
1986	0	0	0	0	73	220	264	334	78	0	0	0	969
1987	0	0	0	1	35	208	264	313	94	24	0	0	939
1988	0	0	0	0	60	209	447	321	117	11	0	0	1165
1989	0	0	0	29	49	197	415	231	77	0	0	0	998
1990	0	0	0	7	11	216	401	273	129	8	0	0	1045
1991	0	0	0	0	10	136	388	302	140	39	0	0	1015
1992	0	0	0	14	81	153	306	359	128	7	0	0	1048
1993	0	0	0	4	42	170	320	275	106	9	0	0	926
1994	0	0	0	5	61	276	466	374	61	1	0	0	1244
1995		0	0	0	5	97	300	303	142	0	0	0	
1996	0	0	0	0	31	236	437	360	82	20	0	0	
1997	0	0	0	4	85	189	282	292	91	8	0	0	951
1998	0	0	0	0	0	77	339	352	110	0	0	0	878
1999	0	0	0	1	42	212	335	224	103	3	0	0	920
2000	0	0	0	1	119	282	320	316	100	7	0	0	1145
2001	0	0	0	0	159	260	305	383	156	24	0	0	1287
2002	0	0	0	3	62	305	468	314	133	0	0	0	1285
2003	0	0	0	0	102	267	475	323	176	7	0	0	1350
2004	0	0	0	0	27	234	391	275	93	0	0	0	1020
2005	0	0	0	0	74	137	490	308	27	3	0	0	1039
2006	0	0	0	13	66	269	458	247	92	4	0	0	1149
2007	0	0	0	12	72	266	463	360	136	0	0	0	1309
2008	0	0	0	0	49	190	411	370	86	6	0	0	1112
2009	0	0	0	0	124	129	433	284	170	0	0	0	1140

SNOWFALL (inches) 2009 BISHOP (KBIH)

YEAR	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	TOTAL
1978-79	0.0	0.0	0.0	1.8	2.1	0.6	4.8	T	0.8	0.0	T	0.0	10.1
1979-80	0.0	0.0	0.0	0.0	0.0	5.5	0.8	0.0	T	1.9	0.4	0.0	8.6
1980-81	0.0	0.0	0.0	0.0	0.0	T	6.0	T	3.8	0.3	0.0	0.0	10.1
1981-82	0.0	0.0	0.0	0.0	2.1	0.0	20.7	T	4.8	0.0	0.0	0.0	27.6
1982-83	0.0	0.0	0.0	0.0	1.2	T	8.1	T	1.1	0.0	0.0	0.0	10.4
1983-84	0.0	0.0	0.0	0.0	1.0	0.0	T	T	0.0	0.0	0.0	0.0	1.0
1984-85	0.0	0.0	0.0	0.0	1.5	7.9	T	T	0.5	0.0	0.0	0.0	9.9
1985-86	0.0	0.0	0.0	0.0	0.6	1.3	0.0	T	T	0.0	0.0	0.0	1.9
1986-87	0.0	0.0	0.0	0.0	0.0	0.0	0.9	0.5	0.0	0.0	T	0.0	1.4
1987-88	0.0	0.0	0.0	0.0	0.0	5.2	8.9	0.0	0.0	0.0	0.4	0.0	14.5
1988-89						0.0	0.0	0.7	0.0	0.0	0.0	0.0	
1989-90	0.0	0.0	0.0	0.0	0.0	0.0	0.1	T	0.0	0.0	0.0	0.0	0.1
1990-91	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		0.0	0.0	0.0	
1991-92	0.0	0.0	0.0	0.0	0.0			0.2		0.0	0.0	0.0	
1992-93	0.0	0.0	0.0	0.0	0.0	1.0	15.8	8.3	0.0	0.0	0.0	0.0	25.1
1993-94	0.0	0.0	0.0	0.0	T	0.0	0.4		0.2	T	0.0	0.0	
1994-95	0.0	0.0	0.0	0.0	T	T	5.9	0.0	T	T	0.0	0.0	5.9
1995-96	0.0	0.0	0.0		0.0								
1996-97													
1997-98													
1998-99													
1999-00													
2000-01													
2001-02													
2002-03													
2003-04													
2004-05													
2005-2006-2008-09													
POR= 47 YRS	0.0	0.0	0.0	0.0	0.3	1.3	4.0	1.5	0.7	0.3	0.1	0.0	8.2

WBAN : 23157

REFERENCE NOTES :

PAGE 1:
THE TEMPERATURE GRAPH SHOWS NORMAL MAXIMUM AND NORMAL MINIMUM DAILY TEMPERATURES (SOLID CURVES) AND THE ACTUAL DAILY HIGH AND LOW TEMPERATURES (VERTICAL BARS).

PAGE 2 AND 3:
H/C INDICATES HEATING AND COOLING DEGREE DAYS.
RH INDICATES RELATIVE HUMIDITY
W/O INDICATES WEATHER AND OBSTRUCTIONS
S INDICATES SUNSHINE.
PR INDICATES PRESSURE.
CLOUDINESS ON PAGE 3 IS THE SUM OF THE CEILOMETER AND SATELLITE DATA NOT TO EXCEED EIGHT EIGHTHS(OKTAS).

GENERAL:
T INDICATES TRACE PRECIPITATION, AN AMOUNT GREATER THAN ZERO BUT LESS THAN THE LOWEST REPORTABLE VALUE.
+ INDICATES THE VALUE ALSO OCCURS ON EARLIER DATES.
BLANK ENTRIES DENOTE MISSING OR UNREPORTED DATA.
NORMALS ARE 30-YEAR AVERAGES (1971 - 2000).
ASOS INDICATES AUTOMATED SURFACE OBSERVING SYSTEM.
PM INDICATES THE LAST DAY OF THE PREVIOUS MONTH.
POR (PERIOD OF RECORD) BEGINS WITH THE JANUARY DATA MONTH AND IS THE NUMBER OF YEARS USED TO COMPUTE THE MEAN. INDIVIDUAL MONTHS WITHIN THE POR MAY BE MISSING.
WHEN THE POR FOR A NORMAL IS LESS THAN 30 YEARS, THE NORMAL IS PROVISIONAL AND IS BASED ON THE NUMBER OF YEARS INDICATED.
0.* OR * INDICATES THE VALUE OR MEAN-DAYS-WITH IS BETWEEN 0.00 AND 0.05.
CLOUDINESS FOR ASOS STATIONS DIFFERS FROM THE NON-ASOS OBSERVATION TAKEN BY A HUMAN OBSERVER. ASOS STATION CLOUDINESS IS BASED ON TIME-AVERAGED CEILOMETER DATA FOR CLOUDS AT OR BELOW 12,000 FEET AND ON SATELLITE DATA FOR CLOUDS ABOVE 12,000 FEET.
THE NUMBER OF DAYS WITH CLEAR, PARTLY CLOUDY, AND CLOUDY CONDITIONS FOR ASOS STATIONS IS THE SUM OF THE CEILOMETER AND SATELLITE DATA FOR THE SUNRISE TO SUNSET PERIOD.
CLEAR INDICATES 0 - 2 OKTAS, PARTLY CLOUDY INDICATES 3 - 6 OKTAS, AND CLOUDY INDICATES 7 OR 8 OKTAS.
WHEN AT LEAST ONE OF THE ELEMENTS (CEILOMETER OR SATELLITE) IS MISSING, THE DAILY CLOUDINESS IS NOT COMPUTED.

GENERAL CONTINUED:
WIND DIRECTION IS RECORDED IN TENS OF DEGREES (2 DIGITS) CLOCKWISE FROM TRUE NORTH. "00" INDICATES CALM. "36" INDICATES TRUE NORTH.
RESULTANT WIND IS THE VECTOR AVERAGE OF THE SPEED AND DIRECTION.
AVERAGE TEMPERATURE IS THE SUM OF THE MEAN DAILY MAXIMUM AND MINIMUM TEMPERATURE DIVIDED BY 2.
SNOWFALL DATA COMPRISE ALL FORMS OF FROZEN PRECIPITATION, INCLUDING HAIL.
A HEATING (COOLING) DEGREE DAY IS THE DIFFERENCE BETWEEN THE AVERAGE DAILY TEMPERATURE AND 65 F.
DRY BULB IS THE TEMPERATURE OF THE AMBIENT AIR.
DEW POINT IS THE TEMPERATURE TO WHICH THE AIR MUST BE COOLED TO ACHIEVE 100 PERCENT RELATIVE HUMIDITY.
WET BULB IS THE TEMPERATURE THE AIR WOULD HAVE IF THE MOISTURE CONTENT WAS INCREASED TO 100 PERCENT RELATIVE HUMIDITY.
ON JULY 1, 1996, THE NATIONAL WEATHER SERVICE BEGAN USING THE "METAR" OBSERVATION CODE THAT WAS ALREADY EMPLOYED BY MOST OTHER NATIONS OF THE WORLD. THE MOST NOTICEABLE DIFFERENCE IN THIS ANNUAL PUBLICATION WILL BE THE CHANGE IN UNITS FROM TENTHS TO EIGHTHS(OKTAS) FOR REPORTING THE AMOUNT OF SKY COVER.
STATION HISTORY STOPPED WITH THE 2009 ANNUAL. IF YOU NEED HISTORY GO TO "MULTI-NETWORK METADATA SYSTEM", URL IS: <https://mi3.ncdc.noaa.gov/mi3qry/login.cfm>

NOTE:

The "Period of Record:(POR) for all "averages" is based on the "Summary of the Day First Order Station" and "Cooperative Summary of the Day" archives.

2009 BISHOP CALIFORNIA (KBIH)

Bishop is located on the floor of the Owens Valley, which is orientated north-northwest to the south-southeast. At the point Bishop is located at, the Owens Valley is 12 miles wide, level, and semi-arid. Peaks of the 12,000 to 14,500 foot Sierra Nevada's are 25 miles west, and the 12,000 to 14,000 foot White Mountains are 10 miles east. The northern end of the valley is partly cut off by 6,000 to 8,000 foot mountains that are about 45 miles distant. The southern end of the valley makes a gradual descent to the Mojave Desert about 150 miles away. The official climate station for Bishop is located at the Municipal Airport about two and a half miles east of the town and about 1 mile west of the Owens River.

The dramatic drop in elevation, primarily from the Sierra Nevada to the valley floor, largely drives the weather experienced in the Owens Valley. The Sierra Nevada largely serves as a barrier to moisture moving in from the Pacific creating a "rain shadow" effect on the valley. Thus, many storms that move in from the Pacific are marked by just clouds and no precipitation. The precipitation that does fall from the passage of cold fronts and other winter disturbances is usually light, although periods of heavier intensity do occur. Most of the precipitation to fall at Bishop occurs between November and April. Winters with heavier precipitation often will see dry lakes and creeks fill with water. Snow typically occurs several times each winter on the Owens Valley floor; however, amounts from a single storm exceeding a foot are unusual.

Gusty winds occur in every month of the year. From the fall through the spring, when strong westerly winds aloft flow over the Sierra Nevada ahead of incoming storm systems they often result in wind being forced down the eastern slopes of the Sierra generating powerful westerly wind gusts. These gusts are most noted on the western side of the valley, with the occurrence often less at the Bishop climate station. At times, strong northerly winds blow, especially behind the passage of cold fronts during the months of February, March and April. East and west winds frequently give pronounced foehn effects and turbulence. During the summer and autumn, the heating difference between the Owens Valley and Mojave Desert causes an early morning and late evening northerly wind as air flows from higher pressure over the Owens Valley towards lower pressure over the Mojave Desert. Conversely, in the heat of the afternoon, it causes a southerly wind that is occasionally strong.

Bishop often records very large diurnal swings in temperature. Differences of over 50 degrees between the daytime high and the nighttime low have been observed. The hottest summer days at Bishop feature highs in the triple digits. In the winter, the coldest mornings feature low temperatures in the teens. Being on the lee of the Sierra, Bishop is not as protected from colder air seeping out of the Great Basin as areas just to the west of the Sierra, and as a result at least every other winter low temperatures drop into the single digits. Low temperatures below zero occur with the most extreme cold outbreaks.

In the summer months, occasional pushes of moisture into the region from the south result in thunderstorms developing over the Sierra Nevada and White Mountains. On days when the flow in the atmosphere can push these storms into the Owens Valley they bring gusty winds and sometimes rain. Otherwise the warmer season months feature abundant sunshine.

Non-Subscription Request:

NCDC Customer Services;

Phone: 828-271-4800

Fax: 828-271-4876

Email: ncdc.orders@noaa.gov

OFFICIAL BUSINESS

PENALTY FOR PRIVATE USE \$300

CHANGE SERVICE REQUESTED

FIRST CLASS
POSTAGE & FEES PAID
United States Department of Commerce
NOAA Permit No. G - 19

INQUIRES/COMMENTS CALL: Toll Free (866) 742-3322

Visit our Web Site for other weather data: www.ncdc.noa.gov

For Hard Copy Subscription:

Price and ordering information: NCDC Subscribing Service Center, 310 State Route 956, Building 300, Rocket Center, WV 26726.