




# 2009 LOCAL CLIMATOLOGICAL DATA ANNUAL SUMMARY WITH COMPARATIVE DATA


ISSN 0198-1943

## EVANSVILLE, INDIANA (KEVV)

### Daily Max/Min Temperature



### Daily Precipitation



### Daily Station Pressure



I CERTIFY THAT THIS IS AN OFFICIAL PUBLICATION OF THE NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION, AND IS COMPILED FROM RECORDS ON FILE AT THE NATIONAL CLIMATIC DATA CENTER.

NATIONAL  
OCEANIC AND  
ATMOSPHERIC ADMINISTRATION

NATIONAL  
ENVIRONMENTAL SATELLITE, DATA  
AND INFORMATION SERVICE

NATIONAL  
CLIMATIC DATA CENTER  
ASHEVILLE, NORTH CAROLINA

*Thomas R. Karl*  
DIRECTOR  
NATIONAL CLIMATIC DATA CENTER

# METEOROLOGICAL DATA FOR 2009

## EVANSVILLE (KEVV)

LATITUDE: 38 ° 2 'N      LONGITUDE: -87 ° 32'W      ELEVATION (FT): GRND: 400    BARO: 421      TIME ZONE: CENTRAL (UTC -6)      WBAN: 93817

ELEMENT		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	YEAR	
TEMPERATURE °F	MEAN DAILY MAXIMUM	38.1	48.1	60.1	67.7	76.4	87.4	82.7	85.2	80.0	62.6	60.5	42.6	66.0	
	HIGHEST DAILY MAXIMUM	61	70	77	86	88	97	91	93	86	74	73	58	97	
	DATE OF OCCURRENCE	04	09	10	24	23+	26	09	10	16	30	08+	24+	JUN 26	
	MEAN DAILY MINIMUM	19.5	28.8	38.7	45.7	55.9	66.5	64.1	64.4	60.1	44.7	39.2	27.3	46.2	
	LOWEST DAILY MINIMUM	-1	6	14	31	42	50	56	54	45	32	28	16	-1	
	DATE OF OCCURRENCE	16	05	03	08	18	05	20	31	30	18	27	10	JAN 16	
	AVERAGE DRY BULB	28.8	38.5	49.4	56.7	66.2	77.0	73.4	74.8	70.1	53.7	49.9	35.0	56.1	
	MEAN WET BULB	26.2	34.5	43.8	50.3	59.8	69.1	67.4	68.0	63.7	49.9	44.9	32.0	50.8	
	MEAN DEW POINT	20.5	27.8	36.4	43.8	55.2	64.7	63.5	64.4	60.1	45.6	39.5	26.7	45.7	
	NUMBER OF DAYS WITH:														
	MAXIMUM >= 90°	0	0	0	0	0	14	2	8	0	0	0	0	24	
	MAXIMUM <= 32°	12	2	0	0	0	0	0	0	0	0	0	1	15	
MINIMUM <= 32°	30	18	10	2	0	0	0	0	0	1	4	25	90		
MINIMUM <= 0°	1	0	0	0	0	0	0	0	0	0	0	0	1		
H/C	HEATING DEGREE DAYS	1112	734	478	290	62	4	0	0	18	345	447	923	4413	
	COOLING DEGREE DAYS	0	0	3	50	103	368	270	309	178	0	0	0	1281	
RH	MEAN (PERCENT)	72	67	62	65	71	68	73	73	75	75	71	74	71	
	HOUR 00 LST	75	71	69	77	83	81	86	85	85	82	80	76	79	
	HOUR 06 LST	79	77	76	81	86	82	87	89	88	87	83	81	83	
	HOUR 12 LST	67	58	53	52	56	55	60	55	60	63	56	67	59	
	HOUR 18 LST	69	63	52	57	59	57	62	63	70	71	67	69	63	
S	PERCENT POSSIBLE SUNSHINE														
W/O	NUMBER OF DAYS WITH:														
	HEAVY FOG(VISBY <= 1/4 MI)	2	0	0	0	3	0	7	1	5	0	2	0	20	
	THUNDERSTORMS	0	1	2	4	6	8	7	5	6	2	0	0	41	
CLOUDNESS	SUNRISE-SUNSET: (OKTAS)														
	CEILOMETER (<= 12,000 FT.)														
	SATELLITE (> 12,000 FT.)														
	MIDNIGHT-MIDNIGHT: (OKTAS)														
	CEILOMETER (<= 12,000 FT.)														
SATELLITE (> 12,000 FT.)															
NUMBER OF DAYS WITH:															
CLEAR															
PARTLY CLOUDY															
CLOUDY															
PR	MEAN STATION PRESS. (IN.)	29.68	29.73	29.69	29.54	29.59	29.46	29.55	29.62	29.62	29.59	29.68	29.67	29.62	
	MEAN SEA-LEVEL PRESS. (IN.)	30.12	30.16	30.11	29.96	30.00	29.87	29.96	30.03	30.04	30.01	30.11	30.10	30.04	
WINDS	RESULTANT SPEED (MPH)	2.6	2.8	1.2	2.4	0.4	1.7	1.3	1.6	1.9	1.1	1.3	2.6	1.3	
	RES. DIR. (TENS OF DEGS.)	28	25	17	24	23	26	27	23	05	22	20	24	25	
	MEAN SPEED (MPH)	7.4	8.6	8.2	8.3	4.8	5.2	4.3	5.1	4.8	6.0	5.3	7.1	6.3	
	PREVAIL.DIR.(TENS OF DEGS.)	32	18	21	20	30	22	31	20	05	33	20	20	05	
	MAXIMUM 2-MINUTE WIND														
	SPEED (MPH)	28	44	40	31	33	36	36	26	28	26	25	36	44	
	DIR. (TENS OF DEGS.)	22	23	26	24	26	19	28	22	20	26	28	25	23	
	DATE OF OCCURRENCE	17	11	10	05	08	08	12	19	05	02	25	09	FEB 11	
	MAXIMUM 3-SECOND WIND:														
	SPEED (MPH)	37	59	48	40	46	44	43	41	38	33	35	46	59	
DIR. (TENS OF DEGS.)	31	20	26	23	27	34	29	22	30	17	24	20	20		
DATE OF OCCURRENCE	13	11	10	05	08	20	12	19	28	30	24	25	FEB 11		
PRECIPITATION	WATER EQUIVALENT:														
	TOTAL (IN.)	2.85	2.76	3.32	6.01	6.47	2.20	6.46	1.91	5.17	8.21	1.22	3.62	50.20	
	GREATEST 24-HOUR (IN.)	1.46	1.18	1.22	1.36	2.23	1.39	1.68	0.66	2.29	2.77	1.04	1.00	2.77	
	DATE OF OCCURRENCE	26-27	26-27	24-25	30	25	10-11	16-17	01	05-06	08-09	16-17	08-09	OCT 08-09	
	NUMBER OF DAYS WITH:														
	PRECIPITATION 0.01	9	6	11	12	14	9	12	9	11	15	4	13	125	
PRECIPITATION 0.10	5	6	6	8	10	5	10	5	9	12	3	6	85		
PRECIPITATION 1.00	1	2	0	2	2	1	1	0	2	2	0	0	13		
SNOWFALL	SNOW,ICE PELLETS,HAIL														
	TOTAL (IN.)	6.5	T	0.0	T	0.0	0.0	0.0	0.0	0.0	0.0	0.0	T	6.5	
	GREATEST 24-HOUR (IN.)	2.7	T	0.0	T	0.0	0.0	0.0	0.0	0.0	0.0	0.0	T	2.7	
	DATE OF OCCURRENCE	28	28+		06								30+	JAN 28	
	MAXIMUM SNOW DEPTH (IN.)	4		0	0	0	0	0	0	0	0	0	0		
	DATE OF OCCURRENCE	28													
NUMBER OF DAYS WITH:															
SNOWFALL >= 1.0	3	0	0	0	0	0	0	0	0	0	0	0	3		

# NORMALS, MEANS, AND EXTREMES EVANSVILLE (KEVV)

LATITUDE:  
38 ° 2 'N

LONGITUDE:  
-87 ° 32'W

ELEVATION (FT):  
GRND: 400 BARO: 421

TIME ZONE:  
CENTRAL (UTC -6)

WBAN: 93817

	ELEMENT	POR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	YEAR	
TEMPERATURE °F	NORMAL DAILY MAXIMUM	30	39.5	45.4	56.4	67.2	77.1	86.1	89.4	87.8	81.3	70.0	55.7	44.1	66.7	
	MEAN DAILY MAXIMUM	113	41.2	42.8	55.3	65.6	76.3	84.1	88.7	87.4	80.1	70.0	54.7	43.9	65.8	
	HIGHEST DAILY MAXIMUM	69	76	79	84	91	95	104	105	104	103	94	83	77	105	
	YEAR OF OCCURRENCE		1943	1962	1986	1989	1975	1954	1954	2007	1954	1953	1961	1982	1982	JUL 1954
	MEAN OF EXTREME MAXS.	113	63.5	67.6	76.9	84.0	89.2	95.1	96.3	95.7	92.6	85.5	75.1	65.0	82.2	
	NORMAL DAILY MINIMUM	30	22.6	26.2	35.2	43.8	54.0	63.5	67.8	65.1	57.0	44.6	36.0	27.0	45.2	
	MEAN DAILY MINIMUM	113	25.1	26.2	36.2	45.3	55.6	63.7	68.4	66.6	58.2	47.3	36.5	28.3	46.5	
	LOWEST DAILY MINIMUM	69	-21	-23	-9	23	28	41	47	43	31	21	-3	-15	-23	
	YEAR OF OCCURRENCE		1977	1951	1960	1990	1963	1966	1947	1986	1942	1952	1950	1989	1989	FEB 1951
	MEAN OF EXTREME MINS.	113	2.0	7.0	18.0	29.1	39.6	50.2	56.4	54.2	41.9	29.8	19.9	8.0	29.7	
	NORMAL DRY BULB	30	31.0	35.8	45.8	55.5	65.6	74.8	78.6	76.5	69.1	57.3	45.9	35.6	56.0	
	MEAN DRY BULB	113	33.2	34.5	45.8	55.4	66.0	73.9	78.6	77.0	69.2	58.6	45.6	36.1	56.2	
	MEAN WET BULB	26	29.8	32.8	40.6	49.6	59.2	67.1	70.4	69.1	61.9	51.2	41.7	32.9	50.5	
	MEAN DEW POINT	26	26.6	29.3	36.3	45.4	55.9	64.4	68.2	66.9	59.0	47.7	38.2	29.6	47.3	
	NORMAL NO. DAYS WITH: MAXIMUM >= 90	30	0.0	0.0	0.0	0.1	1.6	9.6	15.3	10.9	4.4	0.1	0.0	0.0	42.0	
	MAXIMUM <= 32	30	9.0	5.4	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	5.0	20.5	
MINIMUM <= 32	30	24.4	19.0	12.6	3.0	*	0.0	0.0	0.0	0.0	2.4	11.5	20.9	93.8		
MINIMUM <= 0	30	1.6	0.9	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	3.2		
H/C	NORMAL HEATING DEG. DAYS	30	1047	825	591	295	85	5	0	1	45	262	565	896	4617	
	NORMAL COOLING DEG. DAYS	30	0	0	4	23	108	304	425	356	173	27	2	0	1422	
RH	NORMAL (PERCENT)	30	74	72	68	66	69	69	71	73	73	70	72	76	71	
	HOURLY 00 LST	30	77	77	75	75	81	81	84	85	85	81	78	79	80	
	HOURLY 06 LST	30	80	80	79	80	83	83	85	88	89	85	81	81	83	
	HOURLY 12 LST	30	68	64	59	54	56	55	57	58	55	53	62	69	59	
	HOURLY 18 LST	30	72	67	61	55	58	56	59	62	65	64	68	74	63	
S	PERCENT POSSIBLE SUNSHINE	56	42	48	55	60	64	71	73	73	69	65	48	42	59	
W/O	MEAN NO. DAYS WITH: HEAVY FOG(VISBY <= 1/4 MI)	46	1.7	1.6	1.0	0.7	0.9	0.6	1.0	1.2	1.8	1.7	1.4	1.5	15.1	
	THUNDERSTORMS	62	1.0	1.2	3.4	4.8	6.3	6.9	7.1	5.0	3.1	1.9	1.5	0.6	42.8	
CLOUDNESS	MEAN: SUNRISE-SUNSET (OKTAS)	56	5.7	5.4	5.4	5.2	4.9	4.6	4.2	4.0	4.0	3.9	5.1	5.5	4.8	
	MIDNIGHT-MIDNIGHT (OKTAS)	32	5.4	4.9	5.0	4.7	4.3	4.0	3.8	3.6	3.8	3.8	4.9	5.2	4.5	
	MEAN NO. DAYS WITH: CLEAR	56	6.6	6.5	6.5	6.8	8.5	8.1	9.2	11.1	11.3	12.3	7.7	6.5	101.1	
	PARTLY CLOUDY	56	5.3	6.3	8.1	8.3	8.6	11.4	12.1	11.0	8.3	7.4	6.6	6.0	99.4	
	CLOUDY	56	19.1	15.4	16.4	14.9	13.9	10.5	9.1	8.4	9.9	10.8	15.2	18.0	161.6	
PR	MEAN STATION PRESSURE(IN)	26	29.72	29.70	29.64	29.57	29.57	29.56	29.59	29.61	29.64	29.67	29.69	29.73	29.64	
	MEAN SEA-LEVEL PRES. (IN)	26	30.15	30.13	30.06	29.98	29.98	29.97	29.99	30.02	30.05	30.09	30.11	30.15	30.06	
WINDS	MEAN SPEED (MPH)	26	8.5	8.4	8.6	8.4	7.1	6.2	5.6	5.2	5.5	6.2	7.6	7.8	7.1	
	PREVAIL.DIR.(TENS OF DEGS)	41	35	33	33	23	23	23	25	24	18	19	22	31	25	
	MAXIMUM 2-MINUTE: SPEED (MPH)	13	52	44	40	44	52	46	45	46	47	33	38	45	52	
	DIR. (TENS OF DEGS)		27	23	26	26	28	28	28	02	19	32	24	24	27	
	YEAR OF OCCURRENCE		2008	2009	2009	2005	2004	2000	2003	2006	2008	2001	1998	2008	JAN 2008	
	MAXIMUM 3-SECOND SPEED (MPH)	13	71	59	48	64	68	59	64	56	64	46	48	61	71	
	DIR. (TENS OF DEGS)		26	20	26	29	23	19	28	02	20	19	25	25	26	
	YEAR OF OCCURRENCE		2008	2009	2009	2006	1999	2007	2003	2006	2008	2007	1998	2008	JAN 2008	
PRECIPITATION	NORMAL (IN)	30	2.91	3.10	4.29	4.48	5.01	4.10	3.75	3.14	2.99	2.78	4.18	3.54	44.27	
	MAXIMUM MONTHLY (IN)	69	13.50	7.26	12.84	11.83	13.51	9.30	9.69	8.51	9.89	8.33	8.49	8.23	13.51	
	YEAR OF OCCURRENCE		1950	2000	1964	1996	1995	1943	1958	2005	1945	1941	1957	1982	MAY 1995	
	MINIMUM MONTHLY (IN)	69	0.51	0.27	0.89	1.10	0.91	0.65	0.18	0.13	0.09	0.01	0.51	0.56	0.01	
	YEAR OF OCCURRENCE		1981	1947	1941	1959	1965	1991	1974	1943	2004	1964	1999	1976	OCT 1964	
	MAXIMUM IN 24 HOURS (IN)	69	3.74	3.84	6.85	7.26	6.05	3.67	4.09	3.70	4.37	3.00	3.65	3.43	7.26	
	YEAR OF OCCURRENCE		2000	2000	2008	1996	1961	1996	1978	1977	2006	1976	2005	2001	APR 1996	
	NORMAL NO. DAYS WITH: PRECIPITATION >= 0.01	30	10.5	9.1	11.8	12.0	11.8	10.0	8.3	7.3	7.5	7.8	9.9	10.7	116.7	
	PRECIPITATION >= 1.00	30	0.5	0.9	0.9	1.2	1.4	1.0	1.1	1.1	0.8	0.6	1.3	0.9	11.7	
SNOWFALL	NORMAL (IN)	30	4.6	3.8	2.0	0.4	0.0	0.0	0.0	0.0	0.0	0.2	0.4	2.8	14.2	
	MAXIMUM MONTHLY (IN)	65	21.3	18.4	20.2	8.6	T	T	0.0	0.0	T	4.6	6.9	11.5	21.3	
	YEAR OF OCCURRENCE		1977	1993	1960	1971	1993	1994			1990	1993	1958	2000	JAN 1977	
	MAXIMUM IN 24 HOURS (IN)	65	8.7	10.9	10.6	8.6	T	T	0.0	0.0	T	4.1	6.9	7.0	10.9	
	YEAR OF OCCURRENCE		1978	1993	1960	1971	1993	1994			1990	1993	1958	1963	FEB 1993	
	MAXIMUM SNOW DEPTH (IN)	57	14	12	13	4	0	0	0	0	0	2	7	7	14	
	YEAR OF OCCURRENCE		1978	1998	1960	1971						1993	1958	1984	JAN 1978	
	NORMAL NO. DAYS WITH: SNOWFALL >= 1.0	30	1.3	1.0	0.7	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.8	4.1	

**PRECIPITATION (inches) 2009 EVANSVILLE (KEVV)**

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
1980	1.77	1.25	4.38	2.73	4.10	6.01	4.50	2.15	2.51	3.13	2.34	0.89	35.76
1981	0.51	2.89	1.70	2.50	12.89	1.78	5.08	6.04	2.00	2.36	3.40	2.20	43.35
1982	9.15	1.65	5.07	3.24	4.29	2.95	2.62	3.41	6.07	1.75	4.25	8.23	52.68
1983	1.79	0.74	4.33	10.26	8.87	4.59	1.51	0.94	0.73	5.62	5.55	3.55	48.48
1984	0.85	2.55	7.02	5.75	2.89	3.35	1.50	2.70	6.97	5.13	5.05	5.99	49.75
1985	1.76	4.24	6.10	3.80	2.97	4.68	1.18	3.76	3.59	4.46	7.61	1.74	45.89
1986	1.15	5.77	2.64	2.29	2.93	3.77	5.39	2.07	3.84	3.30	2.35	2.18	37.68
1987	0.77	3.51	2.11	2.31	3.90	5.97	3.19	0.47	1.98	1.23	3.36	5.71	34.51
1988	3.28	3.94	2.89	1.77	1.33	1.11	6.63	2.72	1.19	2.86	7.96	2.75	38.43
1989	3.35	7.00	6.40	4.19	3.72	4.00	7.83	3.46	2.21	2.16	1.64	1.38	47.34
1990	4.26	5.60	2.15	3.75	11.34	3.22	1.01	3.47	2.54	4.81	2.92	7.45	52.52
1991	3.02	2.99	4.27	2.56	3.11	0.65	2.58	0.46	2.60	3.05	3.67	3.72	32.68
1992	0.85	1.51	4.50	1.19	3.44	1.44	8.40	4.39	2.89	1.17	4.34	1.69	35.81
1993	3.57	2.61	3.23	4.38	4.20	4.65	2.37	2.17	5.59	3.76	6.62	2.68	45.83
1994	3.18	2.32	1.88	5.77	0.94	3.45	2.30	2.52	2.61	2.67	6.52	2.59	36.75
1995	2.82	2.98	2.53	5.59	13.51	4.56	2.88	3.60	0.47	2.01	2.32	3.19	46.46
1996	3.51	1.50	5.19	11.83	7.32	7.78	4.56	1.20	8.45	2.53	6.66	3.50	64.03
1997	4.20	3.35	6.90	4.16	7.57	6.12	1.71	4.02	1.31	1.73	4.17	2.34	47.58
1998	2.24	2.71	3.07	8.50	5.91	5.31	3.89	3.91	0.49	3.38	2.78	3.48	45.67
1999	6.00	1.94	4.30	6.15	3.21	6.27	2.00	0.64	0.39	2.80	0.51	5.13	39.34
2000	4.36	7.26	3.21	2.35	2.60	5.86	4.14	5.60	5.03	0.59	3.43	4.12	48.55
2001	1.29	3.26	2.23	1.60	3.82	3.82	5.54	6.09	2.40	7.27	5.40	7.16	49.88
2002	3.72	0.74	6.20	8.58	5.70	2.86	4.32	0.63	5.22	3.75	2.97	5.65	50.34
2003	0.90	4.92	2.60	3.91	6.48	4.50	4.38	1.88	3.17	1.61	4.36	1.20	39.91
2004	2.95	0.59	2.17	1.91	9.31	1.66	7.56	3.08	0.09	5.62	6.23	2.31	43.48
2005	4.59	2.77	2.85	2.13	2.33	4.88	2.69	8.51	2.00	0.73	5.93	1.76	41.17
2006	4.09	2.17	9.36	3.44	5.77	3.73	6.46	7.41	8.75	5.46	4.95	4.59	66.18
2007	5.47	3.41	2.66	2.88	2.73	2.71	1.97	0.99	2.22	4.64	1.77	6.34	37.79
2008	3.97	5.97	12.34	5.07	8.07	3.09	3.90	0.52	1.16	1.61	3.42	4.76	53.88
2009	2.85	2.76	3.32	6.01	6.47	2.20	6.46	1.91	5.17	8.21	1.22	3.62	50.20
POR= 113 YRS	3.50	2.95	4.35	4.01	4.35	3.73	3.65	3.06	3.07	2.92	3.38	3.45	42.42

WBAN : 93817

**AVERAGE TEMPERATURE (°F) 2009 EVANSVILLE (KEVV)**

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
1980	33.1	26.8	40.3	52.8	65.4	73.2	82.0	81.6	72.4	55.4	45.1	37.3	55.5
1981	29.6	37.2	44.7	61.7	61.4	76.6	78.5	75.9	67.2	57.0	48.3	34.5	56.1
1982	27.4	32.1	47.8	52.1	70.7	70.7	79.6	74.1	67.5	59.2	48.9	45.2	56.3
1983	35.2	39.3	46.5	51.5	62.7	74.7	81.4	81.9	70.6	59.3	47.7	26.2	56.4
1984	27.1	39.0	40.0	54.4	62.5	78.6	76.0	76.0	66.3	62.9	43.5	43.7	55.8
1985	23.7	29.6	51.9	59.1	66.5	73.7	79.2	75.1	68.5	60.7	50.1	28.2	55.5
1986	32.9	37.5	47.5	58.1	67.6	76.7	80.5	72.9	72.4	58.0	43.7	35.7	57.0
1987	32.2	38.5	47.9	54.2	71.7	76.5	78.3	77.9	71.0	51.2	49.5	39.7	57.4
1988	29.0	33.1	45.4	55.6	67.0	75.7	79.0	78.8	69.5	51.5	46.4	36.5	55.6
1989	40.1	32.5	46.9	56.6	63.2	73.8	77.7	76.8	68.3	58.3	45.6	23.0	55.2
1990	41.9	43.2	49.8	53.8	63.0	74.9	77.2	75.7	71.0	56.1	50.5	38.1	57.9
1991	31.3	39.7	47.9	58.9	71.1	77.0	79.1	77.0	70.2	59.2	43.2	39.2	57.8
1992	35.4	41.6	47.0	57.7	63.9	71.7	79.0	73.4	68.6	57.7	46.9	36.4	56.6
1993	36.5	32.9	43.1	54.1	67.0	75.8	83.1	79.5	67.0	55.5	44.7	36.4	56.3
1994	27.3	37.3	45.4	59.2	64.0	78.8	79.2	75.4	68.1	59.7	51.4	42.2	57.3
1995	35.0	36.1	49.9	58.3	66.4	76.0	81.1	83.4	68.7	60.3	41.2	35.6	57.7
1996	30.9	36.2	38.3	51.5	67.3	74.0	75.2	75.7	66.0	56.8	40.4	38.0	54.2
1997	29.0	39.7	47.3	50.5	60.3	72.0	77.2	74.1	67.8	57.3	41.8	35.0	54.3
1998	39.5	42.1	46.2	54.8	69.8	75.1	77.7	76.7	73.9	60.0	48.3	38.8	58.6
1999	34.7	40.9	41.5	57.7	65.5	74.5	79.4	74.4	68.2	56.6	51.3	37.3	56.8
2000	33.2	42.7	48.0	53.9	67.4	73.7	75.3	76.3	67.3	60.5	43.0	23.6	55.4
2001	30.8	39.2	41.5	61.3	67.6	72.7	77.6	76.7	67.2	56.6	50.8	40.5	56.9
2002	38.2	38.4	43.7	58.8	63.8	76.3	80.3	78.9	73.5	56.6	43.2	36.7	57.4
2003	27.4	31.5	46.5	57.4	64.4	69.5	77.1	77.3	66.8	57.7	50.3	38.4	55.4
2004	30.9	36.1	49.3	57.7	70.1	74.0	75.4	72.0	69.9	59.9	50.2	33.8	56.6
2005	38.1	40.5	42.7	56.4	63.2	75.4	77.6	79.3	72.3	59.0	47.8	32.8	57.1
2006	42.8	35.4	46.5	60.3	64.1	74.1	78.4	78.1	65.2	54.4	46.8	41.0	57.3
2007	37.1	29.0	53.7	53.7	69.6	75.6	76.7	83.4	73.5	63.3	45.9	38.8	58.4
2008	32.1	35.3	45.0	55.1	63.1	76.4	77.6	76.0	71.7	58.1	43.6	35.5	55.8
2009	28.8	38.5	49.4	56.7	66.2	77.0	73.4	74.8	70.1	53.7	49.9	35.0	56.1
POR= 113 YRS	33.2	34.5	45.8	55.4	66.0	73.9	78.6	77.0	69.2	58.6	45.6	36.1	56.2

**HEATING DEGREE DAYS (base 65°F) 2009 EVANSVILLE (KEVV)**

YEAR	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	TOTAL
1980-81	0	0	24	329	591	852	1090	771	624	161	155	0	4597
1981-82	0	0	53	256	498	940	1160	914	534	386	16	0	4757
1982-83	0	0	52	233	486	618	918	711	567	406	106	4	4101
1983-84	0	0	61	186	514	1195	1169	747	769	329	131	0	5101
1984-85	0	0	79	108	638	653	1276	985	411	208	55	9	4422
1985-86	0	0	75	185	446	1135	989	762	538	226	70	0	4426
1986-87	0	15	14	240	632	900	1007	735	528	330	19	0	4420
1987-88	0	0	15	423	456	777	1108	917	602	284	46	4	4632
1988-89	0	0	18	418	548	877	765	902	558	308	142	1	4537
1989-90	0	1	54	225	577	1297	707	603	487	358	97	15	4421
1990-91	2	1	35	291	432	828	1037	702	528	191	42	0	4089
1991-92	0	0	88	227	647	791	913	673	549	259	118	10	4275
1992-93	0	0	46	236	538	875	879	892	671	322	46	12	4517
1993-94	0	0	55	296	600	879	1164	770	603	213	96	5	4681
1994-95	0	0	44	180	403	702	922	804	465	229	62	0	3811
1995-96	0	0	50	168	710	904	1048	829	819	407	75	5	5015
1996-97	0	0	70	253	732	830	1108	702	542	428	172	11	4848
1997-98	0	0	24	300	692	922	786	635	604	301	30	20	4314
1998-99	0	0	4	181	492	810	931	667	720	220	39	4	4068
1999-00	0	0	53	257	404	854	976	641	518	327	45	5	4080
2000-01	0	0	71	191	659	1277	1053	716	723	183	37	12	4922
2001-02	0	0	67	267	421	754	827	738	654	240	126	0	4094
2002-03	0	0	10	297	647	871	1160	932	566	234	72	28	4817
2003-04	0	0	53	233	436	815	1051	834	487	245	48	0	4202
2004-05	1	9	10	169	440	959	829	679	684	259	122	0	4161
2005-06	0	0	16	226	514	991	683	824	567	175	111	0	4107
2006-07	0	0	59	346	542	737	858	1002	371	357	26	0	4298
2007-08	0	0	9	163	566	806	1014	856	615	306	107	0	4442
2008-09	0	0	4	248	634	906	1112	734	478	290	62	4	4472
2009-	0	0	18	345	447	923							

WBAN : 93817

**COOLING DEGREE DAYS (base 65°F) 2009 EVANSVILLE (KEVV)**

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	TOTAL
1980	0	0	0	5	102	264	535	521	257	39	3	0	1726
1981	0	0	1	69	50	355	425	343	128	15	3	0	1389
1982	0	0	10	3	198	179	458	290	134	59	9	11	1351
1983	0	0	3	8	42	303	514	532	236	17	0	0	1655
1984	0	0	0	16	60	416	348	349	127	49	0	0	1365
1985	0	3	13	36	108	276	447	319	190	58	5	0	1455
1986	0	0	2	27	156	360	487	265	246	32	0	0	1575
1987	0	0	0	8	235	350	420	408	201	0	1	0	1623
1988	0	0	0	11	113	329	441	436	162	8	0	0	1500
1989	0	0	3	64	96	272	403	369	161	28	0	0	1396
1990	0	0	21	29	43	318	387	336	220	23	3	0	1380
1991	0	0	4	15	241	369	445	379	249	55	0	0	1757
1992	0	0	0	47	90	219	440	268	162	14	0	0	1240
1993	0	0	0	3	115	342	566	456	122	9	0	0	1613
1994	0	1	0	42	74	423	449	330	144	24	2	0	1489
1995	0	0	3	33	116	336	510	577	169	29	0	0	1773
1996	0	0	0	8	154	282	321	338	105	6	0	0	1214
1997	0	0	0	0	32	227	386	288	116	70	0	0	1119
1998	0	0	28	3	188	330	398	370	276	35	0	1	1629
1999	0	0	0	10	59	297	454	298	158	8	0	0	1284
2000	0	0	0	0	126	271	327	356	146	57	6	0	1289
2001	0	0	0	79	126	251	400	369	141	11	0	0	1377
2002	0	0	0	60	97	347	481	436	273	43	0	0	1737
2003	0	0	0	15	61	170	382	387	113	13	2	0	1143
2004	0	0	6	33	211	276	331	231	161	18	2	0	1269
2005	1	0	0	9	75	319	398	450	241	46	5	0	1544
2006	0	0	2	42	91	278	420	415	70	24	0	0	1342
2007	0	0	26	26	175	325	368	574	272	120	0	0	1886
2008	0	0	0	17	56	351	399	344	212	42	0	0	1421
2009	0	0	3	50	103	368	270	309	178	0	0	0	1281

**SNOWFALL (inches) 2009 EVANSVILLE (KEVV)**

YEAR	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	TOTAL
1980-81	0.0	0.0	0.0	0.0	0.5	0.2	2.2	0.5	T	0.0	0.0	0.0	3.4
1981-82	0.0	0.0	0.0	0.0	0.1	0.7	4.1	6.8	0.3	3.0	0.0	0.0	15.0
1982-83	0.0	0.0	0.0	0.0	T	T	1.3	1.2	1.0	0.6	0.0	0.0	4.1
1983-84	0.0	0.0	0.0	0.0	T	1.6	5.5	9.7	2.8	0.0	0.0	0.0	19.6
1984-85	0.0	0.0	0.0	0.0	T	6.7	10.3	9.4	0.0	T	0.0	0.0	26.4
1985-86	0.0	0.0	0.0	0.0	0.0	2.8	1.1	6.8	T	0.0	0.0	0.0	10.7
1986-87	0.0	0.0	0.0	0.0	T	0.1	2.7	3.2	1.7	0.0	0.0	0.0	7.7
1987-88	0.0	0.0	0.0	0.0	T	1.3	4.0	1.4	0.7	0.0	0.0	0.0	7.4
1988-89	0.0	0.0	0.0	0.0	T	3.0	T	0.5	0.1	0.0	0.0	0.0	3.6
1989-90	0.0	0.0	0.0	0.9	T	6.0	1.6	0.2	4.6	0.0	0.0	0.0	13.3
1990-91	0.0	0.0	T	0.0	0.0	7.2	0.8	1.2	0.2	0.0	0.0	0.0	9.4
1991-92	0.0	0.0	0.0	0.0	1.0	T	1.0	T	1.3	T	0.0	0.0	3.3
1992-93	0.0	0.0	0.0	T	0.1	0.7	T	18.4	1.5	T	T	0.0	20.7
1993-94	0.0	0.0	0.0	4.6	0.3	3.4	7.4	0.7	8.0	0.0	0.0	T	24.4
1994-95	0.0	0.0	0.0	0.0	0.0	T	0.3	1.7	0.1	0.0	0.0	0.0	2.1
1995-96	0.0	0.0	0.0	0.0	0.1	5.4	13.5	1.1	9.6	T			
1996-97	0.0		0.0		T	1.2	4.0	1.8	T	T		0.0	
1997-98		0.0			T	6.6	0.7	12.2	1.1	0.0	0.0	0.0	
1998-99	0.0	0.0	0.0	0.0	0.0	1.5	1.1	3.3	2.8	0.0	0.0	0.0	8.7
1999-00	0.0	0.0	0.0	0.0	0.0	0.3	4.1	T	T	0.0	0.0	0.0	4.4
2000-01	0.0	0.0	0.0	0.0	T	11.5	4.7	1.0	T	0.1	0.0	0.0	17.3
2001-02	0.0	0.0	0.0	0.0	0.0	0.9	4.3	0.9	T	0.0	0.0	0.0	6.1
2002-03	0.0	0.0	0.0	0.0	T	7.8	1.8	11.4	0.0	T	0.0	0.0	21.0
2003-04	0.0	0.0	0.0	0.0	0.3	3.0	2.2	1.5	0.0	0.0	0.0	0.0	7.0
2004-05	0.0	0.0	0.0	0.0	0.0	22.3	T	0.3	T	0.0	0.0	0.0	22.6
2005-06	0.0	0.0	0.0	0.0	0.0	2.3	1.0	2.5	T	0.0	0.0	0.0	5.8
2006-07	0.0	0.0	0.0	0.0	0.0	T	T	3.6	T	T	0.0	0.0	3.6
2007-08	0.0	0.0	0.0	0.0	T	0.1	3.3	5.2	1.9	0.0	0.0	0.0	10.5
2008-09	0.0	0.0	0.0	T	T	0.8	6.5	T	0.0	T	0.0	0.0	7.3
2009-	0.0	0.0	0.0	0.0	0.0	T							
POR= 61 YRS	0.0	0.0	T	0.1	0.5	2.7	4.1	3.6	2.3	0.3	T	T	13.6

WBAN : 93817

**REFERENCE NOTES :**

PAGE 1:  
THE TEMPERATURE GRAPH SHOWS NORMAL MAXIMUM AND NORMAL MINIMUM DAILY TEMPERATURES (SOLID CURVES) AND THE ACTUAL DAILY HIGH AND LOW TEMPERATURES (VERTICAL BARS).

PAGE 2 AND 3:  
H/C INDICATES HEATING AND COOLING DEGREE DAYS.  
RH INDICATES RELATIVE HUMIDITY  
W/O INDICATES WEATHER AND OBSTRUCTIONS  
S INDICATES SUNSHINE.  
PR INDICATES PRESSURE.  
CLOUDINESS ON PAGE 3 IS THE SUM OF THE CEILOMETER AND SATELLITE DATA NOT TO EXCEED EIGHT EIGHTHS(OKTAS).

GENERAL:  
T INDICATES TRACE PRECIPITATION, AN AMOUNT GREATER THAN ZERO BUT LESS THAN THE LOWEST REPORTABLE VALUE.  
+ INDICATES THE VALUE ALSO OCCURS ON EARLIER DATES.  
BLANK ENTRIES DENOTE MISSING OR UNREPORTED DATA.  
NORMALS ARE 30-YEAR AVERAGES (1971 - 2000).  
ASOS INDICATES AUTOMATED SURFACE OBSERVING SYSTEM.  
PM INDICATES THE LAST DAY OF THE PREVIOUS MONTH.  
POR (PERIOD OF RECORD) BEGINS WITH THE JANUARY DATA MONTH AND IS THE NUMBER OF YEARS USED TO COMPUTE THE MEAN. INDIVIDUAL MONTHS WITHIN THE POR MAY BE MISSING.  
WHEN THE POR FOR A NORMAL IS LESS THAN 30 YEARS, THE NORMAL IS PROVISIONAL AND IS BASED ON THE NUMBER OF YEARS INDICATED.  
0.\* OR \* INDICATES THE VALUE OR MEAN-DAYS-WITH IS BETWEEN 0.00 AND 0.05.  
CLOUDINESS FOR ASOS STATIONS DIFFERS FROM THE NON-ASOS OBSERVATION TAKEN BY A HUMAN OBSERVER. ASOS STATION CLOUDINESS IS BASED ON TIME-AVERAGED CEILOMETER DATA FOR CLOUDS AT OR BELOW 12,000 FEET AND ON SATELLITE DATA FOR CLOUDS ABOVE 12,000 FEET.  
THE NUMBER OF DAYS WITH CLEAR, PARTLY CLOUDY, AND CLOUDY CONDITIONS FOR ASOS STATIONS IS THE SUM OF THE CEILOMETER AND SATELLITE DATA FOR THE SUNRISE TO SUNSET PERIOD.  
CLEAR INDICATES 0 - 2 OKTAS, PARTLY CLOUDY INDICATES 3 - 6 OKTAS, AND CLOUDY INDICATES 7 OR 8 OKTAS.  
WHEN AT LEAST ONE OF THE ELEMENTS (CEILOMETER OR SATELLITE) IS MISSING, THE DAILY CLOUDINESS IS NOT COMPUTED.

GENERAL CONTINUED:  
WIND DIRECTION IS RECORDED IN TENS OF DEGREES (2 DIGITS) CLOCKWISE FROM TRUE NORTH. "00" INDICATES CALM. "36" INDICATES TRUE NORTH.  
RESULTANT WIND IS THE VECTOR AVERAGE OF THE SPEED AND DIRECTION.  
AVERAGE TEMPERATURE IS THE SUM OF THE MEAN DAILY MAXIMUM AND MINIMUM TEMPERATURE DIVIDED BY 2.  
SNOWFALL DATA COMPRISE ALL FORMS OF FROZEN PRECIPITATION, INCLUDING HAIL.  
A HEATING (COOLING) DEGREE DAY IS THE DIFFERENCE BETWEEN THE AVERAGE DAILY TEMPERATURE AND 65 F.  
DRY BULB IS THE TEMPERATURE OF THE AMBIENT AIR.  
DEW POINT IS THE TEMPERATURE TO WHICH THE AIR MUST BE COOLED TO ACHIEVE 100 PERCENT RELATIVE HUMIDITY.  
WET BULB IS THE TEMPERATURE THE AIR WOULD HAVE IF THE MOISTURE CONTENT WAS INCREASED TO 100 PERCENT RELATIVE HUMIDITY.  
ON JULY 1, 1996, THE NATIONAL WEATHER SERVICE BEGAN USING THE "METAR" OBSERVATION CODE THAT WAS ALREADY EMPLOYED BY MOST OTHER NATIONS OF THE WORLD. THE MOST NOTICEABLE DIFFERENCE IN THIS ANNUAL PUBLICATION WILL BE THE CHANGE IN UNITS FROM TENTHS TO EIGHTHS(OKTAS) FOR REPORTING THE AMOUNT OF SKY COVER.  
STATION HISTORY STOPPED WITH THE 2009 ANNUAL. IF YOU NEED HISTORY GO TO "MULTI-NETWORK METADATA SYSTEM", URL IS: <https://mi3.ncdc.noaa.gov/mi3qry/login.cfm>

**NOTE:**  
The "Period of Record:(POR) for all "averages" is based on the "Summary of the Day First Order Station" and "Cooperative Summary of the Day" archives.

# 2009

## EVANSVILLE

### INDIANA (KEVV)

Evansville, Indiana, is located on the Ohio River. The country around Evansville ranges from level to areas of rolling terrain near the river. Dress Regional Airport, where the observations have been taken since August 31, 1940, is located in a shallow valley with low hills to the east and west which parallel the valley, but slope down to the south. There are hills 5 miles to the north which are about 100 feet higher than the field. The open end of the valley slopes down and south toward the city of Evansville and the Ohio River.

Records of precipitation, temperature, and wind are available from the city office locations prior to August 1940. Both precipitation and temperature records were from roof-top exposures in the city and from ground exposures at the airport. The airport exposure is not subject to the effect of an early morning smoke blanket that was prevalent over the city during the downtown exposure.

Prevailing wind direction is from the south-southwest. The strongest winds occur during a deep winter storm passage through the Lower Ohio Valley. Strong and cold north to northwest winds occur from late autumn to early spring, most often, in January and February, as large domes of arctic high pressure moves into the midwest.

Geographically, Evansville lies in the path of moisture-bearing low pressure formations that move from the western Gulf region, northeastward over the Mississippi and Ohio Valleys to the Great Lakes and northern Atlantic Coast. Much of the precipitation results from these storm systems, especially in the cooler part of the year.

Both temperature and precipitation are closely related to the movement of the polar front and the storms which move along the front. This is especially true in the winter and spring months.

In summer and early autumn changes are less severe and periods of polar air invasions are less prolonged. There is considerable variation in seasonal and monthly temperature and precipitation from year to year as these factors depend greatly on the frequency of storm and frontal passages. A comparatively few miles difference in the distance of the paths of these storms, often spells the difference between whether the precipitation is snow, rain, or freezing rain during winter months.

Convective thunderstorms, developing in the maritime tropical air from the Gulf of Mexico and squall line activity, seem to be the factors which combine to supply the summer rainfall. The greatest precipitation intensities for short periods of time come in the months of greatest thunderstorm frequency. The greatest intensities for 24 hours or more are confined to the winter months when storm centers to the south produce a sustained flow of overrunning Gulf air.

Severe storms are rather infrequent but thunderstorms cause some wind damage each year. Hail often occurs with the stronger thunderstorms. Evansville is in tornado alley with the most frequent occurrence in early spring and late fall. The tornado frequency would probably be less than one every ten years for Evansville.

Snowfall varies greatly from season to season, as do rainfall and temperature. Of note is the fact that snowfalls of 2 or more inches are very infrequent, and these amounts are usually melted within a day or two.

The growing season averages 199 days, but has been as long as 250 days and as short as 169 days.

**Non-Subscription Request:**

NCDC Customer Services;

Phone: 828-271-4800

Fax: 828-271-4876

Email: [ncdc.orders@noaa.gov](mailto:ncdc.orders@noaa.gov)

OFFICIAL BUSINESS

PENALTY FOR PRIVATE USE \$300

CHANGE SERVICE REQUESTED

FIRST CLASS  
POSTAGE & FEES PAID  
United States Department of Commerce  
NOAA Permit No. G - 19

INQUIRES/COMMENTS CALL: Toll Free (866) 742-3322

Visit our Web Site for other weather data: [www.ncdc.noa.gov](http://www.ncdc.noa.gov)

**For Hard Copy Subscription:**

Price and ordering information: NCDC Subscribing Service Center, 310 State Route 956, Building 300, Rocket Center, WV 26726.