




2009 LOCAL CLIMATOLOGICAL DATA ANNUAL SUMMARY WITH COMPARATIVE DATA


ISSN 0198-5809

LANDER, WYOMING (KLND)

Daily Max/Min Temperature



Daily Precipitation



Daily Station Pressure



I CERTIFY THAT THIS IS AN OFFICIAL PUBLICATION OF THE NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION, AND IS COMPILED FROM RECORDS ON FILE AT THE NATIONAL CLIMATIC DATA CENTER.

NATIONAL
OCEANIC AND
ATMOSPHERIC ADMINISTRATION

NATIONAL
ENVIRONMENTAL SATELLITE, DATA
AND INFORMATION SERVICE

NATIONAL
CLIMATIC DATA CENTER
ASHEVILLE, NORTH CAROLINA

Thomas R. Karl
DIRECTOR
NATIONAL CLIMATIC DATA CENTER

METEOROLOGICAL DATA FOR 2009

LANDER (KLND)

LATITUDE: 42° 49'N LONGITUDE: -108° 44'W ELEVATION (FT): GRND: 5592 BARO: 5560 TIME ZONE: MOUNTAIN (UTC -7) WBAN: 24021

ELEMENT		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	YEAR	
TEMPERATURE °F	MEAN DAILY MAXIMUM	40.7	45.0	45.7	52.2	68.3	70.5	83.5	82.5	78.4	47.6	49.5			
	HIGHEST DAILY MAXIMUM	60	59	70	74	87	87	94	96	87	74	65	42	96	
	DATE OF OCCURRENCE	19	23	21	23+	19	29+	23	22	26+	18	05	16	AUG 22	
	MEAN DAILY MINIMUM	15.2	18.5	20.7	31.1	42.2	46.2	53.7	51.6	46.7	26.8	22.5			
	LOWEST DAILY MINIMUM	-14	7	-8	16	28	38	45	38	32	10	15	-24	-24	
	DATE OF OCCURRENCE	27	21	10	05	08	07	14	17	30	10	29+	09	DEC 09	
	AVERAGE DRY BULB	28.0	31.8	33.2	41.7	55.3	58.4	68.6	67.1	62.6	37.2	36.0			
	MEAN WET BULB	21.9	24.5	26.3	34.9	43.9	49.1	53.9	52.1	47.8	31.4	28.6			
	MEAN DEW POINT	11.3	11.8	14.1	26.6	30.9	41.1	42.5	39.1	32.7	24.1	16.4			
	NUMBER OF DAYS WITH:														
	MAXIMUM >= 90°	0	0	0	0	0	0	0	8	7	0	0	0	0	15
MAXIMUM <= 32°	6	0	7	2	0	0	0	0	0	5	0	19	19	39	
MINIMUM <= 32°	30	28	26	19	3	0	0	0	0	1	22	28	28	185	
MINIMUM <= 0°	5	0	2	0	0	0	0	0	0	0	0	0	15	22	
H/C	HEATING DEGREE DAYS	1141	923	977	694	304	211	20	44	123	855	861			
	COOLING DEGREE DAYS	0	0	0	0	10	19	139	117	59	0	0			
RH	MEAN (PERCENT)	54	47	50	62	44	58	45	40	36	64	49	68	51	
	HOUR 05 LST	60	58	60	73	60	72	59	56	51	75	59	71	63	
	HOUR 11 LST	46	34	44	53	33	48	34	29	27	53	38	65	42	
	HOUR 17 LST	51	42	42	52	32	48	34	26	27	59	42	68	44	
	HOUR 23 LST	58	54	56	69	49	64	50	47	42	67	55	67	57	
S	PERCENT POSSIBLE SUNSHINE														
W/O	NUMBER OF DAYS WITH:														
	HEAVY FOG(VISBY <= 1/4 MI)	1	0	4	9	0	0	0	0	0	3	2	6	25	
	THUNDERSTORMS	0	0	0	0	8	20	16	14	5	1	0	0	64	
CLOUDNESS	SUNRISE-SUNSET: (OKTAS)														
	CEILOMETER (<= 12,000 FT.)														
	SATELLITE (> 12,000 FT.)														
	MIDNIGHT-MIDNIGHT: (OKTAS)														
	CEILOMETER (<= 12,000 FT.)														
SATELLITE (> 12,000 FT.)															
NUMBER OF DAYS WITH:															
CLEAR															
PARTLY CLOUDY															
CLOUDY															
PR	MEAN STATION PRESS. (IN.)	24.49	24.40	24.32	24.39	24.45	24.44	24.57	24.55	24.55	24.43	24.47	24.40	24.46	
	MEAN SEA-LEVEL PRESS. (IN.)	30.14	30.00	29.90	29.91	29.90	29.85	29.95	29.93	29.96	29.99	30.06	30.15	29.98	
WINDS	RESULTANT SPEED (MPH)	1.5	1.3	3.2	2.1	3.0	1.4	1.9	2.1	2.2	1.1	1.6	1.0	1.8	
	RES. DIR. (TENS OF DEGS.)	28	28	25	27	27	27	27	27	26	30	26	29	27	
	MEAN SPEED (MPH)	5.6	4.8	7.4	6.1	7.5	5.6	5.8	5.6	6.2	5.0	4.6	3.4	5.6	
	PREVAIL.DIR.(TENS OF DEGS.)	25	25	25	25	27	24	25	25	26	25	25	26	25	
	MAXIMUM 2-MINUTE WIND														
	SPEED (MPH)	49	32	44	44	48	38	39	44	46	31	43	24	49	
	DIR. (TENS OF DEGS.)	23	22	22	26	29	23	34	28	19	28	23	26	23	
	DATE OF OCCURRENCE	02	26	02	22	12	20	27	14	30	24	11	14	JAN 02	
	MAXIMUM 3-SECOND WIND:														
	SPEED (MPH)	66	43	55	53	66	51	58	56	59	46	59	30	66	
DIR. (TENS OF DEGS.)	24	22	23	26	28	22	34	28	21	32	25	24	28		
DATE OF OCCURRENCE	02	26	22	22	12	20	27	14	30	31	11	14	MAY 12		
PRECIPITATION	WATER EQUIVALENT:														
	TOTAL (IN.)	0.24	T	2.03	3.61	0.64	3.22	1.85	0.69	0.71	2.41	0.01	0.79	16.20	
	GREATEST 24-HOUR (IN.)	0.12	T	0.75	1.11	0.26	1.07	0.74	0.57	0.31	1.57	0.01	0.27	1.57	
	DATE OF OCCURRENCE	12	26+	25-26	26-27	24-25	01-02	28-29	15	30	04-05	28	05-06	OCT 04-05	
	NUMBER OF DAYS WITH:														
	PRECIPITATION 0.01	5	0	7	15	8	15	9	3	4	12	1	8	87	
PRECIPITATION 0.10	1	0	3	10	4	9	4	2	4	5	0	3	45		
PRECIPITATION 1.00	0	0	0	1	0	0	0	0	0	1	0	0	2		
SNOWFALL	SNOW,ICE PELLETS,HAIL														
	TOTAL (IN.)	6.7	T	34.3	33.1	T	0.0	0.0	0.0	0.5	27.9	T	15.4	117.9	
	GREATEST 24-HOUR (IN.)	3.5	T	16.7	9.5	T	0.0	0.0	0.0	0.5	14.4	T	4.5	16.7	
	DATE OF OCCURRENCE	03	26+	26	16	01	0	0	0	30	04	28	01	MAR 26	
	MAXIMUM SNOW DEPTH (IN.)	3	0	12	9	0	0	0	0	0	12	0	8	12	
	DATE OF OCCURRENCE	04		27	16						05		31+	OCT 05	
	NUMBER OF DAYS WITH:														
SNOWFALL >= 1.0	2	0	3	8	0	0	0	0	0	5	0	4	22		

NORMALS, MEANS, AND EXTREMES LANDER (KLND)

LATITUDE: 42° 49'N LONGITUDE: -108° 44'W ELEVATION (FT): GRND: 5592 BARO: 5560 TIME ZONE: MOUNTAIN (UTC -7) WBAN: 24021

ELEMENT		POR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	YEAR
TEMPERATURE °F	NORMAL DAILY MAXIMUM	30	31.9	37.4	47.5	56.5	66.5	78.5	86.3	84.8	73.0	59.5	41.8	32.6	58.0
	MEAN DAILY MAXIMUM	62	32.0	37.3	45.7	55.9	66.2	76.9	86.5	84.5	73.1	59.5	43.0	33.6	57.9
	HIGHEST DAILY MAXIMUM	63	63	68	76	82	93	100	101	101	94	85	70	64	101
	YEAR OF OCCURRENCE		1971	1951	1966	2007	2003	1954	2006	1979	1995	1963	1988	1980	JUL 2006
	MEAN OF EXTREME MAXS.	62	52.1	55.1	64.3	74.3	83.0	91.4	95.8	94.3	88.5	77.6	62.4	53.6	74.4
	NORMAL DAILY MINIMUM	30	8.7	13.9	23.5	31.3	40.3	48.9	55.4	54.1	44.4	33.2	18.9	9.9	31.9
	MEAN DAILY MINIMUM	62	8.9	13.9	21.7	30.8	40.1	48.2	55.7	54.1	44.3	33.1	19.7	11.0	31.8
	LOWEST DAILY MINIMUM	63	-37	-28	-16	-2	18	25	39	35	10	-3	-18	-37	-37
	YEAR OF OCCURRENCE		1963	1949	1960	1973	1954	1951	1993	1962	1965	1991	1985	1983	DEC 1983
	MEAN OF EXTREME MINS.	62	-12.4	-6.7	2.4	16.2	27.5	36.5	46.3	44.1	29.9	16.4	-0.5	-9.2	15.9
	NORMAL DRY BULB	30	20.3	25.6	35.5	43.9	53.4	63.7	70.9	69.4	58.7	46.4	30.3	21.3	45.0
	MEAN DRY BULB	62	20.5	25.6	33.7	43.4	53.2	62.7	71.1	69.3	58.7	46.3	31.4	22.3	44.9
	MEAN WET BULB	26	16.7	19.7	27.2	34.0	41.9	48.0	52.8	51.1	44.3	35.7	24.5	17.2	34.4
	MEAN DEW POINT	26	12.0	14.5	20.5	26.2	34.3	39.8	43.9	41.7	35.8	27.8	19.3	12.3	27.3
	NORMAL NO. DAYS WITH: MAXIMUM >= 90	30	0.0	0.0	0.0	0.0	*	2.8	10.7	7.1	0.8	0.0	0.0	0.0	21.4
	MAXIMUM <= 32	30	15.0	9.0	3.2	0.9	*	0.0	0.0	0.0	0.2	0.7	7.6	14.9	51.5
MINIMUM <= 32	30	30.7	27.7	27.3	17.1	4.2	0.3	0.0	0.0	2.6	13.6	27.4	30.5	181.4	
MINIMUM <= 0	30	7.6	4.0	0.4	*	0.0	0.0	0.0	0.0	0.0	0.1	2.2	5.7	20.0	
H/C	NORMAL HEATING DEG. DAYS	30	1397	1118	921	643	373	116	16	24	220	580	1027	1355	7790
	NORMAL COOLING DEG. DAYS	30	0	0	0	0	3	70	190	153	29	0	0	0	445
RH	NORMAL (PERCENT)	30	66	63	56	52	51	44	40	39	45	52	62	65	53
	HOURLY 05 LST	30	70	69	67	65	66	60	55	53	58	65	69	69	64
	HOURLY 11 LST	30	62	58	50	45	43	38	34	33	39	46	57	62	47
	HOURLY 17 LST	30	61	54	44	40	37	30	26	26	32	40	56	62	42
	HOURLY 23 LST	30	69	66	60	57	55	47	42	42	48	57	66	68	56
S	PERCENT POSSIBLE SUNSHINE	50	65	68	70	66	64	72	75	75	72	67	58	61	68
W/O	MEAN NO. DAYS WITH: HEAVY FOG(VISBY <= 1/4 MI)	46	1.4	1.3	0.9	1.3	0.3	0.0	0.0	0.0	0.3	0.6	1.0	1.3	8.4
	THUNDERSTORMS	61	0.0	0.0	0.2	1.3	4.9	7.9	10.4	8.4	3.3	0.7	0.0	0.0	37.1
CLOUDNESS	MEAN: SUNRISE-SUNSET (OKTAS)	50	4.9	4.9	5.0	5.0	5.1	4.1	3.4	3.4	3.5	4.0	4.8	4.4	4.4
	MIDNIGHT-MIDNIGHT (OKTAS)	32	4.3	4.3	4.7	5.0	4.8	3.9	3.3	3.2	3.3	3.8	4.4	4.0	4.1
	MEAN NO. DAYS WITH: CLEAR	50	7.9	7.0	7.0	5.9	6.3	10.4	13.5	13.0	13.4	11.4	7.6	9.6	113.0
	PARTLY CLOUDY	50	9.9	9.6	9.9	10.1	10.7	10.8	11.3	11.6	8.6	9.1	9.7	9.6	120.9
	CLOUDY	50	13.2	11.7	14.1	14.0	13.8	8.8	5.7	5.9	7.6	9.9	12.3	11.8	128.8
PR	MEAN STATION PRESSURE(IN)	26	24.44	24.42	24.39	24.40	24.43	24.47	24.55	24.55	24.53	24.49	24.46	24.45	24.47
	MEAN SEA-LEVEL PRES. (IN)	26	30.13	30.07	29.96	29.90	29.87	29.86	29.91	29.93	29.96	30.01	30.07	30.13	29.98
WINDS	MEAN SPEED (MPH)	26	5.1	5.2	6.6	7.4	7.5	7.5	7.1	7.0	6.5	5.7	5.3	5.0	6.3
	PREVAIL.DIR(TENS OF DEGS)	34	25	25	25	25	25	25	25	25	25	25	25	25	25
	MAXIMUM 2-MINUTE: SPEED (MPH)	13	49	64	68	52	54	53	60	53	52	59	45	56	68
	DIR. (TENS OF DEGS)		23	26	23	24	26	19	22	24	20	22	25	25	23
	YEAR OF OCCURRENCE		2009	2003	1999	2008	2008	1999	2007	2003	2000	2007	2006	2008	MAR 1999
	MAXIMUM 3-SECOND SPEED (MPH)	13	66	77	84	69	70	67	74	62	69	74	59	76	84
	DIR. (TENS OF DEGS)		24	25	24	19	22	21	21	23	18	22	25	24	24
	YEAR OF OCCURRENCE		2009	2003	1999	2006	2001	2008	2007	2003	2000	2007	2009	2008	MAR 1999
PRECIPITATION	NORMAL (IN)	30	0.52	0.54	1.24	2.07	2.38	1.15	0.84	0.57	1.14	1.37	0.99	0.61	13.42
	MAXIMUM MONTHLY (IN)	63	1.65	2.18	3.44	6.44	6.13	6.88	2.50	2.38	4.68	4.90	3.37	2.02	6.88
	YEAR OF OCCURRENCE		1949	1955	1998	1999	2008	1947	1977	2004	1973	1994	1983	1997	JUN 1947
	MINIMUM MONTHLY (IN)	63	T	T	0.02	0.19	0.06	T	0.05	T	0.01	T	0.01	0.03	T
	YEAR OF OCCURRENCE		1952	2009	2004	2007	2006	1971	1963	1970	1992	1988	2009	1954	FEB 2009
	MAXIMUM IN 24 HOURS (IN)	63	0.81	0.95	1.28	2.22	2.75	3.56	2.13	2.25	2.21	1.87	1.38	1.25	3.56
	YEAR OF OCCURRENCE		1963	2004	1977	1999	1964	1947	1977	2004	1973	1994	1983	1985	JUN 1947
	NORMAL NO. DAYS WITH: PRECIPITATION >= 0.01	30	4.6	4.9	7.4	8.5	9.0	5.8	6.2	5.5	5.8	5.7	5.7	4.6	73.7
	PRECIPITATION >= 1.00	30	0.0	0.0	0.1	0.2	0.5	0.3	0.1	*	0.2	0.2	0.0	0.0	1.6
SNOWFALL	NORMAL (IN)	30	9.9	9.2	17.6	19.9	7.1	0.3	0.0	0.0	3.0	8.7	16.0	11.2	102.9
	MAXIMUM MONTHLY (IN)	62	26.5	43.8	52.0	70.4	33.9	18.4	T	T	32.9	39.9	48.7	34.6	70.4
	YEAR OF OCCURRENCE		1962	1955	1977	1999	1975	1947	1995	1992	1982	1971	1983	2007	APR 1999
	MAXIMUM IN 24 HOURS (IN)	62	13.8	21.0	20.3	28.6	20.8	18.4	T	T	16.9	19.4	23.1	20.5	28.6
	YEAR OF OCCURRENCE		1980	1987	1973	1999	1975	1947	1995	1992	1982	1966	1958	1985	APR 1999
	MAXIMUM SNOW DEPTH (IN)	50	23	23	27	26	18	9	0	0	13	22	21	28	28
	YEAR OF OCCURRENCE		1984	1984	1973	1973	1975	1951			1965	2008	1983	1985	DEC 1985
	NORMAL NO. DAYS WITH: SNOWFALL >= 1.0	30	2.4	2.5	3.9	4.2	1.3	0.1	0.0	0.0	0.9	2.1	3.7	2.6	23.7

PRECIPITATION (inches) 2009 LANDER (KLND)

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
1980	0.95	0.54	1.50	1.68	3.32	0.05	0.31	0.27	0.07	1.41	0.70	0.22	11.02
1981	0.67	0.27	1.98	1.11	3.20	0.04	0.88	0.92	0.61	0.61	0.05	0.05	10.39
1982	0.44	0.16	0.44	0.76	1.65	1.35	1.46	0.32	3.83	0.82	0.59	1.44	13.26
1983	0.08	0.49	2.11	3.34	3.02	1.21	0.20	0.32	0.50	0.57	3.37	0.60	15.81
1984	0.95	1.16	0.80	3.61	0.27	1.48	1.54	1.21	1.04	0.58	0.48	0.07	13.19
1985	0.45	0.26	0.48	0.83	0.83	1.70	1.00	0.07	1.74	0.16	1.55	1.62	10.69
1986	0.30	1.04	0.49	2.15	1.79	0.27	0.89	0.64	0.44	2.83	1.10	0.22	12.16
1987	0.79	1.73	2.24	1.36	2.37	1.39	0.49	1.50	0.30	0.94	1.20	0.72	15.03
1988	0.05	0.37	1.38	0.93	1.95	0.20	0.33	0.66	0.91	T	0.13	0.72	7.63
1989	0.04	0.76	0.37	1.13	5.30	2.72	0.27	0.80	2.19	1.21	0.32	0.39	15.50
1990	0.02	0.12	1.55	1.90	0.42	0.36	1.88	0.39	1.50	0.75	2.27	0.41	11.57
1991	0.41	0.75	0.39	2.83	4.50	0.73	0.91	0.14	0.43	1.35	1.98	0.28	14.70
1992	0.51	0.17	1.95	0.21	3.27	1.39	2.22	0.57	0.01	0.49	1.61	0.82	13.22
1993	1.00	0.34	1.47	1.90	1.79	4.96	0.83	0.46	0.42	1.34	1.62	0.41	16.54
1994	1.10	0.24	1.22	1.76	0.07	0.31	0.12	0.47	0.47	4.90	1.00	0.26	11.92
1995	0.66	0.87	0.60	3.33	5.47	2.59	1.29	0.24	1.45	1.38	1.43	0.37	19.68
1996	0.67	0.55	1.62	0.65	2.51	0.39	.10	.08	2.23	1.28	1.15	.27	11.50
1997	0.67	0.69	0.92	2.39	2.22	1.00	1.16	0.82	1.21	0.94	0.61	2.02	14.65
1998	0.13	0.60	3.44	1.17	0.81	3.71	0.91	0.54	1.37	3.28	1.33	0.24	17.53
1999	0.10	0.65	0.71	6.44	0.97	1.09	0.11	0.58	2.01	0.65	0.03	0.15	13.49
2000	0.02	0.25	0.76	1.71	1.71	0.66	0.20	0.43	1.03	1.13	0.48	0.23	8.61
2001	0.14	0.54	0.42	1.07	0.50	0.19	0.07	0.45	1.29	0.09	0.45	0.17	5.38
2002	0.28	0.20	0.61	1.27	1.68	0.25	0.98	0.07	0.37	1.72	0.48	0.18	8.09
2003	0.32	1.10	0.95	0.88	1.28	1.70	0.43	0.74	1.06	0.91	0.07	0.82	10.26
2004	0.10	1.54	0.02	3.48	0.67	1.68	1.12	2.38	1.08	1.22	0.40	0.18	13.87
2005	0.80	0.05	0.94	1.66	4.34	0.31	0.36	0.54	0.41	1.88	0.41	0.39	12.09
2006	0.14	0.89	0.74	1.25	0.06	0.03	0.15	0.29	1.30	1.81	0.42	0.34	7.42
2007	0.67	0.18	1.70	0.19	1.93	0.63	0.77	0.78	0.66	0.94	0.17	1.77	10.39
2008	0.21	0.69	0.58	0.90	6.13	0.82	0.21	0.84	0.80	2.21	0.21	0.54	14.14
2009	0.24	T	2.03	3.61	0.64	3.22	1.85	0.69	0.71	2.41	0.01	0.79	16.20
POR= 62 YRS	0.47	0.60	1.14	2.00	2.40	1.38	0.75	0.53	1.02	1.27	0.80	0.54	12.90

WBAN : 24021

AVERAGE TEMPERATURE (°F) 2009 LANDER (KLND)

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
1980	14.0	25.3	32.5	45.0	52.2	64.1	72.2	66.5	59.9	47.1	31.2	34.3	45.4
1981	28.5	27.2	39.3	48.4	52.4	64.8	71.2	69.7	62.3	43.7	37.7	27.1	47.7
1982	22.1	25.4	35.8	41.3	51.9	61.0	70.6	73.3	55.2	44.3	29.5	18.3	44.1
1983	26.3	28.1	36.2	37.9	48.6	61.5	70.0	74.0	60.9	49.0	28.2	6.1	43.9
1984	16.1	20.4	31.1	40.3	55.9	63.2	73.3	72.4	55.1	41.5	32.2	20.5	43.5
1985	16.2	24.5	36.0	48.3	59.1	65.4	73.7	67.1	53.2	45.4	17.8	16.1	43.6
1986	22.0	24.6	44.1	44.9	52.5	68.2	68.7	69.8	55.2	45.9	31.2	18.8	45.5
1987	16.9	28.1	32.2	50.7	57.5	65.9	70.3	66.7	60.7	48.5	30.2	20.6	45.7
1988	19.1	29.7	33.2	48.8	55.6	72.5	75.3	70.9	58.7	53.6	34.7	20.6	47.7
1989	24.8	10.5	38.5	47.5	53.8	61.4	74.0	68.0	58.5	46.0	35.3	22.0	45.0
1990	29.1	28.7	37.0	46.4	52.5	65.1	70.7	70.9	64.8	47.2	33.4	13.3	46.6
1991	18.9	33.9	37.6	41.5	52.2	64.3	72.2	71.5	60.0	46.4	26.7	20.8	45.5
1992	20.6	33.1	41.6	50.7	57.3	63.3	65.7	68.1	60.2	50.1	28.9	15.9	46.3
1993	11.4	11.0	33.3	43.6	55.8	58.7	64.7	66.1	57.2	45.7	24.6	24.3	41.4
1994	28.7	21.7	38.7	46.2	60.5	67.0	71.2	71.7	62.8	43.6	29.2	29.0	47.5
1995	20.3	31.3	37.2	41.7	48.7	59.5	69.0	71.8	59.3	43.7	38.0	27.6	45.7
1996	19.9	27.7	31.2	44.6	51.7	65.9	72.7	71.5	57.6	45.4	34.8	26.1	45.8
1997	22.0	26.5	37.2	37.3	54.1	63.9	68.6	68.8	60.4	45.3	31.2	15.4	44.2
1998	23.6	25.5	29.2	42.9	53.7	54.8	72.0	70.0	63.4	45.7	34.5	23.6	44.9
1999	29.4	31.9	39.2	37.3	50.7	60.3	70.7	70.7	55.0	48.1	41.3	29.3	47.0
2000	27.6	33.1	37.0	47.3	55.9	63.0	73.4	72.9	57.4	45.7	16.0	18.6	45.7
2001	18.0	18.6	36.1	45.8	56.4	65.9	74.4	72.9	63.1	47.1	35.5	21.6	46.3
2002	21.9	24.7	28.0	43.5	52.2	66.4	74.9	67.3	60.0	39.4	29.5	21.7	44.1
2003	28.3	18.1	36.6	47.7	54.4	60.6	76.0	73.5	56.8	50.4	24.4	25.3	46.0
2004	19.2	23.0	38.0	44.5	53.2	61.1	68.7	66.2	58.7	46.9	32.3	27.0	44.9
2005	23.7	30.3	37.1	44.2	52.2	61.6	74.2	68.1	60.5	48.4	35.4	20.9	46.4
2006	30.3	23.7	34.3	47.2	56.5	68.8	75.9	70.2	56.6	44.1	35.6	26.3	47.5
2007	14.5	29.9	42.2	45.0	54.7	66.9	75.7	71.7	59.5	47.8	35.6	15.8	46.6
2008	15.0	25.4	32.9	41.0	50.7	61.0	73.5	70.4	57.0	44.6	38.7	21.6	44.3
2009	28.0	31.8	33.2	41.7	55.3	58.4	68.6	67.1	62.6	37.2	36.0		
POR= 62 YRS	20.5	25.6	33.7	43.4	53.2	62.7	71.1	69.3	58.7	46.3	31.4	22.3	44.8

HEATING DEGREE DAYS (base 65°F) 2009 LANDER (KLND)

YEAR	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	TOTAL
1980-81	0	43	166	550	1005	943	1124	1051	789	487	383	83	6624
1981-82	18	15	104	655	812	1170	1324	1100	898	702	400	164	7362
1982-83	12	0	329	632	1058	1440	1194	1027	884	804	508	125	8013
1983-84	26	0	159	490	1096	1826	1510	1287	1046	736	290	135	8601
1984-85	0	0	316	721	977	1372	1507	1132	890	493	181	84	7673
1985-86	4	41	363	602	1413	1507	1329	1126	641	596	385	26	8033
1986-87	10	5	288	584	1006	1424	1486	1026	1008	425	239	46	7547
1987-88	14	50	146	501	1038	1372	1417	1018	981	481	296	15	7329
1988-89	1	7	217	347	905	1371	1239	1525	816	522	342	154	7446
1989-90	0	20	204	581	886	1329	1105	1011	860	552	382	123	7053
1990-91	22	0	95	545	939	1599	1422	865	844	696	391	62	7480
1991-92	7	1	179	572	1143	1361	1369	919	716	425	240	93	7025
1992-93	50	53	150	457	1075	1514	1658	1509	976	635	278	206	8561
1993-94	76	33	233	590	1205	1256	1117	1206	806	560	144	53	7279
1994-95	11	9	98	655	1066	1108	1380	938	853	692	496	189	7495
1995-96	14	0	219	653	801	1154	1389	1073	1038	605	407	37	7390
1996-97	0	1	255	602	900	1200	1326	1074	854	823	331	73	7439
1997-98	30	32	165	603	1007	1533	1279	1099	1103	658	339	303	8151
1998-99	1	2	126	592	905	1276	1096	920	790	827	436	150	7121
1999-00	6	4	296	516	703	1098	1152	917	861	525	283	99	6460
2000-01	0	7	249	590	1463	1433	1450	1294	890	569	264	97	8306
2001-02	0	0	113	549	878	1338	1326	1121	1142	641	401	79	7588
2002-03	1	28	188	788	1058	1334	1132	1308	876	512	354	151	7730
2003-04	0	21	258	447	1211	1224	1415	1212	830	608	362	137	7725
2004-05	28	55	209	554	973	1171	1274	966	858	616	390	168	7262
2005-06	4	35	177	507	881	1360	1069	1152	942	526	280	14	6947
2006-07	0	14	254	641	877	1192	1557	975	700	593	316	70	7189
2007-08	0	7	202	525	877	1520	1544	1143	987	715	441	158	8119
2008-09	2	18	235	627	784	1339	1141	923	977	694	304	211	7255
2009-	20	44	123	855	861								

WBAN : 24021

COOLING DEGREE DAYS (base 65°F) 2009 LANDER (KLND)

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	TOTAL
1980	0	0	0	0	3	74	231	97	19	0	0	0	424
1981	0	0	0	0	0	83	219	166	29	0	0	0	497
1982	0	0	0	0	1	51	188	266	41	0	0	0	547
1983	0	0	0	0	5	27	188	286	42	0	0	0	548
1984	0	0	0	0	13	87	264	237	26	0	0	0	627
1985	0	0	0	0	8	102	284	113	16	0	0	0	523
1986	0	0	0	0	6	131	131	159	1	0	0	0	428
1987	0	0	0	4	15	81	188	105	22	0	0	0	415
1988	0	0	0	0	9	248	329	196	33	0	0	0	815
1989	0	0	0	0	3	51	284	120	16	0	0	0	474
1990	0	0	0	0	0	133	204	189	97	0	0	0	623
1991	0	0	0	0	0	50	238	209	34	0	0	0	531
1992	0	0	0	2	10	49	79	154	13	0	0	0	307
1993	0	0	0	0	1	24	74	74	7	0	0	0	180
1994	0	0	0	0	10	121	211	223	37	0	0	0	602
1995	0	0	0	0	0	29	148	218	55	0	0	0	450
1996	0	0	0	0	1	74	248	210	40	1	0	0	574
1997	0	0	0	0	1	49	150	158	34	0	0	0	392
1998	0	0	0	0	0	3	226	164	86	0	0	0	479
1999	0	0	0	0	0	19	190	187	3	0	0	0	399
2000	0	0	0	0	9	46	264	259	30	0	0	0	608
2001	0	0	0	0	7	129	298	253	64	0	0	0	751
2002	0	0	0	0	13	129	316	105	43	0	0	0	606
2003	0	0	0	0	33	26	345	289	17	0	0	0	710
2004	0	0	0	0	5	23	147	101	26	0	0	0	302
2005	0	0	0	0	2	73	293	136	49	0	0	0	553
2006	0	0	0	0	23	135	344	182	10	0	0	0	694
2007	0	0	0	0	3	134	338	222	43	0	0	0	740
2008	0	0	0	0	5	44	271	193	2	0	0	0	515
2009	0	0	0	0	10	19	139	117	59	0	0	0	

SNOWFALL (inches) 2009 LANDER (KLND)

YEAR	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	TOTAL
1980-81	0.0	0.0	0.0	8.9	11.1	4.1	15.0	6.1	15.6	6.8	T	0.0	67.6
1981-82	0.0	0.0	0.0	0.2	1.8	1.7	8.1	2.8	7.4	7.7	12.1	0.0	41.8
1982-83	0.0	0.0	32.9	3.1	11.2	22.6	1.3	4.8	24.1	43.3	22.4	0.0	165.7
1983-84	0.0	0.0	1.9	1.2	48.7	11.9	18.0	17.4	16.3	45.4	1.1	0.0	161.9
1984-85	0.0	0.0	3.5	10.4	8.7	2.3	9.1	4.7	8.6	8.4	0.0	0.0	55.7
1985-86	0.0	0.0	7.6	2.2	32.3	28.0	4.9	13.8	5.7	14.4	11.3	0.0	120.2
1986-87	0.0	0.0	0.0	11.9	17.5	5.3	14.1	32.7	26.7	17.5	T	0.0	125.7
1987-88	0.0	0.0	0.0	1.0	13.7	14.4	1.1	6.2	30.7	5.0	3.9	0.0	76.0
1988-89	0.0	0.0	0.4	0.0	3.2	13.3	0.6	14.3	6.7	11.1	T	0.0	49.6
1989-90	0.0	0.0	0.0	16.9	4.3	8.6	0.6	2.9	20.9	2.8	2.5	0.0	59.5
1990-91	T	T	0.0	6.9	28.5	6.5	6.6	10.3	2.2	36.9	4.8	T	102.7
1991-92	0.0	0.0	T	16.4	26.4	3.0	10.7	2.7	16.0	0.0	T	T	75.2
1992-93	0.0	T	0.0	3.4	27.5	16.1	17.1	5.5	13.1	16.8	0.0	0.5	100.0
1993-94	T	0.0	0.3	6.9	23.1	7.6	19.5	5.8	12.9	12.8	0.0	0.0	88.9
1994-95	0.0	0.0	T	20.2	11.9	6.5	8.7	13.8	4.8	28.1	9.7	2.6	106.3
1995-96	T	0.0	2.0	13.7	16.1	6.0	9.8	11.0	22.5	7.0	T	T	88.1
1996-97	0.0	0.0	4.2	12.6	16.9								
1997-98							2.2	9.1	40.0	7.7	T	2.7	
1998-99	0.0	0.0	0.0	10.6	11.8	7.1	1.8	3.2	14.7	70.4	1.5	0.0	121.1
1999-00	0.0	0.0	7.9	11.6	0.5	3.7	0.5	5.2	14.7	3.7	0.0	0.0	47.8
2000-01	0.0	0.0	9.8	3.0	16.5	5.2	2.5	12.8	5.3	7.0	8.4	0.0	70.5
2001-02	0.0	0.0	T	0.9	9.3	6.3	5.0	5.3	16.6	14.9	11.3	0.0	69.6
2002-03	0.0	0.0	0.0	23.4	8.0	4.0	4.8	21.8	20.1	0.4	3.9	0.0	86.4
2003-04	0.0	0.0	5.4	18.5	2.7	17.3	3.4	37.0	T	17.4	3.2	0.0	104.9
2004-05	0.0	0.0	0.0	9.7	20.1	2.6	16.5	0.5	15.1	23.4	0.3	0.0	88.2
2005-06	0.0	0.0	0.0	4.4	6.6	8.4	4.2	20.2	10.2	16.5	0.5	0.0	71.0
2006-07	0.0	0.0	0.0	10.5	2.5	4.5	15.3	3.4	29.7	T	9.4	T	75.3
2007-08	0.0	0.0	2.1	5.8	3.5	34.6	7.0	11.0	9.2	12.3	12.7	0.0	98.2
2008-09	0.0	0.0	0.0	30.2	0.1	10.5	6.7	T	34.3	33.1	T	0.0	114.9
2009-	0.0	0.0	0.5	27.9	T	15.4							
POR= 61 YRS	T	T	2.4	10.0	12.9	10.2	8.7	11.0	17.5	19.5	6.2	0.7	99.1

WBAN : 24021

REFERENCE NOTES :

<p>PAGE 1: THE TEMPERATURE GRAPH SHOWS NORMAL MAXIMUM AND NORMAL MINIMUM DAILY TEMPERATURES (SOLID CURVES) AND THE ACTUAL DAILY HIGH AND LOW TEMPERATURES (VERTICAL BARS).</p> <p>PAGE 2 AND 3: H/C INDICATES HEATING AND COOLING DEGREE DAYS. RH INDICATES RELATIVE HUMIDITY W/O INDICATES WEATHER AND OBSTRUCTIONS S INDICATES SUNSHINE. PR INDICATES PRESSURE. CLOUDINESS ON PAGE 3 IS THE SUM OF THE CEILOMETER AND SATELLITE DATA NOT TO EXCEED EIGHT EIGHTHS(OKTAS).</p> <p>GENERAL: T INDICATES TRACE PRECIPITATION, AN AMOUNT GREATER THAN ZERO BUT LESS THAN THE LOWEST REPORTABLE VALUE. + INDICATES THE VALUE ALSO OCCURS ON EARLIER DATES. BLANK ENTRIES DENOTE MISSING OR UNREPORTED DATA. NORMALS ARE 30-YEAR AVERAGES (1971 - 2000). ASOS INDICATES AUTOMATED SURFACE OBSERVING SYSTEM. PM INDICATES THE LAST DAY OF THE PREVIOUS MONTH. POR (PERIOD OF RECORD) BEGINS WITH THE JANUARY DATA MONTH AND IS THE NUMBER OF YEARS USED TO COMPUTE THE MEAN. INDIVIDUAL MONTHS WITHIN THE POR MAY BE MISSING. WHEN THE POR FOR A NORMAL IS LESS THAN 30 YEARS, THE NORMAL IS PROVISIONAL AND IS BASED ON THE NUMBER OF YEARS INDICATED. 0.* OR * INDICATES THE VALUE OR MEAN-DAYS-WITH IS BETWEEN 0.00 AND 0.05. CLOUDINESS FOR ASOS STATIONS DIFFERS FROM THE NON-ASOS OBSERVATION TAKEN BY A HUMAN OBSERVER. ASOS STATION CLOUDINESS IS BASED ON TIME-AVERAGED CEILOMETER DATA FOR CLOUDS AT OR BELOW 12,000 FEET AND ON SATELLITE DATA FOR CLOUDS ABOVE 12,000 FEET. THE NUMBER OF DAYS WITH CLEAR, PARTLY CLOUDY, AND CLOUDY CONDITIONS FOR ASOS STATIONS IS THE SUM OF THE CEILOMETER AND SATELLITE DATA FOR THE SUNRISE TO SUNSET PERIOD. CLEAR INDICATES 0 - 2 OKTAS, PARTLY CLOUDY INDICATES 3 - 6 OKTAS, AND CLOUDY INDICATES 7 OR 8 OKTAS. WHEN AT LEAST ONE OF THE ELEMENTS (CEILOMETER OR SATELLITE) IS MISSING, THE DAILY CLOUDINESS IS NOT COMPUTED.</p>	<p>GENERAL CONTINUED: WIND DIRECTION IS RECORDED IN TENS OF DEGREES (2 DIGITS) CLOCKWISE FROM TRUE NORTH. "00" INDICATES CALM. "36" INDICATES TRUE NORTH. RESULTANT WIND IS THE VECTOR AVERAGE OF THE SPEED AND DIRECTION. AVERAGE TEMPERATURE IS THE SUM OF THE MEAN DAILY MAXIMUM AND MINIMUM TEMPERATURE DIVIDED BY 2. SNOWFALL DATA COMPRISE ALL FORMS OF FROZEN PRECIPITATION, INCLUDING HAIL. A HEATING (COOLING) DEGREE DAY IS THE DIFFERENCE BETWEEN THE AVERAGE DAILY TEMPERATURE AND 65 F. DRY BULB IS THE TEMPERATURE OF THE AMBIENT AIR. DEW POINT IS THE TEMPERATURE TO WHICH THE AIR MUST BE COOLED TO ACHIEVE 100 PERCENT RELATIVE HUMIDITY. WET BULB IS THE TEMPERATURE THE AIR WOULD HAVE IF THE MOISTURE CONTENT WAS INCREASED TO 100 PERCENT RELATIVE HUMIDITY. ON JULY 1, 1996, THE NATIONAL WEATHER SERVICE BEGAN USING THE "METAR" OBSERVATION CODE THAT WAS ALREADY EMPLOYED BY MOST OTHER NATIONS OF THE WORLD. THE MOST NOTICEABLE DIFFERENCE IN THIS ANNUAL PUBLICATION WILL BE THE CHANGE IN UNITS FROM TENTHS TO EIGHTS(OKTAS) FOR REPORTING THE AMOUNT OF SKY COVER. STATION HISTORY STOPPED WITH THE 2009 ANNUAL. IF YOU NEED HISTORY GO TO "MULTI-NETWORK MEDADATA SYSTEM", URL IS: https://mi3.ncdc.noaa.gov/mi3qry/login.cfm</p> <p>NOTE: The "Period of Record:(POR) for all "averages" is based on the "Summary of the Day First Order Station" and "Cooperative Summary of the Day" archives.</p>
--	---

2009 LANDER WYOMING (KLND)

Lander, located in the central Wyoming valley of the Popo Agie River, lies at the foot and east of the Wind River Range. Situated on a flat-topped mesa, the airport station is 1 1/2 miles south-southeast and approximately 200 feet above the town.

The terrain to the north, east and south varies from rolling to broken with some grass covered hills 2 to 5 miles distant, rising approximately 400 feet above the station elevation. To the west and southwest the foothills of the Wind River Range begin about 3 miles from the station, sloping upward to over 12,000 feet above sea level along the Continental Divide, 20 miles distant.

Because Lander is in a pocket, winds from all directions except northeast are downslope and produce a Chinook effect, most noticeable in winds from westerly quadrants. The airport, on its mesa, receives more wind than the town of Lander, the wind speed averaging 4.7 mph for the 56 years of record kept in the town. Because of light winds, steep temperature inversions are the rule during winter nights and early mornings. Temperatures in the valley will be as much as 15 degrees lower than at the airport on calm, clear nights when there is a snow cover. However, when the wind is calm and the humidities low, the chilling effect is much less than is usual in extreme cold. Winds are often so light that little or no mixing occurs between the cold surface air and the warmer layer 2,000 to 3,000 feet above the valley. For several days each winter, temperatures are 20 to 30 degrees lower than in the surrounding areas where higher wind speeds occur. The sheltered location, however, offers protection from most severe storms that sweep down from Canada.

Lander does not have a true spring season, and snow has been recorded in June.

Usually on 15 to 20 days a year the temperature reaches or exceeds 90 degrees. Even the warmest days are not oppressive, the humidity being low, and the nights being cool. The normal daily range of summer temperature is near 30 degrees.

Mountains block moisture from the Pacific, creating a semi-arid climate. The heaviest and most persistent precipitation comes when the wind in the lower levels is from easterly quadrants, through a combination of low pressure to the south, usually over Colorado, and high pressure to the north over Montana or the western Dakotas. Lander receives 45 percent more precipitation than the area 24 miles to the northeast and 83 percent more than areas 50 miles northeast. More than a third of the annual precipitation occurs in April and May, with another but lesser peak in September and October. Summer moisture comes from occasional showers but is very erratic and spotty. Since about one-third of the annual snowfall comes in March and April, when the temperature is comparatively high, the snow soon melts.

Hardier plants and vegetables do well in this area. Based on the 1951-1980 period, the average first occurrence of 32 degrees Fahrenheit in the fall is September 24 and the average last occurrence in the spring is May 22.

Non-Subscription Request:

NCDC Customer Services;

Phone: 828-271-4800

Fax: 828-271-4876

Email: ncdc.orders@noaa.gov

OFFICIAL BUSINESS

PENALTY FOR PRIVATE USE \$300

CHANGE SERVICE REQUESTED

FIRST CLASS
POSTAGE & FEES PAID
United States Department of Commerce
NOAA Permit No. G - 19

INQUIRES/COMMENTS CALL: Toll Free (866) 742-3322

Visit our Web Site for other weather data: www.ncdc.noa.gov

For Hard Copy Subscription:

Price and ordering information: NCDC Subscribing Service Center, 310 State Route 956, Building 300, Rocket Center, WV 26726.