




2009 LOCAL CLIMATOLOGICAL DATA ANNUAL SUMMARY WITH COMPARATIVE DATA


ISSN 0198-3997

MANSFIELD, OHIO (KMFD)

Daily Max/Min Temperature



Daily Precipitation



Daily Station Pressure



I CERTIFY THAT THIS IS AN OFFICIAL PUBLICATION OF THE NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION, AND IS COMPILED FROM RECORDS ON FILE AT THE NATIONAL CLIMATIC DATA CENTER.

NATIONAL
OCEANIC AND
ATMOSPHERIC ADMINISTRATION

NATIONAL
ENVIRONMENTAL SATELLITE, DATA
AND INFORMATION SERVICE

NATIONAL
CLIMATIC DATA CENTER
ASHEVILLE, NORTH CAROLINA

Thomas R. Karl
DIRECTOR
NATIONAL CLIMATIC DATA CENTER

METEOROLOGICAL DATA FOR 2009

MANSFIELD (KMFD)

LATITUDE: 40 ° 49'N LONGITUDE: -82 ° 31'W ELEVATION (FT): GRND: 1292 BARO: 1300 TIME ZONE: EASTERN (UTC -5) WBAN: 14891

ELEMENT		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	YEAR	
TEMPERATURE °F	MEAN DAILY MAXIMUM	25.6	37.2	51.8	59.6	70.9	77.5	77.3	79.5	72.7	57.7	53.4	35.4	58.2	
	HIGHEST DAILY MAXIMUM	47	64	71	85	84	90	84	90	80	78	70	51	90	
	DATE OF OCCURRENCE	04	11	18	26+	23	25	28+	16	15+	30	08	09+	AUG 16	
	MEAN DAILY MINIMUM	9.3	21.2	29.3	39.5	48.1	56.7	57.0	59.9	53.3	40.0	37.0	22.7	39.5	
	LOWEST DAILY MINIMUM	-14	-4	8	27	34	44	48	45	35	30	25	7	-14	
	DATE OF OCCURRENCE	17	05	03	12+	18	04	14	31	30	19+	28	29	JAN 17	
	AVERAGE DRY BULB	17.5	29.2	40.6	49.6	59.5	67.1	67.2	69.7	63.0	48.9	45.2	29.1	48.9	
	MEAN WET BULB	16.7	27.1	35.1	43.7	52.7	60.5	61.0	63.6	57.7	44.6	41.1	26.6	44.2	
	MEAN DEW POINT	12.3	22.5	27.1	36.4	45.6	56.0	56.1	59.9	53.8	39.8	36.0	21.2	38.9	
	NUMBER OF DAYS WITH:														
	MAXIMUM >= 90°	0	0	0	0	0	1	0	1	0	0	0	0	0	2
MAXIMUM <= 32°	23	10	4	0	0	0	0	0	0	0	0	12	49		
MINIMUM <= 32°	31	23	20	8	0	0	0	0	0	3	9	26	120		
MINIMUM <= 0°	6	2	0	0	0	0	0	0	0	0	0	0	8		
H/C	HEATING DEGREE DAYS	1465	997	753	484	189	42	17	23	95	492	585	1105	6247	
	COOLING DEGREE DAYS	0	0	0	28	27	112	91	176	42	0	0	0	476	
RH	MEAN (PERCENT)	77	75	63	64	63	70	69	73	75	73	72	73	71	
	HOUR 01 LST	80	77	72	69	74	80	83	87	87	81	79	74	79	
	HOUR 07 LST	80	81	71	69	67	73	76	80	83	81	80	79	77	
	HOUR 13 LST	72	67	51	55	48	55	54	55	57	60	58	67	58	
	HOUR 19 LST	78	76	63	62	61	67	66	75	78	75	73	74	71	
S	PERCENT POSSIBLE SUNSHINE														
W/O	NUMBER OF DAYS WITH:														
	HEAVY FOG(VISBY <= 1/4 MI)	6	4	1	2	3	1	2	1	5	1	1	0	27	
	THUNDERSTORMS	0	0	3	0	3	4	4	5	4	0	0	0	23	
CLOUDNESS	SUNRISE-SUNSET: (OKTAS)														
	CEILOMETER (<= 12,000 FT.)														
	SATELLITE (> 12,000 FT.)														
	MIDNIGHT-MIDNIGHT: (OKTAS)														
	CEILOMETER (<= 12,000 FT.)														
SATELLITE (> 12,000 FT.)															
NUMBER OF DAYS WITH:															
CLEAR															
PARTLY CLOUDY															
CLOUDY															
PR	MEAN STATION PRESS. (IN.)	28.59	28.65	28.71	28.55	28.63	28.51	28.58	28.65	28.70	28.61	28.69	28.63	28.63	
	MEAN SEA-LEVEL PRESS. (IN.)	30.04	30.10	30.14	29.95	30.02	29.88	29.95	30.03	30.09	30.01	30.11	30.05	30.03	
WINDS	RESULTANT SPEED (MPH)	5.7	6.1	1.5	3.2	2.0	1.0	2.7	3.4	0.8	3.2	2.2	5.0	2.9	
	RES. DIR. (TENS OF DEGS.)	22	22	18	21	21	27	24	22	11	20	19	20	22	
	MEAN SPEED (MPH)	10.0	11.2	10.0	10.6	7.8	6.5	5.9	6.7	6.1	8.4	8.3	10.0	8.5	
	PREVAIL.DIR.(TENS OF DEGS.)	25	25	16	21	19	36	26	19	16	22	21	24	25	
	MAXIMUM 2-MINUTE WIND														
	SPEED (MPH)	32	46	36	31	31	43	31	36	30	29	30	38	46	
	DIR. (TENS OF DEGS.)	20	21	18	21	20	32	33	23	26	18	33	24	21	
	DATE OF OCCURRENCE	31	11	31	25	14	19	27	20	28	30	06	09	FEB 11	
	MAXIMUM 3-SECOND WIND:														
	SPEED (MPH)	44	66	51	41	48	54	39	54	45	41	32	55	66	
DIR. (TENS OF DEGS.)	19	20	22	20	25	32	20	22	24	17	22	22	20		
DATE OF OCCURRENCE	31	11	08	24	09	19	25	20	28	30	29	09	FEB 11		
PRECIPITATION	WATER EQUIVALENT:														
	TOTAL (IN.)	2.83	2.46	3.28	3.19	3.90	3.69	3.06	3.16	2.36	4.57	0.87	3.12	36.49	
	GREATEST 24-HOUR (IN.)	0.84	1.26	2.07	0.80	1.77	1.09	1.12	1.20	0.99	1.30	0.32	0.70	2.07	
	DATE OF OCCURRENCE	27-28	11-12	07-08	19-20	27-28	25	22-23	28-29	07	01-02	18-19	02-03	MAR 07-08	
	NUMBER OF DAYS WITH:														
	PRECIPITATION 0.01	16	12	9	16	12	11	10	9	9	15	9	17	145	
PRECIPITATION 0.10	11	5	5	8	8	6	8	6	3	8	4	9	81		
PRECIPITATION 1.00	0	1	1	0	1	1	0	0	0	1	0	0	5		
SNOWFALL	SNOW,ICE PELLETS,HAIL														
	TOTAL (IN.)	43.8	7.0	0.1	1.2	0.0	0.0	0.0	0.0	0.0	0.0	T	11.6	63.7	
	GREATEST 24-HOUR (IN.)	11.1	3.8	0.1	0.7	0.0	0.0	0.0	0.0	0.0	0.0	T	3.4	11.1	
	DATE OF OCCURRENCE	28	19	29	07							27+	27	JAN 28	
	MAXIMUM SNOW DEPTH (IN.)	12	7	T	0	0	0	0	0	0	0	0	4	12	
	DATE OF OCCURRENCE	29	02+	12									31+	JAN 29	
NUMBER OF DAYS WITH:															
SNOWFALL >= 1.0	10	3	0	0	0	0	0	0	0	0	0	5	18		

NORMALS, MEANS, AND EXTREMES MANSFIELD (KMFD)

LATITUDE: 40 ° 49'N LONGITUDE: -82 ° 31'W ELEVATION (FT): GRND: 1292 BARO: 1300 TIME ZONE: EASTERN (UTC -5) WBAN: 14891

ELEMENT		POR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	YEAR
TEMPERATURE °F	NORMAL DAILY MAXIMUM	30	32.4	35.9	46.6	58.4	69.3	77.8	81.8	79.7	73.0	61.7	48.7	37.2	58.5
	MEAN DAILY MAXIMUM	58	33.0	35.7	45.6	58.5	69.2	78.0	81.8	80.1	73.5	62.2	48.6	36.7	58.6
	HIGHEST DAILY MAXIMUM	50	65	71	82	86	92	101	100	97	93	87	78	73	101
	YEAR OF OCCURRENCE		2005	2000	1986	1990	1962	1988	1988	1988	1964	2007	1968	1982	JUN 1988
	MEAN OF EXTREME MAXS.	58	55.6	57.6	70.2	78.8	84.1	89.6	90.8	89.3	86.3	79.2	68.7	58.3	75.7
	NORMAL DAILY MINIMUM	30	16.2	18.7	26.8	36.1	46.7	55.8	60.3	58.9	52.1	41.3	32.2	22.0	38.9
	MEAN DAILY MINIMUM	58	18.5	20.1	28.0	38.2	48.2	57.5	61.7	60.3	53.3	42.9	33.3	23.1	40.4
	LOWEST DAILY MINIMUM	50	-22	-11	-6	8	25	37	43	40	33	20	2	-17	-22
	YEAR OF OCCURRENCE		1994	1982	1980	1982	1966	2003	1988	1965	1995	1988	1976	1989	JAN 1994
	MEAN OF EXTREME MINS.	58	-3.4	0.2	8.8	22.4	33.5	43.7	49.6	48.5	38.4	27.8	17.4	2.5	24.1
	NORMAL DRY BULB	30	24.3	27.3	36.7	47.2	58.0	66.8	71.0	69.3	62.6	51.5	40.5	29.6	48.7
	MEAN DRY BULB	58	25.8	27.9	36.9	48.4	58.7	67.9	71.8	70.2	63.4	52.5	41.0	29.9	49.5
	MEAN WET BULB	26	24.2	26.0	33.3	43.0	52.6	61.6	65.2	64.4	57.9	47.0	37.6	27.7	45.0
	MEAN DEW POINT	26	21.4	22.7	29.3	38.4	49.0	58.5	62.4	62.0	55.0	43.6	34.3	25.2	41.8
	NORMAL NO. DAYS WITH: MAXIMUM >= 90	30	0.0	0.0	0.0	0.0	*	1.1	3.0	1.4	0.4	0.0	0.0	0.0	5.9
MAXIMUM <= 32	30	15.4	11.9	4.4	0.2	0.0	0.0	0.0	0.0	0.0	0.0	2.0	10.7	44.6	
MINIMUM <= 32	30	27.9	23.9	20.4	9.1	0.6	0.0	0.0	0.0	0.0	4.1	15.2	25.2	126.4	
MINIMUM <= 0	30	3.5	2.2	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	7.2	
H/C	NORMAL HEATING DEG. DAYS	30	1246	1045	862	525	240	59	24	23	128	410	720	1082	6364
	NORMAL COOLING DEG. DAYS	30	0	0	1	7	39	129	226	172	72	7	0	0	653
RH	NORMAL (PERCENT)	30			71	66	68	70	71	75	74	71		79	
	HOURLY 01 LST	30			75	75	78	83	84	88	86	80		82	
	HOURLY 07 LST	30	83	82	81	78	79	82	84	89	89	84	82	84	83
	HOURLY 13 LST	30	73	70	63	57	57	59	59	62	61	60	67	74	64
	HOURLY 19 LST	30	78	76	69	61	63	65	66	72	74	71	74	79	71
S	PERCENT POSSIBLE SUNSHINE														
W/O	MEAN NO. DAYS WITH: HEAVY FOG(VISBY <= 1/4 MI)	46	2.8	3.4	2.9	1.9	2.3	1.6	1.8	3.1	2.3	2.3	2.5	3.5	30.4
	THUNDERSTORMS	55	0.3	0.4	1.6	3.2	4.6	6.0	5.9	5.2	2.8	0.8	0.6	0.2	31.6
CLOUDNESS	MEAN: SUNRISE-SUNSET (OKTAS)	30	6.2	6.1	5.9	5.5	5.2	4.8	4.4	4.5	4.6	4.7	6.0	6.3	5.4
	MIDNIGHT-MIDNIGHT (OKTAS)	17	5.6	5.3	5.3	4.8	4.5	4.3	4.1	4.0	4.1	4.1	5.6	5.9	4.8
	MEAN NO. DAYS WITH: CLEAR	30	4.0	3.8	4.8	5.6	6.9	7.3	7.8	8.4	8.7	8.8	4.0	3.5	73.6
	PARTLY CLOUDY	30	6.4	6.4	7.0	8.0	9.5	11.6	13.3	11.3	8.8	7.9	5.9	4.9	101.0
	CLOUDY	30	20.6	18.0	19.2	16.4	14.6	11.2	9.9	11.3	12.5	14.3	20.1	22.6	190.7
PR	MEAN STATION PRESSURE(IN)	26	28.64	28.65	28.63	28.58	28.61	28.62	28.64	28.68	28.69	28.69	28.67	28.67	28.65
	MEAN SEA-LEVEL PRES. (IN)	26	30.09	30.09	30.06	29.99	30.00	29.99	30.02	30.05	30.08	30.09	30.09	30.10	30.05
WINDS	MEAN SPEED (MPH)	26	12.1	11.5	11.6	11.5	10.0	8.8	8.0	7.6	8.3	9.7	11.1	11.3	10.1
	PREVAIL.DIR(TENS OF DEGS)	14	25	26	28	22	24	22	24	24	19	19	23	26	25
	MAXIMUM 2-MINUTE: SPEED (MPH)	13	44	46	47	44	46	45	39	41	51	40	39	44	51
	DIR. (TENS OF DEGS)		21	21	22	20	33	31	26	31	20	32	23	22	20
	YEAR OF OCCURRENCE		2008	2009	2004	2002	2004	2006	1999	2005	2008	1999	1998	2004	SEP 2008
	MAXIMUM 3-SECOND SPEED (MPH)	13	56	66	59	52	60	68	53	54	66	49	54	63	68
	DIR. (TENS OF DEGS)		21	20	21	20	32	31	32	22	21	32	24	25	31
YEAR OF OCCURRENCE		2008	2009	2004	2002	2004	2006	2008	2009	2008	1999	2005	2000	JUN 2006	
PRECIPITATION	NORMAL (IN)	30	2.63	2.17	3.36	4.17	4.42	4.52	4.23	4.60	3.44	2.68	3.76	3.26	43.24
	MAXIMUM MONTHLY (IN)	50	6.08	6.05	7.04	8.68	8.83	10.00	13.23	10.32	7.76	6.45	12.82	11.19	13.23
	YEAR OF OCCURRENCE		2005	2008	1964	1996	1989	1981	1992	2007	1986	1995	1985	1990	JUL 1992
	MINIMUM MONTHLY (IN)	50	0.41	0.29	1.16	0.75	1.50	0.56	0.94	0.63	0.70	0.43	0.70	0.74	0.29
	YEAR OF OCCURRENCE		1981	1978	1960	1971	1961	1988	1975	1970	1998	1963	1976	1976	FEB 1978
	MAXIMUM IN 24 HOURS (IN)	50	2.10	2.79	2.45	2.66	2.62	3.72	5.06	6.25	4.10	3.39	3.17	3.55	6.25
	YEAR OF OCCURRENCE		1992	1961	1964	1996	1989	1978	1969	2007	1979	1995	1993	1990	AUG 2007
	NORMAL NO. DAYS WITH: PRECIPITATION >= 0.01	30	14.2	12.1	14.1	14.1	13.1	11.4	10.0	10.9	9.5	10.2	12.9	14.2	146.7
	PRECIPITATION >= 1.00	30	0.5	0.2	0.6	0.9	0.8	1.1	1.3	1.5	1.1	0.4	0.7	0.7	9.8
SNOWFALL	NORMAL (IN)	30	13.1	9.9	6.8	2.1	0.*	0.0	0.0	0.0	0.0	0.6	2.8	9.7	45.0
	MAXIMUM MONTHLY (IN)	49	43.8	25.8	21.4	18.1	1.4	T	0.0	0.0	T	10.3	8.7	28.7	43.8
	YEAR OF OCCURRENCE		2009	2007	2008	1982	1966	2007			1970	1993	2000	2004	JAN 2009
	MAXIMUM IN 24 HOURS (IN)	49	12.0	10.0	8.0	11.8	1.4	T	0.0	0.0	T	8.6	4.4	15.2	15.2
	YEAR OF OCCURRENCE		1968	1985	1987	1987	1966	1995			1970	1993	2000	2004	DEC 2004
	MAXIMUM SNOW DEPTH (IN)	52	22	20	15	10	0	0	0	0	0	2	13	15	22
	YEAR OF OCCURRENCE		1978	1978	2008	1987						1993	1950	1995	JAN 1978
NORMAL NO. DAYS WITH: SNOWFALL >= 1.0	30	3.7	3.2	2.2	0.6	0.0	0.0	0.0	0.0	0.0	0.2	1.0	2.9	13.8	

PRECIPITATION (inches) 2009 MANSFIELD (KMFD)

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
1980	1.30	1.44	5.72	3.34	4.11	6.31	5.01	4.41	2.45	1.98	2.01	2.15	40.23
1981	0.41	3.41	1.71	5.62	4.49	10.00	2.04	5.08	4.41	2.62	1.53	3.50	44.82
1982	4.53	1.76	5.18	1.93	3.73	6.09	4.08	5.09	2.52	0.99	6.82	4.68	47.40
1983	1.67	1.16	2.43	5.80	5.68	2.92	4.61	4.51	5.16	4.60	6.49	3.37	48.40
1984	1.22	2.91	4.68	5.48	6.23	1.25	3.55	4.43	3.78	3.71	4.15	4.41	45.80
1985	1.49	2.09	6.17	1.42	6.57	3.13	3.00	6.90	1.63	2.46	12.82	3.17	50.85
1986	1.62	4.34	3.92	3.51	3.72	6.67	8.56	4.00	7.76	4.57	3.94	3.71	56.32
1987	1.35	0.82	3.06	4.00	3.76	8.87	6.92	7.44	0.81	2.42	1.60	3.01	44.06
1988	2.04	3.23	2.63	3.89	2.84	0.56	4.90	5.34	2.60	2.29	5.41	2.44	38.17
1989	2.82	1.94	4.29	3.74	8.83	6.40	3.96	0.64	3.10	3.20	4.42	2.06	45.40
1990	2.39	4.74	1.74	4.58	7.79	5.21	9.59	6.95	4.94	5.66	2.44	11.19	67.22
1991	2.65	1.55	3.56	4.70	4.05	1.02	1.97	3.50	3.09	1.86	1.81	2.78	32.54
1992	3.59	2.09	3.21	4.17	3.00	3.05	13.23	2.62	4.07	2.68	7.63	2.35	51.69
1993	5.54	2.02	5.70	6.12	2.52	6.02	1.92	0.94	5.50	3.19	7.23	2.53	49.23
1994	2.52	0.84	2.10	6.96	2.95	5.91	3.67	5.01	1.99	1.01	4.09	4.01	41.06
1995	5.69	1.53	2.53	4.85	6.13	5.19	2.38	8.65	1.19	6.45	4.14	2.07	50.80
1996	5.05	3.36	5.52	8.68	3.70	5.34	3.21	2.86	6.25	2.33	2.49	4.27	53.06
1997	1.78	1.73	3.32	2.21	7.88	3.79	5.04	4.55	3.06	1.39	1.84	2.27	38.86
1998	2.96	2.50	1.97	4.81	1.95	7.29	3.41	5.96	0.70	2.84	1.55	1.55	37.49
1999	3.73	2.41	1.56	5.34	2.71	1.66	5.51	2.15	1.62	2.43	2.29	2.70	34.11
2000	3.03	2.59	2.13	4.37	5.14	4.66	3.33	5.39	2.55	2.05	2.02	3.12	40.38
2001	1.23	1.61	1.72	4.21	3.80	3.15	1.07	4.30	2.46	4.79	3.18	2.52	34.04
2002	2.15	1.71	3.81	4.83	4.62	4.30	2.40	3.14	2.86	1.79	2.88	2.74	37.23
2003	1.32	1.96	2.67	2.10	5.24	2.49	6.01	4.52	6.54	2.33	3.16	3.27	41.61
2004	3.78	0.83	4.26	3.13	6.96	6.87	4.47	2.54	2.92	2.48	3.55	3.01	44.80
2005	6.08	1.80	2.50	4.92	2.07	3.51	3.05	4.99	2.87	2.60	2.43	1.35	38.17
2006	2.74	2.46	3.21	2.82	5.58	4.06	6.39	2.71	2.62	4.39	3.14	3.05	43.17
2007	5.21	1.86	4.26	3.04	1.68	3.88	4.09	10.32	3.73	3.10	3.01	4.61	48.79
2008	2.84	6.05	5.70	1.96	4.57	6.64	3.30	0.72	4.29	1.46	2.68	4.86	45.07
2009	2.83	2.46	3.28	3.19	3.90	3.69	3.06	3.16	2.36	4.57	0.87	3.12	36.49
POR= 58 YRS	2.75	2.17	3.29	3.81	4.12	3.97	3.99	3.92	3.19	2.46	3.28	2.97	39.92

WBAN : 14891

AVERAGE TEMPERATURE (°F) 2009 MANSFIELD (KMFD)

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
1980	25.7	21.4	33.9	46.9	58.3	62.8	72.7	73.9	65.2	49.0	39.5	30.4	48.3
1981	22.3	32.4	37.0	51.8	57.1	69.7	72.8	70.5	62.8	51.3	43.4	28.5	50.0
1982	18.6	24.8	36.1	43.2	64.1	62.4	70.9	67.2	60.9	54.6	44.1	39.5	48.9
1983	29.2	33.1	40.6	47.5	56.5	69.7	75.6	74.9	65.5	53.9	44.4	22.3	51.1
1984	20.2	34.5	28.7	48.5	55.9	72.2	70.1	71.1	61.0	58.3	41.0	38.2	50.0
1985	21.0	25.2	42.0	54.4	60.7	63.0	70.7	68.6	64.8	54.4	45.2	23.1	49.4
1986	26.4	28.2	39.7	51.8	61.1	67.4	72.7	67.5	66.2	53.8	38.8	31.2	50.4
1987	26.2	31.1	39.6	49.0	62.8	69.7	73.9	70.1	63.7	46.7	45.1	32.8	50.9
1988	23.9	24.7	36.7	47.0	60.7	68.4	75.6	73.3	62.9	45.1	42.4	29.1	49.2
1989	34.5	24.3	38.8	45.4	55.8	67.5	72.5	69.5	62.7	52.6	38.8	17.0	48.3
1990	34.5	34.1	42.0	48.5	55.8	67.1	70.0	68.9	62.9	52.8	44.0	34.7	51.3
1991	26.2	32.3	41.1	52.8	67.5	71.1	74.1	71.8	63.4	55.2	38.0	32.5	52.2
1992	28.2	32.1	36.2	47.6	57.2	64.2	70.5	66.5	61.5	48.6	41.0	32.3	48.8
1993	30.6	24.2	33.7	47.6	59.4	67.2	73.9	71.3	61.0	49.9	40.7	29.4	49.1
1994	17.8	25.2	35.4	49.8	54.3	69.2	71.7	67.7	62.8	53.2	46.2	36.2	49.1
1995	27.3	24.5	40.4	46.7	58.6	71.0	74.1	76.2	61.6	54.8	36.1	25.7	49.8
1996	24.7	26.2	30.8	45.8	57.1	69.2	69.1	70.4	62.2	51.9	33.8	33.4	47.9
1997	23.9	32.2	38.4	44.8	52.1	67.6	70.3	66.3	61.6	51.5	37.0	31.3	48.1
1998	33.5	37.3	39.7	48.7	64.2	67.5	70.3	70.8	66.0	52.3	43.0	34.9	52.4
1999	26.4	32.7	32.9	50.9	61.3	69.5	73.7	67.4	63.2	51.4	44.0	31.5	50.4
2000	23.9	33.7	42.4	47.6	61.4	68.3	68.5	68.2	62.0	55.2	38.4	19.8	49.1
2001	26.4	31.1	33.3	52.3	59.6	67.6	70.9	71.1	60.7	52.9	47.6	35.1	50.7
2002	33.1	32.3	36.6	50.1	55.4	70.0	75.0	72.6	67.0	49.5	38.1	28.6	50.7
2003	18.7	22.6	38.7	49.8	56.9	64.5	69.8	70.7	61.1	49.5	44.5	30.8	48.1
2004	20.1	27.5	39.7	48.7	62.6	65.7	69.9	66.6	64.5	52.0	42.9	28.8	49.1
2005	25.6	29.6	32.5	49.6	54.9	71.7	73.3	72.6	66.3	52.2	42.8	25.6	49.7
2006	37.1	28.9	36.4	52.1	58.1	65.9	72.9	71.8	60.8	48.9	43.2	37.1	51.1
2007	30.2	17.5	41.3	46.4	62.9	68.6	69.2	72.7	66.2	58.6	40.1	31.1	50.4
2008	28.0	26.0	33.7	51.3	55.6	69.3	71.6	69.2	65.5	50.4	38.0	29.1	49.0
2009	17.5	29.2	40.6	49.6	59.5	67.1	67.2	69.7	63.0	48.9	45.2	29.1	48.9
POR= 58 YRS	25.8	27.9	36.9	48.4	58.7	67.9	71.8	70.2	63.4	52.5	41.0	29.9	49.5

HEATING DEGREE DAYS (base 65°F) 2009 MANSFIELD (KMFD)

YEAR	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	TOTAL
1980-81	4	3	86	490	757	1067	1318	908	859	389	259	12	6152
1981-82	5	7	128	418	637	1127	1434	1120	887	645	79	106	6593
1982-83	8	41	161	325	624	786	1102	886	751	521	266	39	5510
1983-84	8	0	106	347	613	1319	1383	880	1123	493	298	5	6575
1984-85	9	9	172	214	713	825	1361	1108	706	344	177	88	5726
1985-86	2	11	128	323	587	1293	1191	1025	783	403	174	52	5972
1986-87	4	56	72	354	783	1043	1196	945	782	476	168	29	5908
1987-88	5	24	88	562	593	993	1266	1165	870	534	178	71	6349
1988-89	7	13	97	617	672	1111	940	1135	812	578	312	37	6331
1989-90	3	12	132	394	779	1483	939	859	716	517	282	61	6177
1990-91	13	9	135	375	623	931	1197	909	735	377	92	15	5411
1991-92	0	1	143	321	803	999	1131	948	886	524	259	82	6097
1992-93	14	42	158	501	716	1008	1060	1135	961	516	192	62	6365
1993-94	0	8	158	460	722	1096	1456	1107	910	463	341	51	6772
1994-95	7	38	115	361	558	883	1159	1125	758	542	209	10	5765
1995-96	6	0	130	313	860	1209	1242	1121	1053	571	291	26	6822
1996-97	17	0	131	402	930	973	1266	912	820	598	392	48	6489
1997-98	9	41	124	442	837	1039	967	767	788	483	93	83	5673
1998-99	5	4	64	392	655	926	1190	897	987	416	138	51	5725
1999-00	8	13	121	415	621	1031	1263	900	695	513	163	57	5800
2000-01	10	22	161	303	789	1396	1192	943	975	395	185	63	6434
2001-02	13	3	155	376	514	920	979	911	873	472	313	28	5557
2002-03	0	3	56	501	801	1121	1424	1180	809	454	258	88	6695
2003-04	4	5	135	474	608	1053	1382	1079	777	491	149	64	6221
2004-05	10	50	77	395	656	1117	1217	986	999	461	312	14	6294
2005-06	0	4	32	408	661	1216	860	1003	873	380	256	54	5747
2006-07	6	0	137	496	647	858	1072	1322	728	551	151	32	6000
2007-08	14	5	72	243	740	1043	1142	1127	965	409	301	27	6088
2008-09	3	5	46	446	800	1108	1465	997	753	484	189	42	6338
2009-	17	23	95	492	585	1105							

WBAN : 14891

COOLING DEGREE DAYS (base 65°F) 2009 MANSFIELD (KMFD)

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	TOTAL
1980	0	0	0	0	17	57	249	285	102	1	0	0	711
1981	0	0	0	2	20	159	255	186	68	3	0	0	693
1982	0	0	0	1	59	33	197	118	47	11	3	3	472
1983	0	0	0	4	12	185	344	313	127	9	0	0	994
1984	0	0	0	6	22	228	176	205	57	14	0	0	708
1985	0	0	0	36	53	36	187	129	129	0	0	0	570
1986	0	0	6	15	60	129	247	139	118	11	0	0	725
1987	0	0	0	3	108	176	287	189	56	0	2	0	821
1988	0	0	0	0	49	182	343	281	40	6	0	0	901
1989	0	0	4	0	33	116	243	160	71	15	0	0	642
1990	0	0	10	28	6	131	175	139	80	5	0	0	574
1991	0	0	0	19	177	205	287	219	104	25	0	0	1036
1992	0	0	0	7	25	66	191	94	60	0	0	0	443
1993	0	0	0	0	24	136	285	211	44	2	0	0	702
1994	0	0	0	14	16	183	220	129	51	0	0	0	613
1995	0	0	0	0	16	196	295	356	37	4	0	0	904
1996	0	0	0	0	54	156	151	175	54	0	0	0	590
1997	0	0	0	0	0	135	176	86	28	31	0	0	456
1998	0	0	14	0	72	163	174	189	99	5	0	0	716
1999	0	0	0	2	32	191	281	97	74	0	0	0	677
2000	0	0	2	0	60	162	126	127	74	6	0	0	557
2001	0	0	0	18	23	146	203	201	34	7	0	0	632
2002	0	0	0	31	23	185	315	245	125	29	0	0	953
2003	0	0	0	6	13	81	162	190	24	2	0	0	478
2004	0	0	0	8	78	94	167	110	71	0	0	0	528
2005	0	0	0	4	6	223	265	245	78	18	0	0	839
2006	0	0	0	2	54	84	257	219	16	3	0	0	635
2007	0	0	0	2	91	149	151	250	114	51	0	0	808
2008	0	0	0	5	16	161	213	141	71	2	0	0	609
2009	0	0	0	28	27	112	91	176	42	0	0	0	476

SNOWFALL (inches) 2009 MANSFIELD (KMFD)

YEAR	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	TOTAL
1980-81	0.0	0.0	0.0	T	7.4	11.5	9.9	7.1	7.5	0.0	0.0	0.0	43.4
1981-82	0.0	0.0	0.0	T	3.3	16.1	16.5	6.6	11.0	13.4	0.0	0.0	66.9
1982-83	0.0	0.0	0.0	0.0	1.0	3.3	1.6	5.9	3.9	0.9	0.0	0.0	16.6
1983-84	0.0	0.0	0.0	0.0	3.7	9.7	11.6	19.1	13.4	0.2	0.0	0.0	57.7
1984-85	0.0	0.0	0.0	0.0	0.7	7.1	20.3	18.2	0.5	2.2	0.0	0.0	49.0
1985-86	0.0	0.0	0.0	0.0	T	13.3	8.6	7.4	5.7	2.8	0.0	0.0	37.8
1986-87	0.0	0.0	0.0	0.0	5.7	0.2	10.5	2.6	10.6	13.0	0.0	0.0	42.6
1987-88	0.0	0.0	0.0	T	0.9	13.8	7.5	11.1	14.9	0.3	0.0	0.0	48.5
1988-89	0.0	0.0	0.0	0.5	2.1	8.1	3.4	6.3	6.0	0.7	1.1	0.0	28.2
1989-90	0.0	0.0	0.0	3.1	0.9	11.9	7.3	5.8	2.4	1.3	0.0	0.0	32.7
1990-91	0.0	0.0	0.0	0.0	T	6.0	7.0	9.1	2.7	T	0.0	0.0	24.8
1991-92	0.0	0.0	0.0	0.0	3.1	4.2	19.1	2.2	4.6	4.2	0.0	0.0	37.4
1992-93	0.0	0.0	0.0	1.1	2.6	7.3	5.5	15.1	17.1	0.1	0.0	0.0	48.8
1993-94	0.0	0.0	0.0	10.3	2.2	8.0	20.6	12.2	6.6	1.9	0.0	T	61.8
1994-95	0.0	0.0	0.0	0.0	T	3.0	15.1	7.8	3.9	0.3	0.0	T	30.1
1995-96	0.0	0.0	0.0	T	4.1	23.4	30.4		16.8	5.4			
1996-97													
1997-98							2.1	0.2	5.8	0.0	0.0	0.0	
1998-99	0.0	0.0	0.0	0.0	0.0	3.1	22.0	10.3	11.9	T	0.0	0.0	47.3
1999-00	0.0	0.0	0.0	T	2.3	4.7	16.9	7.7	2.7	0.7	0.0	0.0	35.0
2000-01	0.0	0.0	0.0	0.0	8.7	22.1	9.2	2.2	12.3	0.5	0.0	0.0	55.0
2001-02	0.0	0.0	0.0	0.0	0.0	5.2	5.1	10.9	9.6	1.5	0.0	0.0	32.3
2002-03	0.0	0.0	0.0	0.1	6.5	11.3	19.0	16.5	3.6	T	0.0	0.0	57.0
2003-04	0.0	0.0	0.0	0.0	2.1	23.3	18.9	5.0	9.5	1.0	0.0	0.0	59.8
2004-05	0.0	0.0	0.0	0.0	0.8	28.7	15.2	7.0	16.3	18.1	0.0	0.0	86.1
2005-06	0.0	0.0	0.0	0.0	2.0	11.3	2.7	11.5	4.1	T	0.0	0.0	31.6
2006-07	0.0	0.0	0.0	T	0.8	0.6	8.4	25.8	4.0	3.9	0.0	T	43.5
2007-08	0.0	0.0	0.0	0.0	T	19.4	13.8	25.0	21.4	T	0.0	0.0	79.6
2008-09	0.0	0.0	0.0	T	6.0	6.2	43.8	7.0	0.1	1.2	0.0	0.0	64.3
2009-	0.0	0.0	0.0	0.0	T	11.6							
POR= 55 YRS	0.0	0.0	0.0	0.3	2.6	9.3	11.8	9.6	7.4	1.9	0.0	T	42.9

WBAN : 14891

REFERENCE NOTES :

<p>PAGE 1: THE TEMPERATURE GRAPH SHOWS NORMAL MAXIMUM AND NORMAL MINIMUM DAILY TEMPERATURES (SOLID CURVES) AND THE ACTUAL DAILY HIGH AND LOW TEMPERATURES (VERTICAL BARS).</p> <p>PAGE 2 AND 3: H/C INDICATES HEATING AND COOLING DEGREE DAYS. RH INDICATES RELATIVE HUMIDITY W/O INDICATES WEATHER AND OBSTRUCTIONS S INDICATES SUNSHINE. PR INDICATES PRESSURE. CLOUDINESS ON PAGE 3 IS THE SUM OF THE CEILOMETER AND SATELLITE DATA NOT TO EXCEED EIGHT EIGHTHS(OKTAS).</p> <p>GENERAL: T INDICATES TRACE PRECIPITATION, AN AMOUNT GREATER THAN ZERO BUT LESS THAN THE LOWEST REPORTABLE VALUE. + INDICATES THE VALUE ALSO OCCURS ON EARLIER DATES. BLANK ENTRIES DENOTE MISSING OR UNREPORTED DATA. NORMALS ARE 30-YEAR AVERAGES (1971 - 2000). ASOS INDICATES AUTOMATED SURFACE OBSERVING SYSTEM. PM INDICATES THE LAST DAY OF THE PREVIOUS MONTH. POR (PERIOD OF RECORD) BEGINS WITH THE JANUARY DATA MONTH AND IS THE NUMBER OF YEARS USED TO COMPUTE THE MEAN. INDIVIDUAL MONTHS WITHIN THE POR MAY BE MISSING. WHEN THE POR FOR A NORMAL IS LESS THAN 30 YEARS, THE NORMAL IS PROVISIONAL AND IS BASED ON THE NUMBER OF YEARS INDICATED. 0.* OR * INDICATES THE VALUE OR MEAN-DAYS-WITH IS BETWEEN 0.00 AND 0.05. CLOUDINESS FOR ASOS STATIONS DIFFERS FROM THE NON-ASOS OBSERVATION TAKEN BY A HUMAN OBSERVER. ASOS STATION CLOUDINESS IS BASED ON TIME-AVERAGED CEILOMETER DATA FOR CLOUDS AT OR BELOW 12,000 FEET AND ON SATELLITE DATA FOR CLOUDS ABOVE 12,000 FEET. THE NUMBER OF DAYS WITH CLEAR, PARTLY CLOUDY, AND CLOUDY CONDITIONS FOR ASOS STATIONS IS THE SUM OF THE CEILOMETER AND SATELLITE DATA FOR THE SUNRISE TO SUNSET PERIOD. CLEAR INDICATES 0 - 2 OKTAS, PARTLY CLOUDY INDICATES 3 - 6 OKTAS, AND CLOUDY INDICATES 7 OR 8 OKTAS. WHEN AT LEAST ONE OF THE ELEMENTS (CEILOMETER OR SATELLITE) IS MISSING, THE DAILY CLOUDINESS IS NOT COMPUTED.</p>	<p>GENERAL CONTINUED: WIND DIRECTION IS RECORDED IN TENS OF DEGREES (2 DIGITS) CLOCKWISE FROM TRUE NORTH. "00" INDICATES CALM. "36" INDICATES TRUE NORTH. RESULTANT WIND IS THE VECTOR AVERAGE OF THE SPEED AND DIRECTION. AVERAGE TEMPERATURE IS THE SUM OF THE MEAN DAILY MAXIMUM AND MINIMUM TEMPERATURE DIVIDED BY 2. SNOWFALL DATA COMPRISE ALL FORMS OF FROZEN PRECIPITATION, INCLUDING HAIL. A HEATING (COOLING) DEGREE DAY IS THE DIFFERENCE BETWEEN THE AVERAGE DAILY TEMPERATURE AND 65 F. DRY BULB IS THE TEMPERATURE OF THE AMBIENT AIR. DEW POINT IS THE TEMPERATURE TO WHICH THE AIR MUST BE COOLED TO ACHIEVE 100 PERCENT RELATIVE HUMIDITY. WET BULB IS THE TEMPERATURE THE AIR WOULD HAVE IF THE MOISTURE CONTENT WAS INCREASED TO 100 PERCENT RELATIVE HUMIDITY. ON JULY 1, 1996, THE NATIONAL WEATHER SERVICE BEGAN USING THE "METAR" OBSERVATION CODE THAT WAS ALREADY EMPLOYED BY MOST OTHER NATIONS OF THE WORLD. THE MOST NOTICEABLE DIFFERENCE IN THIS ANNUAL PUBLICATION WILL BE THE CHANGE IN UNITS FROM TENTHS TO EIGHTHS(OKTAS) FOR REPORTING THE AMOUNT OF SKY COVER. STATION HISTORY STOPPED WITH THE 2009 ANNUAL. IF YOU NEED HISTORY GO TO "MULTI-NETWORK METADATA SYSTEM", URL IS: https://mi3.ncdc.noaa.gov/mi3qry/login.cfm</p> <p>NOTE: The "Period of Record:(POR) for all "averages" is based on the "Summary of the Day First Order Station" and "Cooperative Summary of the Day" archives.</p>
--	--

2009

MANSFIELD

OHIO (KMFD)

Mansfield is in the north central highlands at the geographical and climatological junction of central Ohio, northwest Ohio, and northeast Ohio. The station is on a plateau 3 miles north of the city of Mansfield and surrounded by rolling open farmland. The general elevation ranges from around 1,300 to 1,400 feet above sea level with the 1,000-foot contour east to west some 15 miles to the north. The climate is continental, with the modifying effects of Lake Erie most pronounced in winter. Lake Erie is just 38 miles due north.

The lake influence, plus the elevation, produce cloudy skies and considerable snow shower activity from late November into April with any wind flow from northwest through northeast. Because of this, any windshift with a cold frontal passage in winter does not bring the clearing skies, indeed, more snow is often measured from the flurry activity behind the front than from the pre-frontal conditions. A frozen Lake Erie will allow clearing skies, but an open lake dictates overcast and snow flurries. Usually the lake is open enough to set off the flurries and cloudy conditions. The major snow producer will be an intense storm moving out of the southwest with the Gulf of Mexico moisture available. Snow cover is almost constant from December through March due to almost daily snow flurries, but the depth of cover is rarely more than 8 inches. Daytime winter temperatures are not above the freezing mark too often.

Spring is a short period of rapid transition from hard winter to summer conditions. April usually brings abundant shower activity and the crops and vegetation get a quick start.

Summer is a pleasant season with low humidities and no extremely high temperatures. Rarely does the temperature climb above the 90 degree point. Thunderstorms average about once every three days during the season from June through September. Highest winds are associated with the heavier thunderstorms, and while hail does not occur often, it is of major concern to the applegrowers in the area. Flooding problems are confined to the flash-flood type on the small streams in the area.

The growing season is normally about 153 days. Autumn usually produces many clear warm days and cool invigorating nights. Ground fog is at a maximum incidence during the autumn. Little rainfall occurs to interfere with harvest time and county fair time.

Non-Subscription Request:

NCDC Customer Services;

Phone: 828-271-4800

Fax: 828-271-4876

Email: ncdc.orders@noaa.gov

OFFICIAL BUSINESS

PENALTY FOR PRIVATE USE \$300

CHANGE SERVICE REQUESTED

FIRST CLASS
POSTAGE & FEES PAID
United States Department of Commerce
NOAA Permit No. G - 19

INQUIRES/COMMENTS CALL: Toll Free (866) 742-3322

Visit our Web Site for other weather data: www.ncdc.noa.gov

For Hard Copy Subscription:

Price and ordering information: NCDC Subscribing Service Center, 310 State Route 956, Building 300, Rocket Center, WV 26726.