




2010 LOCAL CLIMATOLOGICAL DATA ANNUAL SUMMARY WITH COMPARATIVE DATA


ISSN 0198-5302

BURLINGTON, VERMONT (KBTV)

Daily Max/Min Temperature



Daily Precipitation



Daily Station Pressure



I CERTIFY THAT THIS IS AN OFFICIAL PUBLICATION OF THE NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION, AND IS COMPILED FROM RECORDS ON FILE AT THE NATIONAL CLIMATIC DATA CENTER.

NATIONAL
OCEANIC AND
ATMOSPHERIC ADMINISTRATION

NATIONAL
ENVIRONMENTAL SATELLITE, DATA
AND INFORMATION SERVICE

NATIONAL
CLIMATIC DATA CENTER
ASHEVILLE, NORTH CAROLINA

Thomas R. Karl
DIRECTOR
NATIONAL CLIMATIC DATA CENTER

METEOROLOGICAL DATA FOR 2010

BURLINGTON (KBTV)

LATITUDE: 44° 28'N LONGITUDE: -73° 9'W ELEVATION (FT): GRND: 330 BARO: 348 TIME ZONE: EASTERN (UTC -5) WBAN: 14742

ELEMENT		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	YEAR	
TEMPERATURE °F	MEAN DAILY MAXIMUM	28.5	31.5	47.1	60.6	72.4	74.6	83.7	80.5	71.5	55.9	44.8	29.3	56.7	
	HIGHEST DAILY MAXIMUM	54	45	66	82	92	85	96	92	92	72	63	57	96	
	DATE OF OCCURRENCE	25	26	19	03	26	20	08	31	03+	26	14	01	JUL 08	
	MEAN DAILY MINIMUM	15.5	20.5	28.9	37.9	47.7	55.9	63.2	59.7	54.0	39.5	30.3	17.6	39.2	
	LOWEST DAILY MINIMUM	-6	5	14	28	28	44	48	49	39	29	18	0	-6	
	DATE OF OCCURRENCE	10	06	27	14	11	09	31	21+	21	19	25	10	JAN 10	
	AVERAGE DRY BULB	22.0	26.0	38.0	49.3	60.1	65.3	73.5	70.1	62.8	47.7	37.6	23.5	48.0	
	MEAN WET BULB	20.5	23.3	33.3	43.0	52.6	59.9	66.6	63.3	57.5	44.2	34.5	22.3	43.4	
	MEAN DEW POINT	15.8	17.5	25.5	35.0	44.9	55.9	62.5	59.1	53.6	39.6	29.2	18.0	38.1	
	NUMBER OF DAYS WITH:														
	MAXIMUM >= 90°	0	0	0	0	2	0	5	1	3	0	0	0	0	11
	MAXIMUM <= 32°	20	16	0	0	0	0	0	0	0	0	2	22	60	
	MINIMUM <= 32°	29	28	24	8	2	0	0	0	0	5	20	29	145	
MINIMUM <= 0°	6	0	0	0	0	0	0	0	0	0	0	1	7		
H/C	HEATING DEGREE DAYS	1325	1087	829	470	196	68	11	11	135	530	817	1280	6759	
	COOLING DEGREE DAYS	0	0	0	6	50	82	283	178	75	0	0	0	674	
RH	MEAN (PERCENT)	76	71	65	64	60	74	71	71	74	75	73	78	71	
	HOUR 01 LST	81	77	74	80	77	88	87	86	84	84	76	82	81	
	HOUR 07 LST	80	77	71	69	63	78	72	76	78	80	81	82	76	
	HOUR 13 LST	70	62	54	47	42	59	53	51	59	63	63	68	58	
	HOUR 19 LST	75	72	64	58	56	73	70	71	74	73	75	80	70	
S	PERCENT POSSIBLE SUNSHINE														
W/O	NUMBER OF DAYS WITH:														
	HEAVY FOG(VISBY <= 1/4 MI)	3	4	2	2	0	1	0	0	0	0	0	3	15	
	THUNDERSTORMS	0	0	0	1	2	0	5	5	2	0	0	0	15	
CLOUDNESS	SUNRISE-SUNSET: (OKTAS)														
	CEILOMETER (<= 12,000 FT.)														
	SATELLITE (> 12,000 FT.)														
	MIDNIGHT-MIDNIGHT: (OKTAS)														
	CEILOMETER (<= 12,000 FT.)														
SATELLITE (> 12,000 FT.)															
NUMBER OF DAYS WITH:															
CLEAR															
PARTLY CLOUDY															
CLOUDY															
PR	MEAN STATION PRESS. (IN.)	29.56	29.41	29.57	29.51	29.59	29.49	29.55	29.60	29.55	29.49	29.71	29.47	29.54	
	MEAN SEA-LEVEL PRESS. (IN.)	29.94	29.79	29.95	29.88	29.96	29.86	29.90	29.97	29.91	29.86	30.09	29.86	29.91	
WINDS	RESULTANT SPEED (MPH)	1.7	4.3	3.5	2.4	2.1	1.4	2.2	2.2	3.6	2.8	1.6	3.1	1.8	
	RES. DIR. (TENS OF DEGS.)	28	33	33	30	27	24	23	20	21	30	28	31	29	
	MEAN SPEED (MPH)	6.6	6.6	7.2	7.2	6.5	6.0	6.0	5.8	7.3	7.1	7.8	8.4	6.9	
	PREVAIL.DIR.(TENS OF DEGS.)	19	34	35	34	19	18	19	18	18	18	18	30	18	
	MAXIMUM 2-MINUTE WIND														
	SPEED (MPH)	31	30	25	29	36	26	26	28	33	32	30	35	36	
	DIR. (TENS OF DEGS.)	14	12	19	32	29	32	34	32	20	35	18	16	29	
	DATE OF OCCURRENCE	25	26	28	29	04	29	21	06	07	15	22	01	MAY 04	
	MAXIMUM 3-SECOND WIND:														
	SPEED (MPH)	43	40	35	37	55	35	35	38	48	47	39	53	55	
DIR. (TENS OF DEGS.)	16	12	20	32	27	33	33	33	20	35	18	13	27		
DATE OF OCCURRENCE	25	26	28	29	04	29	21	10	07	15	22	01	MAY 04		
PRECIPITATION	WATER EQUIVALENT:														
	TOTAL (IN.)	2.41	2.13	2.85	3.08	1.52	5.87	2.25	3.51	4.17	6.24	3.10	3.60	40.73	
	GREATEST 24-HOUR (IN.)	1.05	1.47	1.63	0.83	0.38	1.35	0.72	0.87	1.46	2.18	0.80	1.37	2.18	
	DATE OF OCCURRENCE	24-25	23-24	22-23	27-28	04	05-06	09-10	08-09	30	15-16	04-05	12-13	OCT 15-16	
	NUMBER OF DAYS WITH:														
	PRECIPITATION 0.01	14	13	11	12	11	16	11	12	17	14	13	19	163	
PRECIPITATION 0.10	4	5	5	8	5	11	7	9	8	13	7	8	90		
PRECIPITATION 1.00	1	1	1	0	0	1	0	0	1	2	0	1	8		
SNOWFALL	SNOW,ICE PELLETS,HAIL														
	TOTAL (IN.)	48.4	24.0	0.9	5.5	T	0.0	T	0.0	0.0	0.1	0.3	27.9	107.1	
	GREATEST 24-HOUR (IN.)	18.9	12.9	0.6	2.8	T	0.0	T	0.0	0.0	0.1	0.3	4.1	18.9	
	DATE OF OCCURRENCE	02	24	24	27	26+		21			31	27	13+	JAN 02	
	MAXIMUM SNOW DEPTH (IN.)	26	13	5	T	0	0	0	0	0	0	T	8	26	
	DATE OF OCCURRENCE	03	24	02+	28							28+	23	JAN 03	
NUMBER OF DAYS WITH:															
SNOWFALL >= 1.0	4	5	0	2	0	0	0	0	0	0	0	11	22		

NORMALS, MEANS, AND EXTREMES

BURLINGTON (KBTV)

LATITUDE:
44 ° 28'N

LONGITUDE:
-73 ° 9 'W

ELEVATION (FT):
GRND: 330 BARO: 348

TIME ZONE:
EASTERN (UTC -5)

WBAN: 14742

ELEMENT		POR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	YEAR
TEMPERATURE °F	NORMAL DAILY MAXIMUM	30	26.7	29.0	39.6	53.3	67.8	76.5	81.4	78.4	68.9	56.4	44.0	32.3	54.5
	MEAN DAILY MAXIMUM	105	26.5	27.3	38.6	52.2	66.4	74.5	80.1	77.7	68.5	57.2	43.3	31.4	53.6
	HIGHEST DAILY MAXIMUM	67	66	62	84	91	93	100	100	101	98	85	75	67	101
	YEAR OF OCCURRENCE		1995	1981	1998	1976	1977	1995	1995	1944	2002	1949	1948	1998	AUG 1944
	MEAN OF EXTREME MAXS.	105	48.5	47.2	61.3	75.9	84.9	90.4	92.2	90.1	85.0	75.0	64.6	52.1	72.3
	NORMAL DAILY MINIMUM	30	9.3	10.9	21.8	33.6	45.2	54.7	59.8	58.1	49.9	38.9	30.3	17.3	35.8
	MEAN DAILY MINIMUM	105	9.7	10.3	21.7	33.5	45.3	54.4	59.9	58.0	49.7	39.7	29.7	16.7	35.7
	LOWEST DAILY MINIMUM	67	-30	-30	-20	2	24	33	39	35	25	15	15	-2	-26
	YEAR OF OCCURRENCE		1957	1979	1948	1972	1966	1986	1962	1976	1963	1972	1958	1980	FEB 1979
	MEAN OF EXTREME MINS.	105	-13.9	-11.9	-0.7	19.3	30.4	39.9	47.4	44.3	34.0	24.3	12.3	-6.7	18.2
	NORMAL DRY BULB	30	18.0	19.9	30.7	43.5	56.5	65.6	70.6	68.2	59.4	47.7	37.1	24.8	45.2
	MEAN DRY BULB	105	18.1	18.8	30.1	42.9	55.9	64.6	70.0	67.9	59.1	48.5	36.5	24.1	44.7
	MEAN WET BULB	27	16.8	18.0	26.0	37.7	48.7	58.5	63.1	61.8	54.7	43.4	33.8	22.9	40.5
	MEAN DEW POINT	27	13.1	13.8	21.7	32.9	44.6	54.9	60.1	59.1	52.1	40.0	30.2	19.4	36.8
	NORMAL NO. DAYS WITH: MAXIMUM >= 90	30	0.0	0.0	0.0	0.1	0.6	1.4	3.1	1.1	0.2	0.0	0.0	0.0	6.5
	MAXIMUM <= 32	30	20.7	17.0	8.0	0.6	0.0	0.0	0.0	0.0	0.0	0.0	3.9	14.5	64.7
MINIMUM <= 32	30	29.4	26.2	25.2	13.9	1.6	0.0	0.0	0.0	0.6	8.6	18.1	27.5	151.1	
MINIMUM <= 0	30	9.2	7.5	1.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.8	22.1	
H/C	NORMAL HEATING DEG. DAYS	30	1457	1273	1063	642	283	77	17	38	203	538	834	1240	7665
	NORMAL COOLING DEG. DAYS	30	0	0	0	3	23	96	192	139	35	1	0	0	489
RH	NORMAL (PERCENT)	30	70	69	67	64	65	68	69	73	75	72	71	72	70
	HOURLY 01 LST	30	72	73	74	73	77	81	83	85	85	79	75	75	78
	HOURLY 07 LST	30	74	75	76	73	74	76	79	83	85	81	77	76	77
	HOURLY 13 LST	30	64	61	58	53	51	54	53	57	60	60	64	67	59
	HOURLY 19 LST	30	69	66	63	58	57	61	61	67	73	70	71	72	66
S	PERCENT POSSIBLE SUNSHINE	65	41	48	51	49	55	59	64	60	54	47	31	33	49
W/O	MEAN NO. DAYS WITH: HEAVY FOG(VISBY <= 1/4 MI)	47	1.6	1.6	1.8	1.2	0.9	1.3	0.9	1.4	2.1	1.5	1.0	1.8	17.1
	THUNDERSTORMS	63	0.0	0.0	0.3	1.0	2.3	5.0	5.9	5.0	1.8	0.5	0.3	0.0	22.1
CLOUDNESS	MEAN: SUNRISE-SUNSET (OKTAS)	53	6.0	5.8	5.7	5.8	5.6	5.4	5.0	5.0	5.1	5.4	6.4	6.3	5.6
	MIDNIGHT-MIDNIGHT (OKTAS)	32	5.9	5.4	5.3	5.3	5.3	5.0	4.8	4.8	5.0	5.3	6.2	6.2	5.4
	MEAN NO. DAYS WITH: CLEAR	53	4.6	4.5	5.8	5.0	4.9	4.8	5.1	5.9	5.9	5.9	2.5	2.9	57.8
	PARTLY CLOUDY	53	6.4	6.9	6.9	7.5	9.3	10.8	12.7	11.6	9.8	7.6	5.2	5.7	100.4
	CLOUDY	53	20.1	16.9	18.3	17.5	16.7	14.4	12.7	13.1	13.8	17.1	21.7	21.7	204.0
PR	MEAN STATION PRESSURE(IN)	27	29.65	29.65	29.65	29.60	29.59	29.56	29.58	29.64	29.68	29.68	29.67	29.66	29.63
	MEAN SEA-LEVEL PRES. (IN)	27	30.04	30.04	30.03	29.97	29.96	29.93	29.94	30.00	30.05	30.05	30.05	30.04	30.01
WINDS	MEAN SPEED (MPH)	27	9.3	8.8	8.9	9.0	8.4	7.9	7.3	7.1	7.8	8.3	9.2	9.2	8.4
	PREVAIL.DIR(TENS OF DEGS)	40	19	19	19	19	19	19	19	19	19	19	19	19	19
	MAXIMUM 2-MINUTE: SPEED (MPH)	14	38	37	35	36	36	39	34	35	36	38	36	35	39
	DIR. (TENS OF DEGS)		18	25	24	19	29	29	32	27	33	19	15	16	29
	YEAR OF OCCURRENCE		1997	2001	2009	2002	2010	2002	1999	2000	2002	2009	2004	2010	JUN 2002
	MAXIMUM 3-SECOND SPEED (MPH)	14	51	52	51	53	55	56	56	46	53	51	51	54	56
	DIR. (TENS OF DEGS)		19	24	20	26	27	31	34	26	18	18	18	18	34
	YEAR OF OCCURRENCE		1997	2006	2007	2007	2010	2002	2007	2000	2005	2009	2005	2004	JUL 2007
PRECIPITATION	NORMAL (IN)	30	2.22	1.67	2.32	2.88	3.32	3.43	3.97	4.01	3.83	3.12	3.06	2.22	36.05
	MAXIMUM MONTHLY (IN)	67	5.15	5.38	4.14	6.55	7.10	8.66	9.31	11.54	10.26	6.26	6.85	5.95	11.54
	YEAR OF OCCURRENCE		1998	1981	2001	1983	2006	1998	1998	1955	1999	2005	1983	1973	AUG 1955
	MINIMUM MONTHLY (IN)	67	0.42	0.21	0.38	0.73	0.29	0.82	0.77	0.72	0.87	0.50	0.63	0.37	0.21
	YEAR OF OCCURRENCE		1989	1978	1965	1999	1977	1995	2001	1957	1948	1963	1952	1998	FEB 1978
	MAXIMUM IN 24 HOURS (IN)	67	2.11	1.94	1.63	2.16	2.36	2.83	2.69	3.62	3.96	2.18	2.48	2.60	3.96
	YEAR OF OCCURRENCE		1998	2007	2010	1968	2006	1972	1985	1998	1999	2010	1990	1950	SEP 1999
	NORMAL NO. DAYS WITH: PRECIPITATION >= 0.01	30	15.8	11.2	13.8	12.7	13.9	13.3	12.2	12.9	12.4	12.4	14.0	15.2	159.8
PRECIPITATION >= 1.00	30	0.2	0.1	0.1	0.1	0.5	0.5	1.0	0.9	0.8	0.7	0.4	0.2	5.5	
SNOWFALL	NORMAL (IN)	30	21.2	15.6	15.4	6.2	0.*	0.0	0.0	0.0	0.*	0.3	7.2	17.2	83.1
	MAXIMUM MONTHLY (IN)	67	48.4	42.3	47.6	21.3	3.9	T	T	T	0.1	5.1	20.4	56.7	56.7
	YEAR OF OCCURRENCE		2010	2008	2001	1983	1966	2009	2010	2001	1992	1969	2002	1970	DEC 1970
	MAXIMUM IN 24 HOURS (IN)	67	18.9	17.7	22.4	15.6	3.5	T	T	T	0.1	5.1	10.1	17.0	22.4
	YEAR OF OCCURRENCE		2010	1995	1993	1983	1966	2009	2010	2001	1992	1969	1958	1978	MAR 1993
	MAXIMUM SNOW DEPTH (IN)	62	40	33	31	16	1	0	0	0	0	5	10	33	40
	YEAR OF OCCURRENCE		1964	1958	1993	2001	1967					1969	1958	1969	JAN 1964
	NORMAL NO. DAYS WITH: SNOWFALL >= 1.0	30	5.8	3.8	4.0	1.6	0.0	0.0	0.0	0.0	0.0	0.1	2.1	5.3	22.7

PRECIPITATION (inches) 2010 BURLINGTON (KBTV)

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
1981	0.49	5.38	1.32	3.05	3.76	3.07	3.22	5.58	6.24	5.26	2.73	2.03	42.13
1982	2.74	1.43	2.31	2.63	1.95	4.95	3.07	3.55	2.12	2.31	3.59	1.69	32.34
1983	3.09	1.66	2.60	6.55	6.31	1.49	3.92	4.31	3.77	4.38	6.85	5.23	50.16
1984	0.81	2.73	1.72	4.25	5.27	1.70	5.11	3.30	2.81	1.89	3.08	3.14	35.81
1985	1.46	1.26	2.46	1.90	3.53	3.76	4.42	2.67	3.30	3.31	3.68	1.59	33.34
1986	3.69	1.68	3.17	0.95	4.11	4.40	4.53	5.82	4.86	2.50	2.99	1.32	40.02
1987	1.91	0.49	1.33	1.42	2.69	4.42	2.79	2.09	3.58	3.28	2.24	1.17	27.41
1988	0.69	1.69	1.55	1.91	1.80	3.26	2.55	4.27	1.50	2.05	4.51	0.90	26.68
1989	0.42	0.67	2.60	1.89	3.19	3.68	3.65	7.30	5.98	2.98	2.41	1.26	36.03
1990	2.36	2.82	1.81	2.97	3.66	3.08	5.12	4.85	2.03	5.99	3.91	3.58	42.18
1991	1.65	0.51	2.55	3.41	3.15	1.28	2.83	4.00	5.14	5.07	1.58	1.35	32.52
1992	1.65	1.56	2.13	2.58	2.38	1.72	4.58	1.89	4.73	3.00	3.67	0.96	30.85
1993	2.17	1.90	1.54	3.76	2.19	3.35	3.34	4.46	3.38	2.93	2.27	1.57	32.86
1994	2.19	1.21	2.93	3.37	4.58	3.65	5.30	4.50	1.74	1.25	2.48	1.66	34.86
1995	1.88	1.26	1.60	2.35	1.41	0.82	3.49	4.64	2.97	5.81	3.33	2.63	32.19
1996	3.91	0.83	0.80	6.12	5.33	4.54	4.74	1.47	2.75	3.64	3.30	0.64	38.07
1997	1.71	1.38	2.59	1.54	2.24	2.62	3.89	4.63	2.98	1.23	4.16	1.65	30.62
1998	5.15	1.84	3.81	1.79	3.61	8.66	9.31	6.80	5.64	2.42	1.02	0.37	50.42
1999	3.51	1.13	2.22	0.73	2.40	1.79	1.97	2.41	10.26	3.18	1.86	1.12	32.58
2000	2.30	2.67	1.63	5.01	6.13	3.55	3.16	3.67	3.02	1.80	2.96	3.36	39.26
2001	0.98	1.54	4.14	0.85	2.28	2.32	0.77	4.32	1.40	1.37	1.81	1.49	23.27
2002	1.32	1.93	1.90	3.02	3.63	6.73	3.35	1.16	6.25	3.30	3.15	1.28	37.02
2003	0.99	0.99	2.06	2.09	3.32	2.98	3.48	2.24	3.29	5.54	4.23	5.00	36.21
2004	0.47	0.85	1.29	2.36	5.04	3.61	7.65	7.87	2.46	1.20	2.11	3.23	38.14
2005	1.83	1.94	1.37	3.85	1.63	3.78	5.22	4.17	2.70	6.26	4.50	2.16	39.41
2006	3.83	1.51	1.62	2.92	7.10	6.77	2.95	4.36	3.22	6.25	2.62	3.84	46.99
2007	2.57	2.18	2.67	3.79	1.95	2.26	6.29	1.46	1.95	5.72	4.72	4.25	39.81
2008	1.55	3.71	3.93	2.60	1.94	5.21	7.07	3.68	1.20	4.89	1.88	2.93	40.59
2009	1.76	1.81	1.90	1.86	5.25	5.25	4.62	2.32	3.67	2.98	2.98	3.02	37.42
2010	2.41	2.13	2.85	3.08	1.52	5.87	2.25	3.51	4.17	6.24	3.10	3.60	40.73
POR= 105 YRS	1.86	1.67	2.25	2.68	3.06	3.60	3.85	3.64	3.39	3.03	2.85	2.20	34.08

WBAN : 14742

AVERAGE TEMPERATURE (°F) 2010 BURLINGTON (KBTV)

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
1981	8.9	32.9	33.5	46.7	58.2	66.1	71.1	67.1	59.3	44.9	36.9	25.3	45.9
1982	9.6	19.1	30.3	43.4	57.3	60.7	69.5	65.9	62.3	50.1	42.3	31.9	45.2
1983	21.0	22.3	33.0	42.3	52.9	66.3	71.3	68.6	62.9	48.2	38.1	22.4	45.8
1984	16.5	28.7	21.9	44.7	52.3	66.0	70.3	71.1	57.2	50.0	38.4	30.3	45.6
1985	13.4	22.5	31.6	44.3	55.8	61.7	69.6	67.5	60.3	49.1	36.9	21.3	44.5
1986	18.5	16.2	33.7	48.5	58.3	62.3	68.5	66.1	58.1	46.9	34.5	27.8	45.0
1987	18.1	15.0	33.3	48.6	55.5	66.3	71.5	66.7	59.5	45.9	37.0	28.5	45.5
1988	19.9	21.4	29.7	44.3	57.9	63.4	73.2	70.7	58.2	44.4	39.6	22.9	45.5
1989	23.7	19.7	28.4	41.6	59.6	67.2	71.7	67.7	61.4	50.3	36.4	7.6	44.6
1990	29.8	23.5	33.8	46.2	52.9	65.9	70.2	69.8	59.4	49.4	39.5	30.1	47.5
1991	18.9	26.5	34.0	49.1	59.3	65.9	70.4	70.5	57.8	50.4	37.6	24.0	47.0
1992	18.6	19.1	26.5	42.3	56.5	64.4	66.1	67.6	60.2	45.5	36.7	28.1	44.3
1993	21.7	10.6	27.4	45.3	56.6	64.7	72.2	70.8	59.1	46.1	36.8	24.7	44.7
1994	7.1	15.4	30.2	44.5	54.8	68.6	74.2	66.5	59.6	49.8	41.1	28.7	45.0
1995	27.9	19.0	35.0	40.4	56.4	69.6	74.7	70.0	57.5	54.1	35.2	22.0	46.8
1996	17.5	21.3	28.6	42.8	54.4	66.3	68.6	68.9	62.0	47.4	32.8	32.7	45.3
1997	19.1	25.0	26.9	41.4	51.4	67.3	68.7	66.8	58.6	46.6	35.1	25.8	44.4
1998	22.7	27.7	34.3	46.4	62.0	66.1	68.9	68.5	61.5	49.6	39.7	32.0	48.3
1999	19.1	24.8	30.9	44.7	59.8	70.5	74.2	68.1	64.5	46.2	42.6	28.7	47.8
2000	18.1	22.1	36.5	42.7	56.7	63.6	67.5	67.7	58.8	48.8	37.2	19.6	44.9
2001	20.1	22.1	27.2	43.2	58.7	67.2	68.0	72.6	61.3	51.1	42.4	32.7	47.2
2002	27.4	26.1	33.1	46.1	53.0	64.2	70.6	71.3	64.4	46.4	36.1	25.3	47.0
2003	11.8	15.6	30.1	41.4	55.6	65.6	71.4	71.5	63.2	47.4	39.8	24.9	44.9
2004	8.8	19.2	34.8	43.7	58.1	63.1	69.7	67.0	61.1	47.6	37.2	23.9	44.5
2005	15.2	21.9	28.4	46.6	52.4	70.7	72.6	71.1	63.6	50.1	40.5	24.1	46.4
2006	28.2	23.5	32.0	46.0	58.2	66.3	73.4	67.3	60.2	46.9	42.8	32.7	48.1
2007	21.3	14.2	28.6	42.9	56.8	68.0	69.1	69.1	62.9	54.1	35.6	24.7	45.6
2008	25.0	22.3	28.5	49.1	54.1	67.7	70.8	67.0	61.3	46.6	38.3	24.8	46.3
2009	14.1	23.2	32.4	46.1	56.5	64.4	68.3	69.9	59.3	46.0	41.8	25.5	45.6
2010	22.0	26.0	38.0	49.3	60.1	65.3	73.5	70.1	62.8	47.7	37.6	23.5	48.0
POR= 105 YRS	18.1	18.8	30.1	42.9	55.9	64.6	70.0	67.9	59.1	48.5	36.5	24.1	44.7

HEATING DEGREE DAYS (base 65°F) 2010 BURLINGTON (KBTV)

YEAR	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	TOTAL
1981-82	13	36	204	617	837	1224	1716	1277	1069	643	255	133	8024
1982-83	30	54	124	455	676	1021	1356	1188	983	675	367	77	7006
1983-84	19	36	148	518	803	1317	1500	1044	1331	602	395	68	7781
1984-85	6	24	241	460	792	1068	1592	1185	1029	615	296	118	7426
1985-86	11	42	169	489	835	1344	1436	1361	966	492	219	113	7477
1986-87	40	60	215	553	906	1144	1446	1397	975	488	328	48	7600
1987-88	19	66	185	584	833	1125	1389	1260	1088	614	236	136	7535
1988-89	15	52	212	635	755	1298	1273	1265	1128	691	188	45	7557
1989-90	2	43	164	451	849	1776	1084	1156	961	577	370	63	7496
1990-91	19	10	180	480	758	1074	1424	1072	954	475	206	59	6711
1991-92	7	11	240	451	813	1266	1434	1327	1187	674	277	83	7770
1992-93	49	33	197	597	843	1137	1335	1517	1159	584	256	80	7787
1993-94	3	12	211	579	839	1243	1793	1385	1073	609	328	48	8123
1994-95	1	57	168	467	711	1118	1145	1283	925	733	268	36	6912
1995-96	0	21	232	330	885	1326	1466	1262	1123	659	336	27	7667
1996-97	11	10	138	542	960	995	1416	1113	1173	701	412	31	7502
1997-98	17	20	205	564	889	1208	1306	1039	947	552	115	81	6943
1998-99	8	19	129	473	754	1017	1418	1120	1053	606	184	31	6812
1999-00	1	20	113	578	666	1119	1448	1235	879	663	263	108	7093
2000-01	28	28	209	498	828	1399	1385	1193	1169	649	206	49	7641
2001-02	32	10	152	431	670	998	1159	1084	980	579	381	93	6569
2002-03	16	16	92	581	860	1221	1641	1380	1075	703	289	72	7946
2003-04	1	21	92	540	750	1234	1732	1319	927	644	237	102	7599
2004-05	6	44	127	533	830	1267	1535	1200	1126	543	380	35	7626
2005-06	2	10	107	457	727	1258	1131	1154	1015	566	232	58	6717
2006-07	1	41	150	553	655	994	1349	1416	1124	660	286	39	7268
2007-08	11	30	126	340	877	1246	1234	1231	1125	472	330	42	7064
2008-09	2	23	155	562	796	1240	1575	1166	1002	567	266	75	7429
2009-10	13	31	174	582	685	1216	1325	1087	829	470	196	68	6676
2010-	11	11	135	530	817	1280							

WBAN : 14742

COOLING DEGREE DAYS (base 65°F) 2010 BURLINGTON (KBTV)

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	TOTAL
1981	0	0	0	2	35	85	211	110	39	0	0	0	482
1982	0	0	0	1	24	11	179	90	51	0	0	0	356
1983	0	0	0	0	0	121	223	155	92	6	0	0	597
1984	0	0	0	0	7	106	175	217	15	3	0	0	523
1985	0	0	0	0	15	25	160	123	34	0	0	0	357
1986	0	0	0	4	19	38	156	104	14	0	0	0	335
1987	0	0	0	3	42	92	228	126	30	0	0	0	521
1988	0	0	0	0	19	96	274	238	15	3	0	0	645
1989	0	0	0	0	28	117	216	134	63	0	0	0	558
1990	0	0	0	16	1	95	189	165	18	6	0	0	490
1991	0	0	0	5	35	92	182	186	32	6	0	0	538
1992	0	0	0	3	21	71	91	121	61	0	0	0	368
1993	0	0	0	0	2	79	235	198	39	0	0	0	553
1994	0	0	0	2	17	165	293	110	14	0	0	0	601
1995	0	0	0	0	8	179	306	182	12	0	0	0	687
1996	0	0	0	0	17	72	124	139	56	0	0	0	408
1997	0	0	0	0	0	108	142	82	17	0	0	0	349
1998	0	0	2	0	27	121	141	134	33	1	0	0	459
1999	0	0	0	0	29	207	295	125	106	0	0	0	762
2000	0	0	0	0	12	74	112	118	31	1	0	0	348
2001	0	0	0	0	17	122	132	251	49	6	0	0	577
2002	0	0	0	19	17	76	195	219	83	10	0	0	619
2003	0	0	0	3	1	96	208	231	45	0	0	0	584
2004	0	0	0	11	31	53	159	112	16	0	0	0	382
2005	0	0	0	0	0	212	247	205	72	4	0	0	740
2006	0	0	0	0	20	100	269	120	14	0	0	0	523
2007	0	0	0	5	36	135	144	163	66	12	0	0	561
2008	0	0	0	2	0	130	186	94	51	0	0	0	463
2009	0	0	0	7	11	61	121	190	11	0	0	0	401
2010	0	0	0	6	50	82	283	178	75	0	0	0	674

SNOWFALL (inches) 2010 BURLINGTON (KBTV)

YEAR	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	TOTAL
1981-82	0.0	0.0	0.0	T	3.9	32.8	19.4	8.3	13.0	4.1	0.0	0.0	81.5
1982-83	0.0	0.0	0.0	T	0.8	5.0	22.5	18.3	11.9	21.3	0.7	0.0	80.5
1983-84	0.0	0.0	0.0	T	4.7	14.4	15.2	13.7	16.1	0.4	T	0.0	64.5
1984-85	0.0	0.0	0.0	0.0	6.0	29.3	25.9	10.9	16.6	2.7	0.0	0.0	91.4
1985-86	0.0	0.0	0.0	T	4.6	21.3	33.6	18.3	8.4	T	T	0.0	86.2
1986-87	0.0	0.0	0.0	T	10.5	7.7	34.4	7.0	6.0	2.1	0.0	0.0	67.7
1987-88	0.0	0.0	0.0	0.6	6.5	12.4	9.2	26.9	6.4	2.4	0.0	0.0	64.4
1988-89	0.0	0.0	0.0	0.3	0.6	12.4	6.6	8.5	9.7	2.3	0.0	0.0	40.4
1989-90	T	0.0	0.0	0.0	5.6	20.7	17.6	20.5	10.2	2.1	0.0	0.0	76.7
1990-91	0.0	0.0	T	T	7.3	10.3	17.8	3.9	3.2	T	0.0	0.0	42.5
1991-92	0.0	0.0	T	T	2.3	14.9	12.2	27.2	14.0	8.6	0.0	0.0	79.2
1992-93	0.0	0.0	0.1	T	2.9	2.6	24.8	33.8	39.9	12.8	0.0	0.0	116.9
1993-94	0.0	0.0	0.0	1.3	7.9	9.1	38.6	15.9	26.6	7.8	T	0.0	107.2
1994-95	0.0	0.0	0.0	0.0	5.1	4.3	8.7	26.8	10.7	4.9	0.0	0.0	60.5
1995-96	0.0	0.0	0.0	0.1	7.3	44.0	19.0	4.5	11.5	12.4	0.3	0.0	99.1
1996-97	0.0	0.0	0.0	T	14.3	13.7	22.0	8.8	27.0	9.1	T	0.0	94.9
1997-98	0.0	0.0	0.0	0.6	15.5	20.6	25.1	10.3	21.5	0.3	0.0	0.0	93.9
1998-99	0.0	0.0	0.0	T	2.4	4.4	30.4	10.8	22.7	T	0.0	0.0	70.7
1999-00	0.0	0.0	0.0	T	0.7	2.3	21.9	23.1	9.3	19.1	0.0	0.0	76.4
2000-01	T	0.0	0.0	3.0	8.7	32.8	15.7	14.4	47.6	0.2	T	0.0	122.4
2001-02	0.0	T	0.0	T	1.8	13.9	16.6	8.5	15.3	0.4	0.0	0.0	56.5
2002-03	0.0	0.0	0.0	T	20.4	8.6	31.3	9.6	8.3	4.8	0.0	0.0	83.0
2003-04	0.0	0.0	T	T	0.5	53.6	14.9	12.2	9.7	3.8	T	0.0	94.7
2004-05	T	0.0	0.0	0.0	0.1	22.8	19.1	29.7	18.0	0.0	0.0	0.0	89.7
2005-06	0.0	0.0	0.0	0.9	5.5	18.4	20.0	8.3	16.3	1.0	0.0	T	70.4
2006-07	0.0	0.0	0.0	2.0	T	10.0	19.5	32.1	21.8	9.2	0.0	T	94.6
2007-08	0.0	0.0	0.0	0.0	3.7	45.3	15.8	42.3	13.0	0.1	0.0	0.0	120.2
2008-09	0.0	0.0	0.0	0.3	3.5	40.3	27.8	11.3	7.8	0.4	0.0	T	91.4
2009-10	T	0.0	0.0	T	T	17.7	48.4	24.0	0.9	5.5	T	0.0	96.5
2010-	T	0.0	0.0	0.1	0.3	27.9							
POR= 79 YRS	0.7	0.2	T	0.2	5.9	16.5	18.3	16.0	13.2	4.1	0.1	T	75.2

WBAN : 14742

REFERENCE NOTES :

<p>PAGE 1: THE TEMPERATURE GRAPH SHOWS NORMAL MAXIMUM AND NORMAL MINIMUM DAILY TEMPERATURES (SOLID CURVES) AND THE ACTUAL DAILY HIGH AND LOW TEMPERATURES (VERTICAL BARS).</p> <p>PAGE 2 AND 3: H/C INDICATES HEATING AND COOLING DEGREE DAYS. RH INDICATES RELATIVE HUMIDITY W/O INDICATES WEATHER AND OBSTRUCTIONS S INDICATES SUNSHINE. PR INDICATES PRESSURE. CLOUDINESS ON PAGE 3 IS THE SUM OF THE CEILOMETER AND SATELLITE DATA NOT TO EXCEED EIGHT EIGHTHS(OKTAS).</p> <p>GENERAL: T INDICATES TRACE PRECIPITATION, AN AMOUNT GREATER THAN ZERO BUT LESS THAN THE LOWEST REPORTABLE VALUE. + INDICATES THE VALUE ALSO OCCURS ON EARLIER DATES. BLANK ENTRIES DENOTE MISSING OR UNREPORTED DATA. NORMALS ARE 30-YEAR AVERAGES (1971 - 2000). ASOS INDICATES AUTOMATED SURFACE OBSERVING SYSTEM. PM INDICATES THE LAST DAY OF THE PREVIOUS MONTH. POR (PERIOD OF RECORD) BEGINS WITH THE JANUARY DATA MONTH AND IS THE NUMBER OF YEARS USED TO COMPUTE THE MEAN. INDIVIDUAL MONTHS WITHIN THE POR MAY BE MISSING. WHEN THE POR FOR A NORMAL IS LESS THAN 30 YEARS, THE NORMAL IS PROVISIONAL AND IS BASED ON THE NUMBER OF YEARS INDICATED. 0.* OR * INDICATES THE VALUE OR MEAN-DAYS-WITH IS BETWEEN 0.00 AND 0.05. CLOUDINESS FOR ASOS STATIONS DIFFERS FROM THE NON-ASOS OBSERVATION TAKEN BY A HUMAN OBSERVER. ASOS STATION CLOUDINESS IS BASED ON TIME-AVERAGED CEILOMETER DATA FOR CLOUDS AT OR BELOW 12,000 FEET AND ON SATELLITE DATA FOR CLOUDS ABOVE 12,000 FEET. THE NUMBER OF DAYS WITH CLEAR, PARTLY CLOUDY, AND CLOUDY CONDITIONS FOR ASOS STATIONS IS THE SUM OF THE CEILOMETER AND SATELLITE DATA FOR THE SUNRISE TO SUNSET PERIOD. CLEAR INDICATES 0 - 2 OKTAS, PARTLY CLOUDY INDICATES 3 - 6 OKTAS, AND CLOUDY INDICATES 7 OR 8 OKTAS. WHEN AT LEAST ONE OF THE ELEMENTS (CEILOMETER OR SATELLITE) IS MISSING, THE DAILY CLOUDINESS IS NOT COMPUTED.</p>	<p>GENERAL CONTINUED: WIND DIRECTION IS RECORDED IN TENS OF DEGREES (2 DIGITS) CLOCKWISE FROM TRUE NORTH. "00" INDICATES CALM. "36" INDICATES TRUE NORTH. RESULTANT WIND IS THE VECTOR AVERAGE OF THE SPEED AND DIRECTION. AVERAGE TEMPERATURE IS THE SUM OF THE MEAN DAILY MAXIMUM AND MINIMUM TEMPERATURE DIVIDED BY 2. SNOWFALL DATA COMPRISE ALL FORMS OF FROZEN PRECIPITATION, INCLUDING HAIL. A HEATING (COOLING) DEGREE DAY IS THE DIFFERENCE BETWEEN THE AVERAGE DAILY TEMPERATURE AND 65 F. DRY BULB IS THE TEMPERATURE OF THE AMBIENT AIR. DEW POINT IS THE TEMPERATURE TO WHICH THE AIR MUST BE COOLED TO ACHIEVE 100 PERCENT RELATIVE HUMIDITY. WET BULB IS THE TEMPERATURE THE AIR WOULD HAVE IF THE MOISTURE CONTENT WAS INCREASED TO 100 PERCENT RELATIVE HUMIDITY. ON JULY 1, 1996, THE NATIONAL WEATHER SERVICE BEGAN USING THE "METAR" OBSERVATION CODE THAT WAS ALREADY EMPLOYED BY MOST OTHER NATIONS OF THE WORLD. THE MOST NOTICEABLE DIFFERENCE IN THIS ANNUAL PUBLICATION WILL BE THE CHANGE IN UNITS FROM TENTHS TO EIGHTS(OKTAS) FOR REPORTING THE AMOUNT OF SKY COVER. STATION HISTORY STOPPED WITH THE 2009 ANNUAL. IF YOU NEED HISTORY GO TO "MULTI-NETWORK MEDADATA SYSTEM", URL IS: https://mi3.ncdc.noaa.gov/mi3qry/login.cfm SNOWFALL STOPPED MONTH & YEAR INDICATED ABOVE. NO FURTHER YEARS INCLUDED UNLESS RESTARTED.</p> <p>NOTE: The "Period of Record:(POR) for all "averages" is based on the "Summary of the Day First Order Station" and "Cooperative Summary of the Day" archives.</p>
--	--

2010 BURLINGTON VERMONT (KBTv)

Burlington is located on the eastern shore of Lake Champlain at the widest part of the lake. About 35 miles to the west lie the highest peaks of the Adirondacks, while the foothills of the Green Mountains begin 10 miles to the east and southeast.

Its northerly latitude assures the variety and vigor of a true New England climate, while thanks to the modifying influence of the lake, the many rapid and marked weather changes are tempered in severity. Due to its location in the path of the St. Lawrence Valley storm track and the lake effects, the city is one of the cloudiest in the United States.

Lake Champlain exercises a tempering influence on the local temperature. During the winter months and prior to the lake freezing, temperatures along the lake shore are often 5-10 degrees warmer than at the airport 3 1/2 miles inland. At the airport the average occurrence of the last freeze in spring is around May 10th and that of the first in fall is early October, giving a growing season of 145 days. This location is justly proud of its delightful summer weather. On average, there are few days a year with maxima of 90 degrees or higher. This moderate summer heat gives way to a cooler, but none the less pleasant fall period, usually extending well into October. High pressure systems moving down rapidly from central Canada or Hudson Bay produce the coldest temperatures during the winter months, but extended periods of very cold weather are rare.

Precipitation, although generally plentiful and well distributed throughout the year, is less in the Champlain Valley than in other areas of Vermont due to the shielding effect of the mountain barriers to the east and west. The heaviest rainfall usually occurs during summer thunderstorms, but excessively heavy rainfall is quite uncommon. Droughts are infrequent.

Because of the trend of the Champlain Valley between the Adirondack and Green Mountain ranges, most winds have a northerly or southerly component. The prevailing direction most of the year is from the south. Winds of damaging force are very uncommon.

Smoke pollution is nearly non-existent since there is no concentration of heavy industry here, however, haze has been on the increase over the years due to the large increase in industry to the north and south. During the spring and fall months, fog occasionally forms along the Winooski River to the north and east and may drift over the airport with favorable winds. In spite of the high percentage of cloudiness, periods of low aircraft ceilings and visibilities are usually of short duration, allowing this area to have one of the highest percentages of flying weather in New England.

Non-Subscription Request:

NCDC Customer Services;

Phone: 828-271-4800

Fax: 828-271-4876

Email: ncdc.orders@noaa.gov

OFFICIAL BUSINESS

PENALTY FOR PRIVATE USE \$300

CHANGE SERVICE REQUESTED

FIRST CLASS
POSTAGE & FEES PAID
United States Department of Commerce
NOAA Permit No. G - 19

INQUIRES/COMMENTS CALL: Toll Free (866) 742-3322

Visit our Web Site for other weather data: www.ncdc.noa.gov

For Hard Copy Subscription:

Price and ordering information: NCDC Subscribing Service Center, 310 State Route 956, Building 300, Rocket Center, WV 26726.