




2010 LOCAL CLIMATOLOGICAL DATA ANNUAL SUMMARY WITH COMPARATIVE DATA


ISSN 0198-2397

BALTIMORE, MARYLAND (KBWI)

Daily Max/Min Temperature



Daily Precipitation



Daily Station Pressure



I CERTIFY THAT THIS IS AN OFFICIAL PUBLICATION OF THE NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION, AND IS COMPILED FROM RECORDS ON FILE AT THE NATIONAL CLIMATIC DATA CENTER.

NATIONAL
OCEANIC AND
ATMOSPHERIC ADMINISTRATION

NATIONAL
ENVIRONMENTAL SATELLITE, DATA
AND INFORMATION SERVICE

NATIONAL
CLIMATIC DATA CENTER
ASHEVILLE, NORTH CAROLINA

Thomas R. Karl
DIRECTOR
NATIONAL CLIMATIC DATA CENTER

METEOROLOGICAL DATA FOR 2010

BALTIMORE (KBWI)

LATITUDE: 39 ° 10'N LONGITUDE: -76 ° 41'W ELEVATION (FT): GRND: 143 BARO: 196 TIME ZONE: EASTERN (UTC -5) WBAN: 93721

ELEMENT		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	YEAR	
TEMPERATURE °F	MEAN DAILY MAXIMUM	40.9	37.7	58.2	69.7	77.3	89.5	92.5	86.8	82.4	68.4	57.5	39.9	66.7	
	HIGHEST DAILY MAXIMUM	66	46	75	90	92	100	105	97	95	85	66	62	105	
	DATE OF OCCURRENCE	25	28+	21	07+	31+	27+	06	10	24+	11	23+	01	JUL 06	
	MEAN DAILY MINIMUM	24.4	24.1	38.7	44.6	57.4	68.2	70.5	68.0	59.6	46.9	36.9	24.9	47.0	
	LOWEST DAILY MINIMUM	8	11	29	34	35	56	56	59	47	35	25	16	8	
	DATE OF OCCURRENCE	31	15+	06	28	10	08+	02	27	21	30+	29	16	JAN 31	
	AVERAGE DRY BULB	32.7	30.9	48.5	57.2	67.4	78.9	81.5	77.4	71.0	57.7	47.2	32.4	56.9	
	MEAN WET BULB	28.5	28.1	42.2	49.9	60.0	68.9	71.0	69.7	63.0	51.8	41.9	27.5	50.2	
	MEAN DEW POINT	20.3	21.4	33.4	41.5	54.1	63.0	65.1	65.5	57.2	46.1	34.7	18.6	43.4	
	NUMBER OF DAYS WITH:														
	MAXIMUM >= 90°	0	0	0	2	3	16	20	11	7	0	0	0	0	59
MAXIMUM <= 32°	7	5	0	0	0	0	0	0	0	0	0	4	16		
MINIMUM <= 32°	28	24	5	0	0	0	0	0	0	0	8	30	95		
MINIMUM <= 0°	0	0	0	0	0	0	0	0	0	0	0	0	0		
H/C	HEATING DEGREE DAYS	993	947	505	262	79	0	0	0	10	243	526	1003	4568	
	COOLING DEGREE DAYS	0	0	0	33	160	421	520	393	196	19	0	0	1742	
RH	MEAN (PERCENT)	63	68	61	59	65	61	60	69	65	68	65	60	64	
	HOUR 01 LST	70	72	71	74	79	75	74	83	78	82	74	65	75	
	HOUR 07 LST	72	73	68	64	67	59	62	73	70	75	75	68	69	
	HOUR 13 LST	49	57	47	41	49	47	43	52	47	50	46	49	48	
	HOUR 19 LST	61	70	59	55	64	61	60	69	65	71	67	62	64	
S	PERCENT POSSIBLE SUNSHINE														
W/O	NUMBER OF DAYS WITH:														
	HEAVY FOG(VISBY <= 1/4 MI)	0	3	2	2	0	0	0	0	2	0	0	0	9	
	THUNDERSTORMS	1	0	1	2	4	6	7	4	2	1	1	0	29	
CLOUDNESS	SUNRISE-SUNSET: (OKTAS)														
	CEILOMETER (<= 12,000 FT.)														
	SATELLITE (> 12,000 FT.)														
	MIDNIGHT-MIDNIGHT: (OKTAS)														
	CEILOMETER (<= 12,000 FT.)														
SATELLITE (> 12,000 FT.)															
NUMBER OF DAYS WITH:															
CLEAR															
PARTLY CLOUDY															
CLOUDY															
PR	MEAN STATION PRESS. (IN.)	29.84	29.69	29.71	29.78	29.84	29.75	29.80	29.81	29.80	29.76	29.93	29.78	29.79	
	MEAN SEA-LEVEL PRESS. (IN.)	30.02	29.86	29.88	29.95	30.00	29.91	29.96	29.98	29.96	29.93	30.10	29.95	29.96	
WINDS	RESULTANT SPEED (MPH)	5.5	7.2	2.9	2.9	1.0	2.8	1.8	0.5	1.4	3.6	2.5	7.5	3.1	
	RES. DIR. (TENS OF DEGS.)	30	29	34	28	27	27	26	14	27	28	30	29	29	
	MEAN SPEED (MPH)	8.2	9.7	7.6	6.5	6.5	5.7	5.1	4.8	5.5	6.4	5.8	9.0	6.7	
	PREVAIL.DIR.(TENS OF DEGS.)	29	28	31	29	30	26	26	16	29	26	27	28	28	
	MAXIMUM 2-MINUTE WIND														
	SPEED (MPH)	35	38	35	36	36	30	52	23	29	28	31	35	52	
	DIR. (TENS OF DEGS.)	28	27	06	29	27	28	20	27	23	33	28	30	20	
	DATE OF OCCURRENCE	03	26	13	16	08	28	18	06	16	01	26	27	JUL 18	
	MAXIMUM 3-SECOND WIND:														
	SPEED (MPH)	47	53	43	49	52	39	72	30	39	33	46	48	72	
DIR. (TENS OF DEGS.)	29	28	05	28	28	29	20	28	14	31	16	12	20		
DATE OF OCCURRENCE	03	26	13	16	08	28	18	06	30	28	17	01	JUL 18		
PRECIPITATION	WATER EQUIVALENT:														
	TOTAL (IN.)	2.24	4.15	5.53	2.20	3.49	1.55	4.36	4.74	8.26	2.95	2.04	1.96	43.47	
	GREATEST 24-HOUR (IN.)	0.87	2.50	2.45	0.99	1.47	0.57	1.25	2.49	6.02	0.88	1.22	0.99	6.02	
	DATE OF OCCURRENCE	24-25	05-06	12-13	25	27-28	01	13-14	12-13	30	03-04	03-04	11-12	SEP 30	
	NUMBER OF DAYS WITH:														
	PRECIPITATION 0.01	10	10	11	7	11	7	9	9	8	7	8	7	104	
PRECIPITATION 0.10	4	6	9	3	8	4	8	6	4	5	4	3	64		
PRECIPITATION 1.00	0	1	1	0	1	0	0	1	2	0	1	0	7		
SNOWFALL	SNOW,ICE PELLETS,HAIL														
	TOTAL (IN.)	6.9	50.0	T	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	58.1	
	GREATEST 24-HOUR (IN.)	5.0	16.0	T	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	16.0	
	DATE OF OCCURRENCE	30	06	03+									16	FEB 06	
	MAXIMUM SNOW DEPTH (IN.)	5	34	0	0	0	0	0	0	0	0	0	1	34	
	DATE OF OCCURRENCE	31	11	01									18+	FEB 11	
NUMBER OF DAYS WITH:															
SNOWFALL >= 1.0	2	6	0	0	0	0	0	0	0	0	0	1	9		

NORMALS, MEANS, AND EXTREMES BALTIMORE (KBWI)

LATITUDE: 39° 10'N LONGITUDE: -76° 41'W ELEVATION (FT): GRND: 143 BARO: 196 TIME ZONE: EASTERN (UTC -5) WBAN: 93721

	ELEMENT	POR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	YEAR
TEMPERATURE °F	NORMAL DAILY MAXIMUM	30	41.2	44.8	53.9	64.5	73.9	82.7	87.2	85.1	78.2	67.0	56.3	46.0	65.1
	MEAN DAILY MAXIMUM	60	41.5	44.6	53.6	65.1	74.3	83.1	87.4	85.5	78.6	67.5	56.4	45.3	65.2
	HIGHEST DAILY MAXIMUM	60	75	79	89	94	98	101	105	105	100	94	83	77	105
	YEAR OF OCCURRENCE		1975	2000	1998	1960	1991	1994	2010	1983	1983	2007	1974	1998	JUL 2010
	MEAN OF EXTREME MAXS.	60	62.7	65.5	76.2	85.3	89.9	95.0	97.0	95.6	91.7	83.2	74.6	65.4	81.8
	NORMAL DAILY MINIMUM	30	23.5	26.1	33.6	42.0	51.8	60.8	65.8	63.9	56.6	43.7	34.7	27.3	44.2
	MEAN DAILY MINIMUM	60	24.7	26.5	33.8	43.1	52.6	61.8	67.0	65.7	58.4	46.1	36.8	28.3	45.4
	LOWEST DAILY MINIMUM	60	-7	-3	6	20	32	40	50	45	35	25	13	0	-7
	YEAR OF OCCURRENCE		1984	1979	1960	1965	1966	1972	2001	1986	1963	1969	1955	1983	JAN 1984
	MEAN OF EXTREME MINS.	60	7.3	10.8	18.9	29.0	38.3	49.1	56.1	54.0	43.2	31.8	22.0	12.8	31.1
	NORMAL DRY BULB	30	32.3	35.5	43.7	53.2	62.9	71.8	76.5	74.5	67.4	55.4	45.5	36.7	54.6
	MEAN DRY BULB	60	33.1	35.6	43.7	54.1	63.5	72.6	77.2	75.6	68.5	56.8	46.6	36.8	55.3
	MEAN WET BULB	27	28.9	30.5	37.0	46.3	55.9	65.0	68.8	67.9	61.6	50.9	41.5	32.3	48.9
	MEAN DEW POINT	27	24.5	25.6	32.1	41.7	52.6	62.3	66.4	65.7	59.2	48.0	37.6	28.0	45.3
	NORMAL NO. DAYS WITH: MAXIMUM >= 90	30	0.0	0.0	0.0	0.3	1.5	5.7	12.0	7.3	2.6	0.0	0.0	0.0	29.4
	MAXIMUM <= 32	30	6.4	3.9	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	2.9	13.8
MINIMUM <= 32	30	24.4	20.5	13.3	3.0	0.0	0.0	0.0	0.0	0.0	1.4	10.4	20.6	93.6	
MINIMUM <= 0	30	0.4	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	*	0.5	
H/C	NORMAL HEATING DEG. DAYS	30	1000	816	648	349	120	16	0	1	42	296	570	862	4720
	NORMAL COOLING DEG. DAYS	30	0	0	4	11	71	236	372	311	129	13	0	0	1147
RH	NORMAL (PERCENT)	30	66	63	61	61	67	69	70	72	73	72	68	67	67
	HOURLY 01 LST	30	70	68	67	69	78	82	82	85	84	82	75	72	76
	HOURLY 07 LST	30	73	72	72	72	77	79	80	84	86	85	79	75	78
	HOURLY 13 LST	30	57	53	50	49	53	54	54	56	56	55	55	57	54
	HOURLY 19 LST	30	64	59	55	54	61	63	64	68	70	71	66	65	63
S	PERCENT POSSIBLE SUNSHINE	40	51	55	56	56	56	62	64	62	60	58	51	49	57
W/O	MEAN NO. DAYS WITH: HEAVY FOG(VISBY <= 1/4 MI)	47	2.6	2.6	2.1	1.3	1.3	0.8	0.4	0.8	0.9	2.3	2.2	2.7	20.0
	THUNDERSTORMS	60	0.3	0.3	1.0	2.4	4.0	5.6	6.1	4.9	2.0	0.8	0.5	0.1	28.0
CLOUDNESS	MEAN: SUNRISE-SUNSET (OKTAS)	46	5.1	5.0	5.0	5.0	5.0	4.6	4.4	4.4	4.2	4.1	4.8	5.0	4.7
	MIDNIGHT-MIDNIGHT (OKTAS)	32	4.9	4.7	4.8	4.6	4.7	4.4	4.3	4.2	4.2	3.9	4.5	4.8	4.5
	MEAN NO. DAYS WITH: CLEAR	46	8.0	7.7	7.9	7.7	7.7	8.4	8.9	9.2	10.3	11.6	8.1	8.1	103.6
	PARTLY CLOUDY	46	7.5	6.8	8.7	9.0	10.3	11.4	11.5	10.5	8.3	7.9	8.0	6.9	106.8
	CLOUDY	46	15.5	13.8	14.4	13.4	13.0	10.2	9.9	10.6	10.7	10.9	13.2	15.3	150.9
PR	MEAN STATION PRESSURE(IN)	27	29.92	29.90	29.87	29.81	29.82	29.80	29.82	29.82	29.90	29.92	29.93	29.90	29.87
	MEAN SEA-LEVEL PRES. (IN)	27	30.09	30.08	30.04	29.98	29.99	29.97	29.98	30.02	30.06	30.09	30.10	30.10	30.04
WINDS	MEAN SPEED (MPH)	27	8.2	8.6	9.0	8.7	7.6	7.0	6.6	6.2	6.6	6.7	7.4	7.8	7.5
	PREVAIL.DIR.(TENS OF DEGS)	14	30	30	30	29	29	27	26	28	28	28	29	29	30
	MAXIMUM 2-MINUTE: SPEED (MPH)	14	40	40	41	43	39	44	52	39	44	37	45	45	52
	DIR. (TENS OF DEGS)		30	27	28	28	29	27	20	32	09	28	28	27	20
	YEAR OF OCCURRENCE		2000	2009	1997	2009	1997	2008	2010	2003	2003	2003	2003	2004	JUL 2010
	MAXIMUM 3-SECOND SPEED (MPH)	14	53	54	53	58	52	60	72	53	55	49	59	61	72
	DIR. (TENS OF DEGS)		28	28	28	28	28	31	20	27	05	28	27	29	20
	YEAR OF OCCURRENCE		1999	2009	1997	2009	2010	2007	2010	1997	2003	2009	2003	2007	JUL 2010
PRECIPITATION	NORMAL (IN)	30	3.47	3.02	3.93	3.00	3.89	3.43	3.85	3.74	3.98	3.16	3.12	3.35	41.94
	MAXIMUM MONTHLY (IN)	60	7.84	7.16	8.64	8.15	8.71	9.95	8.77	18.35	11.50	9.23	7.68	8.06	18.35
	YEAR OF OCCURRENCE		1979	1979	1994	1952	1989	1972	2005	1955	1999	2005	1952	2009	AUG 1955
	MINIMUM MONTHLY (IN)	60	0.29	0.26	0.18	0.39	0.37	0.15	0.30	0.77	0.21	T	0.31	0.20	T
	YEAR OF OCCURRENCE		1955	2009	2006	1985	1986	1954	1955	1951	1967	1963	1981	1955	OCT 1963
	MAXIMUM IN 24 HOURS (IN)	60	3.11	3.26	3.18	2.80	3.65	5.23	5.86	8.35	6.04	5.98	3.43	3.39	8.35
	YEAR OF OCCURRENCE		1976	1983	1958	1952	2008	1972	1952	1955	1985	2005	1952	1977	AUG 1955
	NORMAL NO. DAYS WITH: PRECIPITATION >= 0.01	30	10.8	9.3	10.4	10.2	11.5	10.0	10.0	9.1	8.4	8.2	8.9	9.7	116.5
	PRECIPITATION >= 1.00	30	0.8	0.7	0.9	0.6	0.7	1.0	1.1	1.0	1.0	1.0	0.7	0.9	10.4
	SNOWFALL	NORMAL (IN)	30	7.0	6.4	2.4	0.1	0.0	0.0	0.0	0.0	0.0	0.*	0.6	1.7
MAXIMUM MONTHLY (IN)		60	32.6	50.0	21.6	0.7	T	T	T	0.0	0.0	0.3	8.4	20.4	50.0
YEAR OF OCCURRENCE			1996	2010	1960	1985	1963	2002	1992			1979	1967	1966	FEB 2010
MAXIMUM IN 24 HOURS (IN)		60	16.8	22.8	13.0	0.7	T	T	T	0.0	0.0	0.3	8.4	17.0	22.8
YEAR OF OCCURRENCE			1996	1983	1962	1985	1963	2002	1992			1979	1967	2009	FEB 1983
MAXIMUM SNOW DEPTH (IN)		59	30	34	70	0	0	0	0	0	0	0	6	18	70
YEAR OF OCCURRENCE			1957	2010	1960								1987	2009	MAR 1960
NORMAL NO. DAYS WITH: SNOWFALL >= 1.0		30	1.8	1.3	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.5	4.4

PRECIPITATION (inches) 2010 BALTIMORE (KBWI)

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
1981	0.49	2.93	1.14	2.04	3.63	5.40	4.59	1.93	2.89	2.57	0.31	3.30	31.22
1982	3.37	4.04	3.03	3.61	1.85	5.70	2.16	0.95	3.63	2.31	3.13	2.39	36.17
1983	2.21	4.81	6.80	6.55	5.47	5.23	1.31	1.57	1.76	3.58	5.02	6.72	51.03
1984	1.96	3.90	5.79	2.95	4.29	1.65	3.27	4.11	2.38	1.94	3.01	1.71	36.96
1985	2.03	3.03	2.37	0.39	6.01	2.44	2.53	3.72	6.22	2.48	4.71	0.84	36.77
1986	2.16	3.78	0.96	2.64	0.37	1.46	4.12	4.26	0.58	1.86	5.96	5.52	33.67
1987	5.85	2.22	0.99	1.86	4.16	2.63	5.05	1.61	7.34	2.25	5.05	2.07	41.08
1988	3.24	3.25	2.35	2.44	4.37	0.84	3.78	2.64	2.05	1.59	4.78	0.97	32.30
1989	3.07	3.36	4.24	3.16	8.71	5.98	7.35	3.38	3.64	4.90	1.97	2.12	51.88
1990	3.71	1.48	2.54	4.23	4.92	2.55	5.68	6.17	1.07	2.57	2.10	4.86	41.88
1991	3.54	0.73	5.65	1.68	1.16	1.08	1.76	2.54	3.05	3.20	1.69	4.08	30.16
1992	1.27	2.49	4.58	1.76	2.92	1.89	5.07	2.19	5.96	2.73	3.44	4.63	38.93
1993	2.73	2.84	8.12	3.68	3.66	2.56	1.71	2.55	4.09	3.02	3.09	4.45	42.50
1994	4.59	4.07	8.64	2.53	3.02	2.84	4.54	3.44	3.93	1.82	1.95	1.95	43.32
1995	2.87	1.88	2.12	1.92	3.40	1.80	3.65	2.98	3.29	6.24	4.12	2.66	36.93
1996	6.80	2.36	3.57	3.76	5.68	4.08	7.38	4.17	5.65	4.32	3.77	6.77	58.31
1997	2.83	2.23	5.67	2.40	3.03	3.74	1.49	4.21	1.47	3.43	5.79	2.05	38.34
1998	5.65	6.40	5.56	3.02	3.46	3.22	1.42	0.91	1.27	1.06	1.13	1.27	34.37
1999	4.70	2.65	3.46	2.27	1.73	2.04	2.06	6.14	11.50	2.48	1.95	2.96	43.94
2000	3.64	2.01	4.35	5.06	2.82	5.54	5.64	3.18	5.55	0.08	1.73	2.31	41.91
2001	2.68	2.35	4.76	1.32	5.34	3.58	3.85	5.74	1.43	0.78	1.01	1.73	34.57
2002	2.19	0.36	3.75	4.08	2.99	2.39	2.26	3.66	3.17	6.01	3.78	4.96	39.60
2003	2.59	6.70	4.17	2.40	6.81	6.96	5.56	4.61	7.47	5.82	4.86	4.71	62.66
2004	1.26	2.40	2.73	5.33	5.05	4.17	8.69	2.71	3.94	1.44	5.02	2.93	45.67
2005	3.75	1.66	5.13	3.81	2.64	3.74	8.77	3.71	0.67	9.23	2.12	3.90	49.13
2006	3.48	2.64	0.18	3.27	1.60	7.32	1.86	1.45	7.56	5.75	6.25	1.88	43.24
2007	2.48	2.04	4.17	5.00	0.94	2.20	3.31	3.08	0.35	5.85	1.52	4.03	34.97
2008	1.47	3.80	2.37	4.62	7.77	3.70	5.47	1.48	7.22	1.27	2.61	3.19	44.97
2009	2.73	0.26	2.07	5.80	8.42	5.52	3.29	4.76	3.48	6.24	4.94	8.06	55.57
2010	2.24	4.15	5.53	2.20	3.49	1.55	4.36	4.74	8.26	2.95	2.04	1.96	43.47
POR= 60 YRS	3.03	2.94	3.81	3.27	3.71	3.61	3.96	3.93	3.78	3.21	3.18	3.39	41.82

WBAN : 93721

AVERAGE TEMPERATURE (°F) 2010 BALTIMORE (KBWI)

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
1981	27.9	38.8	41.9	57.0	62.2	74.3	77.3	74.4	67.7	53.2	46.2	34.5	54.6
1982	25.5	35.8	42.9	50.7	66.1	69.4	77.1	73.0	67.3	56.3	48.4	42.0	54.5
1983	34.6	34.7	45.4	51.8	61.5	72.1	78.7	78.0	69.5	57.3	47.1	33.2	55.3
1984	28.5	41.7	38.2	51.5	61.3	73.4	73.9	75.0	64.8	62.2	43.9	44.1	54.9
1985	29.3	38.7	46.0	57.9	65.1	70.4	76.4	74.5	69.4	58.8	52.4	33.8	56.1
1986	33.2	32.9	45.0	53.5	66.7	74.4	79.4	73.1	68.9	58.9	44.8	38.2	55.8
1987	32.5	34.3	46.2	53.1	65.0	74.5	80.0	76.1	69.3	51.5	47.8	39.8	55.8
1988	28.7	35.9	45.1	52.0	64.0	73.0	80.3	78.5	66.8	51.3	48.1	36.3	55.0
1989	37.9	36.5	43.8	52.5	62.0	73.9	76.0	74.4	69.0	58.3	44.8	25.4	54.5
1990	42.0	42.3	47.6	54.8	62.3	73.3	78.4	74.6	67.3	60.7	49.6	42.2	57.9
1991	35.5	40.7	46.7	55.9	70.6	74.6	79.5	77.8	69.0	57.8	45.8	38.7	57.7
1992	34.6	37.1	41.3	52.0	60.8	70.1	77.4	72.3	67.7	54.3	47.2	38.9	54.5
1993	37.9	31.4	39.4	52.5	65.0	72.2	80.2	76.7	68.8	55.5	46.5	36.2	55.2
1994	27.1	34.0	43.0	59.6	60.6	77.2	80.1	74.1	68.1	56.8	51.9	42.6	56.3
1995	39.0	33.2	47.8	55.2	64.5	74.5	81.5	80.1	70.4	61.1	42.6	33.9	57.0
1996	31.7	35.7	39.9	54.0	60.6	73.3	74.3	73.2	67.8	55.6	40.2	39.6	53.8
1997	32.8	41.0	45.5	51.6	59.5	70.1	77.3	74.0	67.3	56.5	43.7	38.4	54.8
1998	40.9	41.7	45.9	55.2	66.5	71.7	76.6	75.7	71.8	56.3	46.1	41.1	57.5
1999	35.1	37.6	41.8	53.2	64.2	71.5	80.0	75.7	68.2	53.9	49.9	39.1	55.9
2000	32.5	38.1	48.5	52.9	64.7	72.8	72.7	73.4	65.3	57.1	44.2	30.0	54.4
2001	33.1	38.5	41.8	55.4	63.4	74.1	72.8	77.0	65.2	56.0	50.7	42.1	55.8
2002	39.1	39.3	45.0	56.7	62.2	73.8	78.6	78.4	69.5	56.0	44.4	34.3	56.4
2003	28.3	30.2	43.9	52.7	59.3	69.8	75.6	76.3	68.0	55.1	50.6	36.4	53.9
2004	27.8	34.8	45.6	54.7	69.8	70.9	76.2	74.2	69.4	55.4	48.5	37.5	55.4
2005	34.1	36.7	40.6	55.2	59.2	73.6	78.0	77.6	72.0	57.8	48.1	34.0	55.6
2006	41.6	36.1	45.6	57.5	63.4	73.1	79.9	78.4	65.5	55.2	49.6	42.4	57.4
2007	38.7	29.1	45.2	51.5	65.5	73.8	76.9	77.5	70.6	63.4	46.2	37.8	56.4
2008	35.4	37.1	45.0	55.8	60.5	75.3	77.5	73.6	69.4	55.6	45.4	38.5	55.8
2009	29.3	37.5	43.1	54.9	63.7	71.4	74.7	76.6	66.7	55.3	49.7	34.8	54.8
2010	32.7	30.9	48.5	57.2	67.4	78.9	81.5	77.4	71.0	57.7	47.2	32.4	56.9
POR= 60 YRS	33.1	35.6	43.7	54.1	63.5	72.6	77.2	75.6	68.5	56.8	46.6	36.8	55.4

HEATING DEGREE DAYS (base 65°F) 2010 BALTIMORE (KBWD)

YEAR	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	TOTAL
1981-82	0	0	51	363	557	940	1218	808	677	422	58	20	5114
1982-83	0	5	42	289	495	707	936	842	602	410	152	6	4486
1983-84	0	0	70	257	530	979	1123	671	825	397	169	9	5030
1984-85	0	1	96	123	625	643	1101	731	589	252	79	10	4250
1985-86	0	0	41	201	378	962	980	892	613	342	86	6	4501
1986-87	0	23	34	236	598	822	1002	853	576	357	106	1	4608
1987-88	0	1	15	412	511	774	1120	838	613	389	96	27	4796
1988-89	2	0	39	424	504	882	834	792	663	374	145	0	4659
1989-90	0	0	51	229	600	1221	707	631	552	341	102	5	4439
1990-91	1	0	63	195	454	701	907	674	562	289	55	4	3905
1991-92	0	0	49	246	570	809	936	802	730	387	161	8	4698
1992-93	0	1	51	328	529	801	834	934	787	369	61	11	4706
1993-94	0	0	52	292	553	886	1169	861	677	190	180	1	4861
1994-95	0	0	13	256	391	684	798	885	525	307	77	0	3936
1995-96	0	0	30	176	669	958	1024	840	772	345	199	12	5025
1996-97	0	0	42	283	736	778	994	667	597	394	182	53	4726
1997-98	0	0	49	307	633	815	737	647	625	295	59	22	4189
1998-99	0	1	25	263	560	734	919	762	714	349	71	9	4407
1999-00	0	0	37	336	445	794	999	774	508	362	102	8	4365
2000-01	0	1	97	254	616	1079	984	736	715	309	99	12	4902
2001-02	2	0	76	289	424	706	795	715	612	302	154	3	4078
2002-03	0	1	10	316	611	945	1131	967	649	370	191	31	5222
2003-04	0	0	24	303	434	881	1148	866	593	323	49	13	4634
2004-05	0	2	14	291	487	845	952	786	750	298	183	9	4617
2005-06	0	0	12	239	502	955	720	802	598	228	117	4	4177
2006-07	0	0	53	314	456	693	805	1000	608	406	92	1	4428
2007-08	0	0	26	143	559	835	909	799	614	274	165	0	4324
2008-09	0	0	18	304	584	814	1103	768	673	339	106	13	4722
2009-10	0	0	38	299	451	929	993	947	505	262	79	0	4503
2010-	0	0	10	243	526	1003							

WBAN : 93721

COOLING DEGREE DAYS (base 65°F) 2010 BALTIMORE (KBWD)

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	TOTAL
1981	0	0	0	19	69	287	389	296	141	5	0	0	1206
1982	0	0	0	4	99	160	381	259	119	26	4	1	1053
1983	0	0	0	18	51	228	430	410	214	24	0	0	1375
1984	0	0	0	0	59	268	281	316	98	41	0	2	1065
1985	0	2	7	43	89	179	363	298	178	17	5	0	1181
1986	0	0	0	1	143	295	452	281	158	54	0	0	1384
1987	0	0	0	7	115	292	473	352	152	0	0	0	1391
1988	0	0	2	4	71	274	485	427	100	8	0	0	1371
1989	0	0	14	5	58	276	351	298	178	25	1	0	1206
1990	0	0	19	38	26	261	422	303	137	68	0	0	1274
1991	0	0	2	24	233	303	462	402	177	29	2	0	1634
1992	0	0	0	6	39	168	392	232	139	4	0	0	980
1993	0	0	0	0	70	235	476	371	175	3	5	0	1335
1994	0	0	0	38	49	374	476	292	112	6	3	0	1350
1995	0	0	0	20	72	289	520	475	199	60	3	0	1638
1996	0	0	0	19	70	265	295	259	135	1	0	0	1044
1997	0	0	0	0	20	211	385	287	124	51	0	0	1078
1998	0	0	39	9	115	228	367	341	235	0	0	0	1334
1999	0	0	0	0	54	210	471	340	138	0	0	0	1213
2000	0	0	3	6	102	248	245	269	115	17	0	0	1005
2001	0	0	0	27	54	290	249	381	90	12	2	0	1105
2002	0	0	0	59	75	275	430	425	154	43	0	0	1461
2003	0	0	0	6	21	181	336	358	120	2	8	0	1032
2004	0	0	0	23	203	197	355	295	152	2	0	0	1227
2005	0	0	0	13	10	273	408	399	227	20	0	0	1350
2006	0	0	3	9	74	252	468	422	72	15	0	0	1315
2007	0	0	2	9	114	268	376	394	203	99	0	0	1465
2008	0	0	0	6	33	317	395	274	158	19	0	0	1202
2009	0	0	0	39	72	213	306	368	95	7	0	0	1100
2010	0	0	0	33	160	421	520	393	196	19	0	0	1742

SNOWFALL (inches) 2010 BALTIMORE (KBWI)

YEAR	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	TOTAL
1981-82	0.0	0.0	0.0	0.0	T	2.4	14.8	7.6	0.7	T	0.0	0.0	25.5
1982-83	0.0	0.0	0.0	0.0	0.0	7.2	1.2	27.2	T	T	0.0	0.0	35.6
1983-84	0.0	0.0	0.0	0.0	T	T	8.4	T	6.1	T	0.0	0.0	14.5
1984-85	0.0	0.0	0.0	0.0	T	0.1	9.1	0.4	T	0.7	0.0	0.0	10.3
1985-86	0.0	0.0	0.0	0.0	0.0	0.7	1.9	13.0	T	T	0.0	0.0	15.6
1986-87	0.0	0.0	0.0	0.0	0.0	T	25.1	10.1	T	T	0.0	0.0	35.2
1987-88	0.0	0.0	0.0	0.0	6.0	0.5	13.7	0.2	T	T	0.0	0.0	20.4
1988-89	0.0	0.0	0.0	0.0	0.0	0.9	6.0	1.1	0.3	0.0	0.0	0.0	8.3
1989-90	0.0	0.0	0.0	0.0	3.8	10.2	0.5	T	2.7	0.1	0.0	0.0	17.3
1990-91	0.0	0.0	0.0	0.0	0.0	4.8	4.2	0.1	0.3	0.0	0.0	0.0	9.4
1991-92	T	0.0	0.0	0.0	T	T	2.2	1.9	T	T	0.0	0.0	4.1
1992-93	T	0.0	0.0	0.0	T	1.5	1.4	8.8	12.7	T	0.0	0.0	24.4
1993-94	0.0	0.0	0.0	0.0	T	2.9	4.9	5.3	4.2	T	0.0	0.0	17.3
1994-95	0.0	0.0	0.0	0.0	0.2	0.0	0.3	7.5	0.2	0.0	0.0	0.0	8.2
1995-96	0.0	0.0	0.0	0.0	1.0	2.3	32.6	19.0	7.6				
1996-97			0.0		.3	0.2	5.0	7.1	2.7	T	T	0.0	
1997-98	0.0	0.0	0.0	0.0	0.0	0.4	0.7	T	2.1	0.0	T	0.0	3.2
1998-99	0.0	0.0	0.0	0.0	0.0	3.0	4.0	0.6	7.6	0.0	0.0	0.0	15.2
1999-00	0.0	0.0	0.0	0.0	0.0	0.2	23.1	2.6	0.0	0.2	0.0	0.0	26.1
2000-01	0.0	0.0	0.0	0.0	T	1.3	3.7	3.7	T	T	0.0	0.0	8.7
2001-02	0.0	0.0	0.0	0.0	0.0	0.0	2.3	T	T	T	0.0	T	2.3
2002-03	0.0	0.0	0.0	0.0	0.0	9.7	5.3	40.5	2.6	T	0.0	0.0	58.1
2003-04	0.0	0.0	0.0	T	0.0	9.6	8.4	0.1	0.2	0.0	0.0	0.0	18.3
2004-05	0.0	0.0	0.0	0.0	0.0	T	7.6	10.0	0.4	0.0	0.0	0.0	18.0
2005-06	0.0	0.0	0.0	0.0	0.5	6.0	T	13.1	T	T	0.0	0.0	19.6
2006-07	0.0	0.0	0.0	0.0	0.0	T	0.9	8.5	1.4	0.2	0.0	0.0	11.0
2007-08	0.0	0.0	0.0	0.0	T	4.8	2.4	1.3	0.0	0.0	0.0	0.0	8.5
2008-09	0.0	0.0	0.0	0.0	T	0.6	2.1	0.6	5.8	T	0.0	0.0	9.1
2009-10	0.0	0.0	0.0	0.0	0.0	20.1	6.9	50.0	T	0.0	0.0	0.0	77.0
2010-	0.0	0.0	0.0	0.0	0.0	1.2							
POR= 60 YRS	T	0.0	0.0	T	0.8	3.5	6.0	7.5	3.3	T	T	T	21.1

WBAN : 93721

REFERENCE NOTES :

<p>PAGE 1: THE TEMPERATURE GRAPH SHOWS NORMAL MAXIMUM AND NORMAL MINIMUM DAILY TEMPERATURES (SOLID CURVES) AND THE ACTUAL DAILY HIGH AND LOW TEMPERATURES (VERTICAL BARS).</p> <p>PAGE 2 AND 3: H/C INDICATES HEATING AND COOLING DEGREE DAYS. RH INDICATES RELATIVE HUMIDITY W/O INDICATES WEATHER AND OBSTRUCTIONS S INDICATES SUNSHINE. PR INDICATES PRESSURE. CLOUDINESS ON PAGE 3 IS THE SUM OF THE CEILOMETER AND SATELLITE DATA NOT TO EXCEED EIGHT EIGHTHS(OKTAS).</p> <p>GENERAL: T INDICATES TRACE PRECIPITATION, AN AMOUNT GREATER THAN ZERO BUT LESS THAN THE LOWEST REPORTABLE VALUE. + INDICATES THE VALUE ALSO OCCURS ON EARLIER DATES. BLANK ENTRIES DENOTE MISSING OR UNREPORTED DATA. NORMALS ARE 30-YEAR AVERAGES (1971 - 2000). ASOS INDICATES AUTOMATED SURFACE OBSERVING SYSTEM. PM INDICATES THE LAST DAY OF THE PREVIOUS MONTH. POR (PERIOD OF RECORD) BEGINS WITH THE JANUARY DATA MONTH AND IS THE NUMBER OF YEARS USED TO COMPUTE THE MEAN. INDIVIDUAL MONTHS WITHIN THE POR MAY BE MISSING. WHEN THE POR FOR A NORMAL IS LESS THAN 30 YEARS, THE NORMAL IS PROVISIONAL AND IS BASED ON THE NUMBER OF YEARS INDICATED. 0.* OR * INDICATES THE VALUE OR MEAN-DAYS-WITH IS BETWEEN 0.00 AND 0.05. CLOUDINESS FOR ASOS STATIONS DIFFERS FROM THE NON-ASOS OBSERVATION TAKEN BY A HUMAN OBSERVER. ASOS STATION CLOUDINESS IS BASED ON TIME-AVERAGED CEILOMETER DATA FOR CLOUDS AT OR BELOW 12,000 FEET AND ON SATELLITE DATA FOR CLOUDS ABOVE 12,000 FEET. THE NUMBER OF DAYS WITH CLEAR, PARTLY CLOUDY, AND CLOUDY CONDITIONS FOR ASOS STATIONS IS THE SUM OF THE CEILOMETER AND SATELLITE DATA FOR THE SUNRISE TO SUNSET PERIOD. CLEAR INDICATES 0 - 2 OKTAS, PARTLY CLOUDY INDICATES 3 - 6 OKTAS, AND CLOUDY INDICATES 7 OR 8 OKTAS. WHEN AT LEAST ONE OF THE ELEMENTS (CEILOMETER OR SATELLITE) IS MISSING, THE DAILY CLOUDINESS IS NOT COMPUTED.</p>	<p>GENERAL CONTINUED: WIND DIRECTION IS RECORDED IN TENS OF DEGREES (2 DIGITS) CLOCKWISE FROM TRUE NORTH. "00" INDICATES CALM. "36" INDICATES TRUE NORTH. RESULTANT WIND IS THE VECTOR AVERAGE OF THE SPEED AND DIRECTION. AVERAGE TEMPERATURE IS THE SUM OF THE MEAN DAILY MAXIMUM AND MINIMUM TEMPERATURE DIVIDED BY 2. SNOWFALL DATA COMPRISE ALL FORMS OF FROZEN PRECIPITATION, INCLUDING HAIL. A HEATING (COOLING) DEGREE DAY IS THE DIFFERENCE BETWEEN THE AVERAGE DAILY TEMPERATURE AND 65 F. DRY BULB IS THE TEMPERATURE OF THE AMBIENT AIR. DEW POINT IS THE TEMPERATURE TO WHICH THE AIR MUST BE COOLED TO ACHIEVE 100 PERCENT RELATIVE HUMIDITY. WET BULB IS THE TEMPERATURE THE AIR WOULD HAVE IF THE MOISTURE CONTENT WAS INCREASED TO 100 PERCENT RELATIVE HUMIDITY. ON JULY 1, 1996, THE NATIONAL WEATHER SERVICE BEGAN USING THE "METAR" OBSERVATION CODE THAT WAS ALREADY EMPLOYED BY MOST OTHER NATIONS OF THE WORLD. THE MOST NOTICEABLE DIFFERENCE IN THIS ANNUAL PUBLICATION WILL BE THE CHANGE IN UNITS FROM TENTHS TO EIGHTS(OKTAS) FOR REPORTING THE AMOUNT OF SKY COVER. STATION HISTORY STOPPED WITH THE 2009 ANNUAL. IF YOU NEED HISTORY GO TO "MULTI-NETWORK MEDADATA SYSTEM", URL IS: https://mi3.ncdc.noaa.gov/mi3qry/login.cfm SNOWFALL STOPPED MONTH & YEAR INDICATED ABOVE. NO FURTHER YEARS INCLUDED UNLESS RESTARTED.</p> <p>NOTE: The "Period of Record:(POR) for all "averages" is based on the "Summary of the Day First Order Station" and "Cooperative Summary of the Day" archives.</p>
--	--

2010 BALTIMORE MARYLAND (KBWI)

Baltimore-Washington International Airport lies in a region about midway between the rigorous climates of the North and the mild climates of the South, and adjacent to the modifying influences of the Chesapeake Bay and Atlantic Ocean to the east and the Appalachian Mountains to the west. Since this region is near the average path of the low pressure systems which move across the country, changes in wind direction are frequent and contribute to the changeable character of the weather. The net effect of the mountains to the west and the bay and ocean to the east is to produce a more equable climate compared with other continental locations farther inland at the same latitude.

Rainfall distribution throughout the year is rather uniform, however, the greatest intensities are confined to the summer and early fall months, the season for hurricanes and severe thunderstorms. Moisture deficiencies for crops occur occasionally during the growing season, but severe droughts are rare. Rainfall during the growing season occurs principally in the form of thunderstorms, and rainfall totals during these months vary appreciably.

The average date for the last occurrence in spring of temperatures as low as 32 degrees is mid-April. The average date for the first occurrence in fall of temperatures as low as 32 degrees is late October. The freeze-free period is approximately 194 days.

In summer, the area is under the influence of the large semi-permanent high pressure system commonly known as the Bermuda High and centered over the Atlantic Ocean near 30 degrees N Latitude. This pressure system brings warm humid air to the area. The proximity of large water areas and the inflow of southerly winds contribute to high relative humidities during much of the year.

January is the coldest month, and July, the warmest. Snowfall occurs on about eleven days per year on the average, however, an average of only about six days annually produces snowfalls of 1 inch or greater. Snow is frequently mixed with rain and sleet, and snow seldom remains on the ground more than a few days.

Glaze or freezing rain which is hazardous to highway traffic occurs on an average of two to three times per year, generally in January or February. Some years pass without the occurrence of freezing rain, while in others it occurs on as many as eight to ten days. Sleet is observed on about five days annually with the greatest frequency of occurrence in January.

The annual prevailing wind direction is from the west. Winter and spring months have the highest average wind speed. Destructive velocities are rare and occur mostly during summer thunderstorms. Only rarely have hurricanes in the vicinity caused widespread damage, then primarily through flooding.

Non-Subscription Request:

NCDC Customer Services;

Phone: 828-271-4800

Fax: 828-271-4876

Email: ncdc.orders@noaa.gov

OFFICIAL BUSINESS

PENALTY FOR PRIVATE USE \$300

CHANGE SERVICE REQUESTED

FIRST CLASS
POSTAGE & FEES PAID
United States Department of Commerce
NOAA Permit No. G - 19

INQUIRES/COMMENTS CALL: Toll Free (866) 742-3322

Visit our Web Site for other weather data: www.ncdc.noa.gov

For Hard Copy Subscription:

Price and ordering information: NCDC Subscribing Service Center, 310 State Route 956, Building 300, Rocket Center, WV 26726.