




2010 LOCAL CLIMATOLOGICAL DATA ANNUAL SUMMARY WITH COMPARATIVE DATA


ISSN 0198-2699

DULUTH, MINNESOTA (KDLH)

Daily Max/Min Temperature



Daily Precipitation



Daily Station Pressure



I CERTIFY THAT THIS IS AN OFFICIAL PUBLICATION OF THE NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION, AND IS COMPILED FROM RECORDS ON FILE AT THE NATIONAL CLIMATIC DATA CENTER.

NATIONAL
OCEANIC AND
ATMOSPHERIC ADMINISTRATION

NATIONAL
ENVIRONMENTAL SATELLITE, DATA
AND INFORMATION SERVICE

NATIONAL
CLIMATIC DATA CENTER
ASHEVILLE, NORTH CAROLINA

Thomas R. Karl
DIRECTOR
NATIONAL CLIMATIC DATA CENTER

METEOROLOGICAL DATA FOR 2010

DULUTH (KDLH)

LATITUDE: 46° 50'N LONGITUDE: -92° 11'W ELEVATION (FT): GRND: 1422 BARO: 1429 TIME ZONE: CENTRAL (UTC -6) WBAN: 14913

ELEMENT		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	YEAR	
TEMPERATURE °F	MEAN DAILY MAXIMUM	18.3	26.8	46.7	57.1	65.1	68.8	78.4	77.3	60.6	56.4	37.7	20.0	51.1	
	HIGHEST DAILY MAXIMUM	36	39	71	73	86	86	88	89	73	77	56	36	89	
	DATE OF OCCURRENCE	17	27	31	15	25	22	03	09	01	08	10	31+	AUG 09	
	MEAN DAILY MINIMUM	3.0	4.2	27.4	35.0	42.5	50.8	59.6	59.0	43.4	37.4	23.2	5.6	32.6	
	LOWEST DAILY MINIMUM	-26	-13	5	18	24	41	51	46	31	22	3	-16	-26	
	DATE OF OCCURRENCE	03	12	01	09	09	07+	12	17	26	31+	25	14	JAN 03	
	AVERAGE DRY BULB	10.7	15.5	37.1	46.1	53.8	59.8	69.0	68.2	52.0	46.9	30.5	12.8	41.9	
	MEAN WET BULB	10.0	13.7	32.4	38.3	46.7	54.9	62.2	61.8	47.2	40.8	27.4	11.9	37.3	
	MEAN DEW POINT	4.9	5.6	24.9	27.5	39.4	50.8	57.8	57.8	42.4	34.0	21.8	7.6	31.2	
	NUMBER OF DAYS WITH:														
	MAXIMUM >= 90°	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	MAXIMUM <= 32°	27	20	1	0	0	0	0	0	0	0	13	28	89	
MINIMUM <= 32°	31	28	17	10	5	0	0	0	1	9	25	31	157		
MINIMUM <= 0°	15	10	0	0	0	0	0	0	0	0	0	9	34		
H/C	HEATING DEGREE DAYS	1679	1381	858	562	350	167	4	38	384	554	1032	1609	8618	
	COOLING DEGREE DAYS	0	0	0	0	14	19	134	143	0	0	0	0	310	
RH	MEAN (PERCENT)	75	64	66	53	62	75	70	73	72	65	72	78	69	
	HOUR 00 LST	77	68	72	62	72	82	81	81	81	71	76	81	75	
	HOUR 06 LST	80	74	78	68	76	84	82	86	85	77	79	81	79	
	HOUR 12 LST	70	56	55	41	50	67	57	61	60	54	66	76	59	
	HOUR 18 LST	73	58	55	46	52	67	58	63	66	60	70	76	62	
S	PERCENT POSSIBLE SUNSHINE														
W/O	NUMBER OF DAYS WITH:														
	HEAVY FOG(VISBY <= 1/4 MI)	2	1	8	5	3	10	5	5	2	4	4	6	55	
	THUNDERSTORMS	0	0	0	0	4	4	4	7	4	0	0	0	23	
CLOUDNESS	SUNRISE-SUNSET: (OKTAS)														
	CEILOMETER (<= 12,000 FT.)														
	SATELLITE (> 12,000 FT.)														
	MIDNIGHT-MIDNIGHT: (OKTAS)														
	CEILOMETER (<= 12,000 FT.)														
SATELLITE (> 12,000 FT.)															
NUMBER OF DAYS WITH:															
CLEAR															
PARTLY CLOUDY															
CLOUDY															
PR	MEAN STATION PRESS. (IN.)	28.53	28.57	28.46	28.38	28.45	28.40	28.41	28.39	28.43	28.41	28.42	28.51	28.45	
	MEAN SEA-LEVEL PRESS. (IN.)	30.14	30.17	30.02	29.92	29.97	29.91	29.91	29.89	29.96	29.94	29.99	30.12	30.00	
WINDS	RESULTANT SPEED (MPH)	3.7	4.5	0.2	4.3	2.1	1.6	2.7	3.6	2.0	2.5	1.7	3.8	1.1	
	RES. DIR. (TENS OF DEGS.)	31	01	29	08	11	09	25	24	33	29	29	32	33	
	MEAN SPEED (MPH)	10.1	7.4	8.5	10.4	9.1	8.0	8.1	9.2	9.8	10.4	10.6	9.1	9.2	
	PREVAIL.DIR.(TENS OF DEGS.)	35	35	33	08	11	11	31	29	31	31	31	35	35	
	MAXIMUM 2-MINUTE WIND														
	SPEED (MPH)	26	25	30	36	31	30	29	30	41	38	29	32	41	
	DIR. (TENS OF DEGS.)	34	35	08	28	21	24	17	28	10	23	24	11	10	
	DATE OF OCCURRENCE	25	15	11	15	01	18	14	16	02	26	11	31	SEP 02	
	MAXIMUM 3-SECOND WIND:														
	SPEED (MPH)	36	33	37	43	43	39	36	43	52	49	37	40	52	
DIR. (TENS OF DEGS.)	34	35	08	26	25	28	19	28	10	22	31	11	10		
DATE OF OCCURRENCE	25	15	11	15	02	09	14	16	02	26	19	31	SEP 02		
PRECIPITATION	WATER EQUIVALENT:														
	TOTAL (IN.)	1.10	0.41	0.94	0.75	5.95	5.25	2.95	6.39	3.48	3.87	2.42	2.08	35.59	
	GREATEST 24-HOUR (IN.)	0.78	0.26	0.46	0.29	3.93	1.31	0.71	1.66	1.11	2.94	0.83	0.86	3.93	
	DATE OF OCCURRENCE	23-24	08-09	10-11	02	23	24-25	27	01-02	23-24	26	13-14	30-31	MAY 23	
	NUMBER OF DAYS WITH:														
	PRECIPITATION 0.01	3	7	6	8	9	15	13	13	13	6	13	7	113	
PRECIPITATION 0.10	3	2	4	2	6	10	6	10	10	5	8	5	71		
PRECIPITATION 1.00	0	0	0	0	2	2	0	1	0	1	0	0	6		
SNOWFALL	SNOW,ICE PELLETS,HAIL														
	TOTAL (IN.)	14.6	8.5	T	T	4.5	0.0	0.0	0.0	0.0	7.7	27.9	18.1	81.3	
	GREATEST 24-HOUR (IN.)	7.8	5.0	T	T	4.4	0.0	0.0	0.0	0.0	4.3	7.1	6.0	7.8	
	DATE OF OCCURRENCE	24	08	19	07	07					27	13	20	JAN 24	
	MAXIMUM SNOW DEPTH (IN.)	27	28	22	0	3	0	0	0	0	6	12	21	28	
	DATE OF OCCURRENCE	26	10+	02+	08	08					27	30	21	FEB 10+	
NUMBER OF DAYS WITH:															
SNOWFALL >= 1.0	3	2	0	0	1	0	0	0	0	2	6	4	18		

NORMALS, MEANS, AND EXTREMES DULUTH (KDLH)

LATITUDE:
46° 50'N

LONGITUDE:
-92° 11'W

ELEVATION (FT):
GRND: 1422 BARO: 1429

TIME ZONE:
CENTRAL (UTC -6)

WBAN: 14913

	ELEMENT	POR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	YEAR
TEMPERATURE °F	NORMAL DAILY MAXIMUM	30	17.9	24.4	34.2	49.0	63.4	71.2	76.3	73.9	64.5	52.5	35.2	22.3	48.7
	MEAN DAILY MAXIMUM	83	17.7	22.1	33.0	47.6	61.1	69.5	76.3	74.1	64.0	52.6	35.1	22.4	48.0
	HIGHEST DAILY MAXIMUM	69	52	55	78	88	90	94	97	97	95	86	71	55	97
	YEAR OF OCCURRENCE		1942	2000	1946	1952	1986	1995	2006	1947	1976	1953	1999	1962	JUL 2006
	MEAN OF EXTREME MAXS.	83	36.6	41.2	52.0	71.1	81.4	85.7	88.7	87.2	81.6	73.1	55.1	39.3	66.1
	NORMAL DAILY MINIMUM	30	-1.2	5.1	16.5	28.9	40.2	48.5	54.6	53.5	44.8	34.5	20.7	5.6	29.3
	MEAN DAILY MINIMUM	83	0.4	4.1	15.8	29.2	39.8	48.2	55.1	54.2	45.2	35.6	21.4	7.3	29.7
	LOWEST DAILY MINIMUM	69	-39	-39	-29	-5	17	27	35	32	22	8	-23	-34	-39
	YEAR OF OCCURRENCE		1972	1996	1989	1975	1967	1972	1988	1986	1942	1976	1964	1983	FEB 1996
	MEAN OF EXTREME MINS.	83	-24.4	-19.3	-9.4	12.7	26.9	36.1	43.1	41.0	30.0	20.4	0.7	-15.9	11.8
	NORMAL DRY BULB	30	8.4	14.8	25.4	39.0	51.8	59.9	65.5	63.7	54.7	43.5	28.0	14.0	39.1
	MEAN DRY BULB	83	9.1	13.2	24.4	38.4	50.5	59.0	65.7	64.2	54.6	44.1	28.3	14.9	38.9
	MEAN WET BULB	27	9.1	12.7	22.4	32.8	43.9	53.7	59.0	58.3	50.6	38.2	25.5	13.6	35.0
	MEAN DEW POINT	27	6.9	9.4	18.4	28.0	39.3	50.9	56.8	56.3	48.0	35.1	22.9	11.3	31.9
	NORMAL NO. DAYS WITH: MAXIMUM >= 90	30	0.0	0.0	0.0	0.0	*	0.2	1.1	0.6	0.1	0.0	0.0	0.0	2.0
MAXIMUM <= 32	30	28.2	21.4	14.2	2.2	0.0	0.0	0.0	0.0	0.0	0.8	13.2	26.1	106.1	
MINIMUM <= 32	30	31.0	27.8	28.6	19.4	5.1	0.3	0.0	*	2.3	12.4	26.2	30.8	183.9	
MINIMUM <= 0	30	16.8	11.1	4.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	1.7	11.7	45.4	
H/C	NORMAL HEATING DEG. DAYS	30	1771	1422	1244	787	421	180	69	106	331	682	1124	1587	9724
	NORMAL COOLING DEG. DAYS	30	0	0	0	0	7	28	82	60	12	0	0	0	189
RH	NORMAL (PERCENT)	30	75	73	71	63	63	71	73	76	77	73	77	78	73
	HOURLY 00 LST	30	77	75	75	70	72	81	84	86	85	78	79	80	79
	HOURLY 06 LST	30	79	79	80	76	76	83	87	90	89	83	82	81	82
	HOURLY 12 LST	30	71	67	64	55	53	60	61	64	64	63	71	74	64
	HOURLY 18 LST	30	71	67	64	54	52	59	61	65	69	67	73	75	65
S	PERCENT POSSIBLE SUNSHINE	47	48	53	55	56	57	58	65	61	52	46	35	39	52
W/O	MEAN NO. DAYS WITH: HEAVY FOG(VISBY <= 1/4 MI)	47	2.5	2.4	4.2	3.7	4.8	5.8	4.8	5.7	5.4	4.3	3.5	3.5	50.6
	THUNDERSTORMS	63	0.1	0.0	0.5	1.6	3.6	6.4	7.9	6.5	3.9	1.4	0.3	0.1	32.3
CLOUDNESS	MEAN: SUNRISE-SUNSET (OKTAS)	48	5.4	5.2	5.4	5.4	5.3	5.3	4.7	4.7	5.2	5.3	6.0	5.6	5.3
	MIDNIGHT-MIDNIGHT (OKTAS)	32	5.0	5.0	5.2	5.0	4.8	4.8	4.3	4.3	4.7	5.0	5.7	5.4	4.9
	MEAN NO. DAYS WITH: CLEAR	48	7.4	7.3	7.0	6.2	6.2	5.1	6.7	7.2	6.3	6.4	4.4	6.0	76.2
	PARTLY CLOUDY	48	7.0	6.2	6.9	7.9	9.6	11.0	12.7	11.9	8.4	7.6	5.5	5.8	100.5
	CLOUDY	48	16.7	14.7	17.0	15.9	15.2	13.9	10.9	11.3	14.6	16.4	19.5	18.6	184.7
PR	MEAN STATION PRESSURE(IN)	27	28.46	28.49	28.49	28.44	28.43	28.42	28.46	28.50	28.48	28.46	28.44	28.45	28.46
	MEAN SEA-LEVEL PRES. (IN)	27	30.07	30.08	30.06	29.99	29.96	29.93	29.96	30.01	30.00	30.00	30.01	30.05	30.01
WINDS	MEAN SPEED (MPH)	27	10.6	10.4	10.8	11.1	10.6	9.4	8.6	8.7	9.6	10.5	10.7	10.5	10.1
	PREVAIL.DIR(TENS OF DEGS)	36	31	31	09	09	09	11	11	12	31	31	31	32	09
	MAXIMUM 2-MINUTE: SPEED (MPH)	14	37	44	47	46	44	44	43	46	41	39	44	41	47
	DIR. (TENS OF DEGS)		28	29	08	08	28	25	29	29	10	31	08	28	08
	YEAR OF OCCURRENCE		2009	2002	1998	2003	2002	2007	2007	2001	2010	2006	1998	2001	MAR 1998
	MAXIMUM 3-SECOND SPEED (MPH)	14	52	54	57	62	52	53	60	62	52	49	55	56	62
	DIR. (TENS OF DEGS)		28	28	08	07	29	23	27	29	10	22	09	31	07
YEAR OF OCCURRENCE		2009	2002	1998	2008	2002	2008	2007	2001	2010	2010	1998	1999	APR 2008	
PRECIPITATION	NORMAL (IN)	30	1.12	0.83	1.69	2.09	2.95	4.25	4.20	4.22	4.13	2.46	2.12	0.94	31.00
	MAXIMUM MONTHLY (IN)	69	4.70	2.72	5.12	8.18	7.67	8.04	8.74	10.31	9.38	7.53	5.08	3.70	10.31
	YEAR OF OCCURRENCE		1969	1998	1965	2001	1962	1986	1999	1972	1991	1949	2000	1968	AUG 1972
	MINIMUM MONTHLY (IN)	69	0.13	0.13	0.22	0.24	0.15	0.55	.82	0.71	0.19	0.13	0.19	0.13	0.13
	YEAR OF OCCURRENCE		2008	1988	1959	1987	1976	1995	2005	1970	1952	1944	1976	1997	JAN 2008
	MAXIMUM IN 24 HOURS (IN)	69	1.74	1.38	2.38	2.60	3.93	4.05	3.68	5.79	3.77	2.94	2.64	2.12	5.79
	YEAR OF OCCURRENCE		1975	1965	1977	2001	2010	1958	1987	1978	1972	2010	1968	1950	AUG 1978
	NORMAL NO. DAYS WITH: PRECIPITATION >= 0.01	30	11.6	9.2	10.7	10.4	11.1	12.7	11.8	11.7	12.8	10.6	11.1	10.3	134.0
PRECIPITATION >= 1.00	30	*	*	0.2	0.1	0.4	0.9	1.3	1.3	1.0	0.4	0.4	*	6.0	
SNOWFALL	NORMAL (IN)	30	19.6	11.4	13.7	6.3	0.3	0.*	0.0	0.0	0.1	1.6	15.2	14.9	83.1
	MAXIMUM MONTHLY (IN)	67	46.8	32.1	45.5	31.5	8.1	0.2	T	T	2.4	9.7	50.1	44.3	50.1
	YEAR OF OCCURRENCE		1969	2001	1965	1950	1954	1945	1992	2008	1991	1995	1991	1950	NOV 1991
	MAXIMUM IN 24 HOURS (IN)	67	23.2	17.0	19.4	11.6	4.4	0.2	T	T	2.4	7.9	24.1	25.4	25.4
	YEAR OF OCCURRENCE		2004	1948	1965	1983	2010	1945	1992	1995	1991	1966	1991	1950	DEC 1950
	MAXIMUM SNOW DEPTH (IN)	62	42	38	48	41	9	0	0	0	0	6	30	32	48
	YEAR OF OCCURRENCE		1969	1969	1965	1965	1950					2010	1991	1983	MAR 1965
NORMAL NO. DAYS WITH: SNOWFALL >= 1.0	30	4.5	3.6	3.9	1.7	0.1	0.0	0.0	0.0	0.0	0.6	3.7	4.1	22.2	

PRECIPITATION (inches) 2010 DULUTH (KDLH)

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
1981	0.32	1.50	1.05	4.48	1.15	5.83	3.26	2.84	2.42	3.59	0.96	0.97	28.37
1982	2.02	0.48	2.06	2.06	4.30	1.97	6.21	1.60	4.19	5.07	3.08	1.19	34.23
1983	1.34	0.49	2.05	2.28	2.12	2.00	3.51	3.37	5.57	2.32	5.01	1.97	32.03
1984	0.78	0.61	0.54	2.34	1.83	5.70	1.33	1.96	3.82	5.19	0.82	1.91	26.83
1985	0.39	0.66	1.85	2.35	4.44	3.18	4.16	3.91	6.02	1.76	2.33	0.78	31.83
1986	0.66	0.74	0.88	4.11	2.59	8.04	4.58	5.29	6.26	0.66	2.01	0.45	36.27
1987	0.69	0.31	0.60	0.24	4.02	0.83	5.46	1.87	2.93	0.96	1.26	0.67	19.84
1988	0.78	0.13	2.55	0.44	3.96	4.56	1.14	6.82	6.18	1.05	3.44	1.12	32.17
1989	1.87	0.34	1.49	2.11	3.50	3.81	1.09	5.02	4.40	1.02	1.01	0.63	26.29
1990	0.51	0.51	3.35	3.76	1.48	4.83	2.42	5.39	6.49	3.51	0.65	0.49	33.39
1991	0.52	0.55	1.17	3.90	6.11	5.64	5.33	2.49	9.38	2.85	4.89	0.61	43.44
1992	0.60	0.58	0.84	2.87	2.87	5.04	3.64	4.13	3.90	1.13	1.84	1.23	28.67
1993	1.79	0.38	0.44	2.42	4.74	6.95	5.75	3.63	1.81	0.56	2.60	1.28	32.35
1994	1.85	0.62	1.11	4.11	1.91	4.54	2.20	3.45	5.61	2.27	2.53	0.33	30.53
1995	1.38	1.04	1.97	2.19	4.13	0.55	5.73	6.67	3.02	4.24	1.84	1.54	34.30
1996	1.35	1.10	0.50	1.47	1.61	5.10	8.37	2.92	5.34	3.08	3.95	.86	35.65
1997	0.94	0.23	1.48	1.07	1.90	5.17	4.33	1.26	1.75	2.29	0.43	0.13	20.98
1998	0.36	2.72	1.84	1.42	2.21	6.13	1.72	2.59	3.33	4.21	3.42	1.57	31.52
1999	0.87	0.64	0.76	2.96	2.93	4.72	8.74	7.41	5.80	2.35	0.70	0.23	38.11
2000	0.77	1.08	2.64	1.38	3.07	4.18	3.50	4.42	2.02	2.27	5.08	0.93	31.34
2001	1.25	1.76	0.69	8.18	3.49	3.06	1.89	3.31	1.41	2.42	2.21	0.55	30.22
2002	0.40	0.64	1.87	2.72	2.04	5.75	5.40	4.22	3.93	3.05	0.34	0.81	31.17
2003	0.23	0.23	1.03	2.03	3.54	3.47	4.79	2.31	3.52	1.57	1.70	0.54	24.96
2004	1.89	1.48	2.11	1.38	3.56	1.87	3.72	3.72	4.31	3.17	0.49	2.13	29.83
2005	2.51	1.06	0.52	1.24	4.43	5.46	0.82	2.33	3.60	4.86	3.02	2.54	32.39
2006	0.48	0.94	1.56	1.61	4.72	3.53	3.47	1.16	2.86	1.78	1.22	1.22	24.55
2007	0.20	1.49	2.49	2.22	3.39	2.67	1.88	1.39	4.38	6.80	0.66	2.45	30.02
2008	0.13	0.37	0.81	3.77	2.73	5.21	4.58	2.90	4.17	2.95	1.44	1.94	31.00
2009	0.53	0.98	3.37	0.89	2.13	1.81	3.33	6.02	1.40	4.60	1.15	2.89	29.10
2010	1.10	0.41	0.94	0.75	5.95	5.25	2.95	6.39	3.48	3.87	2.42	2.08	35.59
POR= 69 YRS	1.09	0.85	1.70	2.33	3.24	4.16	3.84	3.92	3.54	2.52	1.85	1.23	30.27

WBAN : 14913

AVERAGE TEMPERATURE (°F) 2010 DULUTH (KDLH)

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
1981	11.9	16.3	28.3	39.2	50.2	58.7	65.5	64.3	52.9	40.5	34.7	14.8	39.8
1982	-3.2	10.6	20.8	35.7	52.8	54.8	64.5	60.8	54.3	45.1	24.4	19.6	36.7
1983	13.2	21.1	25.6	35.1	46.7	59.9	69.6	69.7	56.6	44.9	31.6	1.8	39.7
1984	7.1	23.0	18.7	42.4	50.5	61.4	66.6	67.7	51.9	45.7	28.4	13.2	39.7
1985	6.5	11.6	30.3	42.1	54.9	56.5	64.6	59.7	52.1	42.7	19.9	3.0	37.0
1986	11.7	11.5	28.5	42.1	51.8	58.9	64.7	60.8	52.7	43.4	24.0	18.8	39.1
1987	15.3	23.7	31.6	46.1	53.1	63.1	67.6	63.5	57.2	39.4	32.2	20.4	42.8
1988	4.8	6.2	24.4	40.1	56.0	62.8	70.0	64.5	55.4	38.6	28.9	13.5	38.8
1989	14.3	3.4	18.9	36.8	51.7	58.4	68.6	64.8	55.9	44.4	23.2	4.1	37.0
1990	18.7	14.9	27.1	40.2	48.3	61.5	64.6	64.1	56.2	42.1	31.4	12.6	40.1
1991	5.9	19.4	26.1	42.7	54.7	61.7	63.8	66.3	53.0	40.4	22.0	15.9	39.3
1992	16.7	21.2	25.9	36.2	53.8	56.3	59.4	60.5	53.8	41.7	27.3	15.9	39.1
1993	11.9	14.5	27.1	37.2	50.3	57.1	63.6	65.0	49.5	40.0	24.4	17.0	38.1
1994	-2.1	6.5	28.6	39.6	53.8	62.5	64.5	62.5	58.5	47.2	33.6	21.3	39.7
1995	13.7	11.7	28.2	34.7	52.4	65.1	66.8	67.4	55.1	43.7	20.6	12.1	39.3
1996	2.2	11.9	19.4	33.7	48.2	60.4	62.1	65.4	56.2	43.6	21.6	11.2	36.3
1997	7.0	14.5	23.5	35.7	45.8	62.2	63.8	61.0	57.5	43.9	24.9	22.7	38.5
1998	16.4	29.0	25.4	44.1	55.9	58.8	65.7	67.1	59.3	45.9	32.1	18.7	43.2
1999	9.3	21.3	27.8	41.4	53.6	60.6	67.6	63.5	54.5	42.3	36.2	19.7	41.5
2000	10.3	21.4	33.4	38.1	52.9	56.0	64.6	64.7	53.9	46.9	28.6	4.4	39.6
2001	17.4	7.8	24.5	39.8	52.8	60.9	65.7	67.0	55.4	43.4	39.5	22.2	41.4
2002	17.8	21.5	18.3	37.2	46.6	61.8	69.1	63.6	58.0	35.6	25.6	20.2	39.6
2003	9.0	9.1	22.9	38.3	50.7	59.8	66.2	67.6	56.2	44.3	26.7	20.5	39.3
2004	4.0	18.9	28.3	39.4	46.7	57.3	63.4	58.8	59.2	45.3	33.4	14.0	39.1
2005	7.7	19.4	23.2	43.1	48.9	61.8	67.6	64.7	59.7	45.9	30.7	17.7	40.9
2006	23.8	11.8	28.7	45.7	53.1	62.9	71.9	66.0	54.4	39.8	31.8	23.8	42.8
2007	13.7	8.0	29.4	38.9	53.9	63.1	67.4	65.1	57.4	47.7	28.9	13.4	40.6
2008	10.0	10.2	22.3	37.9	48.5	60.0	64.5	64.4	56.2	44.6	28.9	7.0	37.9
2009	3.3	15.3	24.6	39.7	50.2	58.8	62.2	62.2	62.1	39.1	37.9	12.4	39.0
2010	10.7	15.5	37.1	46.1	53.8	59.8	69.0	68.2	52.0	46.9	30.5	12.8	41.9
POR= 83 YRS	9.1	13.2	24.4	38.4	50.5	59.0	65.7	64.2	54.6	44.1	28.3	14.9	38.9

HEATING DEGREE DAYS (base 65°F) 2010 DULUTH (KDLH)

YEAR	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	TOTAL
1981-82	74	62	363	752	903	1549	2117	1523	1363	875	370	303	10254
1982-83	66	161	332	609	1212	1398	1598	1226	1214	887	562	185	9450
1983-84	30	9	285	615	996	1959	1792	1210	1429	671	446	116	9558
1984-85	40	40	391	588	1093	1601	1809	1494	1067	679	314	252	9368
1985-86	57	178	394	686	1349	1925	1646	1492	1127	680	416	196	10146
1986-87	76	151	361	663	1224	1426	1537	1153	1027	561	376	112	8667
1987-88	34	100	234	782	977	1377	1862	1704	1253	741	300	146	9510
1988-89	22	97	287	812	1081	1590	1567	1721	1424	839	405	206	10051
1989-90	27	78	272	633	1249	1887	1428	1398	1166	745	506	130	9519
1990-91	76	94	273	700	1003	1623	1833	1273	1201	661	332	129	9198
1991-92	97	67	363	754	1284	1515	1492	1266	1207	859	355	271	9530
1992-93	174	167	332	717	1121	1518	1638	1408	1171	825	451	239	9761
1993-94	73	71	459	769	1214	1485	2082	1635	1123	756	351	105	10123
1994-95	58	114	197	544	932	1347	1584	1487	1136	902	389	98	8788
1995-96	43	16	305	655	1327	1634	1946	1537	1410	932	514	172	10491
1996-97	105	38	277	655	1296	1660	1789	1407	1280	873	588	106	10074
1997-98	96	155	228	649	1193	1309	1498	1001	1218	620	282	193	8442
1998-99	50	21	196	581	981	1431	1722	1221	1147	699	357	158	8564
1999-00	38	76	329	698	857	1396	1691	1256	975	800	369	274	8759
2000-01	75	52	336	556	1084	1872	1469	1595	1250	748	369	164	9570
2001-02	66	48	300	661	760	1320	1456	1211	1441	826	574	157	8820
2002-03	27	68	242	902	1176	1383	1730	1554	1301	795	438	171	9787
2003-04	49	36	277	638	1142	1373	1886	1329	1132	762	561	236	9421
2004-05	90	200	194	604	938	1572	1769	1270	1290	650	491	137	9205
2005-06	56	74	186	582	1021	1456	1269	1486	1117	572	372	91	8282
2006-07	10	32	319	777	988	1267	1581	1592	1094	778	348	100	8886
2007-08	60	63	254	526	1075	1594	1698	1582	1318	807	506	167	9650
2008-09	59	63	274	625	1077	1789	1908	1387	1246	751	454	212	9845
2009-10	99	124	106	796	806	1624	1679	1381	858	562	350	167	8552
2010-	4	38	384	554	1032	1609							

WBAN : 14913

COOLING DEGREE DAYS (base 65°F) 2010 DULUTH (KDLH)

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	TOTAL
1981	0	0	0	0	2	2	97	48	6	0	0	0	155
1982	0	0	0	0	0	0	58	36	18	0	0	0	112
1983	0	0	0	0	0	42	179	165	42	0	0	0	428
1984	0	0	0	0	4	13	96	133	4	0	0	0	250
1985	0	0	0	0	9	4	54	20	15	0	0	0	102
1986	0	0	0	0	13	18	74	26	0	0	0	0	131
1987	0	0	0	0	13	62	121	60	7	0	0	0	263
1988	0	0	0	0	27	83	183	89	4	0	0	0	386
1989	0	0	0	0	0	17	147	80	7	0	0	0	251
1990	0	0	0	7	0	32	70	73	16	0	0	0	198
1991	0	0	0	0	20	35	69	117	8	0	0	0	249
1992	0	0	0	0	13	18	9	37	3	3	0	0	83
1993	0	0	0	0	0	8	36	76	0	0	0	0	120
1994	0	0	0	0	11	36	52	43	8	0	0	0	150
1995	0	0	0	0	7	107	105	99	14	4	0	0	336
1996	0	0	0	0	0	44	25	58	21	0	0	0	148
1997	0	0	0	0	0	27	67	37	8	0	0	0	139
1998	0	0	0	0	8	12	81	93	32	0	0	0	226
1999	0	0	0	0	12	33	127	35	20	0	0	0	227
2000	0	0	0	0	2	10	69	51	9	0	0	0	141
2001	0	0	0	0	0	49	96	117	17	0	0	0	279
2002	0	0	0	0	10	68	161	33	39	0	0	0	311
2003	0	0	0	0	0	21	94	122	20	3	0	0	260
2004	0	0	0	0	0	12	47	15	26	0	0	0	100
2005	0	0	0	0	0	46	142	74	35	0	0	0	297
2006	0	0	0	0	8	34	232	68	7	0	0	0	349
2007	0	0	0	0	8	48	142	73	35	0	0	0	306
2008	0	0	0	0	0	23	50	54	16	0	0	0	143
2009	0	0	0	0	0	33	17	44	24	0	0	0	118
2010	0	0	0	0	14	19	134	143	0	0	0	0	310

SNOWFALL (inches) 2010 DULUTH (KDLH)

YEAR	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	TOTAL
1981-82	0.0	0.0	T	1.4	12.5	15.5	34.2	8.0	17.8	6.3	0.0	0.0	95.7
1982-83	0.0	0.0	0.0	0.8	16.0	21.4	15.7	9.0	9.9	23.7	T	0.0	96.5
1983-84	0.0	0.0	T	T	37.7	32.1	20.0	4.0	9.9	3.3	0.3	0.0	107.3
1984-85	0.0	0.0	T	3.5	2.4	8.2	15.3	12.0	26.7	0.1	0.0	0.0	68.2
1985-86	0.0	0.0	0.7	2.3	34.1	18.8	11.5	10.3	11.4	0.2	T	0.0	89.3
1986-87	0.0	0.0	0.0	1.8	8.2	7.3	11.2	5.1	6.7	0.3	T	0.0	40.6
1987-88	0.0	0.0	0.0	3.9	5.8	11.3	16.7	2.3	13.7	0.1	0.0	0.0	53.8
1988-89	0.0	0.0	0.0	0.3	24.3	20.7	31.2	5.3	17.6	19.0	0.7	0.0	119.1
1989-90	0.0	T	0.0	0.6	8.4	14.2	5.5	15.0	11.6	2.4	0.6	T	58.3
1990-91	0.0	0.0	0.0	3.2	5.1	13.5	11.4	9.7	9.5	8.5	2.9	0.0	63.8
1991-92	0.0	0.0	2.4	4.3	50.1	12.9	9.3	10.6	0.7	9.7	0.0	0.0	100.0
1992-93	T	0.0	T	5.1	29.4	15.5	24.9	10.0	5.8	3.5	T	0.0	94.2
1993-94	0.0	0.0	T	0.6	28.5	15.1	35.3	7.9	13.0	10.0	0.0	T	110.4
1994-95	0.0	0.0	0.0	0.2	15.5	6.2	12.8	17.6	20.9	16.2	T	0.0	89.4
1995-96	0.0	T	0.1	9.7	20.4	25.9	34.0	21.3	11.4	12.6	T		
1996-97					15.9	41.7	35.5	8.9	23.6	1.7	0.1	0.0	
1997-98	0.0	0.0	0.0	1.2	16.9	6.0	29.9	9.6	14.2	2.3	0.0	T	80.1
1998-99	0.0	T	0.0	T	15.7	12.8	18.9	13.5	17.8	11.5	0.0	0.0	90.2
1999-00	0.0	0.0	0.0	0.0	6.2	4.4	16.5	13.3	9.5	5.6	T	0.0	55.5
2000-01	0.0	0.0	0.0	T	17.5	19.2	14.9	32.1	7.9	7.7	0.0	0.0	99.3
2001-02	0.0	0.0	0.0	2.0	11.4	7.3	11.3	11.2	29.7	11.6	1.5	0.0	86.0
2002-03	0.0	0.0	T	6.3	4.3	3.4	5.9	6.4	17.1	12.9	0.0	0.0	56.3
2003-04	0.0	0.0	T	4.5	19.4	8.4	42.3	23.4	11.6	0.3	0.0	0.0	109.9
2004-05	0.0	0.0	0.0	T	1.4	17.3	45.7	20.2	6.3	0.5	0.1	0.0	91.5
2005-06	0.0	0.0	0.0	0.1	11.4	34.5	7.3	23.4	12.5	T	T	T	89.2
2006-07	0.0	0.0	0.0	4.1	4.0	10.1	4.5	19.7	25.5	12.7	0.1	0.0	80.7
2007-08	0.0	0.0	0.0	T	6.0	35.4	2.8	7.1	13.6	14.6	0.5	0.0	80.0
2008-09	0.0	T	0.0	0.2	3.2	37.1	9.3	7.1	15.5	1.2	T	0.0	73.6
2009-10	0.0	0.0	0.0	3.7	1.1	33.4	14.6	8.5	T	T	4.5	0.0	65.8
2010-	0.0	0.0	0.0	7.7	27.9	18.1							
POR= 62 YRS	T	T	0.1	1.8	12.3	16.7	18.0	12.2	14.0	6.7	0.7	T	82.5

WBAN : 14913

REFERENCE NOTES :

PAGE 1:
THE TEMPERATURE GRAPH SHOWS NORMAL MAXIMUM AND NORMAL MINIMUM DAILY TEMPERATURES (SOLID CURVES) AND THE ACTUAL DAILY HIGH AND LOW TEMPERATURES (VERTICAL BARS).

PAGE 2 AND 3:
H/C INDICATES HEATING AND COOLING DEGREE DAYS.
RH INDICATES RELATIVE HUMIDITY
W/O INDICATES WEATHER AND OBSTRUCTIONS
S INDICATES SUNSHINE.
PR INDICATES PRESSURE.
CLOUDINESS ON PAGE 3 IS THE SUM OF THE CEILOMETER AND SATELLITE DATA NOT TO EXCEED EIGHT EIGHTHS(OKTAS).

GENERAL:
T INDICATES TRACE PRECIPITATION, AN AMOUNT GREATER THAN ZERO BUT LESS THAN THE LOWEST REPORTABLE VALUE.
+ INDICATES THE VALUE ALSO OCCURS ON EARLIER DATES.
BLANK ENTRIES DENOTE MISSING OR UNREPORTED DATA.
NORMALS ARE 30-YEAR AVERAGES (1971 - 2000).
ASOS INDICATES AUTOMATED SURFACE OBSERVING SYSTEM.
PM INDICATES THE LAST DAY OF THE PREVIOUS MONTH.
POR (PERIOD OF RECORD) BEGINS WITH THE JANUARY DATA MONTH AND IS THE NUMBER OF YEARS USED TO COMPUTE THE MEAN. INDIVIDUAL MONTHS WITHIN THE POR MAY BE MISSING.
WHEN THE POR FOR A NORMAL IS LESS THAN 30 YEARS, THE NORMAL IS PROVISIONAL AND IS BASED ON THE NUMBER OF YEARS INDICATED.
0.* OR * INDICATES THE VALUE OR MEAN-DAYS-WITH IS BETWEEN 0.00 AND 0.05.
CLOUDINESS FOR ASOS STATIONS DIFFERS FROM THE NON-ASOS OBSERVATION TAKEN BY A HUMAN OBSERVER. ASOS STATION CLOUDINESS IS BASED ON TIME-AVERAGED CEILOMETER DATA FOR CLOUDS AT OR BELOW 12,000 FEET AND ON SATELLITE DATA FOR CLOUDS ABOVE 12,000 FEET.
THE NUMBER OF DAYS WITH CLEAR, PARTLY CLOUDY, AND CLOUDY CONDITIONS FOR ASOS STATIONS IS THE SUM OF THE CEILOMETER AND SATELLITE DATA FOR THE SUNRISE TO SUNSET PERIOD.
CLEAR INDICATES 0 - 2 OKTAS, PARTLY CLOUDY INDICATES 3 - 6 OKTAS, AND CLOUDY INDICATES 7 OR 8 OKTAS.
WHEN AT LEAST ONE OF THE ELEMENTS (CEILOMETER OR SATELLITE) IS MISSING, THE DAILY CLOUDINESS IS NOT COMPUTED.

GENERAL CONTINUED:
WIND DIRECTION IS RECORDED IN TENS OF DEGREES (2 DIGITS) CLOCKWISE FROM TRUE NORTH. "00" INDICATES CALM. "36" INDICATES TRUE NORTH.
RESULTANT WIND IS THE VECTOR AVERAGE OF THE SPEED AND DIRECTION.
AVERAGE TEMPERATURE IS THE SUM OF THE MEAN DAILY MAXIMUM AND MINIMUM TEMPERATURE DIVIDED BY 2.
SNOWFALL DATA COMPRISE ALL FORMS OF FROZEN PRECIPITATION, INCLUDING HAIL.
A HEATING (COOLING) DEGREE DAY IS THE DIFFERENCE BETWEEN THE AVERAGE DAILY TEMPERATURE AND 65 F.
DRY BULB IS THE TEMPERATURE OF THE AMBIENT AIR.
DEW POINT IS THE TEMPERATURE TO WHICH THE AIR MUST BE COOLED TO ACHIEVE 100 PERCENT RELATIVE HUMIDITY.
WET BULB IS THE TEMPERATURE THE AIR WOULD HAVE IF THE MOISTURE CONTENT WAS INCREASED TO 100 PERCENT RELATIVE HUMIDITY.
ON JULY 1, 1996, THE NATIONAL WEATHER SERVICE BEGAN USING THE "METAR" OBSERVATION CODE THAT WAS ALREADY EMPLOYED BY MOST OTHER NATIONS OF THE WORLD. THE MOST NOTICEABLE DIFFERENCE IN THIS ANNUAL PUBLICATION WILL BE THE CHANGE IN UNITS FROM TENTHS TO EIGHTS(OKTAS) FOR REPORTING THE AMOUNT OF SKY COVER.
STATION HISTORY STOPPED WITH THE 2009 ANNUAL. IF YOU NEED HISTORY GO TO "MULTI-NETWORK MEDADATA SYSTEM", URL IS: <https://mi3.ncdc.noaa.gov/mi3qry/login.cfm>
SNOWFALL STOPPED MONTH & YEAR INDICATED ABOVE. NO FURTHER YEARS INCLUDED UNLESS RESTARTED.

NOTE:

The "Period of Record:(POR) for all "averages" is based on the "Summary of the Day First Order Station" and "Cooperative Summary of the Day" archives.

2010 DULUTH MINNESOTA (KDLH)

Duluth, Minnesota is located at the western tip of Lake Superior. The city, about 20 miles long, lies at the base of a range of hills that rise abruptly to 600 - 800 feet above the level of Lake Superior. The range runs in a northeast and southwest direction. Two or 3 miles from the lake the land becomes a slightly rolling plateau.

Duluth in the summer is known as the Air Conditioned City. Being situated below high terrain and along the lake, any easterly component winds automatically cool the city. However, with westerly flow in the summer, the wind generally abates at night, thus, allowing cool lake air to move back into the city area near the lake.

An important influence on the climate is the passage of a succession of high and low pressure systems west and east. The proximity of Lake Superior, which is the largest and coldest of the Great Lakes, modifies the local weather. Summer temperatures are cooler and winter temperatures are warmer. The lake effect at Duluth is most prevalent when low pressure systems pass to the south creating easterly winds. In the summer, warm, moist air flowing over the cold lake surface has a stabilizing effect that results in cool, cloudy weather over Duluth. However, during the winter cold air flowing over the warm open lake surface absorbs moisture that is later precipitated over Duluth as snow. The lake effect is further reflected from the low frequency of severe storms such as wind, hail, tornadoes, freezing rain (glaze), and blizzards when compared to other areas that are a further distance from the lake.

Easterly component winds at Duluth occur 40 to 50 percent of the time from March through August and 20 to 25 percent of the time from November through February. During the winter 60 to 70 percent of the winds are from a westerly component.

The climate of Duluth is predominantly continental with significant local Lake Superior effects. Duluth averages 143 days between the last occurrence of 32 degrees in mid-May and the first in early October. At the Duluth Airport about six miles away from the lake, the average first and last occurrences of 32 degrees are late May and late September, giving a freeze-free period of 123 days.

Fall colors throughout this area are outstanding. Reds, yellows, browns, and combinations of these are an experience to see. Recreation is superb from December through March for cross-country and down-hill skiing and snowmobiling. The snow is dry.

Ice in the harbor forms about mid-November and generally is gone by mid-April. The shipping season can vary from year to year depending on temperatures and the winds that move the ice around. In most years there is little or no shipping during February and March on Lake Superior.

Non-Subscription Request:

NCDC Customer Services;

Phone: 828-271-4800

Fax: 828-271-4876

Email: ncdc.orders@noaa.gov

OFFICIAL BUSINESS

PENALTY FOR PRIVATE USE \$300

CHANGE SERVICE REQUESTED

FIRST CLASS
POSTAGE & FEES PAID
United States Department of Commerce
NOAA Permit No. G - 19

INQUIRES/COMMENTS CALL: Toll Free (866) 742-3322

Visit our Web Site for other weather data: www.ncdc.noa.gov

For Hard Copy Subscription:

Price and ordering information: NCDC Subscribing Service Center, 310 State Route 956, Building 300, Rocket Center, WV 26726.