




2010 LOCAL CLIMATOLOGICAL DATA ANNUAL SUMMARY WITH COMPARATIVE DATA


ISSN 0198-2753

ROCHESTER, MINNESOTA (KRST)

Daily Max/Min Temperature



Daily Precipitation



Daily Station Pressure



I CERTIFY THAT THIS IS AN OFFICIAL PUBLICATION OF THE NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION, AND IS COMPILED FROM RECORDS ON FILE AT THE NATIONAL CLIMATIC DATA CENTER.

NATIONAL
OCEANIC AND
ATMOSPHERIC ADMINISTRATION

NATIONAL
ENVIRONMENTAL SATELLITE, DATA
AND INFORMATION SERVICE

NATIONAL
CLIMATIC DATA CENTER
ASHEVILLE, NORTH CAROLINA

Thomas R. Karl
DIRECTOR
NATIONAL CLIMATIC DATA CENTER

METEOROLOGICAL DATA FOR 2010

ROCHESTER (KRST)

LATITUDE: 43° 54'N LONGITUDE: -92° 29'W ELEVATION (FT): GRND: 1304 BARO: 1326 TIME ZONE: CENTRAL (UTC -6) WBAN: 14925

ELEMENT		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	YEAR	
TEMPERATURE °F	MEAN DAILY MAXIMUM	17.4	24.4	47.5	64.8	69.8	76.1	81.8	82.5	69.6	64.7	43.5	21.5	55.3	
	HIGHEST DAILY MAXIMUM	35	34	77	83	94	86	91	89	85	90	69	41	94	
	DATE OF OCCURRENCE	24+	04	31	01	24	22	14	29+	20	09	09	30	MAY 24	
	MEAN DAILY MINIMUM	4.6	7.1	29.1	41.2	48.5	58.1	63.5	63.0	49.5	40.4	26.8	8.0	36.7	
	LOWEST DAILY MINIMUM	-19	-7	11	25	32	49	57	47	40	24	10	-12	-19	
	DATE OF OCCURRENCE	02	24	05	09	09	03	01	26	27+	29	25	14+	JAN 02	
	AVERAGE DRY BULB	11.0	15.8	38.3	53.0	59.2	67.1	72.7	72.8	59.6	52.6	35.2	14.8	46.0	
	MEAN WET BULB	10.5		33.9	45.6	52.4	62.4	67.7	67.8	54.5	45.3	31.7	14.5		
	MEAN DEW POINT	6.7	10.0	27.9	36.3	45.2	59.5	65.0	65.2	50.7	38.3	26.8	11.4	36.9	
	NUMBER OF DAYS WITH:														
	MAXIMUM >= 90°	0	0	0	0	2	0	1	0	0	1	0	0	0	4
	MAXIMUM <= 32°	29	26	0	0	0	0	0	0	0	0	7	28	90	
	MINIMUM <= 32°	31	28	15	2	1	0	0	0	0	5	22	31	135	
MINIMUM <= 0°	12	9	0	0	0	0	0	0	0	0	0	6	27		
H/C	HEATING DEGREE DAYS	1666	1370	819	355	244	22	0	8	167	387	889	1550	7477	
	COOLING DEGREE DAYS	0	0	0	3	69	91	245	254	10	11	0	0	683	
RH	MEAN (PERCENT)	81	77	72	56	63	78	78	79	76	64	74	84	74	
	HOUR 00 LST	83	80	76	63	74	89	88	90	85	73	78	85	80	
	HOUR 06 LST	83	80	83	70	80	89	90	93	89	80	81	85	84	
	HOUR 12 LST	79	72	63	45	51	67	66	65	62	49	67	81	64	
	HOUR 18 LST	79	74	63	47	51	68	67	69	67	55	72	84	66	
S	PERCENT POSSIBLE SUNSHINE														
W/O	NUMBER OF DAYS WITH:														
	HEAVY FOG(VISBY <= 1/4 MI)	9	4	10	0	1	3	3	6	0	0	4	6	46	
	THUNDERSTORMS	0	0	0	6	2	8	6	4	6	2	0	0	34	
CLOUDNESS	SUNRISE-SUNSET: (OKTAS)														
	CEILOMETER (<= 12,000 FT.)														
	SATELLITE (> 12,000 FT.)														
	MIDNIGHT-MIDNIGHT: (OKTAS)														
	CEILOMETER (<= 12,000 FT.)														
SATELLITE (> 12,000 FT.)															
NUMBER OF DAYS WITH:															
CLEAR															
PARTLY CLOUDY															
CLOUDY															
PR	MEAN STATION PRESS. (IN.)	28.67	28.65	28.57	28.47	28.56	28.52	28.56	28.55	28.56	28.57	28.56	28.64	28.57	
	MEAN SEA-LEVEL PRESS. (IN.)	30.17	30.13	30.01	29.88	29.97	29.92	29.94	29.94	29.97	29.99	30.01	30.10	30.00	
WINDS	RESULTANT SPEED (MPH)	3.7	4.7	0.6	2.2	2.1	1.6	3.6	4.3	1.5	4.7	2.4	2.4	1.8	
	RES. DIR. (TENS OF DEGS.)	29	33	36	14	18	24	22	21	25	25	24	29	25	
	MEAN SPEED (MPH)	11.6	9.9	10.1	12.1	11.3	8.9	7.9	8.0	9.3	10.3	12.9	11.8	10.3	
	PREVAIL.DIR.(TENS OF DEGS.)	31	31	16	19	16	19	18	19	14	31	16	31	31	
	MAXIMUM 2-MINUTE WIND														
	SPEED (MPH)	32	24	38	33	46	40	38	37	32	46	32	39	46	
	DIR. (TENS OF DEGS.)	29	32	19	16	23	25	27	19	27	25	13	01	25	
	DATE OF OCCURRENCE	27	23	30	29	04	26	14	13	07	26	24	11	OCT 26	
	MAXIMUM 3-SECOND WIND:														
	SPEED (MPH)	39	29	46	44	59	53	52	55	45	58	44	48	59	
DIR. (TENS OF DEGS.)	29	33	19	16	24	28	29	22	27	24	30	36	24		
DATE OF OCCURRENCE	27	16	30	29	04	17	14	13	07	27	03	11	MAY 04		
PRECIPITATION	WATER EQUIVALENT:														
	TOTAL (IN.)	0.58	0.79	1.05	1.62	2.04	7.79	4.98	3.72	9.95	0.79	2.86	3.68	39.85	
	GREATEST 24-HOUR (IN.)	0.27	0.41	0.34	0.50	0.67	1.73	1.47	1.95	5.62	0.43	1.86	1.45	5.62	
	DATE OF OCCURRENCE	23	08-09	11	30	07-08	22-23	22	13	22-23	23-24	12-13	10-11	SEP 22-23	
	NUMBER OF DAYS WITH:														
PRECIPITATION 0.01	5	10	7	9	10	20	8	10	11	4	11	14	119		
PRECIPITATION 0.10	2	2	4	5	5	15	8	6	8	4	4	8	71		
PRECIPITATION 1.00	0	0	0	0	0	3	1	1	3	0	1	1	10		
SNOWFALL	SNOW,ICE PELLETS,HAIL														
	TOTAL (IN.)	4.2	13.9	0.0	0.0	T	0.0	0.0	0.0	0.0	0.0	1.3	41.3	60.7	
	GREATEST 24-HOUR (IN.)	3.4	6.0	0.0	0.0	T	0.0	0.0	0.0	0.0	0.0	0.7	15.0	15.0	
	DATE OF OCCURRENCE	07	08			08						12	11	DEC 11	
	MAXIMUM SNOW DEPTH (IN.)	19	21	15	0	0	0	0	0	0	0	T	29	29	
	DATE OF OCCURRENCE	10+	16+	01								30+	26+	DEC 26+	
NUMBER OF DAYS WITH:															
SNOWFALL >= 1.0	1	4	0	0	0	0	0	0	0	0	0	7	12		

NORMALS, MEANS, AND EXTREMES ROCHESTER (KRST)

LATITUDE: 43 ° 54'N **LONGITUDE:** -92 ° 29'W **ELEVATION (FT):** GRND: 1304 BARO: 1326 **TIME ZONE:** CENTRAL (UTC -6) **WBAN: 14925**

	ELEMENT	POR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	YEAR	
TEMPERATURE °F	NORMAL DAILY MAXIMUM	30	19.9	26.2	38.7	54.8	67.7	76.6	80.1	77.5	69.2	56.9	38.7	24.5	52.6	
	MEAN DAILY MAXIMUM	95	21.6	25.6	38.7	54.9	68.0	75.7	81.7	79.7	70.5	58.7	40.8	27.1	53.6	
	HIGHEST DAILY MAXIMUM	51	55	63	79	92	95	101	102	99	95	93	75	62	102	
	YEAR OF OCCURRENCE		1981	1981	1986	2009	2006	1985	1988	1988	1978	1997	2008	1998	1988	JUL 1988
	MEAN OF EXTREME MAXS.	96	40.2	43.8	60.9	78.6	86.2	90.8	92.0	90.1	86.2	78.8	62.7	45.1	71.3	
	NORMAL DAILY MINIMUM	30	3.7	10.6	22.6	34.6	46.1	55.6	60.1	58.0	48.7	37.1	23.7	10.1	34.2	
	MEAN DAILY MINIMUM	95	4.2	8.3	21.0	33.9	46.0	54.5	59.8	57.5	48.2	37.3	24.1	11.2	33.8	
	LOWEST DAILY MINIMUM	51	-32	-35	-31	5	21	35	42	37	23	11	-20	-33	-35	
	YEAR OF OCCURRENCE		1970	1996	1962	1982	1967	1990	1967	1964	1967	1988	1977	1983	1996	FEB 1996
	MEAN OF EXTREME MINS.	96	-18.8	-13.9	-1.5	19.0	31.1	42.4	48.9	45.6	33.0	21.9	4.6	-11.9	16.7	
	NORMAL DRY BULB	30	11.8	18.4	30.6	44.7	56.9	66.1	70.1	67.7	58.9	47.0	31.2	17.3	43.4	
	MEAN DRY BULB	95	13.0	17.0	29.8	44.4	57.0	65.2	70.8	68.6	59.3	48.0	32.5	19.2	43.7	
	MEAN WET BULB	27	13.5	17.3	27.9	39.1	49.8	59.6	64.0	62.7	54.2	42.0	29.3	17.6	39.8	
	MEAN DEW POINT	27	11.4	15.1	25.0	35.1	46.4	56.9	62.0	60.9	51.8	38.9	27.1	15.7	37.2	
	NORMAL NO. DAYS WITH: MAXIMUM >= 90	30	0.0	0.0	0.0	0.1	0.3	1.7	3.1	1.5	0.4	*	0.0	0.0	7.1	
	MAXIMUM <= 32	30	24.9	18.1	8.5	0.7	0.0	0.0	0.0	0.0	0.0	0.2	8.7	22.2	83.3	
MINIMUM <= 32	30	30.8	27.1	25.4	12.2	1.5	0.0	0.0	0.0	1.1	10.4	24.3	30.4	163.2		
MINIMUM <= 0	30	13.2	7.8	2.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	8.5	33.0		
H/C	NORMAL HEATING DEG. DAYS	30	1650	1305	1066	609	281	65	23	50	208	558	1014	1479	8308	
	NORMAL COOLING DEG. DAYS	30	0	0	0	1	30	99	181	135	26	1	0	0	473	
RH	NORMAL (PERCENT)	30	80	79	76	68	68	70	74	77	75	72	79	82	75	
	HOURLY 00 LST	30	81	82	80	75	76	80	85	87	84	78	82	83	81	
	HOURLY 06 LST	30	82	83	83	80	81	83	87	90	89	84	85	85	84	
	HOURLY 12 LST	30	76	74	69	58	57	58	61	64	62	60	71	78	66	
	HOURLY 18 LST	30	79	78	71	58	56	58	63	67	68	67	77	82	69	
S	PERCENT POSSIBLE SUNSHINE															
W/O	MEAN NO. DAYS WITH: HEAVY FOG(VISBY <= 1/4 MI)	47	3.4	3.4	4.2	2.0	1.7	1.2	1.9	2.8	2.3	1.8	3.2	4.3	32.2	
	THUNDERSTORMS	63	0.1	0.2	1.1	3.1	5.4	7.8	7.3	6.4	4.5	1.9	0.6	0.1	38.5	
CLOUDNESS	MEAN: SUNRISE-SUNSET (OKTAS)	36	5.3	5.3	5.5	5.4	5.2	5.0	4.4	4.4	4.7	4.8	5.8	5.6	5.1	
	MIDNIGHT-MIDNIGHT (OKTAS)	32	5.0	4.9	5.3	5.2	5.0	4.5	4.0	4.1	4.3	4.6	5.4	5.3	4.8	
	MEAN NO. DAYS WITH: CLEAR	36	7.4	7.3	6.3	6.1	6.8	6.7	8.4	8.7	9.1	8.5	5.0	6.0	86.3	
	PARTLY CLOUDY	36	7.1	6.2	7.1	7.4	8.8	10.7	11.9	11.1	7.3	7.8	5.6	6.3	97.3	
	CLOUDY	36	16.5	14.8	17.6	16.4	15.4	12.7	10.7	11.2	13.6	14.7	19.4	18.7	181.7	
PR	MEAN STATION PRESSURE(IN)	27	28.61	28.63	28.59	28.53	28.54	28.54	28.58	28.62	28.62	28.61	28.59	28.61	28.59	
	MEAN SEA-LEVEL PRES. (IN)	27	30.10	30.10	30.05	29.96	29.95	29.93	29.97	30.01	30.02	30.03	30.04	30.09	30.02	
WINDS	MEAN SPEED (MPH)	27	13.6	13.3	13.5	13.8	12.9	11.4	10.0	9.6	10.8	12.1	13.3	13.3	12.3	
	PREVAIL.DIR.(TENS OF DEGS)	37	32	32	32	32	19	19	20	19	19	19	31	32	32	
	MAXIMUM 2-MINUTE: SPEED (MPH)	14	45	44	47	51	47	48	46	62	36	46	47	44	62	
	DIR. (TENS OF DEGS)		19	32	29	23	31	31	30	34	31	25	29	31	34	
	YEAR OF OCCURRENCE		2005	2002	1999	2001	1997	1999	2008	2006	1997	2010	1998	2004	AUG 2006	
	MAXIMUM 3-SECOND SPEED (MPH)	14	52	54	57	62	64	59	62	74	49	58	56	58	74	
	DIR. (TENS OF DEGS)		19	24	28	22	21	31	23	34	31	24	18	31	34	
YEAR OF OCCURRENCE		2005	2009	1999	2001	1998	1999	2007	2007	1997	2010	1998	2004	AUG 2007		
PRECIPITATION	NORMAL (IN)	30	0.94	0.75	1.88	3.01	3.53	4.00	4.61	4.33	3.12	2.20	2.01	1.02	31.40	
	MAXIMUM MONTHLY (IN)	51	2.53	2.21	3.58	7.30	8.41	12.51	12.33	14.07	10.50	7.57	5.90	3.68	14.07	
	YEAR OF OCCURRENCE		1967	1971	1990	2001	1982	2000	1978	2007	1986	2009	1991	2010	AUG 2007	
	MINIMUM MONTHLY (IN)	51	0.07	0.04	0.32	0.94	1.17	0.94	1.02	0.34	0.38	0.27	0.06	0.22	0.04	
	YEAR OF OCCURRENCE		1961	1964	1994	2000	1963	1985	1975	2003	1975	1965	1967	1967	FEB 1964	
	MAXIMUM IN 24 HOURS (IN)	51	1.42	1.05	2.04	3.97	5.23	4.80	7.47	6.24	6.01	2.81	2.64	1.45	7.47	
	YEAR OF OCCURRENCE		1967	1984	1966	1990	2000	2000	1981	2007	1978	1966	1991	2010	JUL 1981	
	NORMAL NO. DAYS WITH: PRECIPITATION >= 0.01	30	9.6	7.8	10.7	11.7	11.6	11.4	10.7	10.1	9.8	8.6	9.6	9.3	120.9	
PRECIPITATION >= 1.00	30	*	0.0	0.2	0.5	0.8	0.8	1.3	1.0	0.8	0.3	0.4	*	6.1		
SNOWFALL	NORMAL (IN)	30	11.9	7.8	9.0	4.3	0.*	0.0	0.0	0.0	0.*	1.0	7.1	11.6	52.7	
	MAXIMUM MONTHLY (IN)	47	30.2	20.1	25.2	16.4	0.3	T	T	T	0.8	7.9	22.5	41.3	41.3	
	YEAR OF OCCURRENCE		1996	2007	1985	1983	1967	1993	2009	2007	1961	2009	1985	2010	DEC 2010	
	MAXIMUM IN 24 HOURS (IN)	47	15.4	9.3	19.8	13.7	0.3	T	T	T	0.8	5.4	9.2	15.0	19.8	
	YEAR OF OCCURRENCE		1982	1983	2005	1988	1967	1993	2009	1989	1961	1979	1991	2010	MAR 2005	
	MAXIMUM SNOW DEPTH (IN)	58	29	21	20	11	1	0	0	0	0	4	11	29	29	
	YEAR OF OCCURRENCE		1982	2010	2007	1988	1954					1979	2006	2010	DEC 2010	
NORMAL NO. DAYS WITH: SNOWFALL >= 1.0	30	3.1	2.5	3.0	1.1	0.0	0.0	0.0	0.0	0.0	0.2	2.4	3.3	15.6		

PRECIPITATION (inches) 2010 ROCHESTER (KRST)

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
1981	0.23	2.00	0.54	2.47	2.69	3.46	10.46	6.44	1.01	2.13	0.85	0.72	33.00
1982	1.70	0.11	1.31	3.13	8.41	1.36	3.97	4.94	4.05	2.64	2.38	2.83	36.83
1983	0.82	1.27	2.01	2.52	3.92	4.55	3.12	4.63	4.72	2.88	3.90	1.00	35.34
1984	0.11	1.96	1.08	3.91	2.89	3.74	3.34	1.93	2.40	3.78	1.68	1.79	28.61
1985	0.63	0.57	2.31	1.58	1.74	0.94	2.57	5.40	6.41	1.53	2.43	1.14	27.25
1986	0.59	0.61	2.15	3.80	3.40	5.04	6.00	3.17	10.50	3.57	0.84	0.32	39.99
1987	0.58	0.23	1.29	1.02	2.12	3.69	7.24	3.85	2.05	1.61	1.94	1.75	27.37
1988	1.16	0.22	1.56	2.43	2.35	1.52	1.12	2.88	3.77	0.40	2.87	1.11	21.39
1989	0.41	0.42	1.65	3.49	1.74	2.39	3.31	5.73	0.61	1.67	1.62	0.38	23.42
1990	0.55	0.71	3.58	6.47	4.52	9.27	8.29	5.30	1.30	1.86	0.44	1.65	43.94
1991	0.67	0.45	2.82	5.25	3.84	2.25	5.32	4.66	2.31	1.99	5.90	1.47	36.93
1992	1.03	0.55	2.53	3.24	1.60	1.59	3.51	1.50	4.93	1.30	4.02	1.30	27.10
1993	1.15	0.83	2.92	4.56	4.32	7.44	5.00	6.88	2.75	0.85	1.00	0.74	38.44
1994	1.21	0.72	0.32	4.95	3.22	2.89	4.79	5.64	3.62	1.59	1.77	0.54	31.26
1995	0.45	0.15	2.98	2.91	3.18	3.30	3.56	3.23	2.34	3.07	0.68	0.62	26.47
1996	2.00	0.18	2.64	1.53	2.13	6.43	1.93	2.94	2.08	2.86	3.94	1.37	30.03
1997	1.63	0.92	1.63	2.32	3.05	2.59	9.00	3.23	1.85	2.71	0.26	0.38	29.57
1998	1.47	1.44	3.27	2.20	3.38	5.51	3.30	4.46	1.04	4.71	1.15	0.28	32.21
1999	2.07	1.13	0.81	6.47	5.32	3.76	8.74	6.20	0.56	0.52	1.00	0.49	37.07
2000	0.41	0.45	0.64	0.94	7.38	12.51	5.57	5.26	1.03	1.65	3.06	1.64	40.54
2001	0.91	1.06	1.39	7.30	7.18	5.05	2.46	4.77	3.82	1.71	2.06	1.39	39.10
2002	0.65	1.68	1.24	3.40	1.47	8.20	5.00	4.64	2.02	3.50	0.12	0.56	32.48
2003	0.31	0.65	2.28	2.54	4.65	4.74	3.39	0.34	1.58	0.52	0.99	1.35	23.34
2004	0.32	1.58	2.21	2.34	6.38	8.53	4.59	3.44	5.80	2.11	1.49	0.59	39.38
2005	1.16	1.19	1.98	1.77	3.54	3.72	5.13	4.04	7.13	0.88	2.26	0.59	33.39
2006	0.30	0.40	2.54	5.51	1.86	3.45	2.90	6.25	3.34	0.79	2.84	2.04	32.22
2007	0.53	1.65	3.21	1.11	3.35	4.00	1.07	14.07	7.40	3.40	0.18	1.21	41.18
2008	0.67	0.56	1.58	4.17	3.47	7.15	3.21	1.92	1.75	2.45	2.34	1.52	30.79
2009	0.64	0.79	0.88	2.09	3.77	3.33	3.51	4.16	1.28	7.57	0.45	2.22	30.69
2010	0.58	0.79	1.05	1.62	2.04	7.79	4.98	3.72	9.95	0.79	2.86	3.68	39.85
POR= 92 YRS	0.86	0.78	1.68	2.69	3.64	4.47	3.88	3.88	3.21	2.06	1.63	1.00	29.78

WBAN : 14925

AVERAGE TEMPERATURE (°F) 2010 ROCHESTER (KRST)

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
1981	18.8	22.4	35.6	48.1	55.0	65.9	69.9	67.6	57.3	44.7	35.9	16.4	44.8
1982	3.0	16.2	28.6	40.9	60.3	61.5	72.9	68.7	60.6	49.8	32.7	26.1	43.4
1983	17.8	23.9	32.1	39.3	51.8	65.9	73.9	73.6	60.5	47.1	33.5	2.9	43.5
1984	12.4	25.4	23.4	44.8	52.5	65.9	67.7	70.6	56.2	49.6	33.1	19.1	43.4
1985	10.3	14.8	35.9	50.4	60.4	62.6	70.5	65.3	58.7	46.0	23.0	6.3	42.0
1986	15.9	15.3	32.7	48.4	57.5	65.9	71.4	64.0	59.5	47.5	26.3	22.5	43.9
1987	19.2	29.3	36.2	50.8	61.0	70.0	73.7	66.8	60.0	42.3	36.8	23.3	47.5
1988	8.3	12.3	31.9	44.0	61.7	70.4	73.7	72.6	61.0	42.0	32.5	19.2	44.1
1989	21.7	9.4	26.3	44.1	55.8	64.4	72.3	68.5	58.2	48.7	27.1	10.0	42.2
1990	25.8	22.1	35.3	45.5	53.8	67.6	69.4	69.4	62.4	46.5	37.7	15.4	45.9
1991	10.1	23.5	34.1	48.3	61.0	72.2	70.1	69.0	57.4	45.5	24.0	21.6	44.7
1992	21.4	26.7	31.3	42.1	58.2	64.6	64.2	63.2	57.7	46.0	30.8	19.8	43.8
1993	12.6	14.6	25.7	41.7	55.7	63.6	69.0	68.3	53.6	45.5	30.3	21.5	41.8
1994	3.4	11.0	33.1	44.5	58.3	68.6	67.3	64.9	63.2	50.4	36.4	24.0	43.8
1995	16.3	18.9	33.4	40.3	55.1	69.2	70.9	73.3	57.8	46.7	25.7	18.1	43.8
1996	9.6	17.0	25.1	40.8	53.4	66.4	66.8	66.5	58.7	47.8	24.6	13.8	40.9
1997	10.5	18.9	28.3	41.7	51.3	67.7	68.9	65.5	60.4	49.7	27.6	25.0	43.0
1998	19.7	29.5	30.0	49.1	63.2	63.9	69.6	69.1	64.4	49.6	36.3	25.1	47.5
1999	11.2	26.6	32.8	46.7	58.1	65.7	73.2	66.7	58.1	47.0	40.1	23.6	45.8
2000	14.4	26.3	39.3	45.6	58.9	64.5	69.4	69.0	59.9	51.7	30.0	6.1	44.6
2001	17.4	11.2	24.0	47.7	57.6	66.4	72.5	68.9	58.0	46.6	45.4	26.4	45.2
2002	24.3	26.0	25.5	44.6	53.9	68.8	73.0	67.2	62.6	41.9	31.3	24.4	45.3
2003	13.6	14.9	30.9	45.5	55.3	65.4	69.6	70.8	59.6	48.6	32.0	24.4	44.2
2004	12.4	20.1	36.0	48.5	56.7	64.2	68.2	63.5	64.4	48.6	36.3	21.6	45.0
2005	14.3	24.6	29.7	50.0	55.0	71.9	72.4	67.7	64.8	51.6	35.9	17.2	46.3
2006	28.2	19.6	32.8	51.3	59.4	68.3	74.3	69.6	57.8	44.7	36.6	29.0	47.6
2007	18.3	10.5	35.8	44.7	62.6	69.3	71.8	69.8	63.9	54.5	33.7	17.1	46.0
2008	13.7	13.3	28.5	44.1	56.2	68.1	71.2	68.5	62.6	49.6	34.6	12.5	43.6
2009	8.6	20.7	32.8	46.2	58.0	65.9	65.3	65.7	62.6	42.6	42.8	16.7	44.0
2010	11.0	15.8	38.3	53.0	59.2	67.1	72.7	72.8	59.6	52.6	35.2	14.8	46.0
POR= 95 YRS	13.0	17.0	29.8	44.4	57.0	65.2	70.8	68.6	59.3	48.0	32.5	19.2	43.7

HEATING DEGREE DAYS (base 65°F) 2010 ROCHESTER (KRST)

YEAR	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	TOTAL
1981-82	21	27	235	621	868	1503	1922	1363	1121	718	164	129	8692
1982-83	0	48	178	464	964	1197	1456	1145	1010	765	403	86	7716
1983-84	8	0	209	555	938	1925	1625	1142	1281	600	381	40	8704
1984-85	23	18	281	470	950	1414	1692	1404	895	456	166	129	7898
1985-86	6	55	268	580	1255	1817	1516	1388	994	492	248	60	8679
1986-87	5	81	187	535	1153	1312	1412	993	888	425	173	31	7195
1987-88	8	64	168	697	837	1290	1755	1527	1020	620	144	22	8152
1988-89	3	27	154	706	970	1414	1335	1555	1190	620	290	99	8363
1989-90	0	16	224	500	1132	1700	1205	1196	912	596	341	55	7877
1990-91	9	14	167	567	815	1534	1701	1154	950	507	222	12	7652
1991-92	15	24	274	597	1225	1342	1343	1104	1036	678	239	80	7957
1992-93	73	104	226	587	1019	1394	1618	1407	1211	693	294	87	8713
1993-94	7	32	341	605	1033	1344	1910	1509	985	613	234	34	8647
1994-95	26	73	116	445	848	1264	1503	1284	974	732	300	56	7621
1995-96	14	0	242	569	1175	1447	1715	1386	1232	721	377	71	8949
1996-97	22	18	215	528	1206	1579	1682	1286	1132	689	416	21	8794
1997-98	38	51	151	498	1117	1236	1398	990	1075	470	116	111	7251
1998-99	3	1	99	473	854	1232	1662	1069	990	543	222	81	7229
1999-00	5	20	239	551	738	1276	1558	1114	793	574	224	84	7176
2000-01	26	11	193	407	1040	1820	1470	1499	1262	517	248	94	8587
2001-02	13	31	222	563	582	1190	1254	1087	1217	618	363	44	7184
2002-03	1	22	145	710	1003	1255	1585	1396	1051	587	295	62	8112
2003-04	10	9	217	508	982	1254	1626	1295	892	495	259	86	7633
2004-05	17	100	92	502	857	1337	1563	1122	1091	442	307	1	7431
2005-06	7	23	92	446	868	1473	1135	1264	991	402	246	32	6979
2006-07	0	0	229	636	846	1108	1439	1518	900	606	134	14	7430
2007-08	3	14	112	360	930	1479	1589	1493	1125	621	275	11	8012
2008-09	1	11	116	475	904	1619	1743	1233	992	562	235	86	7977
2009-10	40	54	97	688	658	1491	1666	1370	819	355	244	22	7504
2010-	0	8	167	387	889	1550							

WBAN : 14925

COOLING DEGREE DAYS (base 65°F) 2010 ROCHESTER (KRST)

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	TOTAL
1981	0	0	0	0	4	75	179	113	13	0	0	0	384
1982	0	0	0	0	26	30	254	167	53	0	0	0	530
1983	0	0	0	0	0	121	289	272	79	7	0	0	768
1984	0	0	0	0	1	74	115	201	23	0	0	0	414
1985	0	0	0	26	28	64	182	74	86	0	0	0	460
1986	0	0	0	2	21	94	211	59	29	0	0	0	416
1987	0	0	0	6	57	189	283	124	26	0	0	0	685
1988	0	0	0	0	48	191	280	272	38	0	0	0	829
1989	0	0	0	0	10	90	235	133	26	2	0	0	496
1990	0	0	0	18	3	140	153	158	97	0	0	0	569
1991	0	0	0	11	101	233	181	153	52	0	0	0	731
1992	0	0	0	0	34	75	54	52	16	2	0	0	233
1993	0	0	0	0	10	52	136	137	6	4	0	0	345
1994	0	0	0	6	33	150	104	77	69	0	0	0	439
1995	0	0	0	0	0	188	205	263	36	7	0	0	699
1996	0	0	0	0	22	120	87	73	37	0	0	0	339
1997	0	0	0	0	0	110	165	73	20	31	0	0	399
1998	0	0	0	0	67	86	152	133	89	0	0	0	527
1999	0	0	0	0	15	109	264	79	37	0	0	0	504
2000	0	0	0	0	40	77	167	142	47	4	0	0	477
2001	0	0	0	3	26	139	250	160	17	0	0	0	595
2002	0	0	0	12	27	165	257	97	78	0	0	0	636
2003	0	0	0	10	1	82	156	194	62	7	0	0	512
2004	0	0	0	7	9	67	125	60	81	1	0	0	350
2005	0	0	0	2	4	215	242	114	89	36	0	0	702
2006	0	0	0	0	77	137	297	151	22	14	0	0	698
2007	0	0	0	7	65	152	220	171	86	38	0	0	739
2008	0	0	0	0	8	112	201	126	50	6	0	0	503
2009	0	0	0	4	24	118	57	83	33	0	0	0	319
2010	0	0	0	3	69	91	245	254	10	11	0	0	683

SNOWFALL (inches) 2010 ROCHESTER (KRST)

YEAR	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	TOTAL
1981-82	0.0	0.0	0.0	2.2	8.2	11.1	27.3	2.2	4.0	7.7	0.0	0.0	62.7
1982-83	0.0	0.0	0.0	0.5	2.4	8.3	7.9	15.9	11.2	16.4	0.0	0.0	62.6
1983-84	0.0	0.0	0.0	T	14.0	16.2	2.7	12.0	16.1	5.0	0.0	0.0	66.0
1984-85	0.0	0.0	0.0	T	3.7	14.4	12.2	9.3	25.2	3.8	0.0	0.0	68.6
1985-86	0.0	0.0	T	0.0	22.5	16.0	11.5	8.7	1.2	0.8	0.0	0.0	60.7
1986-87	0.0	0.0	0.0	T	8.4	3.5	8.1	2.3	4.7	T	0.0	0.0	27.0
1987-88	0.0	0.0	0.0	0.9	1.7	16.0	18.2	5.8	3.1	15.6	0.0	0.0	61.3
1988-89	0.0	0.0	0.0	T	10.8	4.8	4.7	9.3	21.2	0.1	0.2	0.0	51.1
1989-90	0.0	T	0.0	2.6	10.5	6.6	5.9	9.3	0.5	0.2	0.0	T	35.6
1990-91	0.0	0.0	0.0	0.8	1.6	20.8	9.9	6.1	5.9	0.8	0.0	0.0	45.9
1991-92	0.0	0.0	0.0	4.5	20.3	7.3	9.0	6.5	15.0	T	T	0.0	62.6
1992-93	0.0	0.0	0.0	0.8	4.3	11.7	15.7	10.8	9.8	9.3	0.0	T	62.4
1993-94	T	0.0	0.0	T	7.7	6.0	21.8	15.3	2.9	3.2	T	0.0	56.9
1994-95	T	0.0	0.0	0.0	4.8	7.2	4.5	1.4	10.1	5.1	T	0.0	33.1
1995-96	0.0	0.0	T	2.3	4.0	11.8	30.2	1.9	9.3	2.1	0.0	0.0	61.6
1996-97	0.0	0.0	0.0	T	17.5	19.6	14.4	11.8	18.8	2.9	0.1	0.0	85.1
1997-98	0.0	0.0	0.0	T	3.9	4.3	17.1	7.0	10.1	T	0.0	0.0	42.4
1998-99	0.0	0.0	0.0	0.0	2.0	5.3	29.4	5.4	6.7	T	0.0	0.0	48.8
1999-00	0.0	0.0	0.0	0.5	T	7.6	19.3	7.0	3.3	2.1	T	0.0	39.8
2000-01	0.0	0.0	0.0	T	5.4	35.3	7.3	7.4	10.2	T	0.0	T	65.6
2001-02	0.0	0.0	0.0	T	0.4	2.2	10.0	5.5	7.1	6.9	T	0.0	32.1
2002-03	T	0.0	0.0	1.4	1.0	1.6	5.7	6.4	6.0	6.4	0.0	0.0	28.5
2003-04	0.0	0.0	0.0	T	1.3	12.3	9.1	16.6	3.7	0.0	0.0	T	43.0
2004-05	0.0	0.0	0.0	0.0	2.8	4.1	13.9	9.1	23.0	0.1	T	0.0	53.0
2005-06	0.0	0.0	0.0	0.0	5.5	12.1	0.8	8.2	11.1	0.0	0.0	0.0	37.7
2006-07	0.0	0.0	0.0	0.1	10.6	0.8	10.5	20.1	12.3	7.4	0.0	0.0	61.8
2007-08	0.0	T	0.0	0.0	0.9	13.1	13.0	7.3	9.0	0.8	T	0.0	44.1
2008-09	0.0	0.0	0.0	0.1	4.4	28.6	9.8	8.0	1.2	0.6	0.0	0.0	52.7
2009-10	T	0.0	0.0	7.9	0.2	26.3	4.2	13.9	0.0	0.0	T	0.0	52.5
2010-	0.0	0.0	0.0	0.0	1.3	41.3							
POR= 77 YRS	T	T	T	0.7	5.0	9.5	9.4	7.5	9.0	2.8	0.1	T	44.0

WBAN : 14925

REFERENCE NOTES :

<p>PAGE 1: THE TEMPERATURE GRAPH SHOWS NORMAL MAXIMUM AND NORMAL MINIMUM DAILY TEMPERATURES (SOLID CURVES) AND THE ACTUAL DAILY HIGH AND LOW TEMPERATURES (VERTICAL BARS).</p> <p>PAGE 2 AND 3: H/C INDICATES HEATING AND COOLING DEGREE DAYS. RH INDICATES RELATIVE HUMIDITY W/O INDICATES WEATHER AND OBSTRUCTIONS S INDICATES SUNSHINE. PR INDICATES PRESSURE. CLOUDINESS ON PAGE 3 IS THE SUM OF THE CEILOMETER AND SATELLITE DATA NOT TO EXCEED EIGHT EIGHTHS(OKTAS).</p> <p>GENERAL: T INDICATES TRACE PRECIPITATION, AN AMOUNT GREATER THAN ZERO BUT LESS THAN THE LOWEST REPORTABLE VALUE. + INDICATES THE VALUE ALSO OCCURS ON EARLIER DATES. BLANK ENTRIES DENOTE MISSING OR UNREPORTED DATA. NORMALS ARE 30-YEAR AVERAGES (1971 - 2000). ASOS INDICATES AUTOMATED SURFACE OBSERVING SYSTEM. PM INDICATES THE LAST DAY OF THE PREVIOUS MONTH. POR (PERIOD OF RECORD) BEGINS WITH THE JANUARY DATA MONTH AND IS THE NUMBER OF YEARS USED TO COMPUTE THE MEAN. INDIVIDUAL MONTHS WITHIN THE POR MAY BE MISSING. WHEN THE POR FOR A NORMAL IS LESS THAN 30 YEARS, THE NORMAL IS PROVISIONAL AND IS BASED ON THE NUMBER OF YEARS INDICATED. 0.* OR * INDICATES THE VALUE OR MEAN-DAYS-WITH IS BETWEEN 0.00 AND 0.05. CLOUDINESS FOR ASOS STATIONS DIFFERS FROM THE NON-ASOS OBSERVATION TAKEN BY A HUMAN OBSERVER. ASOS STATION CLOUDINESS IS BASED ON TIME-AVERAGED CEILOMETER DATA FOR CLOUDS AT OR BELOW 12,000 FEET AND ON SATELLITE DATA FOR CLOUDS ABOVE 12,000 FEET. THE NUMBER OF DAYS WITH CLEAR, PARTLY CLOUDY, AND CLOUDY CONDITIONS FOR ASOS STATIONS IS THE SUM OF THE CEILOMETER AND SATELLITE DATA FOR THE SUNRISE TO SUNSET PERIOD. CLEAR INDICATES 0 - 2 OKTAS, PARTLY CLOUDY INDICATES 3 - 6 OKTAS, AND CLOUDY INDICATES 7 OR 8 OKTAS. WHEN AT LEAST ONE OF THE ELEMENTS (CEILOMETER OR SATELLITE) IS MISSING, THE DAILY CLOUDINESS IS NOT COMPUTED.</p>	<p>GENERAL CONTINUED: WIND DIRECTION IS RECORDED IN TENS OF DEGREES (2 DIGITS) CLOCKWISE FROM TRUE NORTH. "00" INDICATES CALM. "36" INDICATES TRUE NORTH. RESULTANT WIND IS THE VECTOR AVERAGE OF THE SPEED AND DIRECTION. AVERAGE TEMPERATURE IS THE SUM OF THE MEAN DAILY MAXIMUM AND MINIMUM TEMPERATURE DIVIDED BY 2. SNOWFALL DATA COMPRISE ALL FORMS OF FROZEN PRECIPITATION, INCLUDING HAIL. A HEATING (COOLING) DEGREE DAY IS THE DIFFERENCE BETWEEN THE AVERAGE DAILY TEMPERATURE AND 65 F. DRY BULB IS THE TEMPERATURE OF THE AMBIENT AIR. DEW POINT IS THE TEMPERATURE TO WHICH THE AIR MUST BE COOLED TO ACHIEVE 100 PERCENT RELATIVE HUMIDITY. WET BULB IS THE TEMPERATURE THE AIR WOULD HAVE IF THE MOISTURE CONTENT WAS INCREASED TO 100 PERCENT RELATIVE HUMIDITY. ON JULY 1, 1996, THE NATIONAL WEATHER SERVICE BEGAN USING THE "METAR" OBSERVATION CODE THAT WAS ALREADY EMPLOYED BY MOST OTHER NATIONS OF THE WORLD. THE MOST NOTICEABLE DIFFERENCE IN THIS ANNUAL PUBLICATION WILL BE THE CHANGE IN UNITS FROM TENTHS TO EIGHTS(OKTAS) FOR REPORTING THE AMOUNT OF SKY COVER. STATION HISTORY STOPPED WITH THE 2009 ANNUAL. IF YOU NEED HISTORY GO TO "MULTI-NETWORK MEDADATA SYSTEM", URL IS: https://mi3.ncdc.noaa.gov/mi3qry/login.cfm SNOWFALL STOPPED MONTH & YEAR INDICATED ABOVE. NO FURTHER YEARS INCLUDED UNLESS RESTARTED.</p> <p>NOTE: The "Period of Record:(POR) for all "averages" is based on the "Summary of the Day First Order Station" and "Cooperative Summary of the Day" archives.</p>
--	--

2010 ROCHESTER MINNESOTA (KRST)

Rochester, Minnesota, is in the Zumbro River Valley. The south branch of the Zumbro flows through Rochester. Within the city of Rochester three creeks flow into the south branch. Terrain around Rochester is rolling, and the elevation ranges from 1,000 to 1,300 feet above sea level.

The National Weather Service station is located 8 miles south of Rochester on a ridge 300 feet above the city elevation. Temperatures from radiation cooling on clear, calm nights can sometimes be much lower in the city.

The succession of high and low pressure systems over Rochester brings a variety of weather that is changeable and stimulating. The weather pattern is continental with four definite seasons. Winters are cold, but summers are pleasant.

The season-to-season temperature variation is quite large. The average temperature for a warm winter is 20 degrees and for a cold winter it is 12 degrees. The average temperature for a warm summer is 70 degrees and a cold summer is 67 degrees, which indicates that summer temperatures are not as variable as those during the winter. The average growing season is about 140 days.

Rochester lies near the northern edge of the influx of moisture from the Gulf of Mexico. Severe storms such as blizzards, freezing rain (glaze), tornadoes, wind, and hail storms do occur. During the five month growing season, May through September, the major crops of corn, soybeans, small grains, and hay are produced. During this period, the normal rainfall is over 18 inches, approximately 65 percent of the annual precipitation.

Snowfall averages above 45 inches per season. The snow season usually begins in November. About one year in ten the first 1 inch or more of snow will occur the latter part of October.

Rolling terrain and the thunderstorm probability make the south branch of the Zumbro River and its tributaries susceptible to flash flooding. Some flooding can occur with the spring snowmelt. In some instances the snowmelt is complicated with moderate spring rainfall.

Non-Subscription Request:

NCDC Customer Services;

Phone: 828-271-4800

Fax: 828-271-4876

Email: ncdc.orders@noaa.gov

OFFICIAL BUSINESS

PENALTY FOR PRIVATE USE \$300

CHANGE SERVICE REQUESTED

FIRST CLASS
POSTAGE & FEES PAID
United States Department of Commerce
NOAA Permit No. G - 19

INQUIRES/COMMENTS CALL: Toll Free (866) 742-3322

Visit our Web Site for other weather data: www.ncdc.noa.gov

For Hard Copy Subscription:

Price and ordering information: NCDC Subscribing Service Center, 310 State Route 956, Building 300, Rocket Center, WV 26726.