


# 2010 LOCAL CLIMATOLOGICAL DATA

ANNUAL SUMMARY WITH COMPARATIVE DATA


ISSN 0198-0998

# SAN FRANCISCO C.O., CALIFORNIA (SFOC)

# Daily Max/Min Temperature



# **Daily Precipitation**



I CERTIFY THAT THIS IS AN OFFICIAL PUBLICATION OF THE NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION, AND IS COMPILED FROM RECORDS ON FILE AT THE NATIONAL CLIMATIC DATA CENTER.

NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION NATIONAL ENVIRONMENTAL SATELLITE, DATA AND INFORMATION SERVICE NATIONAL CLIMATIC DATA CENTER ASHEVILLE, NORTH CAROLINA

DIRECTOR
NATIONAL CLIMATIC DATA CENTER

### METEOROLOGICAL DATA FOR 2010 SAN FRANCISCO C.O. (SFOC)

TIME ZONE:

**WBAN: 23272** 

ELEVATION (FT): GRND: 75 BARO: 7 -122° 26'W **BARO: 75** (UTC -8) **PACIFIC ELEMENT** JAN **FEB** MAR APR MAY JUN JUL AUG SEP OCT NOV DEC YEAR MEAN DAILY MAXIMUM 55.7 65.8 63.1 71.3 59.5 61.8 61.1 62.3 65.2 67.0 62.4 55.7 62.6 HIGHEST DAILY MAXIMUM 61 68 80 75 71 87 93 89 80 61 98 DATE OF OCCURRENCE 14 17 19 25 +30 +12 03 24 27 12 15 14 AUG 24 MEAN DAILY MINIMUM 47.7 49.5 48.6 48.8 50.0 52.8 53.7 53.4 55.0 54.2 49.8 47.7 50.9 LOWEST DAILY MINIMUM 43 46 43 44 50 50 51 52 50 41 43 46 41 27+DATE OF OCCURRENCE 21 08 13 +05 11 20 +01 06 +15 +24 21 NOV 24 AVERAGE DRY BULB 54.5 55.2 55.0 56.2 63.2 -0.6 59.3 58.4 59.3 60.6 56.1 MEAN WET BULB MEAN DEW POINT NUMBER OF DAYS WITH:  $MAXIMUM >= 90^{\circ}$ 0 0 0 0 0 0 0 3 0 0 0 4 MAXIMUM <= 32° 0 0 0 0 0 0 0 0 0 0 0 0 0 MINIMUM <= 32° 0 0 0 0 0 0 0 0 0 0 0 0 0  $MINIMUM \le 0^{\circ}$ 0 0 0 0 0 0 0 0 0 HEATING DEGREE DAYS 402 288 300 294 266 173 197 193 102 162 276 402 3055 COOLING DEGREE DAYS 0 26 54 32 139 0 3 0 0 7 0 17 0 MEAN (PERCENT) HOUR 04 LST HOUR 10 LST  $\Xi$ HOUR 16 LST HOUR 22 LST PERCENT POSSIBLE SUNSHINE NUMBER OF DAYS WITH: HEAVY FOG(VISBY <= 1/4 MI) THUNDERSTORMS SUNRISE-SUNSET: (OKTAS) CEILOMETER (<= 12,000 FT.) SATELLITE (> 12,000 FT.) MIDNIGHT-MIDNIGHT: (OKTAS) CEILOMETER (<= 12,000 FT.) SATELLITE (> 12,000 FT.) NUMBER OF DAYS WITH: **CLEAR** PARTLY CLOUDY CLOUDY MEAN STATION PRESS. (IN.) MEAN SEA-LEVEL PRESS. (IN.) RESULTANT SPEED (MPH) RES. DIR. (TENS OF DEGS.) MEAN SPEED (MPH) PREVAIL.DIR.(TENS OF DEGS.) MAXIMUM 2-MINUTE WIND SPEED (MPH) DIR. (TENS OF DEGS.) DATE OF OCCURRENCE MAXIMUM 3-SECOND WIND: SPEED (MPH) DIR. (TENS OF DEGS.) DATE OF OCCURRENCE WATER EQUIVALENT: PRECIPITATION 6.66 3.42 2.79 3.59 0.95 0.07 0.00 0.01 0.02 1.81 3.10 6.66 29.08 TOTAL (IN.) 1.85 1.10 0.98 0.01 0.02 0.90 1.85 GREATEST 24-HOUR (IN.) 1.50 0.28 0.05 0.00 1.18 1.85 DEC 18-19 DATE OF OCCURRENCE 18-19 23 - 2402-03 11-12 2.7 24 - 2517 08 23-24 07 18-19 NUMBER OF DAYS WITH: 9 7 9 90 11 11 5 0 PRECIPITATION 0.01 16 4 1 1 16 12 9 8 0 0 0 0 5 6 12 62 PRECIPITATION 0.10 6 2 0 0 0 0 2 6 PRECIPITATION 1.00 1 SNOW,ICE PELLETS,HAIL TOTAL (IN.) GREATEST 24-HOUR (IN.) DATE OF OCCURRENCE MAXIMUM SNOW DEPTH (IN.) DATE OF OCCURRENCE NUMBER OF DAYS WITH: SNOWFALL >= 1.0

LATITUDE:

LONGITUDE:

### NORMALS, MEANS, AND EXTREMES SAN FRANCISCO C.O. (SFOC)

TIME ZONE:

**WBAN: 23272** 

ELEVATION (FT): GRND: 75 BARO: 7 **BARO: 75 PACIFIC** (UTC -8) -122° 26'W **ELEMENT** POR JAN MAY JUN JUL SEP OCT NOV DEC YEAR FEB MAR APR AUG 30 NORMAL DAILY MAXIMUM 58.1 61.4 62.5 64.5 65.4 67.7 68.2 69.2 71.3 70.4 64.1 58.6 65.1 MEAN DAILY MAXIMUM 90 56.5 59.8 61.5 62.8 64.1 66.1 65.9 66.8 69.9 69.1 63.8 57.4 63.6 HIGHEST DAILY MAXIMUM 74 79 81 84 94 101 103 103 98 101 102 86 76 103 YEAR OF OCCURRENCE 1962 1986 2004 1989 2001 2000 2010 1971 1987 1966 1958 JUN 2000 1988 MEAN OF EXTREME MAXS. 90 70.2 74.9 78.9 81.9 88.9 75.5 77.9 65.7 84.2 80.3 81.7 86.0 66.4 NORMAL DAILY MINIMUM 30 46.4 48 5 49 2 50.1 51.4 53.2 54.4 55.6 56.1 54.6 50.8 46.7 51.4 MEAN DAILY MINIMUM 90 45.7 48.0 48.9 49.7 51.2 53.0 53.8 54.6 55.6 54.5 51.1 47.0 51.1 TEMPERATURE 74 LOWEST DAILY MINIMUM 30 38 40 43 47 48 48 45 31 47 40 28 28 YEAR OF OCCURRENCE 1937 1989 1942 2009 2003 1999 1953 1969 1955 1949 1994 1990 DEC 1990 MEAN OF EXTREME MINS. 90 39.4 47.7 49.9 50.8 49.9 45.2 40.5 46.5 42.1 43.7 45.1 51.6 51.7 NORMAL DRY BULB 30 52.3 55.0 55.9 57.3 58.4 60.5 61.3 62.4 63.7 62.5 57.5 52.7 58.3 90 MEAN DRY BULB 49.4 53.3 55.2 56.2 57.6 59.6 60.7 62.7 61.8 57.4 51.0 57.1 MEAN WET BULB MEAN DEW POINT NORMAL NO. DAYS WITH: 30 0.0 0.0 0.0 0.3 0.4 0.7 0.3 0.2 0.8 0.0 0.0 4.0 MAXIMUM >= 901.3 MAXIMUM <= 32 30 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 MINIMUM <= 32 30 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.2 0.2 0.0  $MINIMUM \le 0$ 30 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 283 NORMAL HEATING DEG. DAYS 30 396 271 233 214 150 133 107 95 100 232 383 2597 19 30 56 NORMAL COOLING DEG. DAYS 0 2 3 7 9 14 26 22 5 0 163 NORMAL (PERCENT) 30 HOUR 04 LST 30 RH HOUR 10 LST 30 HOUR 16 LST 30 30 HOUR 22 LST PERCENT POSSIBLE SUNSHINE 38 56 62 69 73 72 73 65 72 70 62. 53 66 66 MEAN NO. DAYS WITH: 0/M 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 13 HEAVY FOG(VISBY <= 1/4 MI) 40 0.0 0.2 0.0 0.1 0.0 0.0 0.1 0.1 0.0 THUNDERSTORMS 0.1 0.1 0.1 0.8 MEAN: CLOUDNESS SUNRISE-SUNSET (OKTAS) MIDNIGHT-MIDNIGHT (OKTAS) MEAN NO. DAYS WITH: CLEAR PARTLY CLOUDY CLOUDY MEAN STATION PRESSURE(IN) MEAN SEA-LEVEL PRES. (IN) MEAN SPEED (MPH) 28 6.7 7.5 8.5 9.5 10.4 10.9 11.2 10.5 9.1 7.6 6.3 6.5 8.7 PREVAIL.DIR(TENS OF DEGS) MAXIMUM 2-MINUTE: 47 40 47 36 47 44 38 38 38 34 32 43 41 45 SPEED (MPH) 14 23 18 27 27 27 27 27 27 14 18 14 14 DIR. (TENS OF DEGS) 1965 1938 1948 1965 1965 1965 1939 1966 1956 1950 1953 1965 JAN 1965 YEAR OF OCCURRENCE MAXIMUM 3-SECOND SPEED (MPH) DIR. (TENS OF DEGS) YEAR OF OCCURRENCE 4.15 1.25 30 4.72 3.40 0.54 0.13 0.04 0.09 0.28 1.19 3.31 22.28 NORMAL (IN) MAXIMUM MONTHLY (IN) 74 12.08 14.89 9.04 5.47 3.92 1.42 0.62 0.78 2.06 5.51 10.49 12.03 14.89 1998 1998 1983 1958 1998 1967 1974 1976 1959 1962 1994 2002 FEB 1998 YEAR OF OCCURRENCE PRECIPITATION MINIMUM MONTHLY (IN) 74 0.31 0.04 0.07 0.00 0.00 0.00 0.00 0.00 0.00 Т 0.00 0.00 YEAR OF OCCURRENCE 1976 1953 1988 1949 1982 1983 1982 1980 1980 1959 1989 1982 **DEC 1989** MAXIMUM IN 24 HOURS (IN) 1.47 74 4 22 3.22 3.65 2.36 1.36 0.61 2.05 2.06 3.11 6.19 3.69 6.19 YEAR OF OCCURRENCE NOV 1994 1982 2008 1940 1953 1990 1967 1974 2006 1959 1962 1994 1995 NORMAL NO. DAYS WITH: 30 3.3 0.9 70.1 PRECIPITATION >= 0.01 10.8 11.2 6.2 0.4 2.1 8.7 9.6 11.4 1.4 4.1 PRECIPITATION >= 1.00 30 1.2 0.9 0.5 0.2 0.1 0.0 0.0 0.0 0.0 0.2 0.7 0.6 4.4 NORMAL (IN) 30 Т 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 MAXIMUM MONTHLY (IN) 42 T T 0.0 0.0 0.0 T Τ 0.0 0.0 0.0 0.0 0.0 YEAR OF OCCURRENCE 1951 DEC 1972 1951 1972 1962 MAXIMUM IN 24 HOURS (IN) 38 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 SNOWFALI YEAR OF OCCURRENCE JAN 1962 1951 1951 1941 1962 MAXIMUM SNOW DEPTH (IN) 52 0 0 0 0 0 0 0 0 0 0 0 0 0 YEAR OF OCCURRENCE NORMAL NO. DAYS WITH: 30 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 SNOWFALL >= 1.0

LATITUDE:

LONGITUDE:

### PRECIPITATION (inches) 2010 SAN FRANCISCO C.O. (SFOC)

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
1981	4.00	1.78	3.71	0.17	0.12	0.00	0.00	0.00	0.22	1.74	3.73	4.15	19.62
1982	6.84	3.26	7.65	3.03	0.00	0.06	0.00	0.00	0.72	2.79	5.62	2.22	32.19
1983	5.77	8.06	9.04	3.48	0.47	0.00	0.01	0.06	0.68	0.26	8.20	7.72	43.75
1984	0.50	2.34	1.32	0.92	0.16	0.30	0.00	0.24	0.10	2.94	7.45	2.10	18.37
1985	0.59	1.98	3.94	0.27	0.09	0.31	0.00	0.00	0.38	0.80	4.83	2.47	15.66
1986	4.77	8.29	6.25	0.76	0.13	0.00	0.03	0.01	1.32	0.11	0.20	1.64	23.51
1987	4.26	3.77	2.31	0.14	0.06	0.01	0.00	0.00	0.00	1.07	3.09	5.09	19.80
1988	4.93	0.40	0.07	1.73	0.66	0.70	0.00	0.00	0.00	0.64	3.70	4.23	17.06
1989	1.26	1.49	5.28	0.70	0.06	0.07	0.00	0.05	0.98	1.18	1.33	0.00	12.40
1990	4.02	2.45	1.34	0.58	2.38	0.01	0.00	0.04	0.12	0.20	0.52	1.94	13.60
1991	0.60	3.29	5.89	1.07	0.36	0.05	0.00	0.42	0.00	2.35	0.50	2.32	16.85
1992	2.09	6.34	4.41	0.38	0.00	0.39	0.00	0.02	0.00	1.16	0.40	6.03	21.22
1993	9.82	4.48	2.90	0.71	0.87	0.27	0.00	0.00	0.00	0.33	2.16	2.25	23.79
1994	2.77	4.87	0.35	1.12	1.31	0.06	0.00	0.00	0.22	0.33	10.49	2.69	24.21
1995	8.97	0.24	7.88	1.61	0.97	0.62	0.00	0.00	0.00	0.06	0.08	8.13	28.56
1996	6.71	5.28	1.28	1.56	1.79	0.00	0.0	0.0	.04	1.05	4.73	7.63	30.07
1997	7.59	0.32	0.58	0.29	0.16	0.30	0.00	0.73	0.04	1.00	6.97	2.77	20.75
1998	12.08	14.89	2.54	2.13	3.92	0.15	0.01	0.01	0.09	0.91	4.02	1.42	42.17
1999	4.41	7.35	2.34	2.62	0.23	0.12	0.00	0.10	0.59	0.65	2.32	0.62	21.35
2000	6.41	8.96	2.04	1.66	1.40	0.16	0.02	0.02	0.21	2.38	0.85	0.90	25.01
2001	3.76	7.73	1.58	1.89	0.00	0.15	0.01	0.05	0.18	0.51	5.18	10.75	31.79
2002	2.13	2.59	2.27	0.52	0.84	0.03	0.00	0.03	0.01	0.01	2.00	12.03	22.46
2003	1.75	1.80	1.71	3.60	0.93	0.00	0.00	0.06	0.00	0.04	2.22	7.69	19.80
2004	3.40	5.67	1.16	0.12	0.12	0.00	0.00	0.05	0.04	2.62	2.07	7.98	23.23
2005	4.82	5.19	4.67	2.19	1.32	0.94	0.00	0.01	0.00	0.51	2.21	11.19	33.07
2006	3.52	2.81	8.74	5.02	0.41	0.00	0.00	0.00	0.00	0.63	3.05	5.31	29.49
2007	0.72	4.79	0.52	1.44	0.43	0.00	0.02	0.00	0.09	2.01	0.96	3.16	14.14
2008	8.86	8.86	0.33	0.14	0.03	0.00	0.00	0.01	0.00	0.35	2.31	8.86	29.75
2009	0.90	7.92	2.76	0.24	0.80	0.00	0.00	0.00	0.28	3.11	0.45	0.90	17.36
2010	6.66	3.42	2.79	3.59	0.95	0.07	0.00	0.01	0.02	1.81	3.10	6.66	29.08
POR= 90 YRS	4.32	3.81	2.88	1.49	0.55	0.15	0.02	0.05	0.20	1.10	2.63	4.10	21.30

WBAN: 23272

### AVERAGE TEMPERATURE (°F) 2010 SAN FRANCISCO C.O. (SFOC)

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
1981	52.4	56.1	54.9	55.8	56.8	62.2	57.8	59.2	60.4	59.3	58.3	54.0	57.3
1982	48.5	55.0	52.8	55.6	55.8	56.3	57.9	60.1	62.6	62.8	54.4	52.2	56.2
1983	49.4	54.6	55.3	56.8	59.7	61.8	63.4	65.9	67.1	64.0	56.1	52.8	58.9
1984	51.6	52.6	56.7	54.2	59.9	59.7	63.9	62.8	69.4	61.5	56.0	50.9	58.3
1985	50.0	56.0	53.2	59.8	58.1	63.9	64.1	64.1	64.1	63.2	55.0	51.3	58.6
1986	56.6	58.9	60.4	58.6	60.0	63.2	62.8	61.9	62.8	63.6	60.2	52.5	60.1
1987	51.8	56.4	57.1	60.5	61.1	60.5	61.5	63.5	63.8	65.1	58.8	52.3	59.4
1988	52.8	57.7	59.1	58.8	59.1	61.1	64.2	64.0	63.1	61.5	57.3	53.3	59.3
1989	51.3	50.0	55.4	60.9	59.3	61.6	62.4	63.0	61.8	62.0	58.8	52.6	58.3
1990	52.8	52.0	54.9	59.2	59.0	62.4	62.9	65.3	66.0	64.2	58.0	49.1	58.8
1991	53.4	57.9	53.2	57.1	56.8	58.6	61.3	63.0	63.1	64.4	60.1	53.4	58.5
1992	51.5	58.4	59.2	62.6	62.7	62.5	65.1	63.8	65.8	66.7	59.8	51.7	60.8
1993	51.1	53.8	59.0	59.4	62.5	65.9	63.4	66.6	63.4	64.3	58.2	51.5	59.9
1994	53.7	52.7	58.1	57.6	58.7	61.1	59.7	63.4	63.7	62.2	51.9	49.6	57.7
1995	54.1	56.9	56.2	56.9	57.4	61.7	66.0	64.1	64.7	64.6	60.9	55.5	59.9
1996 1997 1998 1999 2000	54.1 52.7 53.6 50.5 52.7	57.1 56.1 52.7 51.5 53.9	58.8 58.2 55.7 51.2 54.9	61.4 58.1 55.5 54.9 57.1	61.7 62.6 56.6 53.7 58.3	62.8 61.6 59.3 56.4 59.5	63.7 62.3 60.1 58.7 58.3	63.7 65.8 61.1 60.9 60.7	63.6 67.8 61.7 61.5 64.7	62.8 62.5 60.6 62.4 59.5	59.3 55.2 57.8 53.8	55.9 53.9 50.0 54.2 54.0	60.1 56.8 56.1 57.3
2001	51.4	52.1	55.9	52.5	61.5	61.3	60.5	61.5	61.0	62.7	58.6	52.8	57.7
2002	50.7	55.5	53.9	54.9	55.0	58.1	59.2	60.4	61.6	60.8	59.4	54.2	57.0
2003	56.3	54.6	56.5	53.9	58.1	60.5	59.4	63.5	64.9	63.0	55.4	52.9	58.3
2004	51.8	53.7	60.3	58.5	58.2	59.0	60.7	62.8	64.9	60.0	56.5	53.5	58.3
2005	50.3	55.9	57.5	55.9	59.1	59.3	61.0	59.8	59.7	60.5	60.3	55.5	57.9
2006	52.6	54.7	50.9	54.9	57.4	60.2	61.7	59.6	59.6	60.7	56.3	52.4	56.8
2007	-2.3	53.0	57.0	55.4	57.3	59.1	61.5	62.0	63.4	60.4	57.3	50.8	52.9
2008	49.8	-2.5	54.5	54.9	57.6	59.6	60.5	61.9	63.4	63.4	59.1	-2.5	48.3
2009	1.8	52.9	54.1	55.9	57.7	60.5	59.2	62.6	63.5	61.1	57.4	1.8	49.0
2010	-0.6	54.5	55.2	55.0	56.2	59.3	58.4	59.3	63.2	60.6	56.1	53.1	52.5
POR= 90 YRS	49.4	53.3	55.2	56.2	57.6	59.6	59.8	60.7	62.7	61.8	57.4	51.0	57.1

# HEATING DEGREE DAYS (base 65°F) 2010 SAN FRANCISCO C.O. (SFOC)

YEAR	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	TOTAL
1981-82	220	175	136	174	196	334	506	273	369	278	281	253	3195
1982-83	210	151	82	90	311	391	478	283	296	238	174	112	2816
1983-84	83	14	30	52	257	369	408	354	251	321	172	159	2470
1984-85	70	84	19	117	263	430	459	254	359	173	209	57	2494
1985-86	71	49	35	99	302	419	254	172	146	196	154	67	1964
1986-87	78	93	63	84	152	383	399	233	243	140	154	147	2169
1987-88	106	52	50	60	179	387	370	207	183	197	196	125	2112
1988-89	60	53	79	137	229	358	419	416	289	171	181	129	2521
1989-90	86	68	94	113	183	377	371	357	305	170	188	97	2409
1990-91	74	23	8	56	204	487	351	192	358	234	248	188	2423
1991-92	129	74	74	74	150	350	414	186	171	87	75	76	1860
1992-93	30	51	28	31	163	406	423	310	178	163	90	49	1922
1993-94	73	33	74	63	204	411	346	339	211	215	188	134	2291
1994-95	163	70	54	95	384	471	331	221	268	236	227	133	2653
1995-96	30	63	43	68	117	286	334	226	191	139	131	109	1737
1996-97 1997-98 1998-99 1999-00 2000-01	69 83 156 192 197	58 16 127 126 131	74 4 107 135 62	112 100 145 115 168	184 287 215 327	275 338 458 326 336	375 345 441 374 417	242 339 373 318 355	206 284 421 312 280	200 282 314 237 367	110 253 341 217 138	97 165 252 186 119	2393 3422 2753 2897
2001-02	142	100	124	105	187	370	436	261	338	299	300	214	2876
2002-03	179	155	130	159	163	327	262	283	263	325	220	162	2628
2003-04	171	60	73	121	282	368	404	320	173	215	207	177	2571
2004-05	127	79	68	180	249	350	447	251	228	266	175	163	2583
2005-06	123	161	156	137	149	289	383	281	428	297	239	150	2793
2006-07 2007-08 2008-09 2009-10 2010-	124 105 144 180 197	160 100 102 97 193	163 69 94 74 102	141 150 90 122 162	278 227 185 228 276	384 433 466 331 402	457 466 331 402	328 466 332 288	247 316 331 300	279 304 289 294	261 257 230 266	177 190 132 173	2999 3083 2726 2755

WBAN: 23272

### COOLING DEGREE DAYS (base 65°F) 2010 SAN FRANCISCO C.O. (SFOC)

		LOKEL	DILLO	(bube or	, 1, 401	O DIAI ( )			.0. (51	00)			
YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	TOTAL
1981	0	0	0	13	1	44	6	3	3	5	2	0	77
1982	0	0	0	7	1	0	0	8	16	27	0	0	59
1983	0	0	0	0	16	21	41	50	101	27	0	0	256
1984	0	0	0	5	20	5	42	20	158	14	0	0	264
1985	0	7	0	24	2	28	50	27	16	49	8	0	211
1986	0	7	10	8	6	22	17	1	4	49	12	0	136
1987	0	0	5	12	38	19	5	14	22	68	0	0	183
1988	0	3	6	18	20	12	42	27	30	34	3	0	195
1989	0	0	0	56	9	35	15	12	5	28	2 1	0	162
1990	0	0	0	5	8	25	18	39	45	40	1	0	181
1991	0	0	0	3	1	5	20	20	26	62	9	0	146
1992	0	2 0	0	21	13	9	41	23	61	93	10	0	273
1993	0		0	1	21	82	32	88	31	48	7	0	310
1994	0	0	5	0	3	22	4	29	24	19	0	0	106
1995	0	0	0	3	0	40	70	43	43	63	4	0	266
1996	0	3	4	39	38	49	34	26	37	53		0	
1997	0	0	7	1	44	2	5	47	97	30	24	0	257
1998	0	0	0	2	0	2	11	12	17	15	0	0	59
1999	0	0	0	17	0	1	4	5	38	40	3	0	108
2000	0	0	7	11	16	27	0	4	61	7	0	0	133
2001	0	0	1	0	40	15	10	1	14	38	2	0	121
2002	0	3	0	0	0	10	4	19	33	34	1	0	104
2003	0	0	7	0	11	36	2	21	76	64	0	0	217
2004	0	0	34	26	1	0	0	20	69	33	0	0	183
2005	0	0	2	0	0	0	6	9	5	8	12	0	42
2006	0	0	0	0	3	13	32	0	8	15	0	0	71
2007	0	0	6	0	19	11	1	12	30	16	1	0	96
2008	0	0	0	8	33	34	11	16	51	48	16	0	217
2009	0	0	0	24	11	3	7	31	36	9	7	0	128
2010	0	0	3	0	0	7	0	26	54	32	17	0	139
													l

#### SNOWFALL (inches) 2010 SAN FRANCISCO C.O. (SFOC)

YEAR	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	TOTAL
1967-68 1968-69 1969-70 1970-71 1971-72 1972-73 1973-74	0.0 0.0 0.0 0.0 0.0 0.0	0.0 0.0 0.0 0.0 0.0 0.0	0.0 0.0 0.0 0.0 0.0 0.0	0.0 0.0 0.0 0.0 0.0 0.0	0.0 0.0 0.0 0.0 0.0 0.0	0.0 0.0 0.0 0.0 0.0 0.0 T	0.0 0.0 0.0 0.0 0.0 0.0	0.0 0.0 0.0 0.0 0.0 0.0	0.0 0.0 0.0 0.0 0.0 0.0	0.0 0.0 0.0 0.0 0.0 0.0	0.0 0.0 0.0 0.0 0.0	0.0 0.0 0.0 0.0 0.0	0.0 0.0 0.0 0.0 0.0
1975-74 1975-76 1976-77 1977-78 1978-79 1979-80													
1980-81 1981-82 1982-83 1983-84 1984-85													
1996-97 1997-98 1998-99 1999-00 2000-01	0.0 0.0	0.0 0.0	0.0 0.0	0.0	0.0	0.0	0.0 0.0	0.0 0.0	0.0 0.0	0.0	0.0 0.0	0.0 0.0	
2001-02 2002-03 2003-04 2004-05 2005-													
POR= 68 YRS	0.0	0.0	0.0	0.0	0.0	T	0.0	0.0	0.0	0.0	0.0	0.0	Т

WBAN: 23272

#### **REFERENCE NOTES:**

#### PAGE 1:

THE TEMPERATURE GRAPH SHOWS NORMAL MAXIMUM AND NORMAL MINIMUM DAILY TEMPERATURES (SOLID CURVES) AND THE ACTUAL DAILY HIGH AND LOW TEMPERATURES (VERTICAL BARS).

PAGE 2 AND 3:

H/C INDICATES HEATING AND COOLING DEGREE DAYS.

RH INDICATES RELATIVE HUMIDITY

W/O INDICATES WEATHER AND OBSTRUCTIONS

S INDICATES SUNSHINE.

PR INDICATES PRESSURE

CLOUDINESS ON PAGE 3 IS THE SUM OF THE CEILOMETER AND SATELLITE DATA NOT TO EXCEED EIGHT EIGHTHS(OKTAS). GENERAL:

T INDICATES TRACE PRECIPITATION, AN AMOUNT GREATER THAN ZERO BUT LESS THAN THE LOWEST REPORTABLE VALUE.

+ INDICATES THE VALUE ALSO OCCURS ON EARLIER DATES.

BLANK ENTRIES DENOTE MISSING OR UNREPORTED DATA.

NORMALS ARE 30-YEAR AVERAGES (1971 - 2000).

ASOS INDICATES AUTOMATED SURFACE OBSERVING SYSTEM. PM INDICATES THE LAST DAY OF THE PREVIOUS MONTH. POR (PERIOD OF RECORD) BEGINS WITH THE JANUARY DATA

MONTH AND IS THE NUMBER OF YEARS USED TO COMPUTE THE MEAN. INDIVIDUAL MONTHS WITHIN THE POR MAY BE MISSING.

WHEN THE POR FOR A NORMAL IS LESS THAN 30 YEARS, THE NORMAL IS PROVISIONAL AND IS BASED ON THE NUMBER OF YEARS INDICATED.

0.\* OR \* INDICATES THE VALUE OR MEAN-DAYS-WITH IS BETWEEN 0.00 AND 0.05.

CLOUDINESS FOR ASOS STATIONS DIFFERS FROM THE NON-ASOS OBSERVATION TAKEN BY A HUMAN OBSERVER. ASOS STATION CLOUDINESS IS BASED ON TIME-AVERAGED CEILOMETER DATA FOR CLOUDS AT OR BELOW 12,000 FEET AND ON SATELLITE DATA FOR CLOUDS ABOVE 12,000 FEET.

THE NUMBER OF DAYS WITH CLEAR, PARTLY CLOUDY, AND CLOUDY CONDITIONS FOR ASOS STATIONS IS THE SUM OF THE CEILOMETER AND SATELLITE DATA FOR THE SUNRISE TO SUNSET PERIOD.

CLEAR INDICATES 0 - 2 OKTAS, PARTLY CLOUDY INDICATES 3 - 6 OKTAS, AND CLOUDY INDICATES 7 OR 8 OKTAS. WHEN AT LEAST ONE OF THE ELEMENTS (CEILOMETER OR SATELLITE) IS MISSING, THE DAILY CLOUDINESS IS NOT COMPUTED.

GENERAL CONTINUED:

WIND DIRECTION IS RECORDED IN TENS OF DEGREES (2 DIGITS) CLOCKWISE FROM TRUE NORTH. "00" INDICATES CALM. "36" INDICATES TRUE NORTH.

RESULTANT WIND IS THE VECTOR AVERAGE OF THE SPEED AND DIRECTION.

AVERAGE TEMPERATURE IS THE SUM OF THE MEAN DAILY MAXIMUM AND MINIMUM TEMPERATURE DIVIDED BY 2.

SNOWFALL DATA COMPRISE ALL FORMS OF FROZEN PRECIPITATION, INCLUDING HAIL.

A HEATING (COOLING) DEGREE DAY IS THE DIFFERENCE BETWEEN THE AVERAGE DAILY TEMPERATURE AND 65 F.

DRY BULB IS THE TEMPERATURE OF THE AMBIENT AIR.

DEW POINT IS THE TEMPERATURE TO WHICH THE AIR MUST BE COOLED TO ACHIEVE 100 PERCENT RELATIVE HUMIDITY.

WET BULB IS THE TEMPERATURE THE AIR WOULD HAVE IF THE MOISTURE CONTENT WAS INCREASED TO 100 PERCENT RELATIVE HUMIDITY

ON JULY 1, 1996, THE NATIONAL WEATHER SERVICE BEGAN USING THE "METAR" OBSERVATION CODE THAT WAS ALREADY EMPLOYED BY MOST OTHER NATIONS OF THE WORLD. THE MOST NOTICEABLE DIFFERENCE IN THIS ANNUAL PUBLICATION WILL BE THE CHANGE IN UNITS FROM TENTHS TO EIGHTS(OKTAS) FOR REPORTING THE AMOUNT OF SKY COVER.

STATION HISTORY STOPPED WITH THE 2009 ANNUAL. IF YOU NEED HISTORY GO TO "MULTI-NETWORK MEDADATA SYSTEM", URL IS: https://mi3.ncdc.noaa.gov/mi3gry/login.cfm

https://mi3.ncdc.noaa.gov/mi3qry/login.cfm SNOWFALL STOPPED MONTH & YEAR INDICATED ABOVE. NO FURTHER YEARS INCLUDED UNLESS RESTARTED.

#### NOTE:

The "Period of Record:(POR) for all "averages" is based on the "Summary of the Day First Order Station" and "Cooperative Summary of the Day" archives.

## 2010 SAN FRANCISCO DOWNTOWN CALIFORNIA (SFOC)

San Francisco is located at the northern end of a narrow peninsula which separates San Francisco Bay from the Pacific Ocean. It is known as the air conditioned city with cool pleasant summers and mild winters. Flowers bloom throughout the year and warm clothing may be needed at times during any month.

Precipitation averages about 20 inches a year with pronounced wet and dry seasons, characteristic of its Mediterranean climate. Little or no rain falls from June through September while about 80 percent of the annual total falls from November through March. Snow is extremely rare. Measurable amounts fall about once every 15 years. Freezing temperatures are also extremely rare. On average, thunderstorms occur on only two days each year. The average annual wind speed is about 9 mph with lighter winds, 6 to 7 mph, occurring in the winter and stronger winds, 10 to 11 mph, in the summer.

San Francisco probably has greater climatic variability by far with respect to temperature, cloudiness, and sunshine within its 49 square mile area than any other similarly sized urban area in the country. Likewise, the San Francisco Bay area has considerably more variability than San Francisco itself.

Sea fogs, and the low stratus clouds associated with them are most common in the summertime, but may occur at any time of the year. In the summer the temperature of the Pacific Ocean is much lower than the temperature inland, particularly in the Central Valley of California. This condition tends to enhance the sea breeze effect common to coastal areas. Brisk westerly winds blow throughout the afternoon and evening hours. The fog is carried inland by these westerly winds in the late afternoon and evening and then evaporates during the subsequent forenoon.

The complex topography of San Francisco causes complex patterns of fog and sun as well as temperature. A range of hills with elevations of nearly 1000 feet above sea level, bisects the city from north to south. This range partially blocks the inland movement of the fog, but gaps in the hills permit small masses of fog to pass through, further complicating the pattern. Occasionally, the fog will reach 50 miles south to San Jose, while the area just to the lee of the highest hills is still mostly clear.

Sunshine varies greatly from one part of the city to another, especially in the summer. Spring and fall are the sunniest seasons. In the summer the sunniest area is a triangular shaped area to the lee of the highest hills and extending to the bay. The least sunny area is along the ocean due to the high frequency of fog there. The percent of possible summer sunshine varies from an estimated 25 to 35 percent at the ocean to 70 to 80 percent in the sunniest area.

The extent and behavior of the summertime fog on a particular day depends on several factors. A typical day would find the fog covering the entire city at sunrise and little wind. During the forenoon the skies become sunny in the eastern part of the city with some partial clearing reaching the ocean for a couple of hours in the early afternoon. By early afternoon the winds pick up and by late afternoon the fog is rolling inland again. The wind usually reaches a maximum velocity in the early evening.

In the winter relatively little difference in the climate is observed from one part of the city to another. This is due to the lack of temperature contrast between the ocean and the land and to the relative frequency of passage of Pacific frontal systems. However, those areas near the ocean have more sunshine than areas further inland. The source region for fog is inland during winter, mainly in the Central Valley, rather than the ocean.

Temperature patterns in the city are the same as those of sunshine. In the winter there is little variation, with average maximums from 55 to degrees and average minimums in the mid to upper 40s. Average temperatures rise until June and remain nearly constant through August with average maximums in the lower 60s near the ocean and upper 60s in the sunny eastern half of the city. Summer minimums range from 50 to 55. The warmest time of the year is September and October when the fog diminishes greatly and some of the warmth from the Central Valley flows westward. At this time of year the average maximums are in the mid 60s near the ocean and in the mid 70s in the warmest areas of the city. The average minimums are about the same as they are during the summer.

Non-Subscription Request: NCDC Customer Services; Phone: 828-271-4800 Fax: 828-271-4876

Email: ncdc.orders@noaa.gov

OFFICAL BUSINESS PENALTY FOR PRIVATE USE \$300 CHANGE SERVICE REQUESTED

FIRST CLASS POSTAGE & FEES PAID United States Department of Commerce NOAA Permit No. G - 19

INQUIRES/COMMENTS CALL: Toll Free (866) 742-3322 Visit our Web Site for other weather data: www.ncdc.noa.gov

#### For Hard Copy Subscription:

Price and ordering information: NCDC Subscripting Service Center, 310 State Route 956, Building 300, Rocket Center, WV 26726.