




# 2011 LOCAL CLIMATOLOGICAL DATA ANNUAL SUMMARY WITH COMPARATIVE DATA


ISSN 0198-3555

## BINGHAMTON, NEW YORK (KBGM)


### Daily Max/Min Temperature



### Daily Precipitation



### Daily Station Pressure



I CERTIFY THAT THIS IS AN OFFICIAL PUBLICATION OF THE NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION, AND IS COMPILED FROM RECORDS ON FILE AT THE NATIONAL CLIMATIC DATA CENTER.

NATIONAL  
OCEANIC AND  
ATMOSPHERIC ADMINISTRATION

NATIONAL  
ENVIRONMENTAL SATELLITE, DATA  
AND INFORMATION SERVICE

NATIONAL  
CLIMATIC DATA CENTER  
ASHEVILLE, NORTH CAROLINA

*Thomas R. Karl*  
DIRECTOR  
NATIONAL CLIMATIC DATA CENTER

# METEOROLOGICAL DATA FOR 2011

## BINGHAMTON (KBGM)

LATITUDE: 42° 12'N      LONGITUDE: -75° 58'W      ELEVATION (FT): GRND: 1595 BARO: 1630      TIME ZONE: EASTERN (UTC -5)      WBAN: 04725

ELEMENT		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	YEAR	
TEMPERATURE °F	MEAN DAILY MAXIMUM	25.5	33.1	38.7	54.8	67.6	75.2	83.3	76.1	69.8	57.2	52.4	39.9	56.1	
	HIGHEST DAILY MAXIMUM	52	58	59	81	87	91	95	88	85	78	66	53	95	
	DATE OF OCCURRENCE	01	18	18	26	31	08	21	01	03	09	08	06	JUL 21	
	MEAN DAILY MINIMUM	13.5	16.2	23.2	37.5	50.3	56.6	62.6	58.6	54.8	41.5	36.3	26.0	39.8	
	LOWEST DAILY MINIMUM	-7	2	6	27	36	46	51	48	39	27	24	10	-7	
	DATE OF OCCURRENCE	24	22+	03	06	05	03	01	29	16	30	18	29	JAN 24	
	AVERAGE DRY BULB	19.5	24.7	31.0	46.2	59.0	65.9	73.0	67.4	62.3	49.4	44.4	33.0	48.0	
	MEAN WET BULB						59.8	64.3	61.9		45.6	39.7	29.3		
	MEAN DEW POINT						55.4	59.1	58.6		41.1	33.5	24.1		
	NUMBER OF DAYS WITH:														
	MAXIMUM >= 90°	0	0	0	0	0	1	4	0	0	0	0	0	0	5
MAXIMUM <= 32°	28	14	9	0	0	0	0	0	0	0	0	5	5	56	
MINIMUM <= 32°	30	26	28	11	0	0	0	0	0	5	11	25	25	136	
MINIMUM <= 0°	3	0	0	0	0	0	0	0	0	0	0	0	0	3	
H/C	HEATING DEGREE DAYS	1402	1121	1048	565	217	50	1	21	116	478	610	985	6614	
	COOLING DEGREE DAYS	0	0	0	5	38	83	252	104	43	0	0	0	525	
RH	MEAN (PERCENT)	75	64	68	73	73	72	65	76	83	74	68	75	72	
	HOUR 01 LST	79	66	76	82	84	84	76	86	90	82	73	79	80	
	HOUR 07 LST	83	70	77	78	79	78	73	85	89	81	75	81	79	
	HOUR 13 LST	67	59	57	61	62	59	49	62	73	62	57	62	61	
	HOUR 19 LST	73	61	64	70	72	69	61	74	83	73	69	73	70	
S	PERCENT POSSIBLE SUNSHINE														
W/O	NUMBER OF DAYS WITH:														
	HEAVY FOG(VISBY <= 1/4 MI)	1	0	0	2	2	0	0	0	1	0	0	0	6	
	THUNDERSTORMS	0	0	0	3	4	7	4	4	2	0	0	0	24	
CLOUDINESS	SUNRISE-SUNSET: (OKTAS)														
	CEILOMETER (<= 12,000 FT.)														
	SATELLITE (> 12,000 FT.)														
	MIDNIGHT-MIDNIGHT: (OKTAS)														
	CEILOMETER (<= 12,000 FT.)														
SATELLITE (> 12,000 FT.)															
NUMBER OF DAYS WITH:															
CLEAR															
PARTLY CLOUDY															
CLOUDY															
PR	MEAN STATION PRESS. (IN.)	28.16	28.19	28.33	28.17	28.24	28.22	28.25	28.19	28.32	28.25	28.32	28.35	28.25	
	MEAN SEA-LEVEL PRESS. (IN.)	29.96	29.99	30.12	29.92		29.93	29.95	29.89	30.04	30.00	30.07	30.13		
WINDS	RESULTANT SPEED (MPH)	3.6	4.4	1.9	2.4	1.3	2.6	3.0	1.9	1.9	2.0	4.0	3.6	2.4	
	RES. DIR. (TENS OF DEGS.)	28	26	27	23	20	28	28	26	17	25	22	24	26	
	MEAN SPEED (MPH)	7.2	9.9	9.7	9.4	7.3	6.3	6.0	6.3	6.3	7.6	8.2	7.5	7.6	
	PREVAIL.DIR.(TENS OF DEGS.)	30	23	33	19	16	33	23	19	22	25	19	17	19	
	MAXIMUM 2-MINUTE WIND														
	SPEED (MPH)	25	36	32	37	39	29	47	32	23	30	29	32	47	
	DIR. (TENS OF DEGS.)	28	27	15	13	25	28	02	01	26	27	13	29	02	
	DATE OF OCCURRENCE	21	18	09	16	26	01	18	28	29	15	22	16	JUL 18	
	MAXIMUM 3-SECOND WIND:														
	SPEED (MPH)	35	51	46	51	59	39	68	45	31	41	35	51	68	
DIR. (TENS OF DEGS.)	28	28	14	23	23	27	02	36	24	25	12	29	02		
DATE OF OCCURRENCE	21	18	09	17	26	01	18	28	29	15	22	16	JUL 18		
PRECIPITATION	WATER EQUIVALENT:														
	TOTAL (IN.)	1.71	4.92	3.90	8.55	7.48	4.33	1.40	8.90	16.58	4.09	3.08	3.11	68.05	
	GREATEST 24-HOUR (IN.)	0.35	1.08	1.55	1.66	2.26	1.40	0.79	2.72	8.70	0.97	1.51	0.95	8.70	
	DATE OF OCCURRENCE	11-12	25	06-07	25-26	03-04	11-12	18-19	27-28	07-08	13-14	22-23	21	SEP 07-08	
	NUMBER OF DAYS WITH:														
	PRECIPITATION 0.01	22	16	14	21	15	13	8	15	16	15	9	14	178	
PRECIPITATION 0.10	7	9	7	16	12	7	4	13	12	10	6	7	110		
PRECIPITATION 1.00	0	1	1	3	2	2	0	3	4	0	0	0	16		
SNOWFALL	SNOW,ICE PELLETS,HAIL														
	TOTAL (IN.)	25.0	30.7	25.9	2.6	0.0	0.0	0.0	0.0	0.0	2.6	0.2	7.1	94.1	
	GREATEST 24-HOUR (IN.)	3.8	8.8	8.2	0.9	0.0	0.0	0.0	0.0	0.0	1.9	0.2	3.8	8.8	
	DATE OF OCCURRENCE	07	25	07	05+						27	17	07	FEB 25	
	MAXIMUM SNOW DEPTH (IN.)	11	14	15	1	0	0	0	0	0	1	T	3	15	
	DATE OF OCCURRENCE	22+	04+	07	01						28	18	08	MAR 07	
	NUMBER OF DAYS WITH:														
SNOWFALL >= 1.0	7	11	4	0	0	0	0	0	0	1	0	2	25		

# NORMALS, MEANS, AND EXTREMES BINGHAMTON (KBGM)

**LATITUDE:** 42° 12'N      **LONGITUDE:** -75° 58'W      **ELEVATION (FT):** GRND: 1595 BARO: 1630      **TIME ZONE:** EASTERN (UTC -5)      **WBAN: 04725**

ELEMENT		POR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	YEAR
TEMPERATURE °F	NORMAL DAILY MAXIMUM	30	28.4	30.9	40.6	53.1	65.6	73.4	78.1	75.8	67.8	56.7	44.3	33.4	54.0
	MEAN DAILY MAXIMUM	64	29.1	31.5	40.3	54.3	65.7	74.2	78.7	76.9	69.0	57.8	45.4	33.4	54.7
	HIGHEST DAILY MAXIMUM	60	63	66	82	89	89	94	98	95	96	82	77	65	98
	YEAR OF OCCURRENCE		2008	1954	1998	2009	1996	1952	1988	2002	1953	2007	1982	2006	JUL 1988
	MEAN OF EXTREME MAXS.	64	50.5	50.9	64.0	77.0	82.8	86.9	89.0	87.6	83.8	75.1	65.1	54.0	72.2
	NORMAL DAILY MINIMUM	30	15.0	16.7	24.7	35.1	46.2	54.4	59.2	57.4	49.9	39.6	30.9	20.8	37.5
	MEAN DAILY MINIMUM	64	15.3	16.3	24.3	35.6	45.8	54.8	59.6	58.0	50.6	40.4	31.5	20.6	37.7
	LOWEST DAILY MINIMUM	60	-20	-15	-7	9	25	33	39	37	25	17	3	-18	-20
	YEAR OF OCCURRENCE		1957	1979	1993	1982	1978	1980	1963	1965	1974	1976	1976	1980	JAN 1957
	MEAN OF EXTREME MINS.	64	-4.2	-3.0	5.4	20.7	30.7	41.5	48.8	46.1	35.4	26.6	16.0	0.9	22.1
	NORMAL DRY BULB	30	21.7	23.8	32.7	44.1	55.9	63.9	68.7	66.6	58.8	48.1	37.6	27.1	45.8
	MEAN DRY BULB	64	22.2	24.0	32.4	45.0	55.7	64.5	69.1	67.5	59.8	49.1	38.4	27.0	46.2
	MEAN WET BULB	26	20.6	21.8	28.1	38.0	48.6	58.2	61.8	61.0	54.7	43.5	34.5	24.9	41.3
	MEAN DEW POINT	26	17.5	16.7	24.0	33.7	45.1	55.3	59.7	58.9	51.9	40.8	31.7	21.9	38.1
	NORMAL NO. DAYS WITH: MAXIMUM >= 90	30	0.0	0.0	0.0	0.0	0.0	0.0	0.2	1.2	0.4	0.1	0.0	0.0	1.9
	MAXIMUM <= 32	30	19.8	15.4	7.3	0.7	0.0	0.0	0.0	0.0	0.0	*	4.1	13.7	61.0
MINIMUM <= 32	30	29.2	25.9	24.0	11.9	0.9	0.0	0.0	0.0	0.3	6.2	18.1	27.3	143.8	
MINIMUM <= 0	30	3.5	2.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	6.8	
H/C	NORMAL HEATING DEG. DAYS	30	1331	1156	997	617	292	90	22	43	202	514	812	1161	7237
	NORMAL COOLING DEG. DAYS	30	0	0	1	4	23	73	153	108	32	2	0	0	396
RH	NORMAL (PERCENT)	30	75	72	68	65	67	71	72	75	78	74	75	77	72
	HOURLY 01 LST	30	78	75	74	70	75	81	81	85	86	81	79	79	79
	HOURLY 07 LST	30	80	78	78	75	78	83	84	89	90	85	82	81	82
	HOURLY 13 LST	30	70	64	60	55	56	59	58	61	64	62	68	71	62
	HOURLY 19 LST	30	74	70	65	60	61	66	66	70	74	70	73	76	69
S	PERCENT POSSIBLE SUNSHINE	51	37	42	46	50	55	61	64	61	55	49	32	29	48
W/O	MEAN NO. DAYS WITH: HEAVY FOG(VISBY <= 1/4 MI)	48	3.5	3.2	4.9	3.2	3.2	4.1	3.9	5.2	5.5	3.9	3.8	4.1	48.5
	THUNDERSTORMS	64	0.1	0.2	0.8	2.0	3.7	6.1	6.4	4.8	2.7	0.9	0.3	0.1	28.1
CLOUDINESS	MEAN: SUNRISE-SUNSET (OKTAS)				8.0			6.4						8.8	
	MIDNIGHT-MIDNIGHT (OKTAS)				8.0										
	MEAN NO. DAYS WITH: CLEAR				0.5		0.2	0.5							
	PARTLY CLOUDY	1	0.2	0.2	0.4		1.0	0.6							
	CLOUDY	1	0.5	0.7	1.3		0.8	1.0							
PR	MEAN STATION PRESSURE(IN)	28	28.24	28.24	28.25	28.22	28.26	28.26	28.29	28.33	28.35	28.33	28.30	28.27	28.28
	MEAN SEA-LEVEL PRES. (IN)	28	30.03	30.03	30.03	29.97	29.99	29.98	30.00	30.04	30.08	30.08	30.07	30.06	30.03
WINDS	MEAN SPEED (MPH)	28	10.0	10.1	10.2	9.9	8.9	8.2	7.5	7.2	8.0	8.7	9.5	9.8	9.0
	PREVAIL.DIR(TENS OF DEGS)	35	30	31	31	33	33	23	23	23	19	19	33	31	31
	MAXIMUM 2-MINUTE: SPEED (MPH)	16	40	41	39	37	39	40	47	43	33	39	46	43	47
	DIR. (TENS OF DEGS)		25	25	24	13	25	27	02	32	10	27	26	24	02
	YEAR OF OCCURRENCE		2000	2006	2002	2011	2011	2005	2011	2000	2003	2003	2005	2000	JUL 2011
	MAXIMUM 3-SECOND SPEED (MPH)	16	51	60	51	51	59	51	68	63	45	48	58	53	68
	DIR. (TENS OF DEGS)		27	24	27	23	23	27	02	32	14	25	24	25	02
YEAR OF OCCURRENCE		2008	2003	2008	2011	2011	2005	2011	2000	2010	2003	2003	2000	JUL 2011	
PRECIPITATION	NORMAL (IN)	30	2.58	2.46	2.97	3.49	3.55	3.80	3.49	3.35	3.59	3.02	3.32	3.03	38.65
	MAXIMUM MONTHLY (IN)	60	6.39	4.92	6.32	8.57	7.48	11.45	7.67	8.90	16.58	9.43	7.52	6.11	16.58
	YEAR OF OCCURRENCE		1979	2011	2008	1983	2011	2006	2004	2011	2011	1955	1972	1983	SEP 2011
	MINIMUM MONTHLY (IN)	60	0.76	0.51	0.69	0.73	0.78	0.98	0.83	0.61	0.61	0.26	1.01	0.94	0.26
	YEAR OF OCCURRENCE		1970	1968	1981	2001	1962	1979	1955	1953	1961	1963	1960	1960	OCT 1963
	MAXIMUM IN 24 HOURS (IN)	60	1.99	2.16	1.95	3.01	3.58	4.08	3.24	3.29	8.70	3.88	2.66	2.81	8.70
	YEAR OF OCCURRENCE		2010	1966	1964	2000	1992	2006	1976	1988	2011	1955	1972	1983	SEP 2011
	NORMAL NO. DAYS WITH: PRECIPITATION >= 0.01	30	16.7	13.5	14.9	13.5	13.2	12.6	11.3	10.5	11.6	11.9	15.1	16.2	161.0
PRECIPITATION >= 1.00	30	0.2	0.2	0.3	0.5	0.4	0.7	0.8	0.7	0.7	0.6	0.4	0.4	5.9	
SNOWFALL	NORMAL (IN)	30	20.2	15.9	14.2	4.7	0.2	0.0	0.0	0.0	0.*	0.8	7.9	17.1	81.0
	MAXIMUM MONTHLY (IN)	60	45.9	44.3	46.5	22.9	3.4	T	T	T	T	11.6	24.4	59.6	59.6
	YEAR OF OCCURRENCE		1987	1972	2001	1983	1966	1993	2010	2008	1993	1993	1954	1969	DEC 1969
	MAXIMUM IN 24 HOURS (IN)	60	18.4	23.0	19.1	11.5	3.4	T	T	T	T	6.8	11.2	15.6	23.0
	YEAR OF OCCURRENCE		1964	1961	1993	1960	1966	1993	2010	2004	1993	1993	1993	1969	FEB 1961
	MAXIMUM SNOW DEPTH (IN)	63	32	28	35	9	2	0	0	0	0	3	30	33	35
	YEAR OF OCCURRENCE		1994	1961	1993	1983	1966					1993	1950	1969	MAR 1993
NORMAL NO. DAYS WITH: SNOWFALL >= 1.0	30	5.3	4.6	3.1	1.1	0.1	0.0	0.0	0.0	0.0	0.2	2.4	4.5	21.3	

**PRECIPITATION (inches) 2011 BINGHAMTON (KBGM)**

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
1982	3.40	2.26	2.61	2.29	3.89	7.09	1.87	2.94	1.86	0.93	4.04	1.90	35.08
1983	2.56	1.50	2.57	8.57	4.05	4.08	2.20	3.21	1.53	2.61	3.58	6.11	42.57
1984	1.59	3.34	2.19	5.07	6.09	2.65	5.44	3.07	1.92	1.58	3.55	3.15	39.64
1985	1.30	1.30	3.63	0.98	2.69	2.61	4.14	2.72	4.76	2.47	4.63	2.19	33.42
1986	2.13	4.00	3.01	2.99	3.22	4.80	7.36	3.01	3.27	2.45	5.75	2.48	44.47
1987	3.04	0.67	1.91	4.20	1.29	3.82	4.35	4.17	4.54	2.66	1.79	2.18	34.62
1988	1.57	3.77	1.61	2.76	3.89	1.05	4.94	5.22	2.05	2.58	2.93	1.19	33.56
1989	1.50	1.95	4.15	1.37	5.82	5.89	3.48	3.40	4.29	3.35	1.95	1.61	38.76
1990	3.33	3.23	1.72	3.11	5.00	2.50	3.07	5.57	2.83	7.19	3.20	5.22	45.97
1991	2.11	2.13	3.42	4.22	1.90	2.36	1.96	3.78	2.61	1.65	4.50	2.74	33.38
1992	1.68	1.95	3.29	3.51	6.37	1.30	6.32	2.87	3.52	3.47	3.78	2.97	41.03
1993	2.11	2.71	3.68	7.10	1.99	3.99	2.30	4.28	3.92	3.41	3.59	3.30	42.38
1994	3.46	1.81	5.06	2.81	2.76	6.51	4.78	5.86	2.49	0.90	2.63	3.01	42.08
1995	2.71	2.27	1.12	2.87	1.76	1.71	2.10	3.00	3.53	6.68	3.66	1.79	33.20
1996	3.81	1.57	1.88	6.16	3.84	5.80	4.14	2.96	4.87	3.34	4.53	6.10	49.00
1997	1.15	1.92	3.77	1.54	3.55	2.97	1.56	3.36	2.87	1.13	4.84	2.81	31.47
1998	3.11	4.48	3.28	4.54	5.98	5.24	2.37	1.56	2.59	3.08	1.43	1.59	39.25
1999	4.75	1.55	2.57	2.53	1.53	3.28	2.27	1.40	6.98	1.15	2.92	1.65	32.58
2000	2.94	3.40	3.25	6.47	7.04	4.69	3.76	2.46	2.39	4.05	1.98	2.23	44.66
2001	0.95	1.56	5.41	0.73	1.99	8.60	2.50	2.21	4.61	1.60	1.84	2.29	34.29
2002	2.17	1.94	3.84	3.72	5.45	7.09	1.49	1.79	4.34	4.27	3.22	2.74	42.06
2003	2.30	2.44	2.30	2.47	4.16	4.96	4.92	2.15	7.06	4.73	2.85	3.13	43.47
2004	1.96	1.01	1.85	3.34	5.28	1.53	7.67	4.28	7.33	2.14	3.00	4.18	43.57
2005	3.93	2.30	3.58	4.37	0.81	2.96	1.81	4.84	1.94	7.92	4.91	2.02	41.39
2006	3.27	1.25	1.63	2.61	2.37	11.45	5.52	6.53	3.76	4.34	4.86	2.19	49.78
2007	3.05	1.60	3.27	3.01	2.93	3.26	5.37	2.45	3.27	4.33	4.35	3.86	40.75
2008	1.68	4.57	6.32	2.02	2.57	3.06	4.46	3.67	2.50	2.97	2.12	3.63	39.57
2009	1.85	1.27	2.96	1.89	4.14	5.48	3.75	4.75	2.65	4.41	1.63	1.81	36.59
2010	3.04	1.45	2.93	2.26	2.63	5.02	3.00	3.84	5.21	3.72	3.13	2.04	38.27
2011	1.71	4.92	3.90	8.55	7.48	4.33	1.40	8.90	16.58	4.09	3.08	3.11	68.05
POR= 64 YRS	2.47	2.35	2.97	3.35	3.48	3.92	3.55	3.50	3.61	3.11	3.17	2.88	38.36

WBAN : 04725

**AVERAGE TEMPERATURE (°F) 2011 BINGHAMTON (KBGM)**

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
1982	14.9	24.4	32.3	42.2	59.7	62.1	70.0	64.4	61.0	50.6	42.1	34.4	46.5
1983	24.7	28.0	35.9	43.2	53.4	66.8	72.3	70.9	63.7	50.6	39.7	23.8	47.8
1984	19.7	33.1	25.9	45.2	53.0	66.4	68.3	70.0	58.1	54.0	38.3	34.2	47.2
1985	18.9	26.1	35.3	49.1	58.9	61.2	68.8	67.4	61.3	50.0	39.9	22.4	46.6
1986	22.7	21.6	35.9	47.3	59.9	62.4	68.5	66.1	60.8	49.3	35.4	31.1	46.8
1987	23.3	23.0	38.5	48.7	57.8	66.4	71.1	66.1	59.1	45.2	39.0	29.4	47.3
1988	20.2	23.0	33.2	43.5	57.7	63.0	73.5	69.8	57.2	43.0	40.1	25.1	45.8
1989	27.2	21.9	31.9	41.5	55.4	65.1	68.6	65.7	59.2	50.5	35.7	14.0	44.7
1990	31.5	28.6	36.7	47.3	52.8	64.4	68.1	66.5	57.9	51.6	40.7	32.0	48.2
1991	23.4	28.4	36.0	49.2	61.8	66.7	70.1	69.2	59.0	51.4	39.2	30.2	48.7
1992	25.7	26.2	30.1	43.4	55.4	62.7	65.6	64.0	58.4	44.3	36.9	28.1	45.1
1993	25.6	18.0	28.5	44.8	56.8	62.9	69.7	68.3	57.3	46.3	37.0	25.4	45.1
1994	13.7	19.9	30.8	47.0	53.1	66.5	70.9	64.7	58.5	48.8	42.1	32.4	45.7
1995	28.5	20.8	36.6	41.3	55.6	67.2	72.2	71.6	58.4	53.8	32.0	21.4	46.6
1996	20.1	22.5	28.5	41.4	52.6	65.6	65.8	67.2	59.5	48.5	32.9	31.2	44.7
1997	21.0	28.4	31.9	41.9	50.1	64.8	67.3	65.0	57.8	47.5	34.0	28.0	44.8
1998	30.8	31.1	36.4	46.2	61.2	63.0	67.7	68.8	62.8	49.2	39.1	33.1	49.1
1999	22.7	27.9	30.3	45.0	59.0	66.2	71.7	65.6	62.3	47.0	40.7	29.6	47.3
2000	20.2	26.9	39.4	43.1	57.2	64.1	64.7	64.9	57.7	49.7	35.6	19.6	45.3
2001	24.2	25.8	28.2	46.0	56.8	65.0	65.5	70.7	58.2	49.9	44.3	33.5	47.3
2002	30.1	30.3	34.2	46.2	51.5	65.0	70.1	70.7	63.0	45.6	35.6	25.1	47.3
2003	15.8	19.5	32.2	42.3	53.8	62.7	68.1	68.9	59.4	46.1	41.3	28.2	44.9
2004	13.4	23.7	35.5	45.0	59.6	62.5	66.8	66.2	61.8	48.8	39.1	26.9	45.8
2005	19.8	26.4	29.0	48.1	52.0	69.4	71.7	71.9	63.5	49.8	41.2	23.7	47.2
2006	30.8	25.1	32.5	46.8	56.2	63.9	71.2	67.2	57.8	47.6	43.1	35.3	48.1
2007	27.0	18.3	32.7	42.4	58.5	66.9	67.6	69.1	63.8	56.8	37.5	27.3	47.3
2008	27.3	24.2	31.6	49.7	52.7	67.4	69.8	65.1	61.4	47.6	36.6	27.2	46.7
2009	16.8	26.0	35.1	47.9	56.4	63.1	65.5	68.4	58.6	47.3	42.8	25.9	46.2
2010	22.3	24.3	40.1	51.3	59.8	65.7	72.3	69.3	61.6	49.0	39.2	23.0	48.2
2011	19.5	24.7	31.0	46.2	59.0	65.9	73.0	67.4	62.3	49.4	44.4	33.0	48.0
POR= 64 YRS	22.2	24.0	32.4	45.0	55.7	64.5	69.1	67.5	59.8	49.1	38.4	27.0	46.2

**HEATING DEGREE DAYS (base 65°F) 2011 BINGHAMTON (KBGM)**

YEAR	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	TOTAL
1982-83	19	72	147	439	685	944	1241	1031	897	649	356	68	6548
1983-84	10	13	130	447	750	1271	1399	917	1205	588	373	65	7168
1984-85	19	19	222	341	795	947	1424	1083	914	488	213	129	6594
1985-86	13	31	169	458	747	1315	1304	1209	897	522	191	116	6972
1986-87	29	58	154	480	880	1041	1284	1168	816	486	260	52	6708
1987-88	14	59	185	606	773	1095	1384	1212	981	640	246	142	7337
1988-89	18	45	232	674	739	1231	1164	1199	1019	698	322	69	7410
1989-90	9	62	201	446	875	1576	1031	1013	873	549	373	74	7082
1990-91	35	34	225	415	721	1018	1282	1018	893	483	180	54	6358
1991-92	3	10	220	417	767	1071	1213	1116	1077	638	302	104	6938
1992-93	34	77	215	634	837	1136	1214	1311	1126	599	257	108	7548
1993-94	11	27	249	576	834	1223	1584	1254	1054	534	379	65	7790
1994-95	2	76	199	496	681	1003	1124	1232	875	706	286	45	6725
1995-96	14	6	215	342	983	1341	1384	1226	1126	698	407	44	7786
1996-97	43	16	194	506	955	1040	1360	1017	1017	689	454	73	7364
1997-98	34	53	219	535	922	1139	1052	942	893	554	151	140	6634
1998-99	17	26	120	483	772	982	1304	1033	1069	592	195	67	6660
1999-00	11	48	146	551	724	1090	1381	1099	787	652	273	94	6856
2000-01	52	61	247	468	875	1398	1261	1089	1133	568	272	85	7509
2001-02	60	6	211	460	613	965	1076	964	949	588	414	86	6392
2002-03	21	22	115	601	875	1233	1517	1266	1011	676	343	112	7792
2003-04	8	22	174	581	706	1132	1593	1191	907	598	202	123	7237
2004-05	20	44	104	496	776	1173	1394	1073	1108	501	401	44	7134
2005-06	4	4	88	466	707	1271	1053	1111	1003	543	289	99	6638
2006-07	3	29	213	534	652	917	1168	1295	994	678	237	50	6770
2007-08	32	34	109	279	816	1159	1162	1176	1027	456	382	49	6681
2008-09	1	40	146	530	843	1164	1487	1083	920	530	274	84	7102
2009-10	34	26	189	543	659	1202	1316	1132	764	413	221	62	6561
2010-11	11	15	154	489	766	1296	1402	1121	1048	565	217	50	7134
2011-	1	21	116	478	610	985							

WBAN : 04725

**COOLING DEGREE DAYS (base 65°F) 2011 BINGHAMTON (KBGM)**

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	TOTAL
1982	0	0	0	0	20	23	179	60	35	0	8	0	325
1983	0	0	0	1	0	129	240	205	98	7	0	0	680
1984	0	0	0	0	9	111	128	182	21	4	0	0	455
1985	0	0	0	17	31	21	138	116	67	0	0	0	390
1986	0	0	2	0	43	44	144	98	35	0	0	0	366
1987	0	0	0	2	44	101	213	101	15	0	0	0	476
1988	0	0	0	0	26	89	288	201	7	1	0	0	612
1989	0	0	0	0	30	76	128	89	36	3	0	0	362
1990	0	0	2	25	2	60	138	85	21	5	0	0	338
1991	0	0	0	12	86	110	169	149	47	5	0	0	578
1992	0	0	0	0	12	42	59	54	26	0	0	0	193
1993	0	0	0	0	9	54	165	136	25	1	0	0	390
1994	0	0	0	3	15	120	195	75	12	0	0	0	420
1995	0	0	0	0	1	118	244	218	23	2	0	0	606
1996	0	0	0	0	28	72	72	88	34	0	0	0	294
1997	0	0	0	0	1	75	110	61	10	2	0	0	259
1998	0	0	13	0	38	86	109	150	62	0	0	0	458
1999	0	0	0	0	16	111	223	74	70	0	0	0	494
2000	0	0	0	0	37	75	47	67	36	0	0	0	262
2001	0	0	0	3	23	91	82	192	15	0	0	0	406
2002	0	0	0	31	6	93	189	204	60	6	0	0	589
2003	0	0	0	1	1	48	109	149	12	0	0	0	320
2004	0	0	0	2	40	51	82	88	15	0	0	0	278
2005	0	0	0	0	4	183	219	225	48	0	0	0	679
2006	0	0	0	0	26	72	203	104	4	0	0	0	409
2007	0	0	0	4	44	113	116	168	83	31	0	0	559
2008	0	0	0	4	5	128	158	51	43	0	0	0	389
2009	0	0	0	22	13	32	58	139	8	0	0	0	272
2010	0	0	0	6	64	90	247	155	60	0	0	0	622
2011	0	0	0	5	38	83	252	104	43	0	0	0	525

**SNOWFALL (inches) 2011 BINGHAMTON (KBGM)**

YEAR	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	TOTAL
1982-83	0.0	0.0	0.0	0.5	3.2	13.3	23.2	8.6	9.1	22.9	0.2	0.0	81.0
1983-84	0.0	0.0	0.0	T	10.6	7.1	18.6	9.7	24.9	T	T	0.0	70.9
1984-85	0.0	0.0	0.0	0.0	6.8	10.5	23.5	10.5	9.7	1.5	0.0	0.0	62.5
1985-86	0.0	0.0	0.0	0.0	1.3	19.9	20.1	24.7	4.1	4.9	T	0.0	75.0
1986-87	0.0	0.0	0.0	0.0	13.4	9.3	43.6	9.2	2.9	0.4	0.0	0.0	78.8
1987-88	0.0	0.0	0.0	T	6.0	18.9	17.4	27.3	9.0	3.0	0.0	0.0	81.6
1988-89	0.0	0.0	0.0	4.9	0.6	8.8	9.5	12.6	5.8	4.2	1.4	0.0	47.8
1989-90	0.0	0.0	T	0.1	7.3	21.4	22.5	9.0	10.9	3.6	T	0.0	74.8
1990-91	0.0	0.0	0.0	0.3	7.2	14.5	15.0	16.1	9.9	4.0	T	0.0	67.0
1991-92	0.0	0.0	0.0	T	3.9	12.2	12.6	12.8	14.1	0.4	T	0.0	56.0
1992-93	0.0	0.0	T	1.9	4.4	18.8	11.9	31.6	37.9	16.2	0.0	T	122.7
1993-94	0.0	0.0	T	11.6	5.7	22.9	39.5	22.8	27.8	1.0	T	0.0	131.3
1994-95	0.0	0.0	0.0	T	6.4	4.0	11.7	18.3	7.0	5.4	0.0	0.0	52.8
1995-96	0.0	0.0	0.0	T	33.9	32.7	28.2	8.3	18.5	11.7	0.6	0.0	133.9
1996-97	0.0	0.0	0.0	T	15.0	18.2	25.2	17.5	16.0	1.1	T	0.0	93.0
1997-98	0.0	0.0	0.0	T	11.3	34.3	8.7	20.5	17.2	T	T	0.0	92.0
1998-99	0.0	0.0	0.0	0.0	0.6	6.2	24.8	8.4	33.8	1.7	0.0	0.0	75.5
1999-00	0.0	0.0	0.0	T	4.0	6.9	36.3	21.4	5.5	8.3	T	T	82.4
2000-01	0.0	0.0	0.0	1.4	6.1	23.5	20.6	14.5	46.5	T	T	0.0	112.6
2001-02	0.0	0.0	0.0	0.3	T	10.2	28.8	5.4	15.6	1.6	1.7	T	63.6
2002-03	0.0	0.0	0.0	T	13.7	28.4	31.5	22.7	16.4	4.9	0.0	0.0	117.6
2003-04	0.0	0.0	0.0	1.0	7.0	32.9	36.3	14.6	13.2	1.4	T	0.0	106.4
2004-05	0.0	T	0.0	0.0	4.0	10.0	45.9	22.5	23.9	0.2	T	0.0	106.5
2005-06	0.0	0.0	0.0	4.0	6.2	20.2	13.7	12.5	17.4	0.9	0.0	0.0	74.9
2006-07	0.0	0.0	0.0	T	T	4.2	8.0	29.1	20.2	17.1	0.0	0.0	78.6
2007-08	0.0	0.0	0.0	0.0	5.6	26.4	7.1	23.3	7.5	0.8	T	0.0	70.7
2008-09	0.0	T	0.0	2.8	12.8	20.5	25.3	10.2	0.9	0.8	0.0	0.0	73.3
2009-10	0.0	0.0	0.0	2.0	1.1	23.0	15.2	37.5	2.6	T	0.2	0.0	81.6
2010-11	T	0.0	0.0	T	0.6	32.7	25.0	30.7	25.9	2.6	0.0	0.0	117.5
2011-	0.0	0.0	0.0	2.6	0.2	7.1							
POR= 64 YRS	T	T	T	0.7	6.9	17.4	19.4	16.6	14.1	4.1	0.2	T	79.4

WBAN : 04725

**REFERENCE NOTES :**

<p>PAGE 1: THE TEMPERATURE GRAPH SHOWS NORMAL MAXIMUM AND NORMAL MINIMUM DAILY TEMPERATURES (SOLID CURVES) AND THE ACTUAL DAILY HIGH AND LOW TEMPERATURES (VERTICAL BARS).</p> <p>PAGE 2 AND 3: H/C INDICATES HEATING AND COOLING DEGREE DAYS. RH INDICATES RELATIVE HUMIDITY W/O INDICATES WEATHER AND OBSTRUCTIONS S INDICATES SUNSHINE. PR INDICATES PRESSURE. CLOUDINESS ON PAGE 3 IS THE SUM OF THE CEILOMETER AND SATELLITE DATA NOT TO EXCEED EIGHT EIGHTHS(OKTAS).</p> <p>GENERAL: T INDICATES TRACE PRECIPITATION, AN AMOUNT GREATER THAN ZERO BUT LESS THAN THE LOWEST REPORTABLE VALUE. + INDICATES THE VALUE ALSO OCCURS ON EARLIER DATES. BLANK ENTRIES DENOTE MISSING OR UNREPORTED DATA. NORMALS ARE 30-YEAR AVERAGES (1971 - 2000). ASOS INDICATES AUTOMATED SURFACE OBSERVING SYSTEM. PM INDICATES THE LAST DAY OF THE PREVIOUS MONTH. POR (PERIOD OF RECORD) BEGINS WITH THE JANUARY DATA MONTH AND IS THE NUMBER OF YEARS USED TO COMPUTE THE MEAN. INDIVIDUAL MONTHS WITHIN THE POR MAY BE MISSING. WHEN THE POR FOR A NORMAL IS LESS THAN 30 YEARS, THE NORMAL IS PROVISIONAL AND IS BASED ON THE NUMBER OF YEARS INDICATED. 0.* OR * INDICATES THE VALUE OR MEAN-DAYS-WITH IS BETWEEN 0.00 AND 0.05. CLOUDINESS FOR ASOS STATIONS DIFFERS FROM THE NON-ASOS OBSERVATION TAKEN BY A HUMAN OBSERVER. ASOS STATION CLOUDINESS IS BASED ON TIME-AVERAGED CEILOMETER DATA FOR CLOUDS AT OR BELOW 12,000 FEET AND ON SATELLITE DATA FOR CLOUDS ABOVE 12,000 FEET. THE NUMBER OF DAYS WITH CLEAR, PARTLY CLOUDY, AND CLOUDY CONDITIONS FOR ASOS STATIONS IS THE SUM OF THE CEILOMETER AND SATELLITE DATA FOR THE SUNRISE TO SUNSET PERIOD. CLEAR INDICATES 0 - 2 OKTAS, PARTLY CLOUDY INDICATES 3 - 6 OKTAS, AND CLOUDY INDICATES 7 OR 8 OKTAS. WHEN AT LEAST ONE OF THE ELEMENTS (CEILOMETER OR SATELLITE) IS MISSING, THE DAILY CLOUDINESS IS NOT COMPUTED.</p>	<p>GENERAL CONTINUED: WIND DIRECTION IS RECORDED IN TENS OF DEGREES (2 DIGITS) CLOCKWISE FROM TRUE NORTH. "00" INDICATES CALM. "36" INDICATES TRUE NORTH. RESULTANT WIND IS THE VECTOR AVERAGE OF THE SPEED AND DIRECTION. AVERAGE TEMPERATURE IS THE SUM OF THE MEAN DAILY MAXIMUM AND MINIMUM TEMPERATURE DIVIDED BY 2. SNOWFALL DATA COMPRISE ALL FORMS OF FROZEN PRECIPITATION, INCLUDING HAIL. A HEATING (COOLING) DEGREE DAY IS THE DIFFERENCE BETWEEN THE AVERAGE DAILY TEMPERATURE AND 65 F. DRY BULB IS THE TEMPERATURE OF THE AMBIENT AIR. DEW POINT IS THE TEMPERATURE TO WHICH THE AIR MUST BE COOLED TO ACHIEVE 100 PERCENT RELATIVE HUMIDITY. WET BULB IS THE TEMPERATURE THE AIR WOULD HAVE IF THE MOISTURE CONTENT WAS INCREASED TO 100 PERCENT RELATIVE HUMIDITY. ON JULY 1, 1996, THE NATIONAL WEATHER SERVICE BEGAN USING THE "METAR" OBSERVATION CODE THAT WAS ALREADY EMPLOYED BY MOST OTHER NATIONS OF THE WORLD. THE MOST NOTICEABLE DIFFERENCE IN THIS ANNUAL PUBLICATION WILL BE THE CHANGE IN UNITS FROM TENTHS TO EIGHTS(OKTAS) FOR REPORTING THE AMOUNT OF SKY COVER. STATION HISTORY STOPPED WITH THE 2009 ANNUAL. IF YOU NEED HISTORY GO TO "MULTI-NETWORK MEDADATA SYSTEM", URL IS: <a href="https://mi3.ncdc.noaa.gov/mi3qry/login.cfm">https://mi3.ncdc.noaa.gov/mi3qry/login.cfm</a> SNOWFALL STOPPED MONTH &amp; YEAR INDICATED ABOVE. NO FURTHER YEARS INCLUDED UNLESS RESTARTED.</p> <p><b>NOTE:</b> The "Period of Record:(POR) for all "averages" is based on the "Summary of the Day First Order Station" and "Cooperative Summary of the Day" archives.</p>
--	--

# 2011 BINGHAMTON NEW YORK (KBGM)

Binghamton, in south central New York lies in a comparatively narrow valley at the confluence of the Susquehanna and Chenango Rivers. Within a radius of 5 miles, hills rise to elevations of 1,400-1,600 feet above mean sea level. In the spring, melting snow, sometimes supplemented by rainfall, occasionally causes flooding in the city and along the streams. Less frequently, heavy rains in the warmer months produce some flooding.

The climate of Binghamton is representative of the humid area of the north-eastern United States and is primarily continental in type. The area, being adjacent to the so-called St. Lawrence Valley storm track, and also subject to cold air masses approaching from the west and north, has a variable climate, characterized by frequent and rapid changes. Furthermore, diurnal and seasonal changes assist in the production of an invigorating climate. In the warmer months, it is seldom that either high temperatures or humidity become depressing to humans. As a rule, the temperature rises rapidly to moderate daytime levels with readings of 90 degrees or above only a few days in any month. Summer nights are sufficiently cool to provide favorable sleeping conditions and relief from the heat of the day.

Winters are usually cold, but not commonly severe. Highest daytime temperatures average in the high 20s to low 30s, while the lowest nighttime readings average from the mid-teens to low 20s. Ordinarily a few sub-zero readings may be expected in January and February, with a lesser number in November, December, and March. The transitional seasons, spring and autumn, are the most variable of the year.

Most of the precipitation in the Binghamton area derives from moisture laden air transported from the Gulf of Mexico and cyclonic systems moving northward along the Atlantic coast. The annual rainfall is rather evenly distributed over the year. However, the greatest average monthly amounts occur during the growing season, April through September. As a rule, rainfall is ample for good crop growth and comes mostly in the form of thunderstorms. Ordinarily, the requirements for water supplies are adequately met by the precipitation that is received. Annual snowfall is around 50 inches in Binghamton and above 85 inches at Edwin A. Link Field, some 10 miles to the NNW, and about 700 feet higher in elevation. Most of the snow falls during the normal winter months. However, heavy snows can occur as early as November and as late as April. Being adjacent to the track of storms that move through the St. Lawrence Valley, and being under the influence of winds that sweep across Lakes Erie and Ontario to the interior of the state, the area is subject to much cloudiness and winter snow flurries.

Furthermore, the combination of a valley location and surrounding hills produces numerous advection fogs which also reduce the amount of sunshine received.

For the most part, the winds at Binghamton have northerly and westerly components. Tornadoes, although rare, have struck in the Binghamton area.

The growing season averages 150 to 160 days. Usually the last spring frost occurs during early May, and the first frost in autumn during early October.

# Station History

BINGHAMTON, NY

NAME	Begin Date	End Date	Latitude	Longitude	Elevation Feet	Relocation	Platform
BINGHAMTON (GREATER AP)	2008-11-10	Present	42° 12'	-75° 58'	1595		AIRWAYS, ASOS, COOP, USHCN
BINGHAMTON BROOME COUNTY AP	1969-01-01	1981-12-31	42° 13'	-75° 58'	1590		COOP, USHCN, WXSVC
BINGHAMTON EDWIN A LINK FIELD	1984-09-01	1987-01-01	42° 13'	-75° 58'	1590		COOP, USHCN
BINGHAMTON EDWIN A LINK FIELD	1987-01-01	1988-10-01	42° 13'	-75° 58'	1589		COOP, USHCN
BINGHAMTON BROOME COUNTY AP	1951-05-01	1951-06-01	42° 13'	-75° 58'	1591		AIRWAYS
BINGHAMTON BROOME COUNTY AP	1981-12-31	1984-09-01	42° 13'	-75° 58'	1590		COOP, USHCN
BINGHAMTON EDWIN A LINK FIELD	1988-10-01	1995-11-01	42° 13'	-75° 58'	1600		COOP, USHCN
BINGHAMTON BROOME COUNTY AP	1951-06-01	1969-01-01	42° 13'	-75° 58'	1590		AIRWAYS, COOP, USHCN
BINGHAMTON EDWIN A LINK FIELD	1995-11-01	2008-04-08	42° 12'	-75° 58'	1600		ASOS, COOP, USHCN
BINGHAMTON EDWIN A LINK FIELD	2008-04-08	2008-11-10	42° 12'	-75° 58'	1595		AIRWAYS, ASOS, COOP, USHCN

# Element History

Element	Begin Date	End Date	Frequency	Time Of Observation	Equipment *	Equipment * Modifications	Equipment Exposure
PRECIP	1987-01-01	1995-07-01	DAILY	2400	UNIV	RCRD	
PRECIP	2008-04-08	Present	HOURLY	2400	AWPAG	RCRD;HTD	
TEMP	1951-05-01	1963-07-01	DAILY	2400			
PRECIP	1963-07-01	1987-01-01	HOURLY	2400			
TEMP	1987-01-01	1995-07-01	DAILY	2400	MXMN		
PRECIP	1995-07-01	2008-04-08	DAILY	2400	UNIV	RCRD	
TEMP	1963-07-01	1987-01-01	DAILY	2400			
PRECIP	1995-07-01	2008-04-08	HOURLY	2400	UNIV	RCRD	
TEMP	1995-07-01	2008-04-08	DAILY	2400	MXMN		
PRECIP	2008-04-08	Present	DAILY	2400	PCPNX		
PRECIP	1987-01-01	1995-07-01	HOURLY	2400			
TEMP	2008-04-08	Present	DAILY	2400	TEMPX		
PRECIP	1951-05-01	1963-07-01	DAILY	2400	UNIV	RCRD	
PRECIP	1963-07-01	1987-01-01	DAILY	2400	UNIV	RCRD	

\* For explanation of codes and abbreviations see Station Metadata link below.

Other Station Information can be found at:

ASOS Implementation by NWS: <http://www.nws.noaa.gov/ops2/Surface/asosimplementation.htm>

Station Metadata website: <http://www.ncdc.noaa.gov/homr>

INQUIRES/COMMENTS CALL: (828) 271-4800, option 2

Fax Number : (828) 271-4876

TDD : (828) 271-4010

Email : [ncdc.info@noaa.gov](mailto:ncdc.info@noaa.gov)

NOAA/National Climatic Data Center

Attn: User Engagement & Services Branch

151 Patton Avenue

Asheville, NC 28801-5001

Visit our Web Site for other weather data: [www.ncdc.noaa.gov](http://www.ncdc.noaa.gov)