




2011 LOCAL CLIMATOLOGICAL DATA ANNUAL SUMMARY WITH COMPARATIVE DATA


ISSN 0198-1943

EVANSVILLE, INDIANA (KEVV)


Daily Max/Min Temperature



Daily Precipitation



Daily Station Pressure



I CERTIFY THAT THIS IS AN OFFICIAL PUBLICATION OF THE NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION, AND IS COMPILED FROM RECORDS ON FILE AT THE NATIONAL CLIMATIC DATA CENTER.

NATIONAL
OCEANIC AND
ATMOSPHERIC ADMINISTRATION

NATIONAL
ENVIRONMENTAL SATELLITE, DATA
AND INFORMATION SERVICE

NATIONAL
CLIMATIC DATA CENTER
ASHEVILLE, NORTH CAROLINA

Thomas R. Karl
DIRECTOR
NATIONAL CLIMATIC DATA CENTER

METEOROLOGICAL DATA FOR 2011

EVANSVILLE (KEVV)

LATITUDE: 38° 2'N LONGITUDE: -87° 31'W ELEVATION (FT): GRND: 400 BARO: 421 TIME ZONE: CENTRAL (UTC -6) WBAN: 93817

ELEMENT		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	YEAR	
TEMPERATURE °F	MEAN DAILY MAXIMUM	36.0	48.3	56.6	71.2	74.8	86.4	92.5	89.4	77.5	69.7	59.6	49.1	67.6	
	HIGHEST DAILY MAXIMUM	58	72	79	85	91	98	99	96	100	85	76	65	100	
	DATE OF OCCURRENCE	01	20+	21+	10+	31+	04	21+	01	03+	06	14	15	SEP 03+	
	MEAN DAILY MINIMUM	21.4	28.0	38.2	49.3	55.8	66.2	72.6	66.6	57.4	44.4	41.0	32.5	47.8	
	LOWEST DAILY MINIMUM	4	6	26	31	37	59	67	57	48	33	26	20	4	
	DATE OF OCCURRENCE	21	10	01	01	05	29+	06+	30	30	29+	30+	11+	JAN 21	
	AVERAGE DRY BULB	28.7	38.2	47.4	60.3	65.3	76.3	82.6	78.0	67.5	57.1	50.3	40.8	57.7	
	MEAN WET BULB	26.5	34.3	41.8	53.6	59.7	68.3	74.5	68.9	59.9	49.9	45.5	37.9	51.7	
	MEAN DEW POINT	21.1	27.6	34.8	47.3	55.5	63.9	71.0	64.1	54.9	43.4	39.4	33.6	46.4	
	NUMBER OF DAYS WITH:														
	MAXIMUM >= 90°	0	0	0	0	3	9	26	13	4	0	0	0	55	
	MAXIMUM <= 32°	11	5	0	0	0	0	0	0	0	0	0	0	16	
	MINIMUM <= 32°	30	19	9	1	0	0	0	0	0	0	5	16	80	
MINIMUM <= 0°	0	0	0	0	0	0	0	0	0	0	0	0	0		
H/C	HEATING DEGREE DAYS	1118	746	543	176	133	0	0	0	46	252	436	745	4195	
	COOLING DEGREE DAYS	0	0	4	42	151	345	552	411	125	13	3	0	1646	
RH	MEAN (PERCENT)	72	67	64	65	72	68	71	65	69	65	68	76	69	
	HOUR 00 LST	76	72	68	69	82	78	83	78	80	79	73	78	76	
	HOUR 06 LST	78	77	74	75	84	80	85	83	83	83	77	84	80	
	HOUR 12 LST	67	59	57	59	61	56	56	49	54	45	60	68	58	
	HOUR 18 LST	69	63	58	56	62	58	62	53	62	58	64	73	62	
S	PERCENT POSSIBLE SUNSHINE														
W/O	NUMBER OF DAYS WITH:														
	HEAVY FOG(VISBY <= 1/4 MI)	0	0	1	1	1	2	3	1	3	0	4	0	16	
	THUNDERSTORMS	0	2	1	12	6	12	5	4	4	2	3	2	53	
CLOUDINESS	SUNRISE-SUNSET: (OKTAS)														
	CEILOMETER (<= 12,000 FT.)														
	SATELLITE (> 12,000 FT.)														
	MIDNIGHT-MIDNIGHT: (OKTAS)														
	CEILOMETER (<= 12,000 FT.)														
SATELLITE (> 12,000 FT.)															
NUMBER OF DAYS WITH:															
CLEAR															
PARTLY CLOUDY															
CLOUDY															
PR	MEAN STATION PRESS. (IN.)	29.68	29.67	29.67	29.44	29.51	29.52	29.55	29.51	29.58	29.63	29.64	29.77	29.60	
	MEAN SEA-LEVEL PRESS. (IN.)	30.10	30.10	30.09	29.85	29.92	29.94	29.96	29.92	29.99	30.05	30.07	30.20	30.02	
WINDS	RESULTANT SPEED (MPH)	2.2	2.7	0.7	4.9	2.4	1.6	0.9	1.1	1.7	2.2	3.5	2.1	1.7	
	RES. DIR. (TENS OF DEGS.)	30	24	34	22	22	21	23	29	33	28	21	24	25	
	MEAN SPEED (MPH)	6.2	8.1	8.1	9.3	6.9	5.5	4.0	4.9	5.5	5.2	8.1	6.0	6.5	
	PREVAIL.DIR.(TENS OF DEGS.)	31	21	21	21	20	20	25	36	36	27	20	20	21	
	MAXIMUM 2-MINUTE WIND														
	SPEED (MPH)	28	38	32	55	53	40	24	35	23	28	45	26	55	
	DIR. (TENS OF DEGS.)	30	25	31	25	25	22	05	31	28	28	23	24	25	
	DATE OF OCCURRENCE	08	01	23	19	25	19	12	13	29	14	14	30	APR 19	
	MAXIMUM 3-SECOND WIND:														
	SPEED (MPH)	35	47	43	76	75	60	33	43	33	40	62	38	76	
DIR. (TENS OF DEGS.)	30	22	33	25	24	29	07	32	27	27	22	23	25		
DATE OF OCCURRENCE	08	01	23	19	25	11	12	13	29	14	14	30	APR 19		
PRECIPITATION	WATER EQUIVALENT:														
	TOTAL (IN.)	1.65	4.52	5.34	11.77	7.90	6.52	6.66	0.62	8.20	2.49	8.32	6.04	70.03	
	GREATEST 24-HOUR (IN.)	0.65	2.58	2.01	2.49	3.66	2.98	3.74	0.33	3.18	1.02	2.12	2.67	3.74	
	DATE OF OCCURRENCE	01	24-25	08-09	23	01-02	17-18	07-08	06-07	24-25	12-13	14-15	04-05	JUL 07-08	
	NUMBER OF DAYS WITH:														
PRECIPITATION 0.01	10	12	11	16	15	13	6	4	10	7	13	10	127		
PRECIPITATION 0.10	4	6	7	12	8	9	5	2	8	5	12	9	87		
PRECIPITATION 1.00	0	1	2	4	3	2	3	0	2	0	3	2	22		
SNOWFALL	SNOW,ICE PELLETS,HAIL														
	TOTAL (IN.)	7.0	1.9	T	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	T	9.0	
	GREATEST 24-HOUR (IN.)	3.1	0.8	T	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	T	3.1	
	DATE OF OCCURRENCE	11	07+	30+								29	27	JAN 11	
	MAXIMUM SNOW DEPTH (IN.)	3	1	0	0	0	0	0	0	0	0	0	0	3	
	DATE OF OCCURRENCE	21	05											JAN 21	
NUMBER OF DAYS WITH:															
SNOWFALL >= 1.0	2	0	0	0	0	0	0	0	0	0	0	0	2		

NORMALS, MEANS, AND EXTREMES EVANSVILLE (KEVV)

LATITUDE: 38° 2'N
LONGITUDE: -87° 31'W
ELEVATION (FT): GRND: 400 BARO: 421
TIME ZONE: CENTRAL (UTC -6)
WBAN: 93817

	ELEMENT	POR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	YEAR	
TEMPERATURE °F	NORMAL DAILY MAXIMUM	30	39.5	45.4	56.4	67.2	77.1	86.1	89.4	87.8	81.3	70.0	55.7	44.1	66.7	
	MEAN DAILY MAXIMUM	115	41.1	42.8	55.3	65.7	76.3	84.1	88.7	87.4	80.1	70.0	54.8	43.9	65.9	
	HIGHEST DAILY MAXIMUM	71	76	79	84	91	95	104	105	104	103	94	83	77	105	
	YEAR OF OCCURRENCE		1943	1962	1986	1989	1975	1954	1954	2007	1954	1953	1961	1982	1982	JUL 1954
	MEAN OF EXTREME MAXS.	115	63.3	67.6	77.0	84.1	89.3	95.2	96.3	95.8	92.8	85.6	75.1	65.0	82.3	
	NORMAL DAILY MINIMUM	30	22.6	26.2	35.2	43.8	54.0	63.5	67.8	65.1	57.0	44.6	36.0	27.0	45.2	
	MEAN DAILY MINIMUM	115	25.0	26.2	36.2	45.3	55.6	63.7	68.5	66.6	58.2	47.2	36.5	28.3	46.4	
	LOWEST DAILY MINIMUM	71	-21	-23	-9	23	28	41	47	43	31	21	-3	-15	-23	
	YEAR OF OCCURRENCE		1977	1951	1960	1990	1963	1966	1947	1986	1942	1952	1950	1989	1989	FEB 1951
	MEAN OF EXTREME MINS.	115	2.0	7.1	18.2	29.3	39.6	50.5	56.5	54.2	42.1	29.9	20.0	8.1	29.8	
	NORMAL DRY BULB	30	31.0	35.8	45.8	55.5	65.6	74.8	78.6	76.5	69.1	57.3	45.9	35.6	56.0	
	MEAN DRY BULB	115	33.1	34.5	45.8	55.5	66.0	74.0	78.6	77.0	69.2	58.6	45.6	36.1	56.2	
	MEAN WET BULB	28	29.2	32.3	40.2	49.4	59.0	67.0	70.4	68.8	61.4	50.5	41.3	32.6	50.2	
	MEAN DEW POINT	28	26.5	29.4	36.7	46.0	56.3	64.8	68.6	67.1	59.1	47.8	38.5	29.8	47.6	
	NORMAL NO. DAYS WITH: MAXIMUM >= 90	30	0.0	0.0	0.0	0.1	1.6	9.6	15.3	10.9	4.4	0.1	0.0	0.0	42.0	
	MAXIMUM <= 32	30	9.0	5.4	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	5.0	20.5	
	MINIMUM <= 32	30	24.4	19.0	12.6	3.0	*	0.0	0.0	0.0	0.0	2.4	11.5	20.9	93.8	
MINIMUM <= 0	30	1.6	0.9	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	3.2		
H/C	NORMAL HEATING DEG. DAYS	30	1047	825	591	295	85	5	0	1	45	262	565	896	4617	
	NORMAL COOLING DEG. DAYS	30	0	0	4	23	108	304	425	356	173	27	2	0	1422	
RH	NORMAL (PERCENT)	30	74	72	68	66	69	69	71	73	73	70	72	76	71	
	HOURLY 00 LST	30	77	77	75	75	81	81	84	85	85	81	78	79	80	
	HOURLY 06 LST	30	80	80	79	80	83	83	85	88	89	85	81	81	83	
	HOURLY 12 LST	30	68	64	59	54	56	55	57	58	55	53	62	69	59	
	HOURLY 18 LST	30	72	67	61	55	58	56	59	62	65	64	68	74	63	
S	PERCENT POSSIBLE SUNSHINE	56	42	48	55	60	64	71	73	73	69	65	48	42	59	
W/O	MEAN NO. DAYS WITH: HEAVY FOG(VISBY <= 1/4 MI)	48	1.8	1.5	1.0	0.7	0.9	0.6	1.0	1.1	1.8	1.6	1.5	1.4	14.9	
	THUNDERSTORMS	64	1.0	1.2	3.4	4.8	6.4	7.0	7.1	5.0	3.0	1.9	1.5	0.6	42.9	
CLOUDINESS	MEAN: SUNRISE-SUNSET (OKTAS)	56	5.7	5.4	5.4	5.2	4.9	4.6	4.2	4.0	4.0	3.9	5.1	5.5	4.8	
	MIDNIGHT-MIDNIGHT (OKTAS)	32	5.4	4.9	5.0	4.7	4.3	4.0	3.8	3.6	3.8	3.8	4.9	5.2	4.5	
	MEAN NO. DAYS WITH: CLEAR	56	6.6	6.5	6.5	6.8	8.5	8.1	9.2	11.1	11.3	12.3	7.7	6.5	101.1	
	PARTLY CLOUDY	56	5.3	6.3	8.1	8.3	8.6	11.4	12.1	11.0	8.3	7.4	6.6	6.0	99.4	
	CLOUDY	56	19.1	15.4	16.4	14.9	13.9	10.5	9.1	8.4	9.9	10.8	15.2	18.0	161.6	
PR	MEAN STATION PRESSURE(IN)	28	29.72	29.70	29.64	29.56	29.56	29.56	29.59	29.61	29.63	29.67	29.69	29.73	29.64	
	MEAN SEA-LEVEL PRES. (IN)	28	30.15	30.13	30.06	29.98	29.98	29.97	29.99	30.01	30.05	30.08	30.11	30.15	30.06	
WINDS	MEAN SPEED (MPH)	28	8.4	8.3	8.5	8.4	7.0	6.2	5.5	5.2	5.5	6.1	7.6	7.7	7.0	
	PREVAIL.DIR.(TENS OF DEGS)	43	31	31	33	23	23	23	25	24	06	19	20	31	23	
	MAXIMUM 2-MINUTE: SPEED (MPH)	15	52	44	40	55	53	46	45	46	47	38	45	45	55	
	DIR. (TENS OF DEGS)		27	23	26	25	25	28	28	02	19	27	23	24	25	
	YEAR OF OCCURRENCE		2008	2009	2009	2011	2011	2000	2003	2006	2008	2010	2011	2008	APR 2011	
	MAXIMUM 3-SECOND SPEED (MPH)	15	71	59	48	76	75	60	64	56	64	47	62	61	76	
	DIR. (TENS OF DEGS)		26	20	26	25	24	29	28	02	20	28	22	25	25	
YEAR OF OCCURRENCE		2008	2009	2009	2011	2011	2011	2003	2006	2008	2010	2011	2008	APR 2011		
PRECIPITATION	NORMAL (IN)	30	2.91	3.10	4.29	4.48	5.01	4.10	3.75	3.14	2.99	2.78	4.18	3.54	44.27	
	MAXIMUM MONTHLY (IN)	71	13.50	7.26	12.84	11.83	13.51	9.30	9.69	8.51	9.89	8.33	8.49	8.23	13.51	
	YEAR OF OCCURRENCE		1950	2000	1964	1996	1995	1943	1958	2005	1945	1941	1957	1982	MAY 1995	
	MINIMUM MONTHLY (IN)	71	0.51	0.27	0.89	1.10	0.91	0.65	0.18	0.13	0.09	0.01	0.51	0.56	0.01	
	YEAR OF OCCURRENCE		1981	1947	1941	1959	1965	1991	1974	1943	2004	1964	1999	1976	OCT 1964	
	MAXIMUM IN 24 HOURS (IN)	71	3.74	3.84	6.85	7.26	6.05	3.67	4.09	3.70	4.37	3.00	3.65	3.43	7.26	
	YEAR OF OCCURRENCE		2000	2000	2008	1996	1961	1996	1978	1977	2006	1976	2005	2001	APR 1996	
	NORMAL NO. DAYS WITH: PRECIPITATION >= 0.01	30	10.5	9.1	11.8	12.0	11.8	10.0	8.3	7.3	7.5	7.8	9.9	10.7	116.7	
	PRECIPITATION >= 1.00	30	0.5	0.9	0.9	1.2	1.4	1.0	1.1	1.1	0.8	0.6	1.3	0.9	11.7	
SNOWFALL	NORMAL (IN)	30	4.6	3.8	2.0	0.4	0.0	0.0	0.0	0.0	0.0	0.2	0.4	2.8	14.2	
	MAXIMUM MONTHLY (IN)	67	21.3	18.4	20.2	8.6	T	T	0.0	0.0	T	4.6	6.9	11.5	21.3	
	YEAR OF OCCURRENCE		1977	1993	1960	1971	1993	1994	1994	1990	1993	1958	2000	2000	JAN 1977	
	MAXIMUM IN 24 HOURS (IN)	67	8.7	10.9	10.6	8.6	T	T	0.0	0.0	T	4.1	6.9	7.0	10.9	
	YEAR OF OCCURRENCE'		1978	1993	1960	1971	1993	1994	1994	1990	1993	1958	1963	1963	FEB 1993	
	MAXIMUM SNOW DEPTH (IN)	59	14	12	13	4	0	0	0	0	0	2	7	7	14	
	YEAR OF OCCURRENCE		1978	1998	1960	1971					1993	1958	1984	1984	JAN 1978	
NORMAL NO. DAYS WITH: SNOWFALL >= 1.0	30	1.3	1.0	0.7	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.8	4.1		

PRECIPITATION (inches) 2011 EVANSVILLE (KEVV)

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
1982	9.15	1.65	5.07	3.24	4.29	2.95	2.62	3.41	6.07	1.75	4.25	8.23	52.68
1983	1.79	0.74	4.33	10.26	8.87	4.59	1.51	0.94	0.73	5.62	5.55	3.55	48.48
1984	0.85	2.55	7.02	5.75	2.89	3.35	1.50	2.70	6.97	5.13	5.05	5.99	49.75
1985	1.76	4.24	6.10	3.80	2.97	4.68	1.18	3.76	3.59	4.46	7.61	1.74	45.89
1986	1.15	5.77	2.64	2.29	2.93	3.77	5.39	2.07	3.84	3.30	2.35	2.18	37.68
1987	0.77	3.51	2.11	2.31	3.90	5.97	3.19	0.47	1.98	1.23	3.36	5.71	34.51
1988	3.28	3.94	2.89	1.77	1.33	1.11	6.63	2.72	1.19	2.86	7.96	2.75	38.43
1989	3.35	7.00	6.40	4.19	3.72	4.00	7.83	3.46	2.21	2.16	1.64	1.38	47.34
1990	4.26	5.60	2.15	3.75	11.34	3.22	1.01	3.47	2.54	4.81	2.92	7.45	52.52
1991	3.02	2.99	4.27	2.56	3.11	0.65	2.58	0.46	2.60	3.05	3.67	3.72	32.68
1992	0.85	1.51	4.50	1.19	3.44	1.44	8.40	4.39	2.89	1.17	4.34	1.69	35.81
1993	3.57	2.61	3.23	4.38	4.20	4.65	2.37	2.17	5.59	3.76	6.62	2.68	45.83
1994	3.18	2.32	1.88	5.77	0.94	3.45	2.30	2.52	2.61	2.67	6.52	2.59	36.75
1995	2.82	2.98	2.53	5.59	13.51	4.56	2.88	3.60	0.47	2.01	2.32	3.19	46.46
1996	3.51	1.50	5.19	11.83	7.32	7.78	4.56	1.20	8.45	2.53	6.66	3.50	64.03
1997	4.20	3.35	6.90	4.16	7.57	6.12	1.71	4.02	1.31	1.73	4.17	2.34	47.58
1998	2.24	2.71	3.07	8.50	5.91	5.31	3.89	3.91	0.49	3.38	2.78	3.48	45.67
1999	6.00	1.94	4.30	6.15	3.21	6.27	2.00	0.64	0.39	2.80	0.51	5.13	39.34
2000	4.36	7.26	3.21	2.35	2.60	5.86	4.14	5.60	5.03	0.59	3.43	4.12	48.55
2001	1.29	3.26	2.23	1.60	3.82	3.82	5.54	6.09	2.40	7.27	5.40	7.16	49.88
2002	3.72	0.74	6.20	8.58	5.70	2.86	4.32	0.63	5.22	3.75	2.97	5.65	50.34
2003	0.90	4.92	2.60	3.91	6.48	4.50	4.38	1.88	3.17	1.61	4.36	1.20	39.91
2004	2.95	0.59	2.17	1.91	9.31	1.66	7.56	3.08	0.09	5.62	6.23	2.31	43.48
2005	4.59	2.77	2.85	2.13	2.33	4.88	2.69	8.51	2.00	0.73	5.93	1.76	41.17
2006	4.09	2.17	9.36	3.44	5.77	3.73	6.46	7.41	8.75	5.46	4.95	4.59	66.18
2007	5.47	3.41	2.66	2.88	2.73	2.71	1.97	0.99	2.22	4.64	1.77	6.34	37.79
2008	3.97	5.97	12.34	5.07	8.07	3.09	3.90	0.52	1.16	1.61	3.42	4.76	53.88
2009	2.85	2.76	3.32	6.01	6.47	2.20	6.46	1.91	5.17	8.21	1.22	3.62	50.20
2010	2.41	1.58	3.97	3.27	3.03	2.49	3.51	0.84	0.36	1.06	8.46	1.80	32.78
2011	1.65	4.52	5.34	11.77	7.90	6.52	6.66	0.62	8.20	2.49	8.32	6.04	70.03
POR= 115 YRS	3.48	2.96	4.35	4.07	4.37	3.74	3.68	3.02	3.09	2.90	3.47	3.46	42.59

WBAN : 93817

AVERAGE TEMPERATURE (°F) 2011 EVANSVILLE (KEVV)

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
1982	27.4	32.1	47.8	52.1	70.7	70.7	79.6	74.1	67.5	59.2	48.9	45.2	56.3
1983	35.2	39.3	46.5	51.5	62.7	74.7	81.4	81.9	70.6	59.3	47.7	26.2	56.4
1984	27.1	39.0	40.0	54.4	62.5	78.6	76.0	76.0	66.3	62.9	43.5	43.7	55.8
1985	23.7	29.6	51.9	59.1	66.5	73.7	79.2	75.1	68.5	60.7	50.1	28.2	55.5
1986	32.9	37.5	47.5	58.1	67.6	76.7	80.5	72.9	72.4	58.0	43.7	35.7	57.0
1987	32.2	38.5	47.9	54.2	71.7	76.5	78.3	77.9	71.0	51.2	49.5	39.7	57.4
1988	29.0	33.1	45.4	55.6	67.0	75.7	79.0	78.8	69.5	51.5	46.4	36.5	55.6
1989	40.1	32.5	46.9	56.6	63.2	73.8	77.7	76.8	68.3	58.3	45.6	23.0	55.2
1990	41.9	43.2	49.8	53.8	63.0	74.9	77.2	75.7	71.0	56.1	50.5	38.1	57.9
1991	31.3	39.7	47.9	58.9	71.1	77.0	79.1	77.0	70.2	59.2	43.2	39.2	57.8
1992	35.4	41.6	47.0	57.7	63.9	71.7	79.0	73.4	68.6	57.7	46.9	36.4	56.6
1993	36.5	32.9	43.1	54.1	67.0	75.8	83.1	79.5	67.0	55.5	44.7	36.4	56.3
1994	27.3	37.3	45.4	59.2	64.0	78.8	79.2	75.4	68.1	59.7	51.4	42.2	57.3
1995	35.0	36.1	49.9	58.3	66.4	76.0	81.1	83.4	68.7	60.3	41.2	35.6	57.7
1996	30.9	36.2	38.3	51.5	67.3	74.0	75.2	75.7	66.0	56.8	40.4	38.0	54.2
1997	29.0	39.7	47.3	50.5	60.3	72.0	77.2	74.1	67.8	57.3	41.8	35.0	54.3
1998	39.5	42.1	46.2	54.8	69.8	75.1	77.7	76.7	73.9	60.0	48.3	38.8	58.6
1999	34.7	40.9	41.5	57.7	65.5	74.5	79.4	74.4	68.2	56.6	51.3	37.3	56.8
2000	33.2	42.7	48.0	53.9	67.4	73.7	75.3	76.3	67.3	60.5	43.0	23.6	55.4
2001	30.8	39.2	41.5	61.3	67.6	72.7	77.6	76.7	67.2	56.6	50.8	40.5	56.9
2002	38.2	38.4	43.7	58.8	63.8	76.3	80.3	78.9	73.5	56.6	43.2	36.7	57.4
2003	27.4	31.5	46.5	57.4	64.4	69.5	77.1	77.3	66.8	57.7	50.3	38.4	55.4
2004	30.9	36.1	49.3	57.7	70.1	74.0	75.4	72.0	69.9	59.9	50.2	33.8	56.6
2005	38.1	40.5	42.7	56.4	63.2	75.4	77.6	79.3	72.3	59.0	47.8	32.8	57.1
2006	42.8	35.4	46.5	60.3	64.1	74.1	78.4	78.1	65.2	54.4	46.8	41.0	57.3
2007	37.1	29.0	53.7	53.7	69.6	75.6	76.7	83.4	73.5	63.3	45.9	38.8	58.4
2008	32.1	35.3	45.0	55.1	63.1	76.4	77.6	76.0	71.7	58.1	43.6	35.5	55.8
2009	28.8	38.5	49.4	56.7	66.2	77.0	73.4	74.8	70.1	53.7	49.9	35.0	56.1
2010	27.8	30.0	47.4	61.1	68.4	78.9	80.6	81.4	72.1	60.1	46.8	30.0	57.1
2011	28.7	38.2	47.4	60.3	65.3	76.3	82.6	78.0	67.5	57.1	50.3	40.8	57.7
POR= 115 YRS	33.1	34.5	45.8	55.5	66.0	74.0	78.6	77.0	69.2	58.6	45.6	36.1	56.2

HEATING DEGREE DAYS (base 65°F) 2011 EVANSVILLE (KEVV)

YEAR	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	TOTAL
1982-83	0	0	52	233	486	618	918	711	567	406	106	4	4101
1983-84	0	0	61	186	514	1195	1169	747	769	329	131	0	5101
1984-85	0	0	79	108	638	653	1276	985	411	208	55	9	4422
1985-86	0	0	75	185	446	1135	989	762	538	226	70	0	4426
1986-87	0	15	14	240	632	900	1007	735	528	330	19	0	4420
1987-88	0	0	15	423	456	777	1108	917	602	284	46	4	4632
1988-89	0	0	18	418	548	877	765	902	558	308	142	1	4537
1989-90	0	1	54	225	577	1297	707	603	487	358	97	15	4421
1990-91	2	1	35	291	432	828	1037	702	528	191	42	0	4089
1991-92	0	0	88	227	647	791	913	673	549	259	118	10	4275
1992-93	0	0	46	236	538	875	879	892	671	322	46	12	4517
1993-94	0	0	55	296	600	879	1164	770	603	213	96	5	4681
1994-95	0	0	44	180	403	702	922	804	465	229	62	0	3811
1995-96	0	0	50	168	710	904	1048	829	819	407	75	5	5015
1996-97	0	0	70	253	732	830	1108	702	542	428	172	11	4848
1997-98	0	0	24	300	692	922	786	635	604	301	30	20	4314
1998-99	0	0	4	181	492	810	931	667	720	220	39	4	4068
1999-00	0	0	53	257	404	854	976	641	518	327	45	5	4080
2000-01	0	0	71	191	659	1277	1053	716	723	183	37	12	4922
2001-02	0	0	67	267	421	754	827	738	654	240	126	0	4094
2002-03	0	0	10	297	647	871	1160	932	566	234	72	28	4817
2003-04	0	0	53	233	436	815	1051	834	487	245	48	0	4202
2004-05	1	9	10	169	440	959	829	679	684	259	122	0	4161
2005-06	0	0	16	226	514	991	683	824	567	175	111	0	4107
2006-07	0	0	59	346	542	737	858	1002	371	357	26	0	4298
2007-08	0	0	9	163	566	806	1014	856	615	306	107	0	4442
2008-09	0	0	4	248	634	906	1112	734	478	290	62	4	4472
2009-10	0	0	18	345	447	923	1146	974	539	152	53	0	4597
2010-11	0	0	10	183	540	1079	1118	746	543	176	133	0	4528
2011-	0	0	46	252	436	745							

WBAN : 93817

COOLING DEGREE DAYS (base 65°F) 2011 EVANSVILLE (KEVV)

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	TOTAL
1982	0	0	10	3	198	179	458	290	134	59	9	11	1351
1983	0	0	3	8	42	303	514	532	236	17	0	0	1655
1984	0	0	0	16	60	416	348	349	127	49	0	0	1365
1985	0	3	13	36	108	276	447	319	190	58	5	0	1455
1986	0	0	2	27	156	360	487	265	246	32	0	0	1575
1987	0	0	0	8	235	350	420	408	201	0	1	0	1623
1988	0	0	0	11	113	329	441	436	162	8	0	0	1500
1989	0	0	3	64	96	272	403	369	161	28	0	0	1396
1990	0	0	21	29	43	318	387	336	220	23	3	0	1380
1991	0	0	4	15	241	369	445	379	249	55	0	0	1757
1992	0	0	0	47	90	219	440	268	162	14	0	0	1240
1993	0	0	0	3	115	342	566	456	122	9	0	0	1613
1994	0	1	0	42	74	423	449	330	144	24	2	0	1489
1995	0	0	3	33	116	336	510	577	169	29	0	0	1773
1996	0	0	0	8	154	282	321	338	105	6	0	0	1214
1997	0	0	0	0	32	227	386	288	116	70	0	0	1119
1998	0	0	28	3	188	330	398	370	276	35	0	1	1629
1999	0	0	0	10	59	297	454	298	158	8	0	0	1284
2000	0	0	0	0	126	271	327	356	146	57	6	0	1289
2001	0	0	0	79	126	251	400	369	141	11	0	0	1377
2002	0	0	0	60	97	347	481	436	273	43	0	0	1737
2003	0	0	0	15	61	170	382	387	113	13	2	0	1143
2004	0	0	6	33	211	276	331	231	161	18	2	0	1269
2005	1	0	0	9	75	319	398	450	241	46	5	0	1544
2006	0	0	2	42	91	278	420	415	70	24	0	0	1342
2007	0	0	26	26	175	325	368	574	272	120	0	0	1886
2008	0	0	0	17	56	351	399	344	212	42	0	0	1421
2009	0	0	3	50	103	368	270	309	178	0	0	0	1281
2010	0	0	0	43	167	423	489	514	231	35	2	0	1904
2011	0	0	4	42	151	345	552	411	125	13	3	0	1646

SNOWFALL (inches) 2011 EVANSVILLE (KEVV)

YEAR	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	TOTAL
1982-83	0.0	0.0	0.0	0.0	T	T	1.3	1.2	1.0	0.6	0.0	0.0	4.1
1983-84	0.0	0.0	0.0	0.0	T	1.6	5.5	9.7	2.8	0.0	0.0	0.0	19.6
1984-85	0.0	0.0	0.0	0.0	T	6.7	10.3	9.4	0.0	T	0.0	0.0	26.4
1985-86	0.0	0.0	0.0	0.0	0.0	2.8	1.1	6.8	T	0.0	0.0	0.0	10.7
1986-87	0.0	0.0	0.0	0.0	T	0.1	2.7	3.2	1.7	0.0	0.0	0.0	7.7
1987-88	0.0	0.0	0.0	0.0	T	1.3	4.0	1.4	0.7	0.0	0.0	0.0	7.4
1988-89	0.0	0.0	0.0	0.0	T	3.0	T	0.5	0.1	0.0	0.0	0.0	3.6
1989-90	0.0	0.0	0.0	0.9	T	6.0	1.6	0.2	4.6	0.0	0.0	0.0	13.3
1990-91	0.0	0.0	T	0.0	0.0	7.2	0.8	1.2	0.2	0.0	0.0	0.0	9.4
1991-92	0.0	0.0	0.0	0.0	1.0	T	1.0	T	1.3	T	0.0	0.0	3.3
1992-93	0.0	0.0	0.0	T	0.1	0.7	T	18.4	1.5	T	T	0.0	20.7
1993-94	0.0	0.0	0.0	4.6	0.3	3.4	7.4	0.7	8.0	0.0	0.0	T	24.4
1994-95	0.0	0.0	0.0	0.0	0.0	T	0.3	1.7	0.1	0.0	0.0	0.0	2.1
1995-96	0.0	0.0	0.0	0.0	0.1	5.4	13.5	1.1	9.6	T			
1996-97	0.0		0.0		T	1.2	4.0	1.8	T	T		0.0	
1997-98		0.0			T	6.6	0.7	12.2	1.1	0.0	0.0	0.0	
1998-99	0.0	0.0	0.0	0.0	0.0	1.5	1.1	3.3	2.8	0.0	0.0	0.0	8.7
1999-00	0.0	0.0	0.0	0.0	0.0	0.3	4.1	T	T	0.0	0.0	0.0	4.4
2000-01	0.0	0.0	0.0	0.0	T	11.5	4.7	1.0	T	0.1	0.0	0.0	17.3
2001-02	0.0	0.0	0.0	0.0	0.0	0.9	4.3	0.9	T	0.0	0.0	0.0	6.1
2002-03	0.0	0.0	0.0	0.0	T	7.8	1.8	11.4	0.0	T	0.0	0.0	21.0
2003-04	0.0	0.0	0.0	0.0	0.3	3.0	2.2	1.5	0.0	0.0	0.0	0.0	7.0
2004-05	0.0	0.0	0.0	0.0	0.0	22.3	T	0.3	T	0.0	0.0	0.0	22.6
2005-06	0.0	0.0	0.0	0.0	0.0	2.3	1.0	2.5	T	0.0	0.0	0.0	5.8
2006-07	0.0	0.0	0.0	0.0	0.0	T	T	3.6	T	T	0.0	0.0	3.6
2007-08	0.0	0.0	0.0	0.0	T	0.1	3.3	5.2	1.9	0.0	0.0	0.0	10.5
2008-09	0.0	0.0	0.0	T	T	0.8	6.5	T	0.0	T	0.0	0.0	7.3
2009-10	0.0	0.0	0.0	0.0	0.0	T	7.9	7.4	0.0	0.0	0.0	0.0	15.3
2010-11	0.0	0.0	0.0	0.0	T	6.6	7.0	1.9	T	0.0	0.0	0.0	15.5
2011-	0.0	0.0	0.0	0.0	0.1	T							
POR= 63 YRS	0.0	0.0	T	0.1	0.5	2.8	4.2	3.7	2.2	0.2	T	T	13.7

WBAN : 93817

REFERENCE NOTES :

<p>PAGE 1: THE TEMPERATURE GRAPH SHOWS NORMAL MAXIMUM AND NORMAL MINIMUM DAILY TEMPERATURES (SOLID CURVES) AND THE ACTUAL DAILY HIGH AND LOW TEMPERATURES (VERTICAL BARS).</p> <p>PAGE 2 AND 3: H/C INDICATES HEATING AND COOLING DEGREE DAYS. RH INDICATES RELATIVE HUMIDITY W/O INDICATES WEATHER AND OBSTRUCTIONS S INDICATES SUNSHINE. PR INDICATES PRESSURE. CLOUDINESS ON PAGE 3 IS THE SUM OF THE CEILOMETER AND SATELLITE DATA NOT TO EXCEED EIGHT EIGHTHS(OKTAS).</p> <p>GENERAL: T INDICATES TRACE PRECIPITATION, AN AMOUNT GREATER THAN ZERO BUT LESS THAN THE LOWEST REPORTABLE VALUE. + INDICATES THE VALUE ALSO OCCURS ON EARLIER DATES. BLANK ENTRIES DENOTE MISSING OR UNREPORTED DATA. NORMALS ARE 30-YEAR AVERAGES (1971 - 2000). ASOS INDICATES AUTOMATED SURFACE OBSERVING SYSTEM. PM INDICATES THE LAST DAY OF THE PREVIOUS MONTH. POR (PERIOD OF RECORD) BEGINS WITH THE JANUARY DATA MONTH AND IS THE NUMBER OF YEARS USED TO COMPUTE THE MEAN. INDIVIDUAL MONTHS WITHIN THE POR MAY BE MISSING. WHEN THE POR FOR A NORMAL IS LESS THAN 30 YEARS, THE NORMAL IS PROVISIONAL AND IS BASED ON THE NUMBER OF YEARS INDICATED. 0.* OR * INDICATES THE VALUE OR MEAN-DAYS-WITH IS BETWEEN 0.00 AND 0.05. CLOUDINESS FOR ASOS STATIONS DIFFERS FROM THE NON-ASOS OBSERVATION TAKEN BY A HUMAN OBSERVER. ASOS STATION CLOUDINESS IS BASED ON TIME-AVERAGED CEILOMETER DATA FOR CLOUDS AT OR BELOW 12,000 FEET AND ON SATELLITE DATA FOR CLOUDS ABOVE 12,000 FEET. THE NUMBER OF DAYS WITH CLEAR, PARTLY CLOUDY, AND CLOUDY CONDITIONS FOR ASOS STATIONS IS THE SUM OF THE CEILOMETER AND SATELLITE DATA FOR THE SUNRISE TO SUNSET PERIOD. CLEAR INDICATES 0 - 2 OKTAS, PARTLY CLOUDY INDICATES 3 - 6 OKTAS, AND CLOUDY INDICATES 7 OR 8 OKTAS. WHEN AT LEAST ONE OF THE ELEMENTS (CEILOMETER OR SATELLITE) IS MISSING, THE DAILY CLOUDINESS IS NOT COMPUTED.</p>	<p>GENERAL CONTINUED: WIND DIRECTION IS RECORDED IN TENS OF DEGREES (2 DIGITS) CLOCKWISE FROM TRUE NORTH. "00" INDICATES CALM. "36" INDICATES TRUE NORTH. RESULTANT WIND IS THE VECTOR AVERAGE OF THE SPEED AND DIRECTION. AVERAGE TEMPERATURE IS THE SUM OF THE MEAN DAILY MAXIMUM AND MINIMUM TEMPERATURE DIVIDED BY 2. SNOWFALL DATA COMPRISE ALL FORMS OF FROZEN PRECIPITATION, INCLUDING HAIL. A HEATING (COOLING) DEGREE DAY IS THE DIFFERENCE BETWEEN THE AVERAGE DAILY TEMPERATURE AND 65 F. DRY BULB IS THE TEMPERATURE OF THE AMBIENT AIR. DEW POINT IS THE TEMPERATURE TO WHICH THE AIR MUST BE COOLED TO ACHIEVE 100 PERCENT RELATIVE HUMIDITY. WET BULB IS THE TEMPERATURE THE AIR WOULD HAVE IF THE MOISTURE CONTENT WAS INCREASED TO 100 PERCENT RELATIVE HUMIDITY. ON JULY 1, 1996, THE NATIONAL WEATHER SERVICE BEGAN USING THE "METAR" OBSERVATION CODE THAT WAS ALREADY EMPLOYED BY MOST OTHER NATIONS OF THE WORLD. THE MOST NOTICEABLE DIFFERENCE IN THIS ANNUAL PUBLICATION WILL BE THE CHANGE IN UNITS FROM TENTHS TO EIGHTS(OKTAS) FOR REPORTING THE AMOUNT OF SKY COVER. STATION HISTORY STOPPED WITH THE 2009 ANNUAL. IF YOU NEED HISTORY GO TO "MULTI-NETWORK MEDADATA SYSTEM", URL IS: https://mi3.ncdc.noaa.gov/mi3qry/login.cfm SNOWFALL STOPPED MONTH & YEAR INDICATED ABOVE. NO FURTHER YEARS INCLUDED UNLESS RESTARTED.</p> <p>NOTE: The "Period of Record:(POR) for all "averages" is based on the "Summary of the Day First Order Station" and "Cooperative Summary of the Day" archives.</p>
--	--

2011 EVANSVILLE INDIANA (KEVV)

Evansville, Indiana, is located on the Ohio River. The country around Evansville ranges from level to areas of rolling terrain near the river. Dress Regional Airport, where the observations have been taken since August 31, 1940, is located in a shallow valley with low hills to the east and west which parallel the valley, but slope down to the south. There are hills 5 miles to the north which are about 100 feet higher than the field. The open end of the valley slopes down and south toward the city of Evansville and the Ohio River.

Records of precipitation, temperature, and wind are available from the city office locations prior to August 1940. Both precipitation and temperature records were from roof-top exposures in the city and from ground exposures at the airport. The airport exposure is not subject to the effect of an early morning smoke blanket that was prevalent over the city during the downtown exposure.

Prevailing wind direction is from the south-southwest. The strongest winds occur during a deep winter storm passage through the Lower Ohio Valley. Strong and cold north to northwest winds occur from late autumn to early spring, most often, in January and February, as large domes of arctic high pressure moves into the midwest.

Geographically, Evansville lies in the path of moisture-bearing low pressure formations that move from the western Gulf region, northeastward over the Mississippi and Ohio Valleys to the Great Lakes and northern Atlantic Coast. Much of the precipitation results from these storm systems, especially in the cooler part of the year.

Both temperature and precipitation are closely related to the movement of the polar front and the storms which move along the front. This is especially true in the winter and spring months.

In summer and early autumn changes are less severe and periods of polar air invasions are less prolonged. There is considerable variation in seasonal and monthly temperature and precipitation from year to year as these factors depend greatly on the frequency of storm and frontal passages. A comparatively few miles difference in the distance of the paths of these storms, often spells the difference between whether the precipitation is snow, rain, or freezing rain during winter months.

Convective thunderstorms, developing in the maritime tropical air from the Gulf of Mexico and squall line activity, seem to be the factors which combine to supply the summer rainfall. The greatest precipitation intensities for short periods of time come in the months of greatest thunderstorm frequency. The greatest intensities for 24 hours or more are confined to the winter months when storm centers to the south produce a sustained flow of overrunning Gulf air.

Severe storms are rather infrequent but thunderstorms cause some wind damage each year. Hail often occurs with the stronger thunderstorms. Evansville is in tornado alley with the most frequent occurrence in early spring and late fall. The tornado frequency would probably be less than one every ten years for Evansville.

Snowfall varies greatly from season to season, as do rainfall and temperature. Of note is the fact that snowfalls of 2 or more inches are very infrequent, and these amounts are usually melted within a day or two.

The growing season averages 199 days, but has been as long as 250 days and as short as 169 days.

Station History

EVANSVILLE, IN

NAME	Begin Date	End Date	Latitude	Longitude	Elevation Feet	Relocation	Platform
EVANSVILLE REGIONAL AP	1996-12-10	2002-08-08	38° 2'	-87° 32'	381		AIRWAYS,ASOS,COOP
EVANSVILLE MUNICIPAL AP	1938-01-01	1939-12-31	37° 58'	-87° 33'			WXSVC
EVANSVILLE MUNICIPAL AP	1929-10-19	1937-01-31	37° 58'	-87° 33'			WXSVC
DRESS REGIONAL AP	1897-12-01	1929-10-19	37° 58'	-87° 33'			WXSVC
EVANSVILLE MUNICIPAL AP	1940-09-01	1948-01-01	38° 1'	-87° 31'			AIRWAYS
EVANSVILLE DRESS REGIONAL AP	1989-04-18	1996-02-01	38° 3'	-87° 31'	380		COOP,WXSVC
EVANSVILLE REGIONAL AP	1996-12-07	1996-12-10	38° 2'	-87° 32'	381		ASOS,COOP
EVANSVILLE MUNICIPAL AP	1948-01-01	1950-10-29	38° 1'	-87° 31'	387		AIRWAYS,COOP
EVANSVILLE DRESS MEMORIAL AP	1950-10-29	1950-12-31	38° 1'	-87° 31'	387		AIRWAYS,COOP
EVANSVILLE REGIONAL AP	1996-02-01	1996-12-07	38° 2'	-87° 32'	381		ASOS,COOP,WXSVC
EVANSVILLE DRESS MEMORIAL AP	1951-02-01	1970-05-25	38° 3'	-87° 31'	381		AIRWAYS,COOP
EVANSVILLE DRESS REGIONAL AP	1970-05-25	1973-01-01	38° 3'	-87° 31'	381		AIRWAYS,COOP
EVANSVILLE DRESS REGIONAL AP	1973-01-01	1989-04-18	38° 3'	-87° 31'	381		COOP,WXSVC
EVANSVILLE REGIONAL AP	2002-08-08	2007-11-07	38° 2'	-87° 31'	400		AIRWAYS,ASOS,COOP
EVANSVILLE REGIONAL AP	2007-11-07	Present	38° 2'	-87° 31'	400		AIRSAMPLE,AIRWAYS,ASOS,COOP

Element History

Element	Begin Date	End Date	Frequency	Time Of Observation	Equipment *	Equipment * Modifications	Equipment Exposure
PRECIP	1982-01-01	1988-07-08	DAILY		UNIV	RCRD	
EVAP	1994-06-01	1995-07-01	DAILY	1700	MONEL(H)		
PRECIP	1997-01-01	2007-11-07	DAILY	2400	TB	RCRD	
PRECIP	1997-01-01	2007-11-07	HOURLY	2400	TB	RCRD	
TEMP	1897-12-01	1939-12-31	DAILY	2400			
PRECIP	1951-02-01	1982-01-01	DAILY		UNIV	RCRD	
EVAP	1982-01-01	1988-07-08	DAILY	1700			
PRECIP	1988-07-08	1994-06-01	HOURLY	2400			
TEMP	1994-06-01	1995-07-01	DAILY	2400	MXMN		
EVAP	1995-07-01	1997-01-01	DAILY	1700	MONEL(H)		
TEMP	1997-01-01	2007-11-07	DAILY	2400	HYGR		
EVAP	1897-12-01	1939-12-31	DAILY	1700			
EVAP	1940-09-01	1950-12-31	DAILY	1700			
PRECIP	1940-09-01	1950-12-31	DAILY		UNIV	RCRD	
PRECIP	1994-06-01	1995-07-01	DAILY		UNIV	RCRD	
TEMP	1995-07-01	1997-01-01	DAILY	2400	MXMN		
TEMP	1940-09-01	1950-12-31	DAILY	2400			
TEMP	2007-11-07	Present	DAILY	2400	HYGR		
EVAP	1951-02-01	1982-01-01	DAILY	1700			
PRECIP	1988-07-08	1994-06-01	DAILY		UNIV	RCRD	
PRECIP	1995-07-01	1997-01-01	DAILY	2400	UNIV	RCRD	
TEMP	1988-07-08	1994-06-01	DAILY	2400	MXMN		
PRECIP	1995-07-01	1997-01-01	HOURLY	2400	UNIV	RCRD	
TEMP	1951-02-01	1982-01-01	DAILY	2400			
TEMP	1982-01-01	1988-07-08	DAILY	2400			
PRECIP	1982-01-01	1988-07-08	HOURLY	2400			
EVAP	1988-07-08	1989-04-18	DAILY	1700	SIXS		
PRECIP	1994-06-01	1995-07-01	HOURLY	2400			
PRECIP	2007-11-07	Present	DAILY	2400	PCPN1		
PRECIP	2007-11-07	Present	HOURLY	2400	TB	RCRD	
PRECIP	1897-12-01	1939-12-31	DAILY		UNIV	RCRD	
EVAP	1988-07-08	1989-04-18	DAILY	1700	WIND		
EVAP	1988-07-08	1989-04-18	DAILY	1700	PAN-LEVEL		

* For explanation of codes and abbreviations see Station Metadata link below.

Other Station Information can be found at:

ASOS Implementation by NWS: <http://www.nws.noaa.gov/ops2/Surface/asosimplementation.htm>

Station Metadata website: <http://www.ncdc.noaa.gov/homr>

INQUIRES/COMMENTS CALL: (828) 271-4800, option 2

Fax Number : (828) 271-4876

TDD : (828) 271-4010

Email : ncdc.info@noaa.gov

NOAA/National Climatic Data Center

Attn: User Engagement & Services Branch

151 Patton Avenue

Asheville, NC 28801-5001

Visit our Web Site for other weather data: www.ncdc.noaa.gov