




2011 LOCAL CLIMATOLOGICAL DATA ANNUAL SUMMARY WITH COMPARATIVE DATA


ISSN 0198-3857

WILLISTON, NORTH DAKOTA (KISN)


Daily Max/Min Temperature



Daily Precipitation



Daily Station Pressure



I CERTIFY THAT THIS IS AN OFFICIAL PUBLICATION OF THE NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION, AND IS COMPILED FROM RECORDS ON FILE AT THE NATIONAL CLIMATIC DATA CENTER.

NATIONAL
OCEANIC AND
ATMOSPHERIC ADMINISTRATION

NATIONAL
ENVIRONMENTAL SATELLITE, DATA
AND INFORMATION SERVICE

NATIONAL
CLIMATIC DATA CENTER
ASHEVILLE, NORTH CAROLINA

Thomas R. Karl
DIRECTOR
NATIONAL CLIMATIC DATA CENTER

METEOROLOGICAL DATA FOR 2011

WILLISTON (KISN)

LATITUDE: 48° 10'N LONGITUDE: -103° 38'W ELEVATION (FT): GRND: 1902 BARO: 1902 TIME ZONE: CENTRAL (UTC -6) WBAN: 94014

ELEMENT		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	YEAR	
TEMPERATURE °F	MEAN DAILY MAXIMUM	18.1	19.7	28.5	49.7	61.3	73.1	85.0	84.6	76.0	62.0	41.5	33.8	52.8	
	HIGHEST DAILY MAXIMUM	37	44	45	70	73	91	99	97	90	89	56	48	99	
	DATE OF OCCURRENCE	27+	14	10	28	19	29	19	22	08+	01	23+	28	JUL 19	
	MEAN DAILY MINIMUM	0.1	0.1	10.7	29.3	42.1	50.7	58.1	55.8	43.4	35.5	16.4	16.2	29.9	
	LOWEST DAILY MINIMUM	-27	-33	-22	21	22	36	46	44	26	22	-3	-14	-33	
	DATE OF OCCURRENCE	12+	01	07	20	02	01	02	21	14	26	21	05	FEB 01	
	AVERAGE DRY BULB	9.1	9.9	19.6	39.5	51.7	61.9	71.6	70.2	59.7	48.8	29.0	25.0	41.3	
	MEAN WET BULB	8.9	9.8	18.7	35.5	46.7	56.7	63.5	60.6	50.7	42.2	25.6	23.0	36.8	
	MEAN DEW POINT	5.2	5.4	14.9	29.9	40.4	51.9	57.5	53.9	43.1	35.8	20.1	18.9	31.4	
	NUMBER OF DAYS WITH:														
	MAXIMUM >= 90°	0	0	0	0	0	1	5	5	2	0	0	0	0	13
	MAXIMUM <= 32°	25	19	16	0	0	0	0	0	0	0	4	13	77	
MINIMUM <= 32°	31	28	31	25	4	0	0	0	1	15	30	31	196		
MINIMUM <= 0°	15	16	8	0	0	0	0	0	0	0	4	2	45		
H/C	HEATING DEGREE DAYS	1726	1534	1402	758	403	120	0	9	177	507	1072	1234	8942	
	COOLING DEGREE DAYS	0	0	0	0	0	32	207	177	26	10	0	0	452	
RH	MEAN (PERCENT)	80	77	80	72	68	70	63	61	60	66	73	78	71	
	HOUR 00 LST	82	80	83	83	75	79	79	73	74	75	79	78	78	
	HOUR 06 LST	81	81	84	87	83	87	83	85	82	82	82	84	83	
	HOUR 12 LST	78	73	77	58	57	59	48	46	45	54	63	74	61	
	HOUR 18 LST	79	73	75	56	55	54	42	41	37	54	69	74	59	
S	PERCENT POSSIBLE SUNSHINE														
W/O	NUMBER OF DAYS WITH:														
	HEAVY FOG(VISBY <= 1/4 MI)	0	0	6	1	0	0	1	1	1	0	1	1	12	
	THUNDERSTORMS	0	0	0	1	1	3	8	6	1	1	0	0	21	
CLOUDINESS	SUNRISE-SUNSET: (OKTAS)														
	CEILOMETER (<= 12,000 FT.)														
	SATELLITE (> 12,000 FT.)														
	MIDNIGHT-MIDNIGHT: (OKTAS)														
	CEILOMETER (<= 12,000 FT.)														
SATELLITE (> 12,000 FT.)															
NUMBER OF DAYS WITH:															
CLEAR															
PARTLY CLOUDY															
CLOUDY															
PR	MEAN STATION PRESS. (IN.)	28.00	27.96	28.01	27.83	27.89	27.82	27.88	27.89	28.02	27.89	27.85	27.98	27.92	
	MEAN SEA-LEVEL PRESS. (IN.)	30.14	30.10	30.12	29.88	29.89	29.82	29.86	29.87	30.03	29.93	29.92	30.07	29.97	
WINDS	RESULTANT SPEED (MPH)	2.4	4.5	2.1	1.0	3.9	0.9	1.5	0.6	1.8	2.9	4.3	5.4	1.4	
	RES. DIR. (TENS OF DEGS.)	30	28	09	36	04	19	15	27	27	27	28	27	29	
	MEAN SPEED (MPH)	8.4	9.5	9.3	9.6	11.2	8.3	7.7	7.1	7.0	7.4	7.8	9.2	8.5	
	PREVAIL.DIR.(TENS OF DEGS.)	36	23	11	10	02	13	15	13	16	28	28	21	11	
	MAXIMUM 2-MINUTE WIND														
	SPEED (MPH)	32	38	45	46	36	35	36	44	37	30	30	37	46	
	DIR. (TENS OF DEGS.)	31	31	31	35	02	24	07	21	34	29	32	28	35	
	DATE OF OCCURRENCE	07	17	11	30	10	03	22	31	20	29	26	26	APR 30	
	MAXIMUM 3-SECOND WIND:														
	SPEED (MPH)	39	48	55	63	46	44	51	61	48	39	40	48	63	
DIR. (TENS OF DEGS.)	32	27	31	35	03	24	26	20	32	25	32	28	35		
DATE OF OCCURRENCE	07	13	11	30	10	03	15	31	20	07	26	26	APR 30		
PRECIPITATION	WATER EQUIVALENT:														
	TOTAL (IN.)	1.30	0.55	0.98	2.99	5.28	1.86	2.34	1.65	0.86	0.85	0.39	0.18	19.23	
	GREATEST 24-HOUR (IN.)	0.37	0.19	0.54	1.13	2.05	0.52	1.24	0.60	0.72	0.54	0.13	0.07	2.05	
	DATE OF OCCURRENCE	08-09	17	22-23	30	09-10	17	22	31	19-20	06-07	30	15	MAY 09-10	
	NUMBER OF DAYS WITH:														
	PRECIPITATION 0.01	16	9	10	9	14	11	10	13	4	5	6	5	112	
PRECIPITATION 0.10	3	1	2	6	10	7	7	6	3	3	2	0	50		
PRECIPITATION 1.00	0	0	0	1	3	0	1	0	0	0	0	0	5		
SNOWFALL	SNOW,ICE PELLETS,HAIL														
	TOTAL (IN.)	20.5	5.9	13.7	12.6	0.0	0.0	T	T	0.0	0.0				
	GREATEST 24-HOUR (IN.)	5.0	2.9	6.2	7.9	0.0	0.0	T	T	0.0	0.0				
	DATE OF OCCURRENCE	09	17	22	30			26	31+						
	MAXIMUM SNOW DEPTH (IN.)	20	19	18	10	7	0	0	0	0	0				
	DATE OF OCCURRENCE	18+	04+	13+	01	01									
NUMBER OF DAYS WITH:															
SNOWFALL >= 1.0	6	1	4	3	0	0	0	0	0	0					

NORMALS, MEANS, AND EXTREMES WILLISTON (KISN)

LATITUDE:
48° 10'N

LONGITUDE:
-103° 38'W

ELEVATION (FT):
GRND: 1902 BARO: 1902

TIME ZONE:
CENTRAL (UTC -6)

WBAN: 94014

	ELEMENT	POR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	YEAR	
TEMPERATURE °F	NORMAL DAILY MAXIMUM	30	19.4	27.6	40.1	56.0	68.2	77.3	83.4	82.8	70.0	57.0	36.2	24.0	53.5	
	MEAN DAILY MAXIMUM	50	20.0	26.8	39.3	56.0	67.6	76.8	84.4	83.3	71.3	57.3	38.1	25.0	53.8	
	HIGHEST DAILY MAXIMUM	50	53	66	78	92	106	106	109	107	104	93	76	58	109	
	YEAR OF OCCURRENCE		1981	1992	2007	1980	1980	1988	1980	1983	1983	1963	1999	1979	1979	JUL 1980
	MEAN OF EXTREME MAXS.	50	42.6	47.5	64.1	79.3	87.9	93.8	98.9	98.4	92.2	80.2	61.0	45.7	74.3	
	NORMAL DAILY MINIMUM	30	-3.3	5.9	17.2	29.1	40.9	50.1	55.2	53.8	42.2	30.2	14.9	2.1	28.2	
	MEAN DAILY MINIMUM	50	-0.7	5.8	17.2	30.2	41.2	50.5	56.4	54.2	43.0	31.3	16.9	4.7	29.2	
	LOWEST DAILY MINIMUM	50	-40	-41	-31	-15	10	26	34	34	15	-9	-27	-50	-50	
	YEAR OF OCCURRENCE		1966	1962	2003	1975	2005	1998	1967	1994	2003	2002	1996	1983	1983	DEC 1983
	MEAN OF EXTREME MINS.	50	-26.1	-19.1	-7.1	13.2	25.3	37.7	44.4	40.7	27.4	13.7	-4.6	-20.9	10.4	
	NORMAL DRY BULB	30	8.0	16.8	28.7	42.5	54.6	63.7	69.3	68.3	56.1	43.6	25.6	13.0	40.9	
	MEAN DRY BULB	50	9.6	16.4	28.2	43.1	54.4	63.9	70.4	68.8	57.1	44.3	27.6	14.8	41.6	
	MEAN WET BULB	28	10.3	14.6	24.8	35.3	45.5	54.5	58.9	57.0	47.6	36.3	23.3	13.3	35.1	
	MEAN DEW POINT	28	8.1	12.1	21.4	30.1	40.6	50.6	55.1	52.5	43.2	31.9	20.8	11.0	31.5	
	NORMAL NO. DAYS WITH: MAXIMUM >= 90	30	0.0	0.0	0.0	0.1	0.9	3.2	7.7	8.9	1.9	0.1	0.0	0.0	22.8	
	MAXIMUM <= 32	30	22.7	15.4	8.1	1.1	0.0	0.0	0.0	0.0	0.0	0.9	10.9	19.9	79.0	
MINIMUM <= 32	30	30.9	27.7	28.5	17.4	4.2	0.2	0.0	0.0	2.9	16.4	28.5	30.9	187.6		
MINIMUM <= 0	30	16.3	9.5	3.4	0.1	0.0	0.0	0.0	0.0	0.0	0.1	3.5	12.0	44.9		
H/C	NORMAL HEATING DEG. DAYS	30	1751	1336	1109	660	327	103	27	46	274	648	1167	1596	9044	
	NORMAL COOLING DEG. DAYS	30	0	0	0	1	20	79	176	164	23	0	0	0	463	
RH	NORMAL (PERCENT)	30	77	77	73	61	60	61	59	57	62	65	76	78	67	
	HOURLY 00 LST	30	79	81	79	70	69	72	70	66	70	72	80	81	74	
	HOURLY 06 LST	30	80	81	83	80	80	81	81	79	81	80	82	81	81	
	HOURLY 12 LST	30	74	71	64	49	48	48	46	45	50	55	70	74	58	
	HOURLY 18 LST	30	76	71	60	45	43	44	39	37	43	52	72	77	55	
S	PERCENT POSSIBLE SUNSHINE	46	52	57	61	60	62	66	74	74	67	59	45	50	61	
W/O	MEAN NO. DAYS WITH: HEAVY FOG(VISBY <= 1/4 MI)	46	1.7	1.4	1.4	1.0	0.5	0.3	0.5	0.4	0.6	1.2	1.7	1.5	12.2	
	THUNDERSTORMS	48	0.0	0.0	0.1	0.8	3.3	7.7	8.9	6.6	2.1	0.2	0.0	0.0	29.7	
CLOUDINESS	MEAN: SUNRISE-SUNSET (OKTAS)	35	5.4	5.4	5.3	5.3	5.0	4.7	3.7	3.8	4.3	4.7	5.3	5.2	4.8	
	MIDNIGHT-MIDNIGHT (OKTAS)	29	5.0	4.9	4.9	4.6	4.6	4.3	3.4	3.4	3.8	4.3	4.9	4.8	4.4	
	MEAN NO. DAYS WITH: CLEAR	35	6.2	5.7	6.9	6.0	6.4	7.7	11.6	11.4	9.8	8.8	6.3	6.7	93.5	
	PARTLY CLOUDY	35	8.3	7.5	8.2	9.1	11.3	11.0	12.4	11.9	8.9	8.1	7.4	7.4	111.5	
	CLOUDY	35	16.5	15.1	15.9	14.8	13.3	11.3	6.9	7.7	11.3	14.1	16.3	16.9	160.1	
PR	MEAN STATION PRESSURE(IN)	28	27.99	28.00	27.97	27.93	27.90	27.89	27.94	27.95	27.96	27.97	27.95	27.98	27.95	
	MEAN SEA-LEVEL PRES. (IN)	28	30.12	30.12	30.05	29.97	29.92	29.89	29.93	29.94	29.98	30.01	30.04	30.10	30.01	
WINDS	MEAN SPEED (MPH)	28	8.8	8.9	9.6	10.4	10.7	9.7	8.7	8.9	8.9	9.1	8.7	8.8	9.3	
	PREVAIL.DIR(TENS OF DEGS)	36	22	22	36	36	36	36	36	15	36	31	22	22	22	
	MAXIMUM 2-MINUTE: SPEED (MPH)	15	41	46	48	55	51	62	61	44	40	55	52	46	62	
	DIR. (TENS OF DEGS)		29	30	32	30	28	30	33	21	28	28	29	32	30	
	YEAR OF OCCURRENCE		2009	2002	2004	2000	2005	2005	1999	2011	2002	1999	1999	2004	JUN 2005	
	MAXIMUM 3-SECOND SPEED (MPH)	15	51	58	62	66	62	69	79	61	51	67	63	55	79	
	DIR. (TENS OF DEGS)		29	27	30	30	01	30	34	20	30	29	29	32	34	
	YEAR OF OCCURRENCE		2009	2002	1999	2000	2010	2005	1999	2011	2009	1999	1999	2004	JUL 1999	
PRECIPITATION	NORMAL (IN)	30	0.54	0.39	0.74	1.05	1.88	2.36	2.28	1.48	1.35	0.87	0.65	0.57	14.16	
	MAXIMUM MONTHLY (IN)	50	1.83	1.75	2.26	3.31	7.38	6.16	6.62	4.66	3.11	3.56	3.31	2.50	7.38	
	YEAR OF OCCURRENCE		1999	1998	1975	1967	1965	1991	1997	1993	1986	1971	2000	2008	MAY 1965	
	MINIMUM MONTHLY (IN)	50	0.03	.01	0.01	.01	0.15	0.46	0.22	0.03	.08	T	0.01	0.02	0.01	
	YEAR OF OCCURRENCE		1973	2005	1966	2005	1980	1997	2006	2001	2005	1965	1999	1997	APR 2005	
	MAXIMUM IN 24 HOURS (IN)	50	0.77	0.98	1.39	2.25	2.05	2.29	5.03	3.11	2.24	2.21	2.07	1.07	5.03	
	YEAR OF OCCURRENCE		1995	2009	2003	2006	2011	1994	1963	1993	1971	1971	2000	2008	JUL 1963	
	NORMAL NO. DAYS WITH: PRECIPITATION >= 0.01	30	8.0	6.1	7.8	8.1	10.0	10.6	9.0	8.0	7.4	5.6	6.7	8.7	96.0	
	PRECIPITATION >= 1.00	30	0.0	0.0	0.0	0.1	0.3	0.3	0.3	0.2	0.2	0.1	*	0.0	1.5	
SNOWFALL	NORMAL (IN)	30	8.8	5.7	7.4	3.7	0.9	0.*	0.0	0.0	0.3	1.7	6.7	8.2	43.4	
	MAXIMUM MONTHLY (IN)	49	28.3	21.7	30.9	22.2	15.5	T	T	T	4.0	14.2	21.2	35.3	35.3	
	YEAR OF OCCURRENCE		1999	1994	1975	1970	1983	2009	2009	2010	1984	1985	2000	2010	DEC 2010	
	MAXIMUM IN 24 HOURS (IN)	49	12.6	9.2	9.7	15.0	14.6	T	T	T	4.0	10.5	7.9	14.3	15.0	
	YEAR OF OCCURRENCE'		1995	1994	1985	1986	1983	2009	2009	2010	1984	1985	1975	2010	APR 1986	
	MAXIMUM SNOW DEPTH (IN)	48	24	24	22	17	12	0	0	0	2	5	13	23	24	
	YEAR OF OCCURRENCE		2004	2004	1975	1975	1983				1984	2008	2000	2010	FEB 2004	
	NORMAL NO. DAYS WITH: SNOWFALL >= 1.0	30	2.3	1.8	2.3	1.0	0.2	0.0	0.0	0.0	0.1	0.5	2.0	2.7	12.9	

PRECIPITATION (inches) 2011 WILLISTON (KISN)

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
1982	1.28	0.45	1.34	1.02	1.79	2.77	1.17	1.96	1.86	1.91	0.07	1.43	17.05
1983	0.35	0.07	1.07	0.03	1.98	0.87	2.12	0.87	0.51	0.30	0.78	0.57	9.52
1984	0.81	0.12	0.90	1.48	0.47	1.87	0.93	0.65	2.24	0.49	0.33	0.27	10.56
1985	0.13	0.24	1.07	1.53	1.08	1.12	1.40	1.96	1.08	1.86	0.58	0.64	12.69
1986	0.35	0.62	0.83	2.57	3.39	2.19	5.70	1.06	3.11	0.78	1.15	0.09	21.84
1987	0.32	0.19	1.70	0.29	2.02	0.71	4.97	0.47	0.65	0.11	0.18	0.07	11.68
1988	0.75	0.28	0.63	0.15	1.39	3.46	0.52	0.39	1.49	0.28	0.51	0.79	10.64
1989	1.00	0.39	0.53	1.44	1.68	1.48	0.87	1.01	0.54	1.75	0.44	0.41	11.54
1990	0.36	0.04	0.44	0.61	2.08	1.77	1.32	1.73	0.31	0.10	0.14	0.40	9.30
1991	0.18	0.37	0.44	1.60	2.60	6.16	1.04	1.46	2.74	0.38	0.46	0.18	17.61
1992	0.48	0.10	0.56	2.28	1.44	1.92	1.04	2.18	0.76	0.52	0.77	0.44	12.49
1993	0.23	0.23	0.88	0.41	0.81	3.76	6.28	4.66	0.28	0.09	0.95	0.38	18.96
1994	0.96	0.89	0.22	1.37	2.70	3.94	0.31	1.78	0.69	1.73	0.25	1.04	15.88
1995	0.91	0.21	1.11	0.87	2.11	1.36	3.49	2.49	0.54	0.39	0.79	0.67	14.94
1996	0.79	0.18	0.75	0.54	1.08	2.01	3.37	.52	2.07	.82	1.27	1.29	14.69
1997	0.18	0.21	0.94	0.27	0.19	0.46	6.62	1.72	0.15	0.61	0.40	0.02	11.77
1998	0.36	1.75	0.28	0.10	1.03	3.01	1.74	3.41	0.89	3.24	1.27	0.74	17.82
1999	1.83	0.46	0.40	0.32	3.29	1.89	3.90	1.04	1.57	0.18	0.01	0.30	15.19
2000	0.38	0.46	0.60	1.65	2.54	2.84	3.66	0.93	1.60	0.76	3.31	0.52	19.25
2001	0.30	0.10	0.02	2.35	0.81	4.54	4.30	0.03	0.30	0.29	0.12	0.66	13.82
2002	0.70	0.55	0.85	0.88	1.21	3.83	2.65	1.95	0.49	1.15	0.26	0.62	15.14
2003	0.58	0.37	1.84	1.64	2.29	2.37	1.94	0.92	0.78	0.69	0.56	0.58	14.56
2004	1.25	0.24	0.29	0.42	3.20	1.83	2.37	0.88	1.02	0.99	0.12	0.50	13.11
2005	0.47	0.01	0.48	0.01	3.26	4.64	1.65	0.66	0.08	1.40	0.85	0.23	13.74
2006	0.27	0.17	1.27	3.18	1.53	1.05	0.22	1.41	1.32	0.84	0.23	0.32	11.81
2007	0.12	0.84	0.62	0.40	4.65	3.32	1.95	0.58	0.62	1.07	0.19	0.10	14.46
2008	0.19	0.27	0.45	0.27	1.06	1.93	1.05	1.27	1.64	1.89	1.57	2.50	14.09
2009	0.90	1.40	0.06	1.04	0.68	2.08	3.31	2.30	0.37	1.17	0.02	0.48	13.81
2010	1.09	0.30	0.35	0.97	3.94	2.70	3.91	2.20	1.41	1.26	1.20	1.95	21.28
2011	1.30	0.55	0.98	2.99	5.28	1.86	2.34	1.65	0.86	0.85	0.39	0.18	19.23
POR= 50 YRS	0.59	0.42	0.68	1.19	2.10	2.51	2.37	1.43	1.15	0.87	0.57	0.61	14.49

WBAN : 94014

AVERAGE TEMPERATURE (°F) 2011 WILLISTON (KISN)

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
1982	-5.8	11.8	26.3	41.8	54.9	64.3	71.7	70.3	56.4	44.4	24.0	16.0	39.7
1983	20.0	25.0	30.0	41.2	51.1	63.7	74.9	78.0	56.3	47.2	30.3	-4.5	42.8
1984	15.2	30.9	28.3	47.4	54.5	63.4	73.0	73.7	50.2	41.0	27.2	5.5	42.5
1985	7.0	13.2	32.4	47.0	58.9	58.8	71.2	64.6	51.2	42.8	13.2	11.2	39.3
1986	22.2	13.3	39.8	41.9	55.8	66.8	67.3	66.8	52.0	45.0	22.6	22.1	43.0
1987	20.7	29.2	32.1	51.6	59.8	68.7	70.0	63.7	59.5	42.3	34.2	22.9	46.2
1988	7.6	15.1	33.2	45.3	61.6	77.3	72.9	69.3	55.7	44.2	27.7	17.1	43.9
1989	12.9	2.2	23.2	43.7	56.3	63.2	75.7	70.2	58.0	45.1	29.3	10.5	40.9
1990	22.9	20.5	34.9	43.2	54.5	65.5	69.9	71.4	61.9	44.6	30.3	9.1	44.1
1991	7.7	29.1	32.6	47.0	57.4	66.4	70.5	73.6	57.3	40.8	25.2	23.3	44.2
1992	22.7	28.2	36.2	43.2	55.6	63.4	64.0	63.9	55.4	44.0	27.6	9.9	42.8
1993	5.7	9.6	33.4	43.9	56.1	58.8	62.3	63.9	52.3	42.1	24.9	20.5	39.5
1994	2.2	3.2	34.2	43.4	56.7	62.4	67.7	68.2	61.1	46.6	29.0	15.7	40.9
1995	9.4	19.9	28.3	38.7	52.1	66.0	68.5	70.2	55.8	43.8	24.9	11.8	40.8
1996	-1	19.5	18.8	39.0	49.6	65.0	68.4	71.6	55.2	42.1	15.5	5.3	37.5
1997	1.4	17.3	24.0	38.7	52.3	69.5	68.7	68.7	61.2	44.8	26.0	25.3	41.5
1998	8.7	30.8	20.2	46.6	55.7	59.4	71.7	73.0	63.1	45.7	29.7	16.6	43.4
1999	7.4	22.4	32.5	43.6	52.9	62.3	68.1	69.5	53.1	43.5	37.4	26.1	43.2
2000	11.7	21.2	35.8	42.6	55.6	60.0	72.1	69.5	57.9	46.0	17.2	5.4	41.3
2001	17.5	5.7	30.3	42.9	54.2	61.1	71.1	70.8	59.0	42.3	35.3	14.4	42.1
2002	16.6	24.9	13.9	37.5	48.8	63.8	73.5	65.4	56.9	32.4	29.4	19.5	40.2
2003	9.7	7.4	21.6	46.1	52.5	61.2	72.3	74.7	56.1	47.8	15.0	17.2	40.1
2004	4.2	14.6	32.4	43.5	49.6	57.1	68.3	63.8	58.8	42.7	32.8	21.1	40.7
2005	5.2	23.2	33.2	47.5	51.9	64.8	71.1	67.4	59.2	44.5	32.5	17.7	43.2
2006	26.6	18.3	28.9	48.4	55.3	64.7	74.8	70.4	56.5	38.5	27.9	19.2	44.1
2007	15.7	10.2	35.8	41.2	55.1	64.6	75.9	68.1	57.8	45.8	29.3	13.8	42.8
2008	10.9	12.4	30.2	41.5	54.1	61.3	71.4	70.0	56.1	43.6	31.6	5.3	40.7
2009	7.8	10.0	20.6	41.4	51.9	60.8	65.9	65.3	64.3	38.0	35.6	5.8	39.0
2010	11.5	10.1	32.9	45.4	51.3	63.2	69.5	68.9	55.5	47.3	26.0	9.3	40.9
2011	9.1	9.9	19.6	39.5	51.7	61.9	71.6	70.2	59.7	48.8	29.0	25.0	41.3
POR= 50 YRS	9.6	16.4	28.2	43.1	54.4	63.9	70.4	68.8	57.2	44.3	27.6	14.8	41.6

HEATING DEGREE DAYS (base 65°F) 2011 WILLISTON (KISN)

YEAR	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	TOTAL
1982-83	2	46	278	633	1223	1516	1389	1115	1076	708	436	101	8523
1983-84	1	1	300	544	1031	2158	1538	983	1131	520	343	92	8642
1984-85	0	25	444	741	1128	1845	1793	1446	1001	535	210	201	9369
1985-86	21	73	415	683	1553	1664	1321	1446	775	685	303	35	8974
1986-87	14	48	386	612	1266	1324	1369	997	1012	402	190	33	7653
1987-88	31	88	183	698	920	1301	1781	1444	980	585	175	8	8194
1988-89	1	35	279	637	1114	1479	1613	1757	1292	640	275	115	9237
1989-90	0	35	225	609	1065	1690	1294	1241	927	649	333	88	8156
1990-91	19	7	166	626	1034	1728	1775	999	997	533	253	20	8157
1991-92	5	8	262	744	1188	1289	1306	1058	887	649	313	112	7821
1992-93	75	111	296	644	1116	1704	1838	1551	973	630	277	203	9418
1993-94	100	87	377	704	1197	1376	1945	1727	945	638	257	103	9456
1994-95	19	63	138	563	1072	1524	1719	1259	1136	784	396	101	8774
1995-96	24	16	290	648	1197	1644	2023	1315	1427	776	470	84	9914
1996-97	23	6	293	702	1480	1844	1961	1330	1266	781	396	20	10102
1997-98	34	37	130	630	1167	1223	1740	953	1381	546	290	180	8311
1998-99	9	0	161	591	1051	1490	1778	1188	1001	635	371	118	8393
1999-00	27	17	352	661	817	1198	1645	1264	898	668	289	166	8002
2000-01	15	34	231	580	1425	1841	1467	1652	1067	661	339	157	9469
2001-02	12	15	211	698	883	1561	1491	1115	1581	821	510	114	9012
2002-03	0	67	265	1003	1064	1404	1706	1607	1336	561	396	153	9562
2003-04	6	13	308	527	1495	1473	1878	1455	1002	638	469	245	9509
2004-05	50	86	214	685	960	1354	1850	1166	978	518	398	76	8335
2005-06	13	42	216	636	970	1458	1185	1302	1110	475	323	53	7783
2006-07	4	12	258	817	1105	1411	1519	1527	896	708	307	77	8641
2007-08	4	45	248	589	1063	1581	1668	1516	1071	701	335	132	8953
2008-09	4	32	266	658	994	1842	1769	1534	1369	704	402	171	9745
2009-10	45	66	91	832	876	1829	1653	1528	989	581	427	108	9025
2010-11	4	31	283	542	1165	1722	1726	1534	1402	758	403	120	9690
2011-	0	9	177	507	1072	1234							

WBAN : 94014

COOLING DEGREE DAYS (base 65°F) 2011 WILLISTON (KISN)

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	TOTAL
1982	0	0	0	0	13	64	217	215	29	0	0	0	538
1983	0	0	0	0	8	68	314	413	45	0	0	0	848
1984	0	0	0	0	21	54	251	304	8	0	0	0	638
1985	0	0	0	0	26	21	218	68	6	0	0	0	339
1986	0	0	0	0	27	96	94	110	0	0	0	0	327
1987	0	0	0	6	37	150	192	53	22	0	0	0	460
1988	0	0	0	0	75	383	253	175	4	0	0	0	890
1989	0	0	0	5	9	68	338	202	22	0	0	0	644
1990	0	0	0	4	17	110	175	211	75	0	0	0	592
1991	0	0	0	0	25	68	182	282	40	0	0	0	597
1992	0	0	0	3	29	71	50	87	13	2	0	0	255
1993	0	0	0	0	8	28	22	58	2	0	0	0	118
1994	0	0	0	0	5	31	110	169	27	0	0	0	342
1995	0	0	0	0	3	137	137	183	22	0	0	0	482
1996	0	0	0	0	0	89	137	215	7	0	0	0	448
1997	0	0	0	0	9	164	157	157	22	10	0	0	519
1998	0	0	0	0	6	20	223	257	108	0	0	0	614
1999	0	0	0	0	3	40	129	162	0	0	0	0	334
2000	0	0	0	0	3	24	240	181	28	0	0	0	476
2001	0	0	0	5	11	48	207	203	38	0	0	0	512
2002	0	0	0	0	15	84	269	83	29	0	0	0	480
2003	0	0	0	0	16	46	241	322	46	0	0	0	671
2004	0	0	0	0	0	16	164	57	34	0	0	0	271
2005	0	0	0	1	1	76	207	122	50	7	0	0	464
2006	0	0	0	0	26	52	313	185	9	0	0	0	585
2007	0	0	0	0	8	71	353	147	37	0	0	0	616
2008	0	0	0	0	3	30	211	192	6	1	0	0	443
2009	0	0	0	0	2	53	80	83	78	0	0	0	296
2010	0	0	0	0	11	62	152	158	5	0	0	0	388
2011	0	0	0	0	0	32	207	177	26	10	0	0	452

SNOWFALL (inches) 2011 WILLISTON (KISN)

YEAR	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	TOTAL
1981-82	0.0	0.0	0.0	0.3	4.6	5.7	24.3	8.2	17.0	9.8	0.5	0.0	70.4
1982-83	0.0	0.0	T	T	0.8	13.4	1.7	1.6	9.2	0.1	15.5	0.0	42.3
1983-84	0.0	0.0	1.0	T	6.0	9.2	7.2	0.5	7.9	13.5	0.3	0.0	45.6
1984-85	0.0	0.0	4.0	4.5	3.5	6.5	1.8	3.1	11.4	1.5	0.0	0.0	36.3
1985-86	0.0	0.0	0.1	14.2	11.3	9.2	3.6	8.7	4.4	17.6	T	0.0	69.1
1986-87	0.0	0.0	0.0	T	13.4	1.2	4.2	1.8	14.2	0.4	0.0	0.0	35.2
1987-88	0.0	0.0	0.0	0.2	T	1.2	8.9	3.4	3.7	T	0.0	0.0	17.4
1988-89	0.0	0.0	0.0	T	4.2	13.3	22.8	6.2	1.8	1.3	0.0	T	49.6
1989-90	T	0.0	T	2.2	4.6	5.5	6.0	0.8	4.3	2.4	2.1	T	27.9
1990-91	T	T	0.0	T	1.6	8.7	4.4	5.2	7.2	1.8	2.7	T	31.6
1991-92	T	T	T	5.3	3.3	2.7	6.3	2.2	0.9	3.5	0.0	0.0	24.2
1992-93	0.0	T	0.0	3.8	8.5	10.7	7.3	4.1	2.6	T	0.0	0.0	37.0
1993-94	T	T	T	0.4	16.4	5.2	21.6	21.7	2.4	4.5	0.0	T	72.2
1994-95	0.0	0.0	0.0	T	3.6	14.0	16.1	2.6	9.0	1.9	0.1	0.0	47.3
1995-96	T	0.0	T	0.2	8.2	15.6	18.0	3.7	16.5	1.3	T	0.0	63.5
1996-97	0.0	0.0	0.0	5.8	15.6	19.8	3.2	2.6	12.3	0.5	T	0.0	59.8
1997-98	0.0	0.0	0.0	0.3	4.7	0.1	7.1	20.3	4.8	0.2	0.1	T	37.6
1998-99	0.0	T	0.0	T	15.3	11.3	28.3	4.7	4.2	4.2	4.2	0.0	72.2
1999-00	T	0.0	0.0	0.1	0.1	3.6	8.1	5.7	6.2	11.3	0.2	0.0	35.3
2000-01	0.0	0.0	T	0.4	21.2	7.5	4.8	1.7	0.4	9.1	0.0	0.0	45.1
2001-02	0.0	0.0	0.0	1.7	0.6	6.8	4.8	6.6	15.1	2.8	11.2	0.0	49.6
2002-03	0.0	0.0	0.0	7.5	2.8	6.6	7.3	8.9	7.7	13.5	T	0.0	54.3
2003-04	0.0	0.0	0.0	7.0	9.7	12.3	25.4	3.3	2.7	2.8	1.0	0.0	64.2
2004-05	0.0	0.0	0.0	0.2	0.3	13.0	14.8	0.2	6.6	T	0.5	0.0	35.6
2005-06	0.0	0.0	0.0	5.3	4.9	3.2	3.3	2.9	4.0	2.3	T	0.0	25.9
2006-07	0.0	0.0	0.0	5.2	3.7	5.3	2.1	12.7	2.5	2.5	T	T	34.0
2007-08	0.0	0.0	0.0	0.0	1.0	2.1	4.0	4.2	3.6	T	T	T	14.9
2008-09	0.0	0.0	0.0	8.4	0.2	32.0	10.8	16.7	1.1	0.8	T	T	70.0
2009-10	T	0.0	0.0	1.5	T	8.7	15.5	4.2	1.0	T	0.4	0.0	31.3
2010-	0.0	T	0.0	4.1	15.1	35.3							
POR= 49 YRS	T	T	0.2	2.1	5.4	8.8	8.7	5.6	6.3	4.3	0.9	T	42.3

WBAN : 94014

REFERENCE NOTES :

<p>PAGE 1: THE TEMPERATURE GRAPH SHOWS NORMAL MAXIMUM AND NORMAL MINIMUM DAILY TEMPERATURES (SOLID CURVES) AND THE ACTUAL DAILY HIGH AND LOW TEMPERATURES (VERTICAL BARS).</p> <p>PAGE 2 AND 3: H/C INDICATES HEATING AND COOLING DEGREE DAYS. RH INDICATES RELATIVE HUMIDITY W/O INDICATES WEATHER AND OBSTRUCTIONS S INDICATES SUNSHINE. PR INDICATES PRESSURE. CLOUDINESS ON PAGE 3 IS THE SUM OF THE CEILOMETER AND SATELLITE DATA NOT TO EXCEED EIGHT EIGHTHS(OKTAS).</p> <p>GENERAL: T INDICATES TRACE PRECIPITATION, AN AMOUNT GREATER THAN ZERO BUT LESS THAN THE LOWEST REPORTABLE VALUE. + INDICATES THE VALUE ALSO OCCURS ON EARLIER DATES. BLANK ENTRIES DENOTE MISSING OR UNREPORTED DATA. NORMALS ARE 30-YEAR AVERAGES (1971 - 2000). ASOS INDICATES AUTOMATED SURFACE OBSERVING SYSTEM. PM INDICATES THE LAST DAY OF THE PREVIOUS MONTH. POR (PERIOD OF RECORD) BEGINS WITH THE JANUARY DATA MONTH AND IS THE NUMBER OF YEARS USED TO COMPUTE THE MEAN. INDIVIDUAL MONTHS WITHIN THE POR MAY BE MISSING. WHEN THE POR FOR A NORMAL IS LESS THAN 30 YEARS, THE NORMAL IS PROVISIONAL AND IS BASED ON THE NUMBER OF YEARS INDICATED. 0.* OR * INDICATES THE VALUE OR MEAN-DAYS-WITH IS BETWEEN 0.00 AND 0.05. CLOUDINESS FOR ASOS STATIONS DIFFERS FROM THE NON-ASOS OBSERVATION TAKEN BY A HUMAN OBSERVER. ASOS STATION CLOUDINESS IS BASED ON TIME-AVERAGED CEILOMETER DATA FOR CLOUDS AT OR BELOW 12,000 FEET AND ON SATELLITE DATA FOR CLOUDS ABOVE 12,000 FEET. THE NUMBER OF DAYS WITH CLEAR, PARTLY CLOUDY, AND CLOUDY CONDITIONS FOR ASOS STATIONS IS THE SUM OF THE CEILOMETER AND SATELLITE DATA FOR THE SUNRISE TO SUNSET PERIOD. CLEAR INDICATES 0 - 2 OKTAS, PARTLY CLOUDY INDICATES 3 - 6 OKTAS, AND CLOUDY INDICATES 7 OR 8 OKTAS. WHEN AT LEAST ONE OF THE ELEMENTS (CEILOMETER OR SATELLITE) IS MISSING, THE DAILY CLOUDINESS IS NOT COMPUTED.</p>	<p>GENERAL CONTINUED: WIND DIRECTION IS RECORDED IN TENS OF DEGREES (2 DIGITS) CLOCKWISE FROM TRUE NORTH. "00" INDICATES CALM. "36" INDICATES TRUE NORTH. RESULTANT WIND IS THE VECTOR AVERAGE OF THE SPEED AND DIRECTION. AVERAGE TEMPERATURE IS THE SUM OF THE MEAN DAILY MAXIMUM AND MINIMUM TEMPERATURE DIVIDED BY 2. SNOWFALL DATA COMPRISE ALL FORMS OF FROZEN PRECIPITATION, INCLUDING HAIL. A HEATING (COOLING) DEGREE DAY IS THE DIFFERENCE BETWEEN THE AVERAGE DAILY TEMPERATURE AND 65 F. DRY BULB IS THE TEMPERATURE OF THE AMBIENT AIR. DEW POINT IS THE TEMPERATURE TO WHICH THE AIR MUST BE COOLED TO ACHIEVE 100 PERCENT RELATIVE HUMIDITY. WET BULB IS THE TEMPERATURE THE AIR WOULD HAVE IF THE MOISTURE CONTENT WAS INCREASED TO 100 PERCENT RELATIVE HUMIDITY. ON JULY 1, 1996, THE NATIONAL WEATHER SERVICE BEGAN USING THE "METAR" OBSERVATION CODE THAT WAS ALREADY EMPLOYED BY MOST OTHER NATIONS OF THE WORLD. THE MOST NOTICEABLE DIFFERENCE IN THIS ANNUAL PUBLICATION WILL BE THE CHANGE IN UNITS FROM TENTHS TO EIGHTS(OKTAS) FOR REPORTING THE AMOUNT OF SKY COVER. STATION HISTORY STOPPED WITH THE 2009 ANNUAL. IF YOU NEED HISTORY GO TO "MULTI-NETWORK MEDADATA SYSTEM", URL IS: https://mi3.ncdc.noaa.gov/mi3qry/login.cfm SNOWFALL STOPPED MONTH & YEAR INDICATED ABOVE. NO FURTHER YEARS INCLUDED UNLESS RESTARTED.</p> <p>NOTE: The "Period of Record:(POR) for all "averages" is based on the "Summary of the Day First Order Station" and "Cooperative Summary of the Day" archives.</p>
--	--

2011 WILLISTON NORTH DAKOTA (KISN)

Williston lies in a flat valley at the junction of the Missouri River and Little Muddy Creek. The surrounding country is rolling. Hills to the east are highest, ranging from 250 to 300 feet in height at a distance of 5 to 7 miles. Across the Missouri River to the south, the bluffs are about 225 feet high at 4 miles distance.

Great extremes of temperatures are encountered, winters being cold, while summer days are usually warm. In winter, temperatures below zero are common and lows of -50 degrees have been recorded. When temperatures are lowest, however, the air is generally dry, with little or no wind and the weather is fine and invigorating. At the other extreme, temperatures above 100 degrees have been reached in all months from May to September. The low humidity that generally prevails on the hottest summer days keeps them from becoming oppressive.

The climate of Williston and vicinity is continental, semi-arid, characterized by marked season changes. Winter is the relatively dry season, with only about 1/2 inch of monthly precipitation occurring from November to February. There is considerably less than the average amount of snowfall for similar locations in the United States. Ice crystals, which rarely yield more than a trace of precipitation, are common in the cold months. Although snow has been observed every month except July and August, there is usually very little from April to November. Accumulated winter snow remains unmelted on the ground until about March. Summer precipitation is variable from year to year. The amount of rain occurring during the growing period is the most important element of climate for agricultural interests in the vicinity of Williston. Generally, considerably more precipitation occurs in the spring and summer months than in winter, but even so, the rainfall is just adequate for successful farming operations in normal years. A series of dry years, in addition to causing failure of crops, may result in erosion of the fertile topsoil by winds.

The growing season averages 131 days. It has ranged from 94 to 172 days during the period of record.

Clear and partly cloudy skies, nearly equally distributed, occur about 70 percent of the time. Heavy fog occurs on the average about ten times a year. Because of the northern latitude of Williston, it enjoys long hours of daylight in the spring and summer. Relatively little cloudiness occurs then, so that the duration of sunshine averages about two-thirds of the possible amount. These conditions are conducive to rapid growth of vegetation, making successful agricultural pursuits possible in spite of the relatively short growing season.

Summer storms are generally in the form of thunderstorms or rain showers, occasionally accompanied by hail and squally winds. Tornadoes are rare in this area. In the winter, cold waves and occasionally blizzard conditions occur. Cold waves result when extremely cold air advances southward from northwestern Canada. In blizzard conditions the advancing cold wave is accompanied by winds of gale force and the air is filled with fine, wind-driven snow. In extreme instances in the country, it becomes impossible for persons to ascertain their bearings or to remain alive many hours without shelter in such storms.

Station History

WILLISTON, ND

NAME	Begin Date	End Date	Latitude	Longitude	Elevation Feet	Relocation	Platform
WILLISTON SLOULIN FIELD INTL AP	1973-01-01	1988-02-08	48° 10'	-103° 37'	1900		COOP, WXSVC
WILLISTON SLOULIN FIELD INTL AP	1964-07-01	1973-01-01	48° 10'	-103° 37'	1900		AIRWAYS, COOP
WILLISTON MUNICIPAL AP SLOULIN FIELD	1962-01-19	1964-07-01	48° 10'	-103° 37'	1900		AIRWAYS, COOP
WILLISTON MUNICIPAL AP SLOULIN FIELD	1954-09-15	1962-01-19	48° 10'	-103° 37'	1895		AIRWAYS
WILLISTON SLOULIN FIELD INTL AP	1988-02-08	1996-04-01	48° 10'	-103° 37'	1899		COOP, WXSVC
WILLISTON SLOULIN FIELD INTL AP	2005-07-05	Present	48° 10'	-103° 38'	1902		ASOS, COOP, WXSVC
WILLISTON SLOULIN FIELD INTL AP	1996-04-01	2005-07-05	48° 10'	-103° 38'	1902		ASOS, COOP, WXSVC

Element History

Element	Begin Date	End Date	Frequency	Time Of Observation	Equipment *	Equipment * Modifications	Equipment Exposure
PRECIP	1982-01-01	1988-02-08	DAILY	2400	UNIV	RCRD	
PRECIP	2010-10-01	Present	HOURLY	2400	TB	SHLD;RCRD	
PRECIP	2010-10-01	Present	DAILY	2400	PCPN1		
PRECIP	1995-07-01	1996-04-01	DAILY	2400	SRG		
PRECIP	1995-07-01	1996-04-01	HOURLY	2400	UNIV	RCRD	
PRECIP	2005-07-05	2010-10-01	HOURLY	2400	TB	RCRD	
TEMP	1982-01-01	1988-02-08	DAILY	2400	TEMPX		
PRECIP	1988-02-08	1995-07-01	DAILY	2400	SRG		
PRECIP	1996-04-01	2005-07-05	HOURLY	2400	TB	RCRD	
TEMP	2010-10-01	Present	DAILY	2400	HYGR		
TEMP	1988-02-08	1995-07-01	DAILY	2400	HYGR		
PRECIP	2005-07-05	2010-10-01	DAILY	2400	PCPN1		
PRECIP	1982-01-01	1988-02-08	HOURLY	2400			
TEMP	2005-07-05	2010-10-01	DAILY	2400	HYGR		
TEMP	1962-01-19	1982-01-01	DAILY	2400	TEMPX		
TEMP	1995-07-01	1996-04-01	DAILY	2400	HYGR		
PRECIP	1988-02-08	1995-07-01	HOURLY	2400			
PRECIP	1996-04-01	2005-07-05	DAILY	2400			
PRECIP	1962-01-19	1982-01-01	DAILY	2400	UNIV	RCRD	
TEMP	1996-04-01	2005-07-05	DAILY	2400	HYGR		

* For explanation of codes and abbreviations see Station Metadata link below.

Other Station Information can be found at:

ASOS Implementation by NWS: <http://www.nws.noaa.gov/ops2/Surface/asosimplementation.htm>

Station Metadata website: <http://www.ncdc.noaa.gov/homr>

INQUIRES/COMMENTS CALL: (828) 271-4800, option 2

Fax Number : (828) 271-4876

TDD : (828) 271-4010

Email : ncdc.info@noaa.gov

NOAA/National Climatic Data Center

Attn: User Engagement & Services Branch

151 Patton Avenue

Asheville, NC 28801-5001

Visit our Web Site for other weather data: www.ncdc.noaa.gov