





# 2011 LOCAL CLIMATOLOGICAL DATA ANNUAL SUMMARY WITH COMPARATIVE DATA

ISSN 0198-4357

## PAGO PAGO, AMERICAN SAMOA (NSTU) Daily Max/Min Temperature



## Daily Precipitation



I CERTIFY THAT THIS IS AN OFFICIAL PUBLICATION OF THE NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION, AND IS COMPILED FROM RECORDS ON FILE AT THE NATIONAL CLIMATIC DATA CENTER.

NATIONAL  
OCEANIC AND  
ATMOSPHERIC ADMINISTRATION

NATIONAL  
ENVIRONMENTAL SATELLITE, DATA  
AND INFORMATION SERVICE

NATIONAL  
CLIMATIC DATA CENTER  
ASHEVILLE, NORTH CAROLINA

*Thomas R. Karl*  
DIRECTOR  
NATIONAL CLIMATIC DATA CENTER

# METEOROLOGICAL DATA FOR 2011

## PAGO PAGO (NSTU)

LATITUDE: -14° 19'N      LONGITUDE: -170° 42'W      ELEVATION (FT): GRND: 12 BARO: 15      TIME ZONE: 165 W MER (UTC -11)      WBAN: 61705

ELEMENT		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	YEAR	
TEMPERATURE °F	MEAN DAILY MAXIMUM	85.7	84.9	86.9	87.4	86.1	85.5	85.8	84.9	86.3	86.5	85.5	86.6	86.0	
	HIGHEST DAILY MAXIMUM	89	89	89	90	88	87	88	87	89	89	89	89	90	
	DATE OF OCCURRENCE	12	28	05	14	23+	26+	03	21+	29+	13+	18+	23+	APR 14	
	MEAN DAILY MINIMUM	76.1	75.5	76.6	77.3	76.5	76.9	77.6	75.3	75.6	76.5	76.1	76.7	76.4	
	LOWEST DAILY MINIMUM	74	73	70	73	72	71	73	71	71	73	72	73	70	
	DATE OF OCCURRENCE	12+	16+	04	02	12	12	23	03	22+	06+	16	11+	MAR 04	
	AVERAGE DRY BULB	80.9	80.2	81.8	82.4	81.3	81.2	81.7	80.1	81.0	81.5	80.8	81.7	81.2	
	MEAN WET BULB	77.0	77.0	76.6	77.0	76.4	76.1	75.5	74.7	74.5					
	MEAN DEW POINT	75.3	75.6	74.6	74.8	74.3	73.9	72.9	72.2	71.6					
	NUMBER OF DAYS WITH:														
	MAXIMUM >= 90°	0	0	0	1	0	0	0	0	0	0	0	0	0	1
MAXIMUM <= 32°	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
MINIMUM <= 32°	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
MINIMUM <= 0°	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
H/C	HEATING DEGREE DAYS	0	0	0	0	0	0	0	0	0	0	0	0	0	
	COOLING DEGREE DAYS	500	432	525	527	515	496	527	476	484	521	485	524	6012	
RH	MEAN (PERCENT)	84	87	80	79	80	79	76	77	74				60	
	HOUR 01 LST	87	92	87	84	86	84	79	82	81				64	
	HOUR 07 LST	84	89	81	79	82	81	79	79	74				61	
	HOUR 13 LST	78	80	71	70	72	72	69	69	65				54	
	HOUR 19 LST	87	86	81	81	81	80	78	79	77				61	
S	PERCENT POSSIBLE SUNSHINE														
W/O	NUMBER OF DAYS WITH:														
	HEAVY FOG(VISBY <= 1/4 MI)	0	0	0	0	0	0	0	0	0					
	THUNDERSTORMS	2	1	3	2	0	2	0	0	0					
CLOUDINESS	SUNRISE-SUNSET: (OKTAS)														
	CEILOMETER (<= 12,000 FT.)														
	SATELLITE (> 12,000 FT.)														
	MIDNIGHT-MIDNIGHT: (OKTAS)														
	CEILOMETER (<= 12,000 FT.)														
SATELLITE (> 12,000 FT.)															
NUMBER OF DAYS WITH:															
CLEAR															
PARTLY CLOUDY															
CLOUDY															
PR	MEAN STATION PRESS. (IN.)	29.77	29.84	29.84	29.86	29.85	29.86	29.89	29.90	29.92					
	MEAN SEA-LEVEL PRESS. (IN.)	29.78		29.85	29.87	29.86	29.87	29.90	29.91	29.93					
WINDS	RESULTANT SPEED (MPH)	7.5	8.2	8.1	7.9	6.7	9.7	14.1	11.8	8.4					
	RES. DIR. (TENS OF DEGS.)	03	06	07	07	08	08	09	09	08					
	MEAN SPEED (MPH)	10.8	10.4	10.6	10.1	9.4	11.5	15.4	13.9	10.4					
	PREVAIL.DIR.(TENS OF DEGS.)	05	07	07	07	09	09	10	09	09					
	MAXIMUM 2-MINUTE WIND														
	SPEED (MPH)	41	32	28	31	30	25	32	29	23	28	25	23	41	
	DIR. (TENS OF DEGS.)	06	07	06	05	08	06	09	11	09	06	07	33	06	
	DATE OF OCCURRENCE	23	01	31	02	28	22	27	24	11	25	26	27	JAN 23	
	MAXIMUM 3-SECOND WIND:														
	SPEED (MPH)	59	40	43	38	43	40	36	37	29					
DIR. (TENS OF DEGS.)	09	09	05	05	09	36	09	09	09						
DATE OF OCCURRENCE	23	01	15	02	29	09	29	24	14						
PRECIPITATION	WATER EQUIVALENT:														
	TOTAL (IN.)	25.72	13.39	5.77	4.01	3.69	7.01	2.31	3.85	1.92	12.67	15.91	9.69	105.94	
	GREATEST 24-HOUR (IN.)	6.08	3.89	1.70	1.72	0.96	3.86	1.08	0.97	1.38	2.19	3.47	2.21	6.08	
	DATE OF OCCURRENCE	23-24	13	30-31	01-02	08-09	03-04	27-28	02	14-15	26-27	09	04	JAN 23-24	
	NUMBER OF DAYS WITH:														
PRECIPITATION 0.01	29	23	23	20	19	21	13	18	7	26	25	24	248		
PRECIPITATION 0.10	25	17	14	7	8	9	8	10	4	18	15	14	149		
PRECIPITATION 1.00	7	3	1	1	0	2	0	0	1	8	6	3	32		
SNOWFALL	SNOW,ICE PELLETS,HAIL														
	TOTAL (IN.)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0					
	GREATEST 24-HOUR (IN.)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0					
	DATE OF OCCURRENCE	0	0	0	0	0	0	0	0	0					
	NUMBER OF DAYS WITH:														
SNOWFALL >= 1.0		0	0	0	0	0	0	0	0						





**HEATING DEGREE DAYS (base 65°F) 2011 PAGO PAGO (NSTU)**

YEAR	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	TOTAL
1983-84	0	0	0	0	0	0	0	0	0	0	0	0	0
1984-85	0	0	0	0	0	0	0	0	0	0	0	0	0
1985-86	0	0	0	0	0	0	0	0	0	0	0	0	0
1986-87	0	0	0	0	0	0	0	0	0	0	0	0	0
1987-88	0	0	0	0	0	0	0	0	0	0	0	0	0
1988-89	0	0	0	0	0	0	0	0	0	0	0	0	0
1989-90	0	0	0	0	0	0	0	0	0	0	0	0	0
1990-91	0	0	0	0	0	0	0	0	0	0	0	0	0
1991-92	0	0	0	0	0	0	0	0	0	0	0	0	0
1992-93	0	0	0	0	0	0	0	0	0	0	0	0	0
1993-94	0	0	0	0	0	0	0	0	0	0	0	0	0
1994-95	0	0	0	0	0	0	0	0	0	0	0	0	0
1995-96	0	0	0	0	0	0	0	0	0	0	0	0	0
1996-97	0	0	0	0	0	0	0	0	0	0	0	0	0
1997-98	0	0	0	0	0	0	0	0	0	0	0	0	0
1998-99	0	0	0	0	0	0	0	0	0	0	0	0	0
1999-00	0	0	0	0	0	0	0	0	0	0	0	0	0
2000-01	0	0	0	0	0	0	0	0	0	0	0	0	0
2001-02	0	0	0	0	0	0	0	0	0	0	0	0	0
2002-03	0	0	0	0	0	0	0	0	0	0	0	0	0
2003-04	0	0	0	0	0	0	0	0	0	0	0	0	0
2004-05	0	0	0	0	0	0	0	0	0	0	0	0	0
2005-06	0	0	0	0	0	0	0	0	0	0	0	0	0
2006-07	0	0	0	0	0	0	0	0	0	0	0	0	0
2007-08	0	0	0	0	0	0	0	0	0	0	0	0	0
2008-09	0	0	0	0	0	0	0	0	0	0	0	0	0
2009-10	0	0	0	0	0	0	0	0	0	0	0	0	0
2010-11	0	0	0	0	0	0	0	0	0	0	0	0	0
2011-	0	0	0	0	0	0	0	0	0	0	0	0	0

WBAN : 61705

**COOLING DEGREE DAYS (base 65°F) 2011 PAGO PAGO (NSTU)**

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	TOTAL
1982	533	438	543	512	497	469	433	442	434	496	463	506	5766
1983	539	524	529	493	504	449	429	419	463	456	467	516	5788
1984	495	487	514	504	528	472	442	462	445	459	487	482	5777
1985	481	470	543	480	487	458	457	468	449	500	474	526	5793
1986	510	474	538	490	489	476	452	421	454	506	511	527	5848
1987	521	497	541	520	485	412	420	419	449	485	514	541	5804
1988	550	522	563	499	525	496	457	484	459	473	450	467	5945
1989	468	438	513	478	488	461	431	463	506	506	471	484	5707
1990	519	466	522	471	531	470	478	473	467	519	505	524	5945
1991	514	482	553	533	503	473	505	498	470	506	518	520	6075
1992	529	503	519	499	533	497	525	482	504	514	468	535	6108
1993	524	477	521	513	510	454	421	468	448	483	534	584	5937
1994	569	543	592	547	539	479	483	444	456	484	504	561	6201
1995	565	516	578	539	557	564	548	521	509	534	541	571	6543
1996	567	526	577	546	529	535	522	511	532	521	556	585	6507
1997	547	527	554	576	554	483	526	490	516	588	574	610	6545
1998	640	603	651	613	605	566	524	560	589	630	645	571	7197
1999	521	478	532	543	478	479	503	496	494	515	538	582	6159
2000	592	553	569	569	526	499	474	522	528	527	542	584	6485
2001	598	521	578	552	572	543	519	542	519	545	560	573	6622
2002	604	581	607	581	595	540	557	508	537	543	579	614	6846
2003	637	531	614	545	560	478	485	447	508	550	509	550	6414
2004	528	481	519	495	496	474	497	518	517	549	551	618	6243
2005	596	557	611	566	535	483	485	498	513	556	562	549	6511
2006	534	492	587	569	596	514	470	493	484	461	495	544	6239
2007	573	527	583	583	548	561	561	571	544	569	564	584	6768
2008	578	565	578	557	554	489	493	529	494	559	553	616	6565
2009	625	578	631	619	534	489	492	464	465	507	495	514	6413
2010	624	535	647	542	557	500	506	486	485	517	485	526	6410
2011	500	432	525	527	515	496	527	476	484	521	485	524	6012

**SNOWFALL (inches) 2011 PAGO PAGO (NSTU)**

YEAR	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	TOTAL
1981-82	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1982-83	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1983-84	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1984-85	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1985-86	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1986-87	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1987-88	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1988-89	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1989-90	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1990-91	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1991-92	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1992-93	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1993-94	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1994-95	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1995-96	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1996-97	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1997-98	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1998-99	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1999-00	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2000-01	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2001-02	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2002-03	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2003-04	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2004-05	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2005-06	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2006-07	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2007-08	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2008-09	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2009-10	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2010-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
POR= 45 YRS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

WBAN : 61705

**REFERENCE NOTES :**

<p>PAGE 1: THE TEMPERATURE GRAPH SHOWS NORMAL MAXIMUM AND NORMAL MINIMUM DAILY TEMPERATURES (SOLID CURVES) AND THE ACTUAL DAILY HIGH AND LOW TEMPERATURES (VERTICAL BARS).</p> <p>PAGE 2 AND 3: H/C INDICATES HEATING AND COOLING DEGREE DAYS. RH INDICATES RELATIVE HUMIDITY W/O INDICATES WEATHER AND OBSTRUCTIONS S INDICATES SUNSHINE. PR INDICATES PRESSURE. CLOUDINESS ON PAGE 3 IS THE SUM OF THE CEILOMETER AND SATELLITE DATA NOT TO EXCEED EIGHT EIGHTHS(OKTAS).</p> <p>GENERAL: T INDICATES TRACE PRECIPITATION, AN AMOUNT GREATER THAN ZERO BUT LESS THAN THE LOWEST REPORTABLE VALUE. + INDICATES THE VALUE ALSO OCCURS ON EARLIER DATES. BLANK ENTRIES DENOTE MISSING OR UNREPORTED DATA. NORMALS ARE 30-YEAR AVERAGES (1971 - 2000). ASOS INDICATES AUTOMATED SURFACE OBSERVING SYSTEM. PM INDICATES THE LAST DAY OF THE PREVIOUS MONTH. POR (PERIOD OF RECORD) BEGINS WITH THE JANUARY DATA MONTH AND IS THE NUMBER OF YEARS USED TO COMPUTE THE MEAN. INDIVIDUAL MONTHS WITHIN THE POR MAY BE MISSING. WHEN THE POR FOR A NORMAL IS LESS THAN 30 YEARS, THE NORMAL IS PROVISIONAL AND IS BASED ON THE NUMBER OF YEARS INDICATED. 0.* OR * INDICATES THE VALUE OR MEAN-DAYS-WITH IS BETWEEN 0.00 AND 0.05. CLOUDINESS FOR ASOS STATIONS DIFFERS FROM THE NON-ASOS OBSERVATION TAKEN BY A HUMAN OBSERVER. ASOS STATION CLOUDINESS IS BASED ON TIME-AVERAGED CEILOMETER DATA FOR CLOUDS AT OR BELOW 12,000 FEET AND ON SATELLITE DATA FOR CLOUDS ABOVE 12,000 FEET. THE NUMBER OF DAYS WITH CLEAR, PARTLY CLOUDY, AND CLOUDY CONDITIONS FOR ASOS STATIONS IS THE SUM OF THE CEILOMETER AND SATELLITE DATA FOR THE SUNRISE TO SUNSET PERIOD. CLEAR INDICATES 0 - 2 OKTAS, PARTLY CLOUDY INDICATES 3 - 6 OKTAS, AND CLOUDY INDICATES 7 OR 8 OKTAS. WHEN AT LEAST ONE OF THE ELEMENTS (CEILOMETER OR SATELLITE) IS MISSING, THE DAILY CLOUDINESS IS NOT COMPUTED.</p>	<p>GENERAL CONTINUED: WIND DIRECTION IS RECORDED IN TENS OF DEGREES (2 DIGITS) CLOCKWISE FROM TRUE NORTH. "00" INDICATES CALM. "36" INDICATES TRUE NORTH. RESULTANT WIND IS THE VECTOR AVERAGE OF THE SPEED AND DIRECTION. AVERAGE TEMPERATURE IS THE SUM OF THE MEAN DAILY MAXIMUM AND MINIMUM TEMPERATURE DIVIDED BY 2. SNOWFALL DATA COMPRISE ALL FORMS OF FROZEN PRECIPITATION, INCLUDING HAIL. A HEATING (COOLING) DEGREE DAY IS THE DIFFERENCE BETWEEN THE AVERAGE DAILY TEMPERATURE AND 65 F. DRY BULB IS THE TEMPERATURE OF THE AMBIENT AIR. DEW POINT IS THE TEMPERATURE TO WHICH THE AIR MUST BE COOLED TO ACHIEVE 100 PERCENT RELATIVE HUMIDITY. WET BULB IS THE TEMPERATURE THE AIR WOULD HAVE IF THE MOISTURE CONTENT WAS INCREASED TO 100 PERCENT RELATIVE HUMIDITY. ON JULY 1, 1996, THE NATIONAL WEATHER SERVICE BEGAN USING THE "METAR" OBSERVATION CODE THAT WAS ALREADY EMPLOYED BY MOST OTHER NATIONS OF THE WORLD. THE MOST NOTICEABLE DIFFERENCE IN THIS ANNUAL PUBLICATION WILL BE THE CHANGE IN UNITS FROM TENTHS TO EIGHTS(OKTAS) FOR REPORTING THE AMOUNT OF SKY COVER. STATION HISTORY STOPPED WITH THE 2009 ANNUAL. IF YOU NEED HISTORY GO TO "MULTI-NETWORK MEDADATA SYSTEM", URL IS: <a href="https://mi3.ncdc.noaa.gov/mi3qry/login.cfm">https://mi3.ncdc.noaa.gov/mi3qry/login.cfm</a> SNOWFALL STOPPED MONTH &amp; YEAR INDICATED ABOVE. NO FURTHER YEARS INCLUDED UNLESS RESTARTED.</p> <p><b>NOTE:</b> The "Period of Record:(POR) for all "averages" is based on the "Summary of the Day First Order Station" and "Cooperative Summary of the Day" archives.</p>
--	--

# 2011 PAGO PAGO AMERICAN SAMOA (NSTU)

Pago Pago Airport is located on the southeastern coast of the island of Tutuila in the American Samoa group, approximately 2,600 miles south-southwest of Hawaii, 1,600 miles north-northeast of New Zealand, and 4,500 miles southwest of California. Tutuila is a long, narrow island lying southwest-northeast, with a land area of 76 square miles, a greatest length of just over 20 miles, and a width ranging from 1 to 2 miles in the eastern half and from 2 to 5 miles in the western. It is volcanic in origin, extremely mountainous, and nearly surrounded by a coral reef. The principal ridge extends the length of the island, reaching a maximum height of 2,141 feet, at Matafao peak, near the central portion of the long axis. Vegetation is moderately dense, with many coconut, banana, and other tropical fruit trees, grass, and low-growing brush. The orientation of Tutuila is such that winds from the east-northeast clockwise to south approach Pago Pago Airport directly from the ocean without being deflected by the terrain, while winds from other directions may be considerably disturbed by topography.

Samoa has a maritime climate with abundant rain and warm, humid days and nights. Rainfall, usually falling as showers, is about 125 inches a year at the airport, but varies greatly over small distances because of topography. Thus, Pago Pago, less than 4 miles north of the airport and at the head of a hill-encircled harbor open to the prevailing wind, receives nearly 200 inches a year. The crest of the range receives well above 250 inches. In most years, the airport records about 300 days with a trace or more of rain and about 175 with .1 inch or more.

The driest months are June through September (southern winter) and the wettest, December through March (southern summer). However, the seasonal rainfall may vary widely in individual years, and heavy showers and long rainy periods can occur in any month. Flooding rains are not unknown. Some of these have been associated with hurricanes and tropical storms, but they have occurred at other times as well.

June, July and August are the coolest months and January, February, and March, the warmest. Afternoon temperatures ordinarily reach the upper 80s in summer and the mid 80s in winter, while nighttime temperatures fall to the mid 70s in the summer and low 70s in winter. The highest temperatures recorded at the airport are in the low 90s and lowest near 60.

The prevailing winds throughout the year are the easterly trades. These tend to be more directly from the east in December through March, but predominantly from east-southeast and southeast during the rest of the year. The trade winds are also less prevalent in summer than in winter. As the foregoing suggests, the trades are interrupted more often in summer than in winter. These interruptions are sometimes associated with the proximity of small tropical storms, of bands of converging winds, or of low pressure systems higher in the atmosphere, all of which help make summer the rainy season. At other times, the absence of the trades is marked by periods of light and variable winds and by land and sea breezes. Westerly to northerly winds, in particular, are more frequent then. These are strong at times, but are often quite light, and may then reflect the nighttime drainage of cooled air from the mountains west and north of the airport.

Thunderstorms are less frequent than might be expected, considering the moistness and instability of the tropical air mass which usually overlies Samoa.

# Station History

PAGO PAGO, AQ

NAME	Begin Date	End Date	Latitude	Longitude	Elevation Feet	Relocation	Platform
PAGO PAGO WSO AP	2007-10-02	Present	-14° 19'	-170° 42'	12		COOP
PAGO PAGO WSO AP	1966-04-01	2004-04-01	-14° 19'	-170° 43'	10		COOP
PAGO PAGO WSO AP	2004-04-01	2007-10-02	-14° 19'	-170° 42'	12	230 FT N	COOP

# Element History

Element	Begin Date	End Date	Frequency	Time Of Observation	Equipment *	Equipment * Modifications	Equipment Exposure
TEMP	1985-10-04	2003-04-01	DAILY	2400			
EVAP	2003-04-01	Present	DAILY	1900	HYGR		
PRECIP	1985-10-04	2003-04-01	DAILY	2400	TB	RCRD	
TEMP	1966-04-01	1985-10-04	DAILY	2400			
TEMP	2003-04-01	Present	DAILY	2400	HYGR		
EVAP	1966-04-01	1985-10-04	DAILY	1900	HYGR		
PRECIP	1985-10-04	2003-04-01	HOURLY	2400	TB	RCRD	
PRECIP	2003-04-01	Present	DAILY	2400	TB	RCRD	
PRECIP	1966-04-01	1985-10-04	DAILY	2400	TB	RCRD	
EVAP	1985-10-04	2003-04-01	DAILY	1900	HYGR		
PRECIP	2003-04-01	Present	HOURLY	2400	TB	RCRD	

\* For explanation of codes and abbreviations see Station Metadata link below.

Other Station Information can be found at:

ASOS Implementation by NWS: <http://www.nws.noaa.gov/ops2/Surface/asosimplementation.htm>

Station Metadata website: <http://www.ncdc.noaa.gov/homr>

INQUIRES/COMMENTS CALL: (828) 271-4800, option 2

Fax Number : (828) 271-4876

TDD : (828) 271-4010

Email : [ncdc.info@noaa.gov](mailto:ncdc.info@noaa.gov)

NOAA/National Climatic Data Center

Attn: User Engagement & Services Branch

151 Patton Avenue

Asheville, NC 28801-5001

Visit our Web Site for other weather data: [www.ncdc.noaa.gov](http://www.ncdc.noaa.gov)