




2011 LOCAL CLIMATOLOGICAL DATA ANNUAL SUMMARY WITH COMPARATIVE DATA


**SAN ANTONIO,
TEXAS (KSAT)**

ISSN 0198-5183


Daily Max/Min Temperature



Daily Precipitation



Daily Station Pressure



I CERTIFY THAT THIS IS AN OFFICIAL PUBLICATION OF THE NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION, AND IS COMPILED FROM RECORDS ON FILE AT THE NATIONAL CLIMATIC DATA CENTER.

NATIONAL
OCEANIC AND
ATMOSPHERIC ADMINISTRATION

NATIONAL
ENVIRONMENTAL SATELLITE, DATA
AND INFORMATION SERVICE

NATIONAL
CLIMATIC DATA CENTER
ASHEVILLE, NORTH CAROLINA

Thomas R. Karl
DIRECTOR
NATIONAL CLIMATIC DATA CENTER

METEOROLOGICAL DATA FOR 2011

SAN ANTONIO (KSAT)

LATITUDE: 29° 32'N LONGITUDE: -98° 29'W ELEVATION (FT): GRND: 789 BARO: 821 TIME ZONE: CENTRAL (UTC -6) WBAN: 12921

ELEMENT		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	YEAR	
TEMPERATURE °F	MEAN DAILY MAXIMUM	61.4	68.3	78.5	87.9	89.7	97.6	98.7	101.5	96.2	83.0	74.8	63.1	83.4	
	HIGHEST DAILY MAXIMUM	80	88	86	96	100	104	101	110	103	93	85	79	110	
	DATE OF OCCURRENCE	30	27	26+	26	27+	18+	27+	28	03	07	20+	01	AUG 28	
	MEAN DAILY MINIMUM	39.6	42.6	55.2	63.4	67.5	74.8	77.0	78.5	69.5	59.0	51.0	44.6	60.2	
	LOWEST DAILY MINIMUM	27	19	33	40	47	68	75	73	59	40	31	27	19	
	DATE OF OCCURRENCE	21	02	06	05	03	22+	19+	26	07+	29	28	07	FEB 02	
	AVERAGE DRY BULB	50.5	55.5	66.9	75.7	78.6	86.2	87.9	90.0	82.9	71.0	62.9	53.9	71.8	
	MEAN WET BULB	44.5	47.6	58.7	64.8	67.7	73.2	74.5	73.9	67.0	61.5	55.1	48.5	61.4	
	MEAN DEW POINT	36.8	39.7	52.5	56.6	61.6	67.4	68.7	66.8	56.7	54.5	47.3	43.3	54.3	
	NUMBER OF DAYS WITH:														
	MAXIMUM >= 90°	0	0	0	14	20	29	31	31	28	2	0	0	0	155
	MAXIMUM <= 32°	0	2	0	0	0	0	0	0	0	0	0	0	0	2
	MINIMUM <= 32°	3	12	0	0	0	0	0	0	0	0	2	3	0	20
MINIMUM <= 0°	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
H/C	HEATING DEGREE DAYS	443	323	66	8	13	0	0	0	0	33	152	349	1387	
	COOLING DEGREE DAYS	2	62	133	336	443	644	715	780	543	229	97	10	3994	
RH	MEAN (PERCENT)	64	63	66	59	62	59	59	52	47	60	62	72	60	
	HOUR 00 LST	72	71	78	73	74	72	69	61	52	72	72	80	71	
	HOUR 06 LST	76	77	82	77	80	84	85	78	69	80	79	82	79	
	HOUR 12 LST	54	58	56	46	48	46	46	40	36	48	51	64	49	
	HOUR 18 LST	53	44	45	39	44	36	37	28	29	43	47	63	42	
S	PERCENT POSSIBLE SUNSHINE														
W/O	NUMBER OF DAYS WITH:														
	HEAVY FOG(VISBY <= 1/4 MI)	1	0	1	0	0	0	0	0	1	0	1	1	5	
	THUNDERSTORMS	2	0	0	0	1	2	2	1	5	2	2	4	21	
CLOUDINESS	SUNRISE-SUNSET: (OKTAS)														
	CEILOMETER (<= 12,000 FT.)														
	SATELLITE (> 12,000 FT.)														
	MIDNIGHT-MIDNIGHT: (OKTAS)														
	CEILOMETER (<= 12,000 FT.)														
SATELLITE (> 12,000 FT.)															
NUMBER OF DAYS WITH:															
CLEAR															
PARTLY CLOUDY															
CLOUDY															
PR	MEAN STATION PRESS. (IN.)	28.40	29.21	29.14	28.99	29.02	29.05	29.08	29.04	29.09	29.17	29.21	29.28	29.06	
	MEAN SEA-LEVEL PRESS. (IN.)	30.06	30.05	29.97	29.81	29.83	29.85	29.88	29.85	29.91	29.99	30.04	30.13	29.95	
WINDS	RESULTANT SPEED (MPH)	1.8	1.1	5.7	7.6	8.5	10.2	8.8	8.1	1.3	2.5	1.4	2.7	4.3	
	RES. DIR. (TENS OF DEGS.)	03	14	14	15	14	16	16	16	10	13	13	03	15	
	MEAN SPEED (MPH)	6.3	9.8	9.9	11.5	12.1	11.3	10.0	9.3	7.3	7.6	8.4	8.1	9.3	
	PREVAIL.DIR.(TENS OF DEGS.)	01	16	16	15	14	16	16	15	14	15	15	02	16	
	MAXIMUM 2-MINUTE WIND														
	SPEED (MPH)	33	37	31	31	32	31	36	26	33	35	32	26	37	
	DIR. (TENS OF DEGS.)	34	32	35	35	17	14	16	14	36	35	32	16	32	
	DATE OF OCCURRENCE	20	01	05	04	12	19	10	22	18	18	27	19	FEB 01	
	MAXIMUM 3-SECOND WIND:														
	SPEED (MPH)	41	49	44	43	44	39	43	32	46	48	44	36	49	
DIR. (TENS OF DEGS.)	33	31	35	35	29	01	15	16	01	34	32	16	31		
DATE OF OCCURRENCE	20	01	05	04	12	22	10	08	18	18	27	19	FEB 01		
PRECIPITATION	WATER EQUIVALENT:														
	TOTAL (IN.)	2.66	0.49	0.01	0.03	0.84	1.58	0.96	0.15	2.93	3.28	1.81	2.84	17.58	
	GREATEST 24-HOUR (IN.)	1.50	0.20	0.01	0.02	0.84	1.58	0.85	0.15	1.12	3.12	1.08	0.69	3.12	
	DATE OF OCCURRENCE	08-09	01	05	11	12	22	19	25	16	08-09	26	21-22	OCT 08-09	
	NUMBER OF DAYS WITH:														
	PRECIPITATION 0.01	7	9	1	2	1	1	4	1	4	3	5	16	54	
PRECIPITATION 0.10	5	2	0	0	1	1	1	1	4	2	3	10	30		
PRECIPITATION 1.00	1	0	0	0	0	1	0	0	2	1	1	0	6		
SNOWFALL	SNOW,ICE PELLETS,HAIL														
	TOTAL (IN.)	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	
	GREATEST 24-HOUR (IN.)	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	
	DATE OF OCCURRENCE		04											FEB 04	
	MAXIMUM SNOW DEPTH (IN.)	0	0	0	0	0	0	0	0	0	0	0	0	0	
	DATE OF OCCURRENCE														
NUMBER OF DAYS WITH:															
SNOWFALL >= 1.0	0	0	0	0	0	0	0	0	0	0	0	0	0		

NORMALS, MEANS, AND EXTREMES SAN ANTONIO (KSAT)

LATITUDE: 29° 32'N **LONGITUDE:** -98° 29'W **ELEVATION (FT):** GRND: 789 BARO: 821 **TIME ZONE:** CENTRAL (UTC -6) **WBAN: 12921**

	ELEMENT	POR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	YEAR	
TEMPERATURE °F	NORMAL DAILY MAXIMUM	30	62.1	67.1	74.3	80.4	86.0	91.4	94.6	94.7	90.0	82.0	71.4	64.0	79.8	
	MEAN DAILY MAXIMUM	65	62.2	66.4	73.6	80.5	86.4	92.1	94.9	95.4	89.9	82.1	71.5	64.5	80.0	
	HIGHEST DAILY MAXIMUM	70	89	100	100	101	104	107	106	110	111	99	94	90	111	
	YEAR OF OCCURRENCE		1971	1996	1991	1996	2004	1998	1989	2011	2000	1991	1988	1955	SEP 2000	
	MEAN OF EXTREME MAXS.	65	79.9	83.6	88.2	91.7	94.8	98.0	99.8	100.7	97.6	92.1	85.2	80.2	91.0	
	NORMAL DAILY MINIMUM	30	38.6	42.4	49.9	56.9	65.5	71.6	74.0	73.6	68.8	59.4	48.6	40.8	57.5	
	MEAN DAILY MINIMUM	65	39.8	43.3	50.3	58.4	66.2	72.2	74.5	74.1	69.2	59.6	48.9	41.7	58.2	
	LOWEST DAILY MINIMUM	70	0	6	19	31	43	53	62	61	41	27	21	6	0	
	YEAR OF OCCURRENCE		1949	1951	2002	1987	1984	1964	1967	1992	1942	1993	1976	1989	JAN 1949	
	MEAN OF EXTREME MINS.	65	22.8	26.4	31.4	40.7	52.4	62.9	69.0	67.8	56.0	42.1	31.2	25.0	44.0	
	NORMAL DRY BULB	30	50.3	54.7	62.1	68.6	75.8	81.5	84.3	84.2	79.4	70.7	60.0	52.4	68.7	
	MEAN DRY BULB	65	51.0	54.8	61.9	69.5	76.4	82.2	84.7	84.8	79.5	70.9	60.2	53.1	69.1	
	MEAN WET BULB	28	44.2	47.6	53.6	60.1	67.6	72.0	73.1	72.8	68.8	61.9	53.2	46.0	60.1	
	MEAN DEW POINT	28	40.8	44.2	50.0	56.9	65.5	70.0	70.5	70.2	66.2	59.3	50.3	42.4	57.2	
	NORMAL NO. DAYS WITH: MAXIMUM >= 90	30	0.0	0.3	0.9	2.2	8.3	20.6	27.7	28.0	18.4	4.9	0.1	0.0	111.4	
	MAXIMUM <= 32	30	0.2	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.7	
	MINIMUM <= 32	30	7.8	4.6	1.5	*	0.0	0.0	0.0	0.0	0.0	*	1.9	6.2	22.0	
MINIMUM <= 0	30	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
H/C	NORMAL HEATING DEG. DAYS	30	455	303	149	42	1	0	0	0	2	33	197	391	1573	
	NORMAL COOLING DEG. DAYS	30	7	19	68	161	344	505	607	601	439	215	57	15	3038	
RH	NORMAL (PERCENT)	30	67	66	65	65	71	70	65	64	66	68	69	68	67	
	HOURLY 00 LST	30	75	74	73	75	81	81	75	75	77	78	79	76	77	
	HOURLY 06 LST	30	80	80	81	82	88	88	87	87	86	85	83	81	84	
	HOURLY 12 LST	30	57	56	54	55	61	59	53	52	54	55	57	57	56	
	HOURLY 18 LST	30	55	50	48	49	55	53	46	46	51	53	58	56	52	
S	PERCENT POSSIBLE SUNSHINE	53	47	50	57	56	56	67	74	74	67	64	54	48	60	
W/O	MEAN NO. DAYS WITH: HEAVY FOG(VISBY <= 1/4 MI)	48	4.1	2.4	2.0	1.1	0.6	0.1	0.1	0.0	0.2	1.1	2.6	3.7	18.0	
	THUNDERSTORMS	64	0.9	1.5	2.6	3.9	6.2	4.8	3.8	4.1	4.0	2.8	1.6	1.1	37.3	
CLOUDINESS	MEAN: SUNRISE-SUNSET (OKTAS)															
	MIDNIGHT-MIDNIGHT (OKTAS)															
	MEAN NO. DAYS WITH: CLEAR	1	4.0	5.0	8.0		6.0	12.0								
	PARTLY CLOUDY	1	1.0	4.0	2.0		11.0	5.0								
CLOUDY	1	1.0		6.0		3.0	2.0									
PR	MEAN STATION PRESSURE(IN)	28	29.25	29.23	29.13	29.13	29.04	29.09	29.14	29.13	29.13	29.18	29.23	29.27	29.16	
	MEAN SEA-LEVEL PRES. (IN)	28	30.12	30.06	29.98	29.93	29.89	29.89	29.95	29.94	29.94	30.00	30.06	30.11	29.99	
WINDS	MEAN SPEED (MPH)	28	7.7	8.1	8.9	9.2	9.2	9.1	8.6	7.9	7.2	7.5	7.6	7.4	8.2	
	PREVAIL.DIR.(TENS OF DEGS)	34	02	02	15	15	15	15	17	17	17	17	02	36	17	
	MAXIMUM 2-MINUTE: SPEED (MPH)	69	39	38	41	43	46	51	39	40	48	36	38	39	51	
	DIR. (TENS OF DEGS)		29	29	29	17	28	33	11	12	13	34	30	31	33	
	YEAR OF OCCURRENCE		1999	2009	2002	2009	1997	2010	2010	2006	2010	2009	2003	2009	JUN 2010	
	MAXIMUM 3-SECOND SPEED (MPH)	69	46	49	49	55	55	64	55	46	71	48	46	51	71	
	DIR. (TENS OF DEGS)		28	31	29	17	29	32	10	04	26	34	34	29	26	
YEAR OF OCCURRENCE		1999	2011	2002	2009	1997	2010	2010	2003	1996	2011	2006	2009	SEP 1996		
PRECIPITATION	NORMAL (IN)	30	1.66	1.75	1.89	2.60	4.72	4.30	2.03	2.57	3.00	3.86	2.58	1.96	32.92	
	MAXIMUM MONTHLY (IN)	69	8.52	6.43	7.24	9.32	12.85	11.95	16.92	11.14	15.78	18.07	9.46	13.96	18.07	
	YEAR OF OCCURRENCE		1968	1965	2007	1957	1987	1986	2002	1974	1946	1998	2004	1991	OCT 1998	
	MINIMUM MONTHLY (IN)	69	T	0.01	0.01	.01	0.12	0.01	T	0.00	0.05	T	T	0.03	0.00	
	YEAR OF OCCURRENCE		1996	1999	2011	2005	2003	2008	1993	1999	1952	1999	1952	1966	1950	AUG 1952
	MAXIMUM IN 24 HOURS (IN)	69	3.18	2.44	3.59	4.88	6.53	6.30	9.79	5.79	7.28	13.35	4.87	6.90	13.35	
	YEAR OF OCCURRENCE		1968	1986	1992	1977	1972	1986	2002	2007	1973	1998	1977	1991	OCT 1998	
	NORMAL NO. DAYS WITH: PRECIPITATION >= 0.01	30	7.6	6.8	7.9	7.3	9.2	7.7	4.6	5.2	6.5	6.9	7.3	7.8	84.8	
PRECIPITATION >= 1.00	30	0.3	0.4	0.5	0.8	1.5	1.5	0.6	0.9	0.7	1.2	0.8	0.3	9.5		
SNOWFALL	NORMAL (IN)	30	0.7	0.1	0.*	0.0	0.0	0.0	0.0	0.0	0.0	0.*	0.*	0.*	0.8	
	MAXIMUM MONTHLY (IN)	66	15.9	3.5	T	T	T	T	T	0.0	0.0	T	0.3	0.2	15.9	
	YEAR OF OCCURRENCE		1985	1966	2010	1993	2006	1989				1993	1957	1964	JAN 1985	
	MAXIMUM IN 24 HOURS (IN)	66	13.2	3.5	T	T	T	T	0.0	0.0	0.0	T	0.3	0.2	13.2	
	YEAR OF OCCURRENCE'		1985	1966	2010	1993	1993	1989				1993	1957	1964	JAN 1985	
	MAXIMUM SNOW DEPTH (IN)	60	9	3	0	0	0	0	0	0	0	0	0	0	9	
YEAR OF OCCURRENCE		1985	1966											JAN 1985		
NORMAL NO. DAYS WITH: SNOWFALL >= 1.0	30	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1		

PRECIPITATION (inches) 2011 SAN ANTONIO (KSAT)

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
1982	0.72	1.28	0.69	1.23	6.42	1.37	0.14	0.55	0.87	2.84	4.54	2.31	22.96
1983	1.48	1.54	3.89	0.18	4.37	1.27	2.43	2.00	3.86	1.64	3.06	0.39	26.11
1984	1.87	0.54	1.91	0.11	3.76	1.40	T	3.04	1.06	5.94	2.91	3.41	25.95
1985	2.68	1.91	2.85	3.27	2.47	8.20	5.80	0.45	4.80	3.91	5.00	0.09	41.43
1986	0.76	2.52	0.35	0.60	6.29	11.95	0.05	1.86	2.83	6.58	1.83	7.11	42.73
1987	1.13	4.78	1.10	1.48	12.85	7.69	1.21	0.33	2.24	0.44	2.53	2.18	37.96
1988	0.39	0.92	0.86	1.23	0.41	5.50	5.58	1.98	0.83	0.62	0.02	0.67	19.01
1989	2.96	0.29	1.24	2.55	0.33	3.96	0.69	0.48	1.54	5.81	1.93	0.36	22.14
1990	1.17	2.68	5.17	4.52	3.28	1.18	8.29	1.30	3.70	3.71	3.11	0.20	38.31
1991	5.08	2.34	1.06	4.91	5.30	2.28	2.23	2.84	1.42	0.87	0.47	13.96	42.76
1992	5.64	6.37	6.12	3.03	8.15	5.67	1.28	2.56	1.12	0.92	3.47	2.16	46.49
1993	1.31	3.72	1.56	1.81	12.47	6.43	T	0.01	0.52	3.07	0.66	0.44	32.00
1994	1.55	0.64	5.06	2.21	7.01	1.66	0.50	2.54	5.52	9.75	0.71	3.28	40.43
1995	0.28	1.19	1.58	1.07	5.36	4.81	0.71	2.03	4.49	0.23	0.82	0.64	23.21
1996	T	0.69	0.30	0.89	1.26	2.12	1.31	2.86	3.66	.36	2.79	1.56	17.80
1997	0.44	2.44	2.24	5.72	3.91	7.30	T	0.62	1.86	4.08	1.76	3.55	33.92
1998	3.21	3.37	2.85	0.05	0.34	0.81	0.21	7.78	1.57	18.07	3.40	0.39	42.05
1999	0.04	0.01	3.48	0.91	2.78	3.37	1.80	2.11	0.05	1.29	0.05	0.52	16.41
2000	1.40	2.20	0.91	1.22	3.59	7.61	0.34	0.16	2.65	5.62	8.58	1.57	35.85
2001	2.85	0.70	2.77	2.29	2.48	3.39	0.50	7.83	4.05	2.06	4.37	3.43	36.72
2002	0.37	0.42	1.19	3.82	2.26	1.48	16.92	0.54	7.02	7.64	2.08	2.53	46.27
2003	0.99	2.15	0.77	0.17	0.12	2.90	8.12	1.65	9.21	1.94	0.32	0.11	28.45
2004	2.31	1.73	2.35	5.02	1.80	9.47	0.61	1.10	1.92	9.47	9.46	0.08	45.32
2005	2.18	2.42	2.00	0.01	2.97	0.81	2.10	1.22	1.39	1.14	0.20	0.10	16.54
2006	0.35	0.62	1.36	1.40	3.80	1.63	1.41	0.03	4.11	3.44	0.75	2.44	21.34
2007	4.33	0.08	7.24	4.61	3.35	6.47	11.76	6.77	1.09	0.75	0.40	0.40	47.25
2008	0.42	0.20	1.82	0.83	0.66	0.01	3.86	4.98	0.46	0.26	0.01	0.25	13.76
2009	0.27	0.65	2.51	2.05	1.57	0.45	0.48	0.45	6.35	11.90	2.09	1.92	30.69
2010	4.45	4.38	2.09	3.57	4.48	4.24	3.68	0.07	9.37	0.17	0.26	0.63	37.39
2011	2.66	0.49	0.01	0.03	0.84	1.58	0.96	0.15	2.93	3.28	1.81	2.84	17.58
POR= 65 YRS	1.66	1.79	1.75	2.45	3.68	3.53	2.28	2.49	3.45	3.41	2.19	1.65	30.33

WBAN : 12921

AVERAGE TEMPERATURE (°F) 2011 SAN ANTONIO (KSAT)

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
1982	50.8	49.7	63.1	66.9	74.5	81.6	85.5	86.0	80.1	69.3	59.4	52.4	68.3
1983	48.9	52.1	58.7	65.2	73.6	79.2	82.9	84.5	78.5	70.9	62.5	43.0	66.7
1984	46.7	54.1	64.2	69.7	77.1	82.8	85.0	84.7	77.6	71.2	58.8	59.6	69.3
1985	44.2	50.5	64.1	69.4	76.7	80.2	82.2	85.5	79.4	71.7	64.4	49.9	68.2
1986	53.4	58.0	62.9	72.6	74.6	81.5	85.8	85.7	83.7	69.7	59.4	51.6	69.9
1987	50.7	55.9	57.8	66.1	75.8	80.5	83.8	86.0	79.2	71.2	60.6	54.2	68.5
1988	47.6	54.3	61.3	69.1	76.1	81.2	84.6	86.4	80.7	73.2	65.1	56.0	69.6
1989	56.2	51.6	61.9	70.4	81.7	83.3	86.6	86.0	79.1	71.3	61.8	43.4	69.4
1990	56.4	58.9	61.5	69.7	79.3	87.5	83.4	85.3	80.0	69.3	63.0	51.9	70.5
1991	48.9	56.6	64.0	72.4	77.7	82.8	84.5	85.8	77.8	73.3	57.4	55.5	69.7
1992	50.8	59.1	63.3	69.0	73.7	82.5	84.7	82.2	81.7	73.4	57.3	56.3	69.5
1993	51.2	55.5	61.5	67.3	73.9	81.6	86.1	87.3	81.5	70.7	56.3	55.1	69.0
1994	52.3	56.2	63.9	69.8	76.0	84.5	87.9	86.1	78.4	72.7	64.8	57.0	70.8
1995	53.5	57.4	61.9	69.8	78.6	79.3	84.3	85.5	80.1	69.8	59.5	55.6	69.6
1996	51.0	57.9	57.6	69.5	81.9	84.1	87.3	84.4	78.4	71.1	61.3	54.5	69.9
1997	49.2	53.1	63.3	63.9	74.0	79.8	85.1	86.1	82.2	70.2	57.4	50.2	67.9
1998	56.4	55.3	59.8	66.7	79.8	86.3	88.1	83.6	80.5	71.4	62.4	52.7	70.3
1999	54.6	61.8	62.7	71.2	76.2	81.9	82.9	86.1	80.3	69.6	63.1	54.0	70.4
2000	55.2	62.6	67.0	70.7	78.6	81.0	85.9	86.3	81.0	71.1	56.9	46.4	70.2
2001	49.2	57.5	56.6	70.8	76.3	82.6	85.4	85.6	76.9	67.9	62.9	53.8	68.8
2002	54.0	50.8	60.3	73.2	76.8	83.4	82.5	85.3	78.7	70.7	57.8	53.8	68.9
2003	49.8	53.1	60.6	71.6	80.4	81.7	82.0	83.7	76.7	70.6	63.1	53.9	68.9
2004	54.5	52.7	66.0	67.2	76.2	80.9	82.9	83.4	80.5	76.9	61.1	53.2	69.6
2005	55.9	56.3	61.4	68.4	75.0	82.6	85.3	85.7	84.3	70.9	64.9	53.0	70.3
2006	58.2	56.0	67.6	76.7	78.8	83.6	85.7	88.3	79.7	72.4	63.8	54.4	72.1
2007	48.3	54.9	65.0	65.2	75.5	80.7	80.4	83.7	80.3	73.1	62.7	56.1	68.8
2008	51.9	61.7	64.5	70.7	80.1	86.8	84.1	84.4	79.5	71.5	63.7	55.0	71.2
2009	54.5	62.9	65.2	69.8	79.5	86.3	88.8	88.4	78.5	69.9	60.7	48.3	71.1
2010	49.7	49.4	59.3	68.6	77.5	83.6	84.1	87.5	80.1	70.3	62.1	53.9	68.8
2011	50.5	55.5	66.9	75.7	78.6	86.2	87.9	90.0	82.9	71.0	62.9	53.9	71.8
POR= 65 YRS	51.0	54.8	61.9	69.5	76.4	82.2	84.7	84.8	79.5	70.9	60.2	53.1	69.1

HEATING DEGREE DAYS (base 65°F) 2011 SAN ANTONIO (KSAT)

YEAR	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	TOTAL
1982-83	0	0	0	49	237	404	490	356	208	99	1	0	1844
1983-84	0	0	5	20	154	681	563	315	120	21	2	0	1881
1984-85	0	0	9	28	228	203	635	406	109	26	0	0	1644
1985-86	0	0	10	9	112	467	354	232	106	8	1	0	1299
1986-87	0	0	0	14	204	413	443	254	233	98	0	0	1659
1987-88	0	0	0	1	194	339	538	323	179	38	0	0	1612
1988-89	0	0	0	0	122	291	292	392	187	55	0	0	1339
1989-90	0	0	0	42	165	663	283	190	154	32	0	0	1529
1990-91	0	0	0	50	142	422	494	240	96	7	0	0	1451
1991-92	0	0	5	30	271	306	435	188	91	31	5	0	1362
1992-93	0	0	0	0	260	287	421	269	147	42	0	0	1426
1993-94	0	0	0	85	287	323	391	273	130	28	10	0	1527
1994-95	0	0	0	19	99	267	359	215	180	29	0	0	1168
1995-96	0	0	9	12	187	324	435	280	277	63	0	0	1587
1996-97	0	0	0	27	165	325	498	338	108	84	0	0	1545
1997-98	0	0	0	44	251	449	269	270	214	30	0	0	1527
1998-99	0	0	0	22	120	404	328	137	109	32	0	0	1152
1999-00	0	0	0	56	98	346	300	135	79	29	0	0	1043
2000-01	0	0	2	76	269	570	484	234	255	15	0	0	1905
2001-02	0	0	0	38	133	367	357	389	202	14	1	0	1501
2002-03	0	0	0	24	217	353	465	339	160	20	0	0	1578
2003-04	0	0	0	16	154	345	336	356	38	43	2	0	1290
2004-05	0	0	0	2	135	368	312	248	146	28	2	0	1241
2005-06	0	0	0	40	132	372	205	263	73	0	0	0	1085
2006-07	0	0	0	20	113	341	516	290	81	84	0	0	1445
2007-08	0	0	0	22	160	307	414	146	116	18	0	0	1183
2008-09	0	0	0	32	107	327	331	117	117	27	0	0	1058
2009-10	0	0	7	44	143	508	468	433	178	17	0	0	1798
2010-11	0	0	0	12	159	344	443	323	66	8	13	0	1368
2011-	0	0	0	33	152	349							

WBAN : 12921

COOLING DEGREE DAYS (base 65°F) 2011 SAN ANTONIO (KSAT)

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	TOTAL
1982	11	5	117	142	304	504	645	659	459	191	72	19	3128
1983	0	0	21	111	276	435	560	611	417	207	84	8	2730
1984	0	8	101	169	383	541	625	618	394	230	46	44	3159
1985	0	8	85	165	368	462	539	641	450	223	101	5	3047
1986	2	45	49	244	304	500	652	646	568	166	40	4	3220
1987	4	5	17	135	340	471	589	658	434	199	67	12	2931
1988	6	19	71	166	352	492	617	671	480	264	131	20	3289
1989	24	23	99	222	524	557	678	656	429	244	75	0	3531
1990	22	26	53	177	450	681	578	635	459	192	91	23	3387
1991	0	10	70	234	402	541	612	654	396	295	49	20	3283
1992	0	23	47	158	281	531	618	542	508	267	34	24	3033
1993	1	7	45	117	283	503	660	698	503	267	31	22	3137
1994	8	34	102	183	357	593	715	659	410	261	97	27	3446
1995	7	9	90	177	429	436	603	644	467	167	28	40	3097
1996	9	79	57	203	530	578	700	610	411	220	60	8	3465
1997	12	11	61	60	286	449	628	660	522	212	27	0	2928
1998	11	3	56	84	467	645	724	582	470	227	49	32	3350
1999	12	56	45	225	352	512	561	664	467	206	46	11	3157
2000	7	73	147	207	428	487	654	668	487	270	33	0	3461
2001	1	30	1	195	357	530	640	642	362	135	76	26	2995
2002	24	0	64	268	375	559	550	634	416	206	11	11	3118
2003	0	12	29	224	482	510	533	588	357	197	101	7	3040
2004	19	2	74	116	353	483	563	576	472	378	26	7	3069
2005	37	13	41	136	317	534	637	649	585	231	135	6	3321
2006	4	17	160	352	434	567	649	730	447	257	85	21	3723
2007	4	13	89	99	328	478	486	586	465	282	99	41	2970
2008	13	57	108	191	477	661	598	610	439	240	73	26	3493
2009	14	63	128	180	456	647	744	730	416	202	20	0	3600
2010	1	2	10	130	393	562	598	704	459	182	77	3	3121
2011	2	62	133	336	443	644	715	780	543	229	97	10	3994

SNOWFALL (inches) 2011 SAN ANTONIO (KSAT)

YEAR	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	TOTAL
1982-83	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1983-84	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1984-85	0.0	0.0	0.0	0.0	0.0	0.0	15.9	T	0.0	0.0	0.0	0.0	15.9
1985-86	0.0	0.0	0.0	0.0	0.0	0.0	T	0.0	0.0	0.0	0.0	0.0	T
1986-87	0.0	0.0	0.0	0.0	0.0	0.0	1.3	0.0	0.0	0.0	0.0	0.0	1.3
1987-88	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.1
1988-89	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	T	0.0	0.0	T	T
1989-90	0.0	0.0	0.0	0.0	0.0	T	0.0	T	T	T	0.0	0.0	T
1990-91	0.0	0.0	0.0	0.0	0.0	T	0.0	T	0.0	T	T	0.0	T
1991-92	0.0	0.0	0.0	0.0	0.0	0.0	0.0	T	T	0.0	0.0	0.0	T
1992-93	0.0	0.0	0.0	0.0	T	0.0	T	0.0	0.0	T	T	0.0	T
1993-94	0.0	0.0	0.0	T	0.0	0.0	T	T	T	0.0	0.0	0.0	T
1994-95	0.0	0.0	0.0	0.0	0.0	0.0	T	0.0	0.0	0.0	0.0	0.0	T
1995-96	0.0	0.0	0.0	0.0	0.0	0.0	0.0						
1996-97													
1997-98													
1998-99													
1999-00							0.0	T	0.0	T	0.0	0.0	
2000-01	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2001-02	0.0	0.0	0.0	T	0.0	0.0	0.0	T	T	T	0.0	0.0	T
2002-03	0.0	0.0	0.0	0.0	T	T	0.0	0.2	0.0	0.0	0.0	0.0	0.2
2003-04	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.0	0.0	0.0	0.0	0.7
2004-05	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	T	T
2005-06	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	T	0.0	T	0.0	T
2006-07	0.0	0.0	0.0	0.0	0.0	T	T	0.0	0.0	0.0	0.0	0.0	T
2007-08	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2008-09	0.0	0.0	0.0	0.0	0.0	T	0.0	T	0.0	0.0	0.0	0.0	T
2009-10	0.0	0.0	0.0	0.0	0.0	T	0.0	0.2	T	0.0	0.0	0.0	0.2
2010-11	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.0	0.4
2011-	0.0	0.0	0.0	0.0	0.0	0.0							
POR= 64 YRS	0.0	0.0	0.0	T	T	T	0.4	0.2	T	T	T	T	0.6

WBAN : 12921

REFERENCE NOTES :

<p>PAGE 1: THE TEMPERATURE GRAPH SHOWS NORMAL MAXIMUM AND NORMAL MINIMUM DAILY TEMPERATURES (SOLID CURVES) AND THE ACTUAL DAILY HIGH AND LOW TEMPERATURES (VERTICAL BARS).</p> <p>PAGE 2 AND 3: H/C INDICATES HEATING AND COOLING DEGREE DAYS. RH INDICATES RELATIVE HUMIDITY W/O INDICATES WEATHER AND OBSTRUCTIONS S INDICATES SUNSHINE. PR INDICATES PRESSURE. CLOUDINESS ON PAGE 3 IS THE SUM OF THE CEILOMETER AND SATELLITE DATA NOT TO EXCEED EIGHT EIGHTHS(OKTAS).</p> <p>GENERAL: T INDICATES TRACE PRECIPITATION, AN AMOUNT GREATER THAN ZERO BUT LESS THAN THE LOWEST REPORTABLE VALUE. + INDICATES THE VALUE ALSO OCCURS ON EARLIER DATES. BLANK ENTRIES DENOTE MISSING OR UNREPORTED DATA. NORMALS ARE 30-YEAR AVERAGES (1971 - 2000). ASOS INDICATES AUTOMATED SURFACE OBSERVING SYSTEM. PM INDICATES THE LAST DAY OF THE PREVIOUS MONTH. POR (PERIOD OF RECORD) BEGINS WITH THE JANUARY DATA MONTH AND IS THE NUMBER OF YEARS USED TO COMPUTE THE MEAN. INDIVIDUAL MONTHS WITHIN THE POR MAY BE MISSING. WHEN THE POR FOR A NORMAL IS LESS THAN 30 YEARS, THE NORMAL IS PROVISIONAL AND IS BASED ON THE NUMBER OF YEARS INDICATED. 0.* OR * INDICATES THE VALUE OR MEAN-DAYS-WITH IS BETWEEN 0.00 AND 0.05. CLOUDINESS FOR ASOS STATIONS DIFFERS FROM THE NON-ASOS OBSERVATION TAKEN BY A HUMAN OBSERVER. ASOS STATION CLOUDINESS IS BASED ON TIME-AVERAGED CEILOMETER DATA FOR CLOUDS AT OR BELOW 12,000 FEET AND ON SATELLITE DATA FOR CLOUDS ABOVE 12,000 FEET. THE NUMBER OF DAYS WITH CLEAR, PARTLY CLOUDY, AND CLOUDY CONDITIONS FOR ASOS STATIONS IS THE SUM OF THE CEILOMETER AND SATELLITE DATA FOR THE SUNRISE TO SUNSET PERIOD. CLEAR INDICATES 0 - 2 OKTAS, PARTLY CLOUDY INDICATES 3 - 6 OKTAS, AND CLOUDY INDICATES 7 OR 8 OKTAS. WHEN AT LEAST ONE OF THE ELEMENTS (CEILOMETER OR SATELLITE) IS MISSING, THE DAILY CLOUDINESS IS NOT COMPUTED.</p>	<p>GENERAL CONTINUED: WIND DIRECTION IS RECORDED IN TENS OF DEGREES (2 DIGITS) CLOCKWISE FROM TRUE NORTH. "00" INDICATES CALM. "36" INDICATES TRUE NORTH. RESULTANT WIND IS THE VECTOR AVERAGE OF THE SPEED AND DIRECTION. AVERAGE TEMPERATURE IS THE SUM OF THE MEAN DAILY MAXIMUM AND MINIMUM TEMPERATURE DIVIDED BY 2. SNOWFALL DATA COMPRISE ALL FORMS OF FROZEN PRECIPITATION, INCLUDING HAIL. A HEATING (COOLING) DEGREE DAY IS THE DIFFERENCE BETWEEN THE AVERAGE DAILY TEMPERATURE AND 65 F. DRY BULB IS THE TEMPERATURE OF THE AMBIENT AIR. DEW POINT IS THE TEMPERATURE TO WHICH THE AIR MUST BE COOLED TO ACHIEVE 100 PERCENT RELATIVE HUMIDITY. WET BULB IS THE TEMPERATURE THE AIR WOULD HAVE IF THE MOISTURE CONTENT WAS INCREASED TO 100 PERCENT RELATIVE HUMIDITY. ON JULY 1, 1996, THE NATIONAL WEATHER SERVICE BEGAN USING THE "METAR" OBSERVATION CODE THAT WAS ALREADY EMPLOYED BY MOST OTHER NATIONS OF THE WORLD. THE MOST NOTICEABLE DIFFERENCE IN THIS ANNUAL PUBLICATION WILL BE THE CHANGE IN UNITS FROM TENTHS TO EIGHTS(OKTAS) FOR REPORTING THE AMOUNT OF SKY COVER. STATION HISTORY STOPPED WITH THE 2009 ANNUAL. IF YOU NEED HISTORY GO TO "MULTI-NETWORK METADATA SYSTEM", URL IS: https://mi3.ncdc.noaa.gov/mi3qry/login.cfm SNOWFALL STOPPED MONTH & YEAR INDICATED ABOVE. NO FURTHER YEARS INCLUDED UNLESS RESTARTED.</p> <p>NOTE: The "Period of Record:(POR) for all "averages" is based on the "Summary of the Day First Order Station" and "Cooperative Summary of the Day" archives.</p>
--	--

2011

SAN ANTONIO

TEXAS (KSAT)

The city of San Antonio is located in the south-central portion of Texas on the Balcones escarpment. Northwest of the city, the terrain slopes upward to the Edwards Plateau and to the southeast it slopes downward to the Gulf Coastal Plains. Soils are blackland clay and silty loam on the Plains and thin limestone soils on the Edwards Plateau.

The location of San Antonio on the edge of the Gulf Coastal Plains is influenced by a modified subtropical climate, predominantly continental during the winter months and marine during the summer months. Temperatures range from 50 degrees in January to the middle 80s in July and August. While the summer is hot, with daily temperatures above 90 degrees over 80 percent of the time, extremely high temperatures are rare. Mild weather prevails during much of the winter months, with below-freezing temperatures occurring on an average of about 20 days each year.

San Antonio is situated between a semi-arid area to the west and the coastal area of heavy precipitation to the east. The normal annual rainfall of nearly 28 inches is sufficient for the production of most crops. Precipitation is fairly well distributed throughout the year with the heaviest amounts occurring during May and September. The precipitation from April through September usually occurs from thunderstorms. Large amounts of precipitation may fall during short periods of time. Most of the winter precipitation occurs as light rain or drizzle. Thunderstorms and heavy rains have occurred in all months of the year. Hail of damaging intensity seldom occurs but light hail is frequent with the springtime thunderstorms. Measurable snow occurs only once in three or four years. Snowfall of 2 to 4 inches occurs about every ten years.

Northerly winds prevail during most of the winter, and strong northerly winds occasionally occur during storms called northers. Southeasterly winds from the Gulf of Mexico also occur frequently during winter and are predominant in summer.

Since San Antonio is located only 140 miles from the Gulf of Mexico, tropical storms occasionally affect the city with strong winds and heavy rains. One of the fastest winds recorded, 74 mph, occurred as a tropical storm moved inland east of the city in August 1942.

Relative humidity is above 80 percent during the early morning hours most of the year, dropping to near 50 percent in the late afternoon.

San Antonio has about 50 percent of the possible amount of sunshine during the winter months and more than 70 percent during the summer months. Skies are clear to partly cloudy more than 60 percent of the time and cloudy less than 40 percent. Air carried over San Antonio by southeasterly winds is lifted orographically, causing low stratus clouds to develop frequently during the later part of the night. These clouds usually dissipate around noon, and clear skies prevail a high percentage of the time during the afternoon.

The first occurrence of 32 degrees Fahrenheit is in late November and the average last occurrence is in early March.

Station History

SAN ANTONIO, TX

NAME	Begin Date	End Date	Latitude	Longitude	Elevation Feet	Relocation	Platform
SAN ANTONIO INTL AP	1933-07-01	1939-07-01	29° 19'	-98° 28'			AIRWAYS
SAN ANTONIO INTL AP	1942-01-01	1946-08-01	29° 31'	-98° 28'			AIRWAYS,UPPERAIR
SAN ANTONIO INTL AP	1966-06-30	1969-01-01	29° 31'	-98° 28'	788		AIRWAYS,COOP,USHCN
SAN ANTONIO INTL AP	1995-07-01	Present	29° 32'	-98° 29'	789		ASOS,COOP,USHCN
SAN ANTONIO INTL AP	1994-04-05	1995-07-01	29° 31'	-98° 28'	788	1 MI NW	COOP,USHCN
SAN ANTONIO INTL AP	1946-08-01	1953-01-01	29° 31'	-98° 28'	791		AIRWAYS,COOP,UPPERAIR,USHCN
SAN ANTONIO INTL AP	1939-07-01	1942-01-01	29° 19'	-98° 28'			AIRWAYS,UPPERAIR
SAN ANTONIO INTL AP	1953-01-01	1966-06-30	29° 31'	-98° 28'	788		AIRWAYS,COOP,UPPERAIR,USHCN
SAN ANTONIO INTL AP	1969-01-01	1981-12-31	29° 31'	-98° 28'	788		COOP,USHCN,WXSVC
SAN ANTONIO INTL AP	1981-12-31	1994-04-05	29° 31'	-98° 28'	788		COOP,USHCN

Element History

Element	Begin Date	End Date	Frequency	Time Of Observation	Equipment *	Equipment * Modifications	Equipment Exposure
PRECIP	1963-09-01	1991-07-17	HOURLY	2400			
TEMP	1994-04-05	1995-07-01	DAILY	2400	HYGR		
PRECIP	1996-12-01	2002-07-08	HOURLY		TB	RCRD	
PRECIP	2002-07-08	2005-04-11	DAILY	2400	PCPNX		
PRECIP	2005-04-11	2010-07-01	HOURLY	2400	AHTB	RCRD;HTD	
PRECIP	2005-04-11	2010-07-01	DAILY	2400	PCPNX		
PRECIP	1963-09-01	1991-07-17	DAILY	2400	UNIV	RCRD	
PRECIP	1995-07-01	1996-12-01	HOURLY		TB	RCRD	
PRECIP	1995-07-01	1996-12-01	DAILY	2400			
PRECIP	2010-07-01	Present	HOURLY	2400	AWPAG	RCRD;HTD	
TEMP	1996-12-01	2002-07-08	DAILY	2400	HYGR		
PRECIP	2002-07-08	2005-04-11	HOURLY		AHTB	RCRD;HTD	
TEMP	2005-04-11	2010-07-01	DAILY	2400	ATEMP		
TEMP	1933-07-01	1963-09-01	DAILY	2400			
TEMP	1995-07-01	1996-12-01	DAILY	2400	HYGR		
TEMP	2002-07-08	2005-04-11	DAILY	2400	ATEMP		
TEMP	1991-07-17	1994-04-05	DAILY	2400	HYGR		
TEMP	1963-09-01	1991-07-17	DAILY	2400			
PRECIP	1996-12-01	2002-07-08	DAILY	2400	SRG		ROOF
PRECIP	1991-07-17	1994-04-05	HOURLY	2400	UNIV	RCRD	ROOF
PRECIP	1994-04-05	1995-07-01	HOURLY	2400			
PRECIP	2010-07-01	Present	DAILY	2400	PCPNX		
PRECIP	1933-07-01	1963-09-01	DAILY	2400	UNIV	RCRD	
PRECIP	1991-07-17	1994-04-05	DAILY	2400	UNIV	RCRD	ROOF
PRECIP	1994-04-05	1995-07-01	DAILY	2400			
TEMP	2010-07-01	Present	DAILY	2400	ATEMP		

* For explanation of codes and abbreviations see Station Metadata link below.

Other Station Information can be found at:

ASOS Implementation by NWS: <http://www.nws.noaa.gov/ops2/Surface/asosimplementation.htm>

Station Metadata website: <http://www.ncdc.noaa.gov/homr>

INQUIRES/COMMENTS CALL: (828) 271-4800, option 2

Fax Number : (828) 271-4876

TDD : (828) 271-4010

Email : ncdc.info@noaa.gov

NOAA/National Climatic Data Center

Attn: User Engagement & Services Branch

151 Patton Avenue

Asheville, NC 28801-5001

Visit our Web Site for other weather data: www.ncdc.noaa.gov