




2012 LOCAL CLIMATOLOGICAL DATA ANNUAL SUMMARY WITH COMPARATIVE DATA


ISSN 1528-7467

AUSTIN/BERGSTROM, TEXAS (KAUS)


Daily Max/Min Temperature



Daily Precipitation



Daily Station Pressure



I CERTIFY THAT THIS IS AN OFFICIAL PUBLICATION OF THE NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION, AND IS COMPILED FROM RECORDS ON FILE AT THE NATIONAL CLIMATIC DATA CENTER.

NATIONAL
OCEANIC AND
ATMOSPHERIC ADMINISTRATION

NATIONAL
ENVIRONMENTAL SATELLITE, DATA
AND INFORMATION SERVICE

NATIONAL
CLIMATIC DATA CENTER
ASHEVILLE, NORTH CAROLINA

Thomas R. Karl
DIRECTOR
NATIONAL CLIMATIC DATA CENTER

METEOROLOGICAL DATA FOR 2012

AUSTIN/BERGSTROM (KAUS)

LATITUDE: 30° 10'N LONGITUDE: 97° 40'W ELEVATION (FT): GRND: 480 BARO: 661 TIME ZONE: CENTRAL (UTC -6) WBAN: 13904

ELEMENT		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	YEAR	
TEMPERATURE °F	MEAN DAILY MAXIMUM	66.8	66.4	76.0	84.9	88.1	95.5	95.0	97.3	90.2	80.7	76.4	68.9	82.2	
	HIGHEST DAILY MAXIMUM	77	89	87	94	95	106	100	105	102	91	87	84	106	
	DATE OF OCCURRENCE	19	23	31	26	05	26	07	10	07	21	05+	19+	JUN 26	
	MEAN DAILY MINIMUM	37.7	44.9	53.6	58.6	66.0	70.9	72.5	72.5	65.3	56.5	44.8	40.6	57.0	
	LOWEST DAILY MINIMUM	22	29	31	44	55	64	68	68	52	34	31	21	21	
	DATE OF OCCURRENCE	14	12	04	22	16	09	15	23+	10	29	28+	30+	DEC 30+	
	AVERAGE DRY BULB	52.3	55.7	64.8	71.8	77.1	83.2	83.8	84.9	77.8	68.6	60.6	54.8	69.6	
	MEAN WET BULB	47.7	51.6	59.9	64.2	69.0	72.8	74.4	73.7	68.9	61.5	53.2	48.6	62.1	
	MEAN DEW POINT	41.7	47.3	56.3	59.3	65.1	67.9	70.5	68.7	64.1	56.8	46.4	40.9	57.1	
	NUMBER OF DAYS WITH:														
	MAXIMUM >= 90°	0	0	0	5	17	29	28	30	18	2	0	0	129	
	MAXIMUM <= 32°	0	0	0	0	0	0	0	0	0	0	0	0	0	
MINIMUM <= 32°	10	2	1	0	0	0	0	0	0	0	2	10	25		
MINIMUM <= 0°	0	0	0	0	0	0	0	0	0	0	0	0	0		
H/C	HEATING DEGREE DAYS	389	294	98	2	0	0	0	0	0	70	184	357	1394	
	COOLING DEGREE DAYS	3	31	98	212	378	553	589	624	390	189	59	44	3170	
RH	MEAN (PERCENT)	69	76	77	68	70	64	69	63	69	71	64	64	69	
	HOUR 00 LST	82	82	85	82	83	77	82	76	82	83	75	73	80	
	HOUR 06 LST	81	89	90	90	91	88	93	88	89	85	84	78	87	
	HOUR 12 LST	55	68	66	51	56	48	53	46	52	55	46	51	54	
	HOUR 18 LST	58	62	61	49	51	44	49	42	48	59	49	52	52	
W/O	NUMBER OF DAYS WITH:														
	HEAVY FOG(VISBY <= 1/4 MI)	4	4	4	0	0	0	2	0	1	2	5	4	26	
	THUNDERSTORMS	2	4	4	2	5	3	6	3	2	2	0	2	35	
PR	MEAN STATION PRESS. (IN.)	29.59	29.57	29.46	29.41	29.39	29.36	29.45	29.39	29.46	29.48	29.62	29.51	29.47	
	MEAN SEA-LEVEL PRESS. (IN.)	30.12	30.09	29.98	29.92	29.90	29.86	29.95	29.89	29.97	30.00	30.16	30.05	29.99	
WINDS	RESULTANT SPEED (MPH)	1.1	1.8	4.5	5.4	4.7	5.1	5.3	3.3	1.5	1.3	1.4	1.1	2.6	
	RES. DIR. (TENS OF DEGS.)	30	04	16	16	16	15	17	16	16	13	17	23	16	
	MEAN SPEED (MPH)	8.1	8.2	8.8	8.9	8.1	7.2	6.6	7.0	6.2	7.3	6.1	7.2	7.5	
	PREVAIL.DIR.(TENS OF DEGS.)	19	17	16	16	16	18	18	18	17	18	19	18	16	
	MAXIMUM 2-MINUTE WIND														
	SPEED (MPH)	33	33	32	30	33	32	23	35	29	28	29	32	35	
	DIR. (TENS OF DEGS.)	36	02	36	15	05	06	14	04	15	01	19	33	04	
	DATE OF OCCURRENCE	12	24	09	14	31	12	02	28	01	26	11	20	AUG 28	
	MAXIMUM 3-SECOND WIND:														
	SPEED (MPH)	44	44	39	40	43	47	31	43	35	35	37	43	47	
DIR. (TENS OF DEGS.)	36	02	35	15	05	01	28	05	15	17	19	29	01		
DATE OF OCCURRENCE	12	24	09	14	31	12	09	28	01	21	11	25	JUN 12		
PRECIPITATION	WATER EQUIVALENT:														
	TOTAL (IN.)	7.31	3.86	5.11	0.09	5.29	0.21	3.82	3.03	4.75	0.84	T	0.83	35.14	
	GREATEST 24-HOUR (IN.)	5.82	1.72	2.69	0.07	2.85	0.18	2.23	2.86	1.87	0.50	T	0.42	5.82	
	DATE OF OCCURRENCE	24-25	03-04	20	03	10	12	15	18-19	28-29	11	27+	16	JAN 24-25	
	NUMBER OF DAYS WITH:														
	PRECIPITATION 0.01	6	14	8	2	7	2	7	3	5	5	0	5	64	
PRECIPITATION 0.10	5	5	6	0	6	1	6	2	4	2	0	2	39		
PRECIPITATION 1.00	1	2	2	0	1	0	1	1	3	0	0	0	11		
SNOWFALL	SNOW,ICE PELLETS,HAIL														
	TOTAL (IN.)	0.0	T	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	T	
	GREATEST 24-HOUR (IN.)	0.0	T	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	T	
	DATE OF OCCURRENCE		18+											FEB 18+	
	MAXIMUM SNOW DEPTH (IN.)	0	0	0	0	0	0	0	0	0	0	0	0	0	
	DATE OF OCCURRENCE														
NUMBER OF DAYS WITH:															
SNOWFALL >= 1.0	0	0	0	0	0	0	0	0	0	0	0	0	0		

NORMALS, MEANS, AND EXTREMES AUSTIN/BERGSTROM (KAUS)

LATITUDE: 30° 10'N **LONGITUDE:** 97° 40'W **ELEVATION (FT):** GRND: 480 BARO: 661 **TIME ZONE:** CENTRAL (UTC -6) **WBAN: 13904**

ELEMENT		POR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	YEAR	
TEMPERATURE °F	NORMAL DAILY MAXIMUM	30	62.1	64.8	71.8	79.8	86.7	92.2	95.2	96.1	90.4	82.2	71.4	63.6	79.7	
	MEAN DAILY MAXIMUM	35	61.1	64.6	71.8	79.9	86.3	92.3	95.4	96.6	90.3	81.5	71.3	63.4	79.5	
	HIGHEST DAILY MAXIMUM	71	89	101	98	100	102	109	106	110	112	98	90	91	112	
	YEAR OF OCCURRENCE		1971	1996	1991	2006	1998	1998	1978	2011	2000	2005	2008	1955	1955	SEP 2000
	MEAN OF EXTREME MAXS.	63	79.7	81.7	86.3	90.2	94.7	98.3	100.6	102.6	99.0	92.1	85.6	79.6	90.9	
	NORMAL DAILY MINIMUM	30	36.3	39.4	46.6	54.7	63.7	69.9	71.7	71.3	65.3	55.9	45.5	37.2	54.8	
	MEAN DAILY MINIMUM	35	38.9	42.2	49.0	58.4	65.7	71.5	73.7	73.4	68.0	57.9	47.6	40.2	57.2	
	LOWEST DAILY MINIMUM	71	-5	8	17	28	38	56	62	59	45	32	20	6	-5	
	YEAR OF OCCURRENCE		1949	1951	2002	2009	2011	2009	1970	2004	2000	2010	1976	1989	1989	JAN 1949
	MEAN OF EXTREME MINS.	63	20.3	25.1	30.8	40.9	52.0	62.4	68.3	66.8	55.8	41.1	30.2	23.8	43.1	
	NORMAL DRY BULB	30	49.2	52.1	59.2	67.3	75.2	81.0	83.4	83.7	77.8	69.0	58.4	50.4	67.2	
	MEAN DRY BULB	62	50.5	54.2	61.4	69.1	75.8	81.8	84.6	84.8	79.3	70.2	60.0	52.5	68.7	
	MEAN WET BULB	13	41.0	44.4	52.1	59.7	66.5	70.7	72.4	71.6	66.7	59.2	50.6	42.3	58.1	
	MEAN DEW POINT	13	42.5	46.0	53.2	60.4	67.1	71.8	72.7	72.0	67.1	60.2	51.3	42.5	58.9	
	NORMAL NO. DAYS WITH: MAXIMUM >= 90	30	0.0	0.1	0.2	1.3	9.3	20.6	26.7	28.9	16.8	5.3	0.1	0.0	109.3	
	MAXIMUM <= 32	30	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	
	MINIMUM <= 32	30	11.9	7.9	2.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.2	36.9	
MINIMUM <= 0	30	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
H/C	NORMAL HEATING DEG. DAYS	30	495	373	222	63	3	0	0	0	2	49	234	462	1903	
	NORMAL COOLING DEG. DAYS	30	5	11	42	130	319	481	572	580	388	175	38	10	2751	
RH	NORMAL (PERCENT)	30	67	66	64	66	71	70	65	64	68	67	69	68	67	
	HOURLY 00 LST	30	72	72	71	75	81	80	75	73	78	75	76	73	75	
	HOURLY 06 LST	30	78	80	80	82	88	89	88	87	86	84	82	80	84	
	HOURLY 12 LST	30	60	59	56	57	60	56	51	50	55	55	58	59	56	
	HOURLY 18 LST	30	57	53	49	52	57	53	47	46	54	54	59	58	53	
S	PERCENT POSSIBLE SUNSHINE	64	49	51	55	54	56	69	75	74	66	63	56	49	60	
W/O	MEAN NO. DAYS WITH: HEAVY FOG(VISBY <= 1/4 MI)	20	1.7	1.3	1.4	0.5	0.3	0.2	0.7	0.2	0.6	1.0	2.4	1.8	12.1	
	THUNDERSTORMS	35	1.0	1.8	3.0	4.5	5.1	4.6	4.2	4.1	4.1	3.1	1.6	1.4	38.5	
CLOUDINESS	MEAN: SUNRISE-SUNSET (OKTAS)															
	MIDNIGHT-MIDNIGHT (OKTAS)															
	MEAN NO. DAYS WITH: CLEAR															
	PARTLY CLOUDY CLOUDY															
PR	MEAN STATION PRESSURE(IN)	13	29.61	29.55	29.47	29.41	29.38	29.39	29.44	29.42	29.43	29.49	29.56	29.52	29.47	
	MEAN SEA-LEVEL PRES. (IN)	13	30.16	30.12	30.00	29.94	29.89	29.89	29.95	29.92	29.94	30.01	30.09	30.13	30.00	
WINDS	MEAN SPEED (MPH)	13	8.2	9.0	9.0	9.4	9.1	8.2	7.1	6.7	6.3	6.9	7.5	7.8	7.9	
	PREVAIL.DIR.(TENS OF DEGS)	7	35	17	16	16	16	17	18	17	17	19	18	01	17	
	MAXIMUM 2-MINUTE: SPEED (MPH)	13	36	41	39	37	53	46	41	37	40	33	46	38	53	
	DIR. (TENS OF DEGS)		01	01	01	34	34	01	01	23	03	02	25	18	34	
	YEAR OF OCCURRENCE		2005	2006	2000	2006	2006	2007	2005	2009	2000	2008	2001	2002	MAY 2006	
	MAXIMUM 3-SECOND SPEED (MPH)	71	73	59	73	60	78	80	62	66	63	55	62	76	80	
	DIR. (TENS OF DEGS)		29	23	20	25	32	29	11	36	02	24	24	34	29	
	YEAR OF OCCURRENCE		1953	1956	1953	1991	1965	1949	1984	1949	1958	2001	2001	1947	JUN 1949	
PRECIPITATION	NORMAL (IN)	30	2.23	2.37	2.51	2.28	2.66	4.38	2.45	1.63	2.49	3.95	2.95	2.25	32.15	
	MAXIMUM MONTHLY (IN)	71	10.53	7.34	6.52	12.18	13.69	15.59	9.77	8.91	9.36	13.08	12.49	12.88	15.59	
	YEAR OF OCCURRENCE		1991	1958	1983	1967	1965	1981	1979	1966	1986	1960	1974	1991	JUN 1981	
	MINIMUM MONTHLY (IN)	71	0.02	0.02	0.05	0.03	0.28	T	0.00	T	0.01	0.00	T	0.01	0.00	
	YEAR OF OCCURRENCE		1971	1999	1972	1984	1949	1967	1947	2011	2011	1952	2012	1950	OCT 1952	
	MAXIMUM IN 24 HOURS (IN)	71	5.82	3.90	2.69	4.50	8.53	5.73	3.96	5.93	5.97	6.85	8.70	4.81	8.70	
	YEAR OF OCCURRENCE		2012	1958	2012	1969	1974	1981	1961	1966	1986	1998	1974	1953	NOV 1974	
	NORMAL NO. DAYS WITH: PRECIPITATION >= 0.01	30	7.5	7.4	9.6	6.5	6.5	6.8	7.2	4.9	5.7	6.8	6.5	6.7	82.1	
	PRECIPITATION >= 1.00	30	0.7	0.4	0.8	0.3	1.1	1.5	0.9	0.5	0.8	1.2	0.7	0.4	9.3	
SNOWFALL	NORMAL (IN)	30	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.0	
	MAXIMUM MONTHLY (IN)	71	6.8	5.0	0.6	T	T	T	T	T	0.0	T	2.0	0.6	6.8	
	YEAR OF OCCURRENCE		1985	1966	1965	2007	2008	2008	2008	2011	2011	2002	1955	1946	JAN 1985	
	MAXIMUM IN 24 HOURS (IN)	71	5.5	4.0	0.6	T	T	T	0.0	0.0	0.0	T	2.0	0.6	5.5	
	YEAR OF OCCURRENCE		1949	1967	1965	2005	2001	2001	2001	2001	2001	2002	1955	1946	JAN 1949	
	MAXIMUM SNOW DEPTH (IN)	71	6	5	T	0	0	0	0	0	0	T	T	T	6	
	YEAR OF OCCURRENCE		1949	1963	1948								1980	1990	JAN 1949	
NORMAL NO. DAYS WITH: SNOWFALL >= 1.0	30	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		

PRECIPITATION (inches) 2012 AUSTIN/BERGSTROM (KAUS)

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
1983	2.22	3.95	6.52	0.23	5.71	3.47	2.52	3.86	4.53	3.31	2.17	0.58	39.07
1984	1.76	1.61	2.64	0.03	1.19	3.03	2.86	1.38	0.84	9.30	1.91	3.05	29.60
1985	1.79	1.85	2.18	2.81	1.37	8.29	3.37	0.05	3.20	4.72	6.59	0.96	37.18
1986	0.61	1.16	0.26	1.18	8.17	3.04	0.02	1.28	9.36	9.11	1.72	5.96	41.87
1987	1.04	3.51	2.07	0.91	8.29	8.13	2.81	0.25	2.14	0.21	3.11	1.27	33.74
1988	0.60	0.71	2.58	2.56	4.81	1.50	4.30	2.79	1.68	2.10	0.42	1.19	25.24
1989	3.22	0.83	1.90	3.09	4.23	2.26	0.40	1.60	0.02	1.83	1.48	0.14	21.00
1990	1.09	3.33	2.22	3.44	4.13	0.93	4.57	1.64	1.95	3.32	4.18	0.67	31.47
1991	10.53	2.87	1.05	6.87	3.72	4.67	1.92	6.17	1.84	1.79	0.93	12.88	55.24
1992	4.83	6.82	4.97	2.18	7.69	4.35	0.94	3.50	3.40	1.14	3.41	3.88	47.11
1993	3.90	2.44	2.52	2.82	4.98	3.37	T	T	0.49	4.32	1.13	1.19	27.16
1994	1.09	2.14	1.25	1.57	6.51	1.95	0.02	5.52	5.73	7.79	1.82	8.11	43.50
1995	1.06	1.48	3.08	4.35	7.91	3.00	0.64	4.96	4.56	2.95	2.84	0.34	37.17
1996	0.24	0.75	1.12										
1997										2.18	2.92	4.14	
1998	2.86	3.53	2.33	1.49	0.61	0.97	0.55	3.33	4.43	12.73	4.31	1.31	38.45
1999	1.70	0.02	4.96	1.23	6.18	2.32	5.34	1.03	0.47	1.57	0.08	0.69	25.59
2000	3.69	1.28	0.92	1.82	4.78	3.66	0.57	0.63	0.77	3.46	7.01	2.96	31.55
2001	2.75	1.00	3.35	0.39	4.41	3.21	0.33	5.05	5.82	2.39	10.51	3.91	43.12
2002	1.54	0.91	1.53	0.86	0.90	4.36	5.32	0.96	2.55	9.11	4.26	4.93	37.23
2003	1.69	4.92	0.94	0.06	0.51	4.06	2.98	1.93	4.06	0.89	0.68	0.66	23.38
2004	2.55	5.38	1.96	2.89	2.44	14.18	3.20	1.25	1.17	6.76	9.91	0.20	51.89
2005	2.44	3.22	3.46	0.91	3.10	0.55	1.78	1.57	0.52	2.71	0.99	0.20	21.45
2006	0.62	1.06	3.11	2.50	4.98	2.64	0.97	0.03	1.72	4.72	0.80	4.08	27.23
2007	7.66	0.12	6.00	3.71	6.73	7.49	7.62	2.19	0.73	1.80	1.26	0.60	45.91
2008	0.82	1.16	3.45	2.86	1.34	0.79	1.37	2.16	0.34	1.20	0.11	0.38	15.98
2009	0.40	0.94	3.21	3.74	1.73	1.03	1.27	2.58	6.98	6.90	2.80	2.53	34.11
2010	3.29	2.81	2.79	1.44	1.01	4.15	5.37	0.63	5.15	0.06	0.92	0.80	28.42
2011	3.67	0.64	0.15	0.19	1.91	1.39	0.05	T	0.01	1.82	2.18	4.89	16.90
2012	7.31	3.86	5.11	0.09	5.29	0.21	3.82	3.03	4.75	0.84	T	0.83	35.14
POR= 63 YRS	2.23	2.33	2.23	2.62	4.15	3.37	1.87	2.19	3.26	3.61	2.63	2.30	32.79

WBAN : 13904

AVERAGE TEMPERATURE (°F) 2012 AUSTIN/BERGSTROM (KAUS)

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
1983	50.4	54.4	59.8	66.1	74.8	79.6	83.5	84.9	78.7	71.8	65.2	45.3	67.9
1984	47.2	57.1	65.4	71.2	77.3	80.4	85.0	86.9	80.4	72.5	61.5	61.3	70.5
1985	45.5	49.6	64.6	71.3	78.3	82.7	83.8	89.0	82.3	73.4	63.4	49.4	69.4
1986	53.1	58.3	63.1	73.1	73.6	80.9	85.5	84.9	81.7	68.6	59.9	51.8	69.5
1987	51.2	56.5	58.1	66.8	76.2	79.7	83.1	85.4	78.9	70.4	60.7	53.8	68.4
1988	47.9	54.5	61.4	68.4	74.1	79.9	83.7	85.8	81.3	72.4	66.1	56.4	69.3
1989	56.8	51.9	62.7	69.1	77.2	81.1	86.2	85.2	79.2	72.3	64.1	46.1	69.3
1990	58.4	59.0	61.7	69.3	77.2	84.9	83.5	86.1	80.9	70.1	63.7	52.0	70.6
1991	48.6	57.3	65.1	72.2	77.5	81.6	84.0	84.9	77.3	73.1	57.8	54.9	69.5
1992	51.1	58.7	64.0	68.6	73.3	81.7	84.1	82.0	80.1	71.7	58.0	55.9	69.1
1993	50.9	54.3	61.5	67.3	73.8	82.1	86.2	86.2	81.2	71.3	57.0	56.5	69.0
1994	52.7	55.5	64.7	71.0	75.6	84.6	88.2	84.0	77.3	72.2	64.8	55.8	70.5
1995	53.0	57.1	61.2	67.8	76.7	80.0	86.1	85.1	81.0	71.9	61.2	59.1	70.0
1996	54.3	63.3	58.9										
1997									80.2	69.0	54.5	47.5	
1998	54.1	52.8	58.1	64.5	78.5	86.5	87.5	84.2	81.0	70.4	61.4	50.4	69.1
1999							81.9	85.7	78.7	67.7	60.9	52.2	
2000	52.5	59.5	63.7	67.2	77.8	81.0	85.1	84.9	79.6	70.7	55.1	43.9	68.4
2001	46.4	54.5	52.9	69.5	75.4	80.7	84.6	83.1	75.4	65.5	60.9	51.8	66.7
2002	51.5	47.9	57.9	72.8	76.4	81.4	81.7	83.9	78.1	68.6	54.7	50.6	67.1
2003	47.4	49.7	56.9	68.3	78.8	80.6	81.8	83.8	75.9	69.2	62.1	51.5	67.2
2004	52.3	49.4	64.8	66.5	75.2	79.7	81.7	81.9	78.4	75.0	59.0	50.1	67.8
2005	54.0	55.5	59.1	66.7	74.7	82.8	84.6	84.8	84.2	69.6	63.0	50.1	69.1
2006	55.8	52.9	64.5	74.2	76.7	81.4	84.4	86.7	78.7	70.6	60.8	52.0	69.9
2007	45.8	51.4	62.7	62.6	74.0	79.6	79.6	83.0	78.7	70.1	60.0	52.1	66.6
2008	47.5	55.5	60.4	66.8	76.7	85.5	83.6	84.5	77.9	68.3	59.9	51.3	68.2
2009	50.6	58.8	62.3	67.6	76.7	84.4	87.8	86.8	77.3	67.8	58.4	46.2	68.7
2010	46.4	46.0	56.5	67.3	77.5	83.4	84.2	86.8	80.1	67.8	59.7	51.3	67.3
2011	47.0	53.1	64.1	73.8	76.4	85.4	86.1	88.3	80.2	68.4	60.5	51.4	69.6
2012	52.3	55.7	64.8	71.8	77.1	83.2	83.8	84.9	77.8	68.6	60.6	54.8	69.6
POR= 62 YRS	50.5	54.2	61.4	69.1	75.8	81.8	84.6	84.8	79.4	70.2	60.0	52.5	68.7

HEATING DEGREE DAYS (base 65°F) 2012 AUSTIN/BERGSTROM (KAUS)

YEAR	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	TOTAL
1982-83	0	0	0	43	211	356	415	425	155	76	2	0	1683
1983-84	0	0	4	12	126	646	466	326	189	81	1	0	1851
1984-85	0	0	4	23	185	195	568	270	110	20	0	0	1375
1985-86	0	0	5	10	133	511	649	450	102	18	0	0	1878
1986-87	0	0	0	26	206	431	381	256	105	10	2	0	1417
1987-88	0	0	0	12	208	379	447	254	235	87	0	0	1622
1988-89	0	0	0	1	117	306	547	339	188	46	0	0	1544
1989-90	0	0	0	35	141	604	282	423	176	61	0	0	1722
1990-91	0	0	0	51	143	429	249	205	167	39	2	0	1285
1991-92	0	0	8	34	290	336	537	246	113	7	1	0	1572
1992-93													
1993-94													
1994-95													
1995-96													
1996-97													
1998-99													
1999-00	0	0	1	65	138	405	390	205	136	62	0	0	1402
2000-01	0	0	7	62	326	646	571	301	366	33	0	0	2312
2001-02	0	0	5	80	166	426	438	470	259	21	3	0	1868
2002-03	0	0	0	45	314	444	543	430	255	46	0	0	2077
2003-04	0	0	0	21	178	421	405	447	74	54	2	0	1602
2004-05	0	0	0	4	188	460	371	271	202	46	9	0	1551
2005-06	0	0	0	57	171	459	282	342	116	3	0	0	1430
2006-07	0	0	0	39	183	412	593	381	149	123	0	0	1880
2007-08	0	0	0	55	205	419	547	287	197	76	0	0	1786
2008-09	0	0	0	40	198	433	458	208	174	56	0	0	1567
2009-10	0	0	3	69	204	577	571	527	259	32	0	0	2242
2010-11	0	0	0	38	224	418	555	383	136	21	24	0	1799
2011-12	0	0	0	53	216	421	389	294	98	2	0	0	1473
2012-	0	0	0	70	184	357							

WBAN : 13904

COOLING DEGREE DAYS (base 65°F) 2012 AUSTIN/BERGSTROM (KAUS)

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	TOTAL
1983	3	0	17	98	275	443	584	628	418	225	103	12	2806
1984	0	14	92	182	384	466	617	685	454	254	50	43	3241
1985	0	8	76	207	423	530	593	753	533	268	81	3	3475
1986	3	53	43	229	262	483	649	617	511	140	44	0	3034
1987	3	1	17	136	345	453	574	641	415	169	62	10	2826
1988	6	19	60	128	285	455	592	658	493	233	130	21	3080
1989	22	13	90	179	382	479	662	628	422	257	102	3	3239
1990	33	18	54	160	384	606	579	668	478	205	87	18	3290
1991	0	16	76	218	387	501	601	627	369	283	49	19	3146
1992													
1993													
1994													
1995													
1996													
1997													
1998													
1999							534	645	419	156	23	17	
2000	11	51	103	138	405	488	631	624	455	248	34	0	3188
2001	0	12	0	176	327	476	615	565	324	101	51	21	2668
2002	26	0	43	263	365	501	528	590	402	164	11	5	2898
2003	3	7	13	152	435	472	529	588	333	162	98	7	2799
2004	19	0	71	105	325	447	526	531	406	320	13	4	2767
2005	39	8	27	103	313	541	614	621	583	205	116	5	3175
2006	2	13	107	289	369	497	609	663	416	221	62	15	3263
2007	2	5	84	60	286	443	458	567	417	219	61	26	2628
2008	11	19	63	135	373	621	584	612	390	149	51	18	3026
2009	17	42	97	143	370	590	712	686	380	162	10	1	3210
2010	1	0	3	108	397	558	600	684	458	131	74	3	3017
2011	1	57	118	293	385	617	660	730	465	164	87	6	3583
2012	3	31	98	212	378	553	589	624	390	189	59	44	3170

SNOWFALL (inches) 2012 AUSTIN/BERGSTROM (KAUS)

YEAR	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	TOTAL
1983-84	0.0	0.0	0.0	0.0	0.0	T	0.0	0.0	0.0	0.0	0.0	0.0	T
1984-85	0.0	0.0	0.0	0.0	0.0	0.0	6.8	0.5	0.0	0.0	0.0	0.0	7.3
1985-86	0.0	0.0	0.0	0.0	0.0	0.0	T	0.0	0.0	0.0	0.0	0.0	T
1986-87	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1987-88	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.1
1988-89	0.0	0.0	0.0	0.0	0.0	0.0	0.0	T	0.0	0.0	0.0	0.0	T
1989-90	0.0	0.0	0.0	0.0	0.0	T	0.0	0.0	0.0	0.0	0.0	0.0	T
1990-91	0.0	0.0	0.0	0.0	0.0	T	0.0	0.0	0.0	0.0	0.0	0.0	T
1991-92	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1992-93	0.0	0.0	0.0	0.0	T	0.0	T	0.0	0.0	0.0	0.0	0.0	T
1993-94	0.0	0.0	0.0	0.0	0.0	T	T	T	0.0	0.0	0.0	0.0	T
1994-95	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1995-96	0.0	0.0	0.0	0.0	0.0	0.0	T						
1996-97													
1997-98	0.0	0.0	0.0	0.0	T	0.0	0.0	0.0	0.0	0.0	0.0	0.0	T
1998-99	0.0	0.0	0.0	0.0	0.0	T	0.0	0.0	0.0	0.0	0.0	0.0	T
1999-00	0.0	0.0	0.0	0.0	0.0	0.0	T	0.0	0.0	0.0	0.0	0.0	T
2000-01	0.0	0.0	0.0	0.0	0.0	T	0.0	0.0	T	0.0	T	T	T
2001-02	0.0	0.0	0.0	0.0	T	T	T	0.0	0.0	0.0	0.0	0.0	T
2002-03	0.0	0.0	0.0	T	0.0	0.0	0.0	0.8	T	0.0	0.0	T	0.8
2003-04	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.0	0.0	0.0	0.0	0.7
2004-05	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	T	T	0.0	0.0	T
2005-06	0.0	0.0	0.0	0.0	0.0	T	0.0	0.0	0.0	0.0	0.0	0.0	T
2006-07	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	T	T	0.0	0.1
2007-08	0.0	0.0	0.0	0.0	0.0	T	0.0	T	0.0	0.0	T	T	T
2008-09	0.0	0.0	0.0	0.0	0.0	T	0.0	0.0	0.0	0.0	0.0	0.0	T
2009-10	0.0	0.0	0.0	0.0	0.0	T	0.0	0.3	T	0.0	0.0	0.0	0.3
2010-11	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.0	0.0	0.0	0.0	0.6
2011-12	0.0	0.0	0.0	0.0	0.0	0.0	0.0	T	0.0	0.0	0.0	0.0	T
2012-	0.0	0.0	0.0	0.0	0.0	0.0							
POR= 34 YRS	0.0	0.0	0.0	T	T	T	0.2	0.1	T	T	T	T	0.3

WBAN : 13904

REFERENCE NOTES :

<p>PAGE 1: THE TEMPERATURE GRAPH SHOWS NORMAL MAXIMUM AND NORMAL MINIMUM DAILY TEMPERATURES (SOLID CURVES) AND THE ACTUAL DAILY HIGH AND LOW TEMPERATURES (VERTICAL BARS).</p> <p>PAGE 2 AND 3: H/C INDICATES HEATING AND COOLING DEGREE DAYS. RH INDICATES RELATIVE HUMIDITY W/O INDICATES WEATHER AND OBSTRUCTIONS S INDICATES SUNSHINE. PR INDICATES PRESSURE. CLOUDINESS ON PAGE 3 IS THE SUM OF THE CEILOMETER AND SATELLITE DATA NOT TO EXCEED EIGHT EIGHTHS(OKTAS).</p> <p>GENERAL: T INDICATES TRACE PRECIPITATION, AN AMOUNT GREATER THAN ZERO BUT LESS THAN THE LOWEST REPORTABLE VALUE. + INDICATES THE VALUE ALSO OCCURS ON EARLIER DATES. BLANK ENTRIES DENOTE MISSING OR UNREPORTED DATA. ASOS INDICATES AUTOMATED SURFACE OBSERVING SYSTEM. PM INDICATES THE LAST DAY OF THE PREVIOUS MONTH. POR (PERIOD OF RECORD) BEGINS WITH THE JANUARY DATA MONTH AND IS THE NUMBER OF YEARS USED TO COMPUTE THE MEAN. INDIVIDUAL MONTHS WITHIN THE POR MAY BE MISSING. WHEN THE POR FOR A NORMAL IS LESS THAN 30 YEARS, THE NORMAL IS PROVISIONAL AND IS BASED ON THE NUMBER OF YEARS INDICATED. 0.* OR * INDICATES THE VALUE OR MEAN-DAYS-WITH IS BETWEEN 0.00 AND 0.05. CLOUDINESS FOR ASOS STATIONS DIFFERS FROM THE NON-ASOS OBSERVATION TAKEN BY A HUMAN OBSERVER. ASOS STATION CLOUDINESS IS BASED ON TIME-AVERAGED CEILOMETER DATA FOR CLOUDS AT OR BELOW 12,000 FEET CLEAR INDICATES 0 - 2 OKTAS, PARTLY CLOUDY INDICATES 3 - 6 OKTAS, AND CLOUDY INDICATES 7 OR 8 OKTAS.</p> <p>GENERAL CONTINUED: WIND DIRECTION IS RECORDED IN TENS OF DEGREES (2 DIGITS) CLOCKWISE FROM TRUE NORTH. "00" INDICATES CALM. "36" INDICATES TRUE NORTH. RESULTANT WIND IS THE VECTOR AVERAGE OF THE SPEED AND DIRECTION. AVERAGE TEMPERATURE IS THE SUM OF THE MEAN DAILY MAXIMUM AND MINIMUM TEMPERATURE DIVIDED BY 2. SNOWFALL DATA COMPRISE ALL FORMS OF FROZEN</p>	<p>PRECIPITATION, INCLUDING HAIL. A HEATING (COOLING) DEGREE DAY IS THE DIFFERENCE BETWEEN THE AVERAGE DAILY TEMPERATURE AND 65 F. DRY BULB IS THE TEMPERATURE OF THE AMBIENT AIR. DEW POINT IS THE TEMPERATURE TO WHICH THE AIR MUST BE COOLED TO ACHIEVE 100 PERCENT RELATIVE HUMIDITY. WET BULB IS THE TEMPERATURE THE AIR WOULD HAVE IF THE MOISTURE CONTENT WAS INCREASED TO 100 PERCENT RELATIVE HUMIDITY. ON JULY 1, 1996, THE NATIONAL WEATHER SERVICE BEGAN USING THE "METAR" OBSERVATION CODE THAT WAS ALREADY EMPLOYED BY MOST OTHER NATIONS OF THE WORLD. THE MOST NOTICEABLE DIFFERENCE IN THIS ANNUAL PUBLICATION WILL BE THE CHANGE IN UNITS FROM TENTHS TO EIGHTHS(OKTAS) FOR REPORTING THE AMOUNT OF SKY COVER. STATION HISTORY STOPPED WITH THE 2009 ANNUAL. IF YOU NEED STATION HISTORY INFORMATION GO TO "Historical Observing Metadata Repository", URL IS: http://www.ncdc.noaa.gov/homr/ SNOWFALL STOPPED MONTH & YEAR INDICATED ABOVE. NO FURTHER YEARS INCLUDED UNLESS RESTARTED.</p> <p>NOTE:</p> <p>The "Period of Record:(POR)" for all "averages" is based on "Summary of the Day First Order Station" and "Cooperative Summary of the Day" archives.</p> <p>The 2012 Annual Publications were reproduced on 6/05/13 to correct two problems that occurred when the Publications were first produced on 02/28/13.</p> <ol style="list-style-type: none"> 1) A small number of stations did not correctly show number of days with thunderstorms and heavy fog. 2) Climate Normals in the Annual Publications were based on a first edition of the 1981-2010 Normals release. With the release of Service Pack 1 (SP1) new normals for 83 stations are available and now included. Additional information on SP1 is available at: http://www1.ncdc.noaa.gov/pub/data/normals/1981-2010/status.txt.
---	--

2012 AUSTIN/BERGSTROM TEXAS (KAUS)

Austin, capital of Texas, is located on the Colorado River where the stream crosses the Balcones escarpment separating the Texas Hill Country from the Blackland Prairies to the east. Elevations within the city vary from 400 feet to nearly 1,000 feet above sea level. Native trees include cedar, oak, walnut, mesquite, and pecan.

The climate of Austin is humid subtropical with hot summers. Winters are mild, with below freezing temperatures occurring on an average of about 25 days each year. Rather strong northerly winds, accompanied by sharp drops in temperature, frequently occur during the winter months in connection with cold fronts, but cold spells are usually of short duration, seldom lasting more than two days. Daytime temperatures in summer are hot, but summer nights are usually pleasant.

Precipitation is fairly evenly distributed throughout the year, with heaviest amounts occurring in late spring. A secondary rainfall peak occurs in September, primarily because of tropical cyclones that migrate out of the Gulf of Mexico. Precipitation from April through September usually results from thunderstorms, with fairly large amounts of rain falling within short periods of time. While thunderstorms and heavy rains may occur in all months of the year, most of the winter precipitation consists of light rain. Snow is insignificant as a source of moisture, and usually melts as rapidly as it falls. The city may experience several seasons in succession with no measurable snowfall.

Prevailing winds are southerly, however in winter, northerly winds are about as frequent as those from the south. Destructive winds and damaging hailstorms are infrequent. On rare occasions dissipating tropical storms produce strong winds and heavy rains in the area. Blowing dust occurs occasionally in spring, but visibility rarely drops substantially, and then only for a few hours.

The average length of the warm season (freeze-free period) is 273 days. The average occurrence of the last temperature of 32 degrees in spring is early March and the average occurrence of the first temperature of 32 degrees is late November.

EDITORIAL NOTE:

With the opening of Austin Bergstrom International Airport in May 1999, there are now two sets of Local Climatological Data (LCD) maintained for Austin, Texas. As a user of National Climate Data Center products, you should be aware of the history of the data sets; in addition, you should know where and how these climatological data records are kept for the two Austin area weather observation sites.

Austin Bergstrom International Airport

(Identifier AUS) The Local Climatological Data for this site is based upon U. S. Air Force weather records taken at Bergstrom Air Force Base (formerly occupying this site) for the time period 1942 through 1995. With base conversion to civilian use, Austin Bergstrom International Airport was opened to cargo operations on September 1, 1997, with resumption of manual surface weather observations. On October 2, 1997, an ASOS was commissioned at this airport. Austin Bergstrom International Airport was opened to full civilian operations (with full human augmentation as FAA Service Level "A" weather observations) on May 23, 1999. This weather observation site is located about 6 miles southeast of downtown Austin (immediately southeast of the intersection of U.S. Highway 183 and State Highway 71) in the Onion Creek watershed. Because the location is in a more outlying and lowlying area, nighttime temperatures (especially during calm wind conditions during the winter time of the year) tend to be considerably cooler than the Austin - City/Camp Mabry (Texas National Guard) weather observation site.

Austin City/Camp Mabry (Texas National Guard) (Identifier ATT)

The Local Climatological Data for this site is based on weather records started back in the 1800s in the downtown Austin area. This National Weather Service first order data set was moved 3 miles northeast of the downtown area with the opening of Austin Robert Mueller Municipal Airport in the 1940s and continued until the closure of the Robert Mueller Airport on May 23, 1999. The National Weather Service ASOS was left without human augmentation effective with the closure of the airport. With the planned demolition of the former airport site, the National Weather Service held discussions with local users about finding a comparable location (geography and elevation) to maintain this "in city" climate data set. With cooperation of Texas National Guard officials, the National Weather Service moved the ASOS (no human augmentation) to Camp Mabry on July 21, 1999. This location, which is very similar to the former airport site, is along Loop 1/MoPac Expressway about 4 miles west northwest of the former Robert Mueller airport site and about 3 miles northwest of downtown Austin.

As a NCDC Local Climatological data user, you should be aware of these 1999 changes and how it affects the choice of which Local Climatological Data set you use for Austin, Texas.

Station History

AUSTIN/BERGSTROM, TX

NAME	Begin Date	End Date	Latitude	Longitude	Elevation Feet	Relocation	Platform
AUSTIN BERGSTROM AAF	1942-10-01	1948-07-01	30° 12'	-97° 40'			MILITARY
AUSTIN BERGSTROM INTL AP	1997-10-02	1999-02-01	30° 10'	-97° 40'			AIRWAYS,ASOS
AUSTIN BERGSTROM AFB	1948-07-01	1981-12-31	30° 12'	-97° 40'			MILITARY
AUSTIN BERGSTROM INTL AP	1999-02-01	2010-07-01	30° 10'	-97° 40'	480		AIRWAYS,ASOS,COOP
AUSTIN BERGSTROM INTL AP	2010-07-01	Present	30° 10'	-97° 40'	480		AIRWAYS,ASOS,COOP

Element History

Element	Begin Date	End Date	Frequency	Time Of Observation	Equipment *	Equipment * Modifications	Equipment Exposure
PRECIP	1999-02-01	2010-07-01	DAILY	2400	TB	RCRD	
TEMP	1999-02-01	2010-07-01	DAILY	2400	HYGR		
PRECIP	2010-07-01	Present	DAILY	2400	PCPN1		
TEMP	2010-07-01	Present	DAILY	2400	HYGR		
PRECIP	2010-07-01	Present	HOURLY	2400	AWPAG	RCRD;HTD	
PRECIP	1999-02-01	2010-07-01	HOURLY	2400	TB	RCRD	

* For explanation of codes and abbreviations see Station Metadata link below.

Other Station Information can be found at:

ASOS Implementation by NWS: <http://www.nws.noaa.gov/ops2/Surface/asosimplementation.htm>

Station Metadata website: <http://www.ncdc.noaa.gov/homr>

INQUIRES/COMMENTS CALL: (828) 271-4800, option 2

Fax Number : (828) 271-4876

TDD : (828) 271-4010

Email : ncdc.orders@noaa.gov

NOAA/National Climatic Data Center

Attn: User Engagement & Services Branch

151 Patton Avenue

Asheville, NC 28801-5001

Visit our Web Site for other weather data: www.ncdc.noaa.gov