




# 2012 LOCAL CLIMATOLOGICAL DATA ANNUAL SUMMARY WITH COMPARATIVE DATA


ISSN 0198-5302

## BURLINGTON, VERMONT (KBTV)


### Daily Max/Min Temperature



### Daily Precipitation



### Daily Station Pressure



I CERTIFY THAT THIS IS AN OFFICIAL PUBLICATION OF THE NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION, AND IS COMPILED FROM RECORDS ON FILE AT THE NATIONAL CLIMATIC DATA CENTER.

NATIONAL  
OCEANIC AND  
ATMOSPHERIC ADMINISTRATION

NATIONAL  
ENVIRONMENTAL SATELLITE, DATA  
AND INFORMATION SERVICE

NATIONAL  
CLIMATIC DATA CENTER  
ASHEVILLE, NORTH CAROLINA

*Thomas R. Karl*  
DIRECTOR  
NATIONAL CLIMATIC DATA CENTER

# METEOROLOGICAL DATA FOR 2012

## BURLINGTON (KBTV)

LATITUDE: 44° 28'N      LONGITUDE: 73° 8'W      ELEVATION (FT): GRND: 330 BARO: 348      TIME ZONE: EASTERN (UTC -5)      WBAN: 14742

ELEMENT		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	YEAR	
TEMPERATURE °F	MEAN DAILY MAXIMUM	33.3	37.0	52.8	55.8	72.2	78.3	84.4	82.9	72.1	61.1	44.4	36.9	59.3	
	HIGHEST DAILY MAXIMUM	46	50	81	85	88	97	93	94	85	74	70	56	97	
	DATE OF OCCURRENCE	24	22+	22+	16	29+	21	17+	04	08	05	12	04	JUN 21	
	MEAN DAILY MINIMUM	15.7	19.7	33.6	36.3	51.0	57.2	61.6	61.1	51.6	44.7	29.2	24.6	40.5	
	LOWEST DAILY MINIMUM	-11	5	4	25	34	46	51	49	39	26	8	8	-11	
	DATE OF OCCURRENCE	16	12+	06	01	07+	01	10	29	20	13	30	26	JAN 16	
	AVERAGE DRY BULB	24.5	28.4	43.2	46.1	61.6	67.8	73.0	72.0	61.9	52.9	36.8	30.8	49.9	
	MEAN WET BULB	22.1	25.0	37.2	39.5	55.1	59.9	64.3	64.3	55.7	48.9	32.0	28.5	44.4	
	MEAN DEW POINT	15.7	17.5	28.5	29.8	49.4	54.3	58.9	59.5	50.5	44.3	25.1	23.5	38.1	
	NUMBER OF DAYS WITH:														
	MAXIMUM >= 90°	0	0	0	0	0	4	7	2	0	0	0	0	0	13
	MAXIMUM <= 32°	12	7	1	0	0	0	0	0	0	0	2	10	32	
MINIMUM <= 32°	29	26	14	9	0	0	0	0	0	2	23	24	127		
MINIMUM <= 0°	3	0	0	0	0	0	0	0	0	0	0	0	3		
H/C	HEATING DEGREE DAYS	1248	1057	672	569	156	48	0	3	144	366	839	1053	6155	
	COOLING DEGREE DAYS	0	0	5	9	57	137	256	226	56	1	0	0	747	
RH	MEAN (PERCENT)	69	65	60	57	67	65	64	68	69	74	66	75	67	
	HOUR 01 LST	73	75	67	70	81	80	83	83	82	80	72	77	77	
	HOUR 07 LST	71	72	67	59	70	68	68	70	72	79	73	76	70	
	HOUR 13 LST	64	51	49	43	51	50	43	47	52	62	51	69	53	
	HOUR 19 LST	70	63	59	55	66	63	61	71	72	73	69	76	67	
W/O	NUMBER OF DAYS WITH:														
	HEAVY FOG(VISBY <= 1/4 MI)	2	0	2	0	0	2	0	0	0	0	0	0	6	
	THUNDERSTORMS	0	0	1	0	2	2	3	4	2	0	0	0	14	
PR	MEAN STATION PRESS. (IN.)	29.58	29.62	29.68	29.49	29.62	29.54	29.55	29.58	29.63	29.56	29.76	29.62	29.60	
	MEAN SEA-LEVEL PRESS. (IN.)	29.96	30.00	30.06	29.86	29.98	29.90	29.91	29.95	30.00	29.94	30.15	30.03	29.98	
WINDS	RESULTANT SPEED (MPH)	2.2	1.7	2.2	3.4	2.2	1.9	0.9	2.7	2.9	2.4	1.8	1.1	1.7	
	RES. DIR. (TENS OF DEGS.)	22	26	23	30	20	21	24	19	19	19	28	23	23	
	MEAN SPEED (MPH)	8.1	7.0	8.5	8.3	6.7	6.4	5.6	5.3	6.9	6.6	6.5	8.1	7.0	
	PREVAIL.DIR.(TENS OF DEGS.)	19	18	18	34	18	18	19	19	18	18	19	18	19	
	MAXIMUM 2-MINUTE WIND														
	SPEED (MPH)	33	26	33	28	29	28	51	24	32	28	29	39	51	
	DIR. (TENS OF DEGS.)	24	28	34	18	18	19	32	32	17	18	19	12	32	
	DATE OF OCCURRENCE	18	25	26	24	08	12	04	28	18	15	12	21	JUL 04	
	MAXIMUM 3-SECOND WIND:														
SPEED (MPH)	47	36	41	36	44	38	63	36	45	37	39	51	63		
DIR. (TENS OF DEGS.)	24	29	34	20	18	18	32	18	19	10	20	12	32		
DATE OF OCCURRENCE	18	25	26	24	08	12	04	05	18	29	23	21	JUL 04		
PRECIPITATION	WATER EQUIVALENT:														
	TOTAL (IN.)	1.96	0.89	0.98	2.84	4.41	3.22	3.78	2.92	5.36	5.04	1.24	3.30	35.94	
	GREATEST 24-HOUR (IN.)	0.67	0.33	0.20	1.36	1.23	1.39	1.44	1.20	3.06	1.72	0.75	0.74	3.06	
	DATE OF OCCURRENCE	26-27	24	15-16	22-23	08	26-27	03-04	09-10	04-05	19	13	27	SEP 04-05	
	NUMBER OF DAYS WITH:														
PRECIPITATION 0.01	19	12	15	12	14	13	9	9	11	18	9	20	161		
PRECIPITATION 0.10	7	4	4	6	11	8	5	6	7	9	2	10	79		
PRECIPITATION 1.00	0	0	0	1	1	1	2	1	2	1	0	0	9		
SNOWFALL	SNOW,ICE PELLETS,HAIL														
	TOTAL (IN.)	13.4	6.4	5.9	T	0.0	0.0	0.0	0.0	0.0	T	3.8	30.7	60.2	
	GREATEST 24-HOUR (IN.)	4.0	3.0	2.2	T	0.0	0.0	0.0	0.0	0.0	T	2.9	13.1	13.1	
	DATE OF OCCURRENCE	13	24	01	28+						12	29	27	DEC 27	
	MAXIMUM SNOW DEPTH (IN.)	4	3	4	0	0	0	0	0	0	0	3	17	17	
	DATE OF OCCURRENCE	15+	26+	02+								29	31+	DEC 31+	
	NUMBER OF DAYS WITH:														
SNOWFALL >= 1.0	4	1	3	0	0	0	0	0	0	0	1	5	14		

# NORMALS, MEANS, AND EXTREMES

## BURLINGTON (KBTV)

LATITUDE: 44° 28'N      LONGITUDE: 73° 8'W      ELEVATION (FT): GRND: 330 BARO: 348      TIME ZONE: EASTERN (UTC -5)      WBAN: 14742

ELEMENT		POR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	YEAR
TEMPERATURE °F	NORMAL DAILY MAXIMUM	30	27.2	30.6	40.0	54.7	67.2	76.3	80.9	79.0	70.4	57.2	45.5	33.2	55.2
	MEAN DAILY MAXIMUM	107	26.5	27.4	38.7	52.3	66.4	74.6	80.1	77.8	68.6	57.2	43.4	31.5	53.7
	HIGHEST DAILY MAXIMUM	69	66	62	84	91	93	100	100	101	98	85	75	67	101
	YEAR OF OCCURRENCE		1995	1981	1998	1976	1977	1995	1995	1944	2002	1949	1948	1998	AUG 1944
	MEAN OF EXTREME MAXS.	107	48.5	47.4	61.6	76.1	85.0	90.5	92.3	90.2	85.0	75.0	64.7	52.2	72.4
	NORMAL DAILY MINIMUM	30	10.2	12.5	22.0	34.8	45.4	55.3	60.3	58.5	50.7	39.1	30.9	18.5	36.5
	MEAN DAILY MINIMUM	107	9.8	10.4	21.8	33.5	45.4	54.4	60.0	58.1	49.8	39.8	29.7	16.9	35.8
	LOWEST DAILY MINIMUM	69	-30	-30	-20	2	24	33	39	35	25	15	-2	-26	-30
	YEAR OF OCCURRENCE		1957	1979	1948	1972	1966	1986	1962	1976	1963	1972	1958	1980	FEB 1979
	MEAN OF EXTREME MINS.	107	-13.9	-11.5	-0.7	19.5	30.6	40.1	47.6	44.5	34.2	24.4	12.4	-6.3	18.4
	NORMAL DRY BULB	30	18.7	21.5	31.0	44.8	56.3	65.8	70.6	68.8	60.5	48.1	38.2	25.8	45.8
	MEAN DRY BULB	107	18.1	18.9	30.3	42.9	56.0	64.6	70.1	67.9	59.2	48.5	36.6	24.2	44.8
	MEAN WET BULB	29	16.6	17.8	25.9	37.3	48.8	58.2	62.9	61.6	54.6	43.4	33.5	22.9	40.3
	MEAN DEW POINT	29	13.6	14.3	22.4	33.4	45.3	55.2	60.5	59.5	52.5	40.6	30.5	20.0	37.3
	NORMAL NO. DAYS WITH: MAXIMUM >= 90	30	0.0	0.0	0.0	0.0	0.3	1.4	2.2	1.2	0.3	0.0	0.0	0.0	5.4
	MAXIMUM <= 32	30	19.5	15.6	7.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	2.5	13.3	58.2
	MINIMUM <= 32	30	29.0	25.9	25.2	11.6	1.1	0.0	0.0	0.0	0.4	7.2	16.5	27.1	144.0
MINIMUM <= 0	30	8.0	5.0	1.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.4	16.7	
H/C	NORMAL HEATING DEG. DAYS	30	1435	1216	1054	610	287	73	13	29	175	524	804	1214	7434
	NORMAL COOLING DEG. DAYS	30	0	0	0	2	17	97	187	145	41	2	0	0	491
RH	NORMAL (PERCENT)	30	70	69	67	64	65	68	69	73	75	72	71	72	70
	HOUR 01 LST	30	72	73	74	73	77	81	83	85	85	79	75	75	78
	HOUR 07 LST	30	74	75	76	73	74	76	79	83	85	81	77	76	77
	HOUR 13 LST	30	64	61	58	53	51	54	53	57	60	60	64	67	59
	HOUR 19 LST	30	69	66	63	58	57	61	61	67	73	70	71	72	66
S	PERCENT POSSIBLE SUNSHINE	65	41	48	51	49	55	59	64	60	54	47	31	33	49
W/O	MEAN NO. DAYS WITH: HEAVY FOG(VISBY <= 1/4 MI)	49	1.7	1.6	1.9	1.1	0.9	1.3	0.9	1.4	2.1	1.5	1.0	1.8	17.2
	THUNDERSTORMS	65	0.0	0.0	0.3	1.0	2.3	5.0	5.8	4.9	1.8	0.5	0.3	0.0	21.9
CLOUDINESS	MEAN: SUNRISE-SUNSET (OKTAS)	53	6.0	5.8	5.7	5.8	5.6	5.4	5.0	5.0	5.1	5.4	6.4	6.3	5.6
	MIDNIGHT-MIDNIGHT (OKTAS)	32	5.9	5.4	5.3	5.3	5.3	5.0	4.8	4.8	5.0	5.3	6.2	6.2	5.4
	MEAN NO. DAYS WITH: CLEAR	53	4.6	4.5	5.8	5.0	4.9	4.8	5.1	5.9	5.9	5.9	2.5	2.9	57.8
	PARTLY CLOUDY	53	6.4	6.9	6.9	7.5	9.3	10.8	12.7	11.6	9.8	7.6	5.2	5.7	100.4
	CLOUDY	53	20.1	16.9	18.3	17.5	16.7	14.4	12.7	13.1	13.8	17.1	21.7	21.7	204.0
PR	MEAN STATION PRESSURE(IN)	29	29.65	29.65	29.66	29.59	29.59	29.56	29.58	29.63	29.67	29.67	29.67	29.66	29.63
	MEAN SEA-LEVEL PRES. (IN)	29	30.03	30.03	30.04	29.96	29.96	29.93	29.94	29.99	30.04	30.04	30.05	30.04	30.00
WINDS	MEAN SPEED (MPH)	29	9.2	8.7	8.9	8.9	8.3	7.8	7.2	7.0	7.7	8.2	9.1	9.2	8.4
	PREVAIL.DIR(TENS OF DEGS)	42	19	19	19	19	19	19	19	19	19	19	19	19	19
	MAXIMUM 2-MINUTE: SPEED (MPH)	16	38	37	35	36	36	39	51	38	36	38	36	39	51
	DIR. (TENS OF DEGS)		18	25	24	19	29	29	32	33	33	19	15	12	32
	YEAR OF OCCURRENCE		1997	2001	2009	2002	2010	2002	2012	2011	2002	2009	2004	2012	JUL 2012
	MAXIMUM 3-SECOND SPEED (MPH)	16	51	52	51	53	55	56	63	51	53	51	51	54	63
	DIR. (TENS OF DEGS)		19	24	20	26	27	31	32	32	18	18	18	18	32
YEAR OF OCCURRENCE		1997	2006	2007	2007	2010	2002	2012	2011	2005	2009	2005	2004	JUL 2012	
PRECIPITATION	NORMAL (IN)	30	2.06	1.76	2.22	2.82	3.45	3.69	4.16	3.91	3.64	3.60	3.13	2.38	36.82
	MAXIMUM MONTHLY (IN)	69	5.15	5.38	4.14	7.88	8.67	8.66	9.31	11.54	10.26	6.26	6.85	5.95	11.54
	YEAR OF OCCURRENCE		1998	1981	2001	2011	2011	1998	1998	1955	1999	2005	1983	1973	AUG 1955
	MINIMUM MONTHLY (IN)	69	0.42	0.21	0.38	0.73	0.29	0.82	0.77	0.72	0.87	0.50	0.63	0.37	0.21
	YEAR OF OCCURRENCE		1989	1978	1965	1999	1977	1995	2001	1957	1948	1963	1952	1998	FEB 1978
	MAXIMUM IN 24 HOURS (IN)	69	2.11	1.94	2.05	2.85	2.36	2.83	2.69	3.62	3.96	2.18	2.48	2.60	3.96
	YEAR OF OCCURRENCE		1998	2007	2011	2011	2006	1972	1985	1998	1999	2010	1990	1950	SEP 1999
	NORMAL NO. DAYS WITH: PRECIPITATION >= 0.01	30	14.5	11.2	12.9	12.8	14.2	13.3	12.0	12.3	11.3	12.9	14.0	14.4	155.8
PRECIPITATION >= 1.00	30	0.3	0.2	0.1	0.2	0.6	0.6	1.0	0.9	0.9	0.9	0.4	0.2	6.3	
SNOWFALL	NORMAL (IN)	30	21.1	16.4	15.8	4.6	0.0	0.0	0.0	0.0	0.0	0.3	5.1	17.9	81.2
	MAXIMUM MONTHLY (IN)	69	48.4	43.1	47.6	21.3	3.9	T	T	T	0.1	5.1	20.4	56.7	56.7
	YEAR OF OCCURRENCE		2010	2011	2001	1983	1966	2009	2010	2001	1992	1969	2002	1970	DEC 1970
	MAXIMUM IN 24 HOURS (IN)	69	18.9	17.7	22.4	15.6	3.5	T	T	T	0.1	5.1	10.1	17.0	22.4
	YEAR OF OCCURRENCE		2010	1995	1993	1983	1966	2009	2010	2001	1992	1969	1958	1978	MAR 1993
	MAXIMUM SNOW DEPTH (IN)	64	40	33	31	16	1	0	0	0	0	5	10	33	40
	YEAR OF OCCURRENCE		1964	1958	1993	2001	1967					1969	1958	1969	JAN 1964
NORMAL NO. DAYS WITH: SNOWFALL >= 1.0	30	6.0	4.5	3.7	1.3	0.0	0.0	0.0	0.0	0.0	0.1	1.6	5.7	22.9	

**PRECIPITATION (inches) 2012 BURLINGTON (KBTV)**

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
1983	3.09	1.66	2.60	6.55	6.31	1.49	3.92	4.31	3.77	4.38	6.85	5.23	50.16
1984	0.81	2.73	1.72	4.25	5.27	1.70	5.11	3.30	2.81	1.89	3.08	3.14	35.81
1985	1.46	1.26	2.46	1.90	3.53	3.76	4.42	2.67	3.30	3.31	3.68	1.59	33.34
1986	3.69	1.68	3.17	0.95	4.11	4.40	4.53	5.82	4.86	2.50	2.99	1.32	40.02
1987	1.91	0.49	1.33	1.42	2.69	4.42	2.79	2.09	3.58	3.28	2.24	1.17	27.41
1988	0.69	1.69	1.55	1.91	1.80	3.26	2.55	4.27	1.50	2.05	4.51	0.90	26.68
1989	0.42	0.67	2.60	1.89	3.19	3.68	3.65	7.30	5.98	2.98	2.41	1.26	36.03
1990	2.36	2.82	1.81	2.97	3.66	3.08	5.12	4.85	2.03	5.99	3.91	3.58	42.18
1991	1.65	0.51	2.55	3.41	3.15	1.28	2.83	4.00	5.14	5.07	1.58	1.35	32.52
1992	1.65	1.56	2.13	2.58	2.38	1.72	4.58	1.89	4.73	3.00	3.67	0.96	30.85
1993	2.17	1.90	1.54	3.76	2.19	3.35	3.34	4.46	3.38	2.93	2.27	1.57	32.86
1994	2.19	1.21	2.93	3.37	4.58	3.65	5.30	4.50	1.74	1.25	2.48	1.66	34.86
1995	1.88	1.26	1.60	2.35	1.41	0.82	3.49	4.64	2.97	5.81	3.33	2.63	32.19
1996	3.91	0.83	0.80	6.12	5.33	4.54	4.74	1.47	2.75	3.64	3.30	0.64	38.07
1997	1.71	1.38	2.59	1.54	2.24	2.62	3.89	4.63	2.98	1.23	4.16	1.65	30.62
1998	5.15	1.84	3.81	1.79	3.61	8.66	9.31	6.80	5.64	2.42	1.02	0.37	50.42
1999	3.51	1.13	2.22	0.73	2.40	1.79	1.97	2.41	10.26	3.18	1.86	1.12	32.58
2000	2.30	2.67	1.63	5.01	6.13	3.55	3.16	3.67	3.02	1.80	2.96	3.36	39.26
2001	0.98	1.54	4.14	0.85	2.28	2.32	0.77	4.32	1.40	1.37	1.81	1.49	23.27
2002	1.32	1.93	1.90	3.02	3.63	6.73	3.35	1.16	6.25	3.30	3.15	1.28	37.02
2003	0.99	0.99	2.06	2.09	3.32	2.98	3.48	2.24	3.29	5.54	4.23	5.00	36.21
2004	0.47	0.85	1.29	2.36	5.04	3.61	7.65	7.87	2.46	1.20	2.11	3.23	38.14
2005	1.83	1.94	1.37	3.85	1.63	3.78	5.22	4.17	2.70	6.26	4.50	2.16	39.41
2006	3.83	1.51	1.62	2.92	7.10	6.77	2.95	4.36	3.22	6.25	2.62	3.84	46.99
2007	2.57	2.18	2.67	3.79	1.95	2.26	6.29	1.46	1.95	5.72	4.72	4.25	39.81
2008	1.55	3.71	3.93	2.60	1.94	5.21	7.07	3.68	1.20	4.89	1.88	2.93	40.59
2009	1.76	1.81	1.90	1.86	5.25	5.25	4.62	2.32	3.67	2.98	2.98	3.02	37.42
2010	2.41	2.13	2.85	3.08	1.52	5.87	2.25	3.51	4.17	6.24	3.10	3.60	40.73
2011	1.44	3.02	3.39	7.88	8.67	3.52	3.68	6.11	6.06	3.49	1.43	2.23	50.92
2012	1.96	0.89	0.98	2.84	4.41	3.22	3.78	2.92	5.36	5.04	1.24	3.30	35.94
POR= 107 YRS	1.86	1.68	2.24	2.73	3.12	3.60	3.85	3.65	3.43	3.06	2.82	2.21	34.25

WBAN : 14742

**AVERAGE TEMPERATURE (°F) 2012 BURLINGTON (KBTV)**

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
1983	21.0	22.3	33.0	42.3	52.9	66.3	71.3	68.6	62.9	48.2	38.1	22.4	45.8
1984	16.5	28.7	21.9	44.7	52.3	66.0	70.3	71.1	57.2	50.0	38.4	30.3	45.6
1985	13.4	22.5	31.6	44.3	55.8	61.7	69.6	67.5	60.3	49.1	36.9	21.3	44.5
1986	18.5	16.2	33.7	48.5	58.3	62.3	68.5	66.1	58.1	46.9	34.5	27.8	45.0
1987	18.1	15.0	33.3	48.6	55.5	66.3	71.5	66.7	59.5	45.9	37.0	28.5	45.5
1988	19.9	21.4	29.7	44.3	57.9	63.4	73.2	70.7	58.2	44.4	39.6	22.9	45.5
1989	23.7	19.7	28.4	41.6	59.6	67.2	71.7	67.7	61.4	50.3	36.4	7.6	44.6
1990	29.8	23.5	33.8	46.2	52.9	65.9	70.2	69.8	59.4	49.4	39.5	30.1	47.5
1991	18.9	26.5	34.0	49.1	59.3	65.9	70.4	70.5	57.8	50.4	37.6	24.0	47.0
1992	18.6	19.1	26.5	42.3	56.5	64.4	66.1	67.6	60.2	45.5	36.7	28.1	44.3
1993	21.7	10.6	27.4	45.3	56.6	64.7	72.2	70.8	59.1	46.1	36.8	24.7	44.7
1994	7.1	15.4	30.2	44.5	54.8	68.6	74.2	66.5	59.6	49.8	41.1	28.7	45.0
1995	27.9	19.0	35.0	40.4	56.4	69.6	74.7	70.0	57.5	54.1	35.2	22.0	46.8
1996	17.5	21.3	28.6	42.8	54.4	66.3	68.6	68.9	62.0	47.4	32.8	32.7	45.3
1997	19.1	25.0	26.9	41.4	51.4	67.3	68.7	66.8	58.6	46.6	35.1	25.8	44.4
1998	22.7	27.7	34.3	46.4	62.0	66.1	68.9	68.5	61.5	49.6	39.7	32.0	48.3
1999	19.1	24.8	30.9	44.7	59.8	70.5	74.2	68.1	64.5	46.2	42.6	28.7	47.8
2000	18.1	22.1	36.5	42.7	56.7	63.6	67.5	67.7	58.8	48.8	37.2	19.6	44.9
2001	20.1	22.1	27.2	43.2	58.7	67.2	68.0	72.6	61.3	51.1	42.4	32.7	47.2
2002	27.4	26.1	33.1	46.1	53.0	64.2	70.6	71.3	64.4	46.4	36.1	25.3	47.0
2003	11.8	15.6	30.1	41.4	55.6	65.6	71.4	71.5	63.2	47.4	39.8	24.9	44.9
2004	8.8	19.2	34.8	43.7	58.1	63.1	69.7	67.0	61.1	47.6	37.2	23.9	44.5
2005	15.2	21.9	28.4	46.6	52.4	70.7	72.6	71.1	63.6	50.1	40.5	24.1	46.4
2006	28.2	23.5	32.0	46.0	58.2	66.3	73.4	67.3	60.2	46.9	42.8	32.7	48.1
2007	21.3	14.2	28.6	42.9	56.8	68.0	69.1	69.1	62.9	54.1	35.6	24.7	45.6
2008	25.0	22.3	28.5	49.1	54.1	67.7	70.8	67.0	61.3	46.6	38.3	24.8	46.3
2009	14.1	23.2	32.4	46.1	56.5	64.4	68.3	69.9	59.3	46.0	41.8	25.5	45.6
2010	22.0	26.0	38.0	49.3	60.1	65.3	73.5	70.1	62.8	47.7	37.6	23.5	48.0
2011	18.2	21.1	29.8	45.4	59.2	66.1	72.8	70.4	64.1	50.1	43.3	30.6	47.6
2012	24.5	28.4	43.2	46.1	61.6	67.8	73.0	72.0	61.9	52.9	36.8	30.8	49.9
POR= 107 YRS	18.1	18.9	30.3	42.9	56.0	64.6	70.1	67.9	59.2	48.5	36.6	24.2	44.8

**HEATING DEGREE DAYS (base 65°F) 2012 BURLINGTON (KBTV)**

YEAR	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	TOTAL
1983-84	19	36	148	518	803	1317	1500	1044	1331	602	395	68	7781
1984-85	6	24	241	460	792	1068	1592	1185	1029	615	296	118	7426
1985-86	11	42	169	489	835	1344	1436	1361	966	492	219	113	7477
1986-87	40	60	215	553	906	1144	1446	1397	975	488	328	48	7600
1987-88	19	66	185	584	833	1125	1389	1260	1088	614	236	136	7535
1988-89	15	52	212	635	755	1298	1273	1265	1128	691	188	45	7557
1989-90	2	43	164	451	849	1776	1084	1156	961	577	370	63	7496
1990-91	19	10	180	480	758	1074	1424	1072	954	475	206	59	6711
1991-92	7	11	240	451	813	1266	1434	1327	1187	674	277	83	7770
1992-93	49	33	197	597	843	1137	1335	1517	1159	584	256	80	7787
1993-94	3	12	211	579	839	1243	1793	1385	1073	609	328	48	8123
1994-95	1	57	168	467	711	1118	1145	1283	925	733	268	36	6912
1995-96	0	21	232	330	885	1326	1466	1262	1123	659	336	27	7667
1996-97	11	10	138	542	960	995	1416	1113	1173	701	412	31	7502
1997-98	17	20	205	564	889	1208	1306	1039	947	552	115	81	6943
1998-99	8	19	129	473	754	1017	1418	1120	1053	606	184	31	6812
1999-00	1	20	113	578	666	1119	1448	1235	879	663	263	108	7093
2000-01	28	28	209	498	828	1399	1385	1193	1169	649	206	49	7641
2001-02	32	10	152	431	670	998	1159	1084	980	579	381	93	6569
2002-03	16	16	92	581	860	1221	1641	1380	1075	703	289	72	7946
2003-04	1	21	92	540	750	1234	1732	1319	927	644	237	102	7599
2004-05	6	44	127	533	830	1267	1535	1200	1126	543	380	35	7626
2005-06	2	10	107	457	727	1258	1131	1154	1015	566	232	58	6717
2006-07	1	41	150	553	655	994	1349	1416	1124	660	286	39	7268
2007-08	11	30	126	340	877	1246	1234	1231	1125	472	330	42	7064
2008-09	2	23	155	562	796	1240	1575	1166	1002	567	266	75	7429
2009-10	13	31	174	582	685	1216	1325	1087	829	470	196	68	6676
2010-11	11	11	135	530	817	1280	1445	1226	1087	585	209	48	7384
2011-12	0	4	91	455	646	1060	1248	1057	672	569	156	48	6006
2012-	0	3	144	366	839	1053							

WBAN : 14742

**COOLING DEGREE DAYS (base 65°F) 2012 BURLINGTON (KBTV)**

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	TOTAL
1983	0	0	0	0	0	121	223	155	92	6	0	0	597
1984	0	0	0	0	7	106	175	217	15	3	0	0	523
1985	0	0	0	0	15	25	160	123	34	0	0	0	357
1986	0	0	0	4	19	38	156	104	14	0	0	0	335
1987	0	0	0	3	42	92	228	126	30	0	0	0	521
1988	0	0	0	0	19	96	274	238	15	3	0	0	645
1989	0	0	0	0	28	117	216	134	63	0	0	0	558
1990	0	0	0	16	1	95	189	165	18	6	0	0	490
1991	0	0	0	5	35	92	182	186	32	6	0	0	538
1992	0	0	0	3	21	71	91	121	61	0	0	0	368
1993	0	0	0	0	2	79	235	198	39	0	0	0	553
1994	0	0	0	2	17	165	293	110	14	0	0	0	601
1995	0	0	0	0	8	179	306	182	12	0	0	0	687
1996	0	0	0	0	17	72	124	139	56	0	0	0	408
1997	0	0	0	0	0	108	142	82	17	0	0	0	349
1998	0	0	2	0	27	121	141	134	33	1	0	0	459
1999	0	0	0	0	29	207	295	125	106	0	0	0	762
2000	0	0	0	0	12	74	112	118	31	1	0	0	348
2001	0	0	0	0	17	122	132	251	49	6	0	0	577
2002	0	0	0	19	17	76	195	219	83	10	0	0	619
2003	0	0	0	3	1	96	208	231	45	0	0	0	584
2004	0	0	0	11	31	53	159	112	16	0	0	0	382
2005	0	0	0	0	0	212	247	205	72	4	0	0	740
2006	0	0	0	0	20	100	269	120	14	0	0	0	523
2007	0	0	0	5	36	135	144	163	66	12	0	0	561
2008	0	0	0	2	0	130	186	94	51	0	0	0	463
2009	0	0	0	7	11	61	121	190	11	0	0	0	401
2010	0	0	0	6	50	82	283	178	75	0	0	0	674
2011	0	0	0	4	35	90	248	180	71	0	0	0	628
2012	0	0	5	9	57	137	256	226	56	1	0	0	747

## SNOWFALL (inches) 2012 BURLINGTON (KBTV)

YEAR	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	TOTAL
1983-84	0.0	0.0	0.0	T	4.7	14.4	15.2	13.7	16.1	0.4	T	0.0	64.5
1984-85	0.0	0.0	0.0	0.0	6.0	29.3	25.9	10.9	16.6	2.7	0.0	0.0	91.4
1985-86	0.0	0.0	0.0	T	4.6	21.3	33.6	18.3	8.4	T	T	0.0	86.2
1986-87	0.0	0.0	0.0	T	10.5	7.7	34.4	7.0	6.0	2.1	0.0	0.0	67.7
1987-88	0.0	0.0	0.0	0.6	6.5	12.4	9.2	26.9	6.4	2.4	0.0	0.0	64.4
1988-89	0.0	0.0	0.0	0.3	0.6	12.4	6.6	8.5	9.7	2.3	0.0	0.0	40.4
1989-90	T	0.0	0.0	0.0	5.6	20.7	17.6	20.5	10.2	2.1	0.0	0.0	76.7
1990-91	0.0	0.0	T	T	7.3	10.3	17.8	3.9	3.2	T	0.0	0.0	42.5
1991-92	0.0	0.0	T	T	2.3	14.9	12.2	27.2	14.0	8.6	0.0	0.0	79.2
1992-93	0.0	0.0	0.1	T	2.9	2.6	24.8	33.8	39.9	12.8	0.0	0.0	116.9
1993-94	0.0	0.0	0.0	1.3	7.9	9.1	38.6	15.9	26.6	7.8	T	0.0	107.2
1994-95	0.0	0.0	0.0	0.0	5.1	4.3	8.7	26.8	10.7	4.9	0.0	0.0	60.5
1995-96	0.0	0.0	0.0	0.1	7.3	44.0	19.0	4.5	11.5	12.4	0.3	0.0	99.1
1996-97	0.0	0.0	0.0	T	14.3	13.7	22.0	8.8	27.0	9.1	T	0.0	94.9
1997-98	0.0	0.0	0.0	0.6	15.5	20.6	25.1	10.3	21.5	0.3	0.0	0.0	93.9
1998-99	0.0	0.0	0.0	T	2.4	4.4	30.4	10.8	22.7	T	0.0	0.0	70.7
1999-00	0.0	0.0	0.0	T	0.7	2.3	21.9	23.1	9.3	19.1	0.0	0.0	76.4
2000-01	T	0.0	0.0	3.0	8.7	32.8	15.7	14.4	47.6	0.2	T	0.0	122.4
2001-02	0.0	T	0.0	T	1.8	13.9	16.6	8.5	15.3	0.4	0.0	0.0	56.5
2002-03	0.0	0.0	0.0	T	20.4	8.6	31.3	9.6	8.3	4.8	0.0	0.0	83.0
2003-04	0.0	0.0	T	T	0.5	53.6	14.9	12.2	9.7	3.8	T	0.0	94.7
2004-05	T	0.0	0.0	0.0	0.1	22.8	19.1	29.7	18.0	0.0	0.0	0.0	89.7
2005-06	0.0	0.0	0.0	0.9	5.5	18.4	20.0	8.3	16.3	1.0	0.0	T	70.4
2006-07	0.0	0.0	0.0	2.0	T	10.0	19.5	32.1	21.8	9.2	0.0	T	94.6
2007-08	0.0	0.0	0.0	0.0	3.7	45.3	15.8	42.3	13.0	0.1	0.0	0.0	120.2
2008-09	0.0	0.0	0.0	0.3	3.5	40.3	27.8	11.3	7.8	0.4	0.0	T	91.4
2009-10	T	0.0	0.0	T	T	17.7	48.4	24.0	0.9	5.5	T	0.0	96.5
2010-11	T	0.0	0.0	0.1	0.3	27.9	26.9	43.1	29.3	0.8	0.0	0.0	128.4
2011-12	0.0	0.0	0.0	0.1	5.0	6.9	13.4	6.4	5.9	T	0.0	0.0	37.7
2012-	0.0	0.0	0.0	T	3.8	30.7							
POR= 81 YRS	0.7	0.2	T	0.2	5.9	16.5	18.4	16.2	13.3	4.0	0.1	T	75.5

WBAN : 14742

### REFERENCE NOTES :

<p>PAGE 1: THE TEMPERATURE GRAPH SHOWS NORMAL MAXIMUM AND NORMAL MINIMUM DAILY TEMPERATURES (SOLID CURVES) AND THE ACTUAL DAILY HIGH AND LOW TEMPERATURES (VERTICAL BARS).</p> <p>PAGE 2 AND 3: H/C INDICATES HEATING AND COOLING DEGREE DAYS. RH INDICATES RELATIVE HUMIDITY W/O INDICATES WEATHER AND OBSTRUCTIONS S INDICATES SUNSHINE. PR INDICATES PRESSURE. CLOUDINESS ON PAGE 3 IS THE SUM OF THE CEILOMETER AND SATELLITE DATA NOT TO EXCEED EIGHT EIGHTHS(OKTAS).</p> <p>GENERAL: T INDICATES TRACE PRECIPITATION, AN AMOUNT GREATER THAN ZERO BUT LESS THAN THE LOWEST REPORTABLE VALUE. + INDICATES THE VALUE ALSO OCCURS ON EARLIER DATES. BLANK ENTRIES DENOTE MISSING OR UNREPORTED DATA. ASOS INDICATES AUTOMATED SURFACE OBSERVING SYSTEM. PM INDICATES THE LAST DAY OF THE PREVIOUS MONTH. POR (PERIOD OF RECORD) BEGINS WITH THE JANUARY DATA MONTH AND IS THE NUMBER OF YEARS USED TO COMPUTE THE MEAN. INDIVIDUAL MONTHS WITHIN THE POR MAY BE MISSING. WHEN THE POR FOR A NORMAL IS LESS THAN 30 YEARS, THE NORMAL IS PROVISIONAL AND IS BASED ON THE NUMBER OF YEARS INDICATED. 0.* OR * INDICATES THE VALUE OR MEAN-DAYS-WITH IS BETWEEN 0.00 AND 0.05. CLOUDINESS FOR ASOS STATIONS DIFFERS FROM THE NON-ASOS OBSERVATION TAKEN BY A HUMAN OBSERVER. ASOS STATION CLOUDINESS IS BASED ON TIME-AVERAGED CEILOMETER DATA FOR CLOUDS AT OR BELOW 12,000 FEET CLEAR INDICATES 0 - 2 OKTAS, PARTLY CLOUDY INDICATES 3 - 6 OKTAS, AND CLOUDY INDICATES 7 OR 8 OKTAS.</p> <p>GENERAL CONTINUED: WIND DIRECTION IS RECORDED IN TENS OF DEGREES (2 DIGITS) CLOCKWISE FROM TRUE NORTH. "00" INDICATES CALM. "36" INDICATES TRUE NORTH. RESULTANT WIND IS THE VECTOR AVERAGE OF THE SPEED AND DIRECTION. AVERAGE TEMPERATURE IS THE SUM OF THE MEAN DAILY MAXIMUM AND MINIMUM TEMPERATURE DIVIDED BY 2. SNOWFALL DATA COMPRISE ALL FORMS OF FROZEN</p>	<p>PRECIPITATION, INCLUDING HAIL. A HEATING (COOLING) DEGREE DAY IS THE DIFFERENCE BETWEEN THE AVERAGE DAILY TEMPERATURE AND 65 F. DRY BULB IS THE TEMPERATURE OF THE AMBIENT AIR. DEW POINT IS THE TEMPERATURE TO WHICH THE AIR MUST BE COOLED TO ACHIEVE 100 PERCENT RELATIVE HUMIDITY. WET BULB IS THE TEMPERATURE THE AIR WOULD HAVE IF THE MOISTURE CONTENT WAS INCREASED TO 100 PERCENT RELATIVE HUMIDITY. ON JULY 1, 1996, THE NATIONAL WEATHER SERVICE BEGAN USING THE "METAR" OBSERVATION CODE THAT WAS ALREADY EMPLOYED BY MOST OTHER NATIONS OF THE WORLD. THE MOST NOTICEABLE DIFFERENCE IN THIS ANNUAL PUBLICATION WILL BE THE CHANGE IN UNITS FROM TENTHS TO EIGHTHS(OKTAS) FOR REPORTING THE AMOUNT OF SKY COVER. STATION HISTORY STOPPED WITH THE 2009 ANNUAL. IF YOU NEED STATION HISTORY INFORMATION GO TO "Historical Observing Metadata Repository", URL IS: <a href="http://www.ncdc.noaa.gov/homr/">http://www.ncdc.noaa.gov/homr/</a> SNOWFALL STOPPED MONTH &amp; YEAR INDICATED ABOVE. NO FURTHER YEARS INCLUDED UNLESS RESTARTED.</p> <p><b>NOTE:</b></p> <p>The "Period of Record:(POR)" for all "averages" is based on "Summary of the Day First Order Station" and "Cooperative Summary of the Day" archives.</p> <p>The 2012 Annual Publications were reproduced on 6/05/13 to correct two problems that occurred when the Publications were first produced on 02/28/13.</p> <ol style="list-style-type: none"> <li>1) A small number of stations did not correctly show number of days with thunderstorms and heavy fog.</li> <li>2) Climate Normals in the Annual Publications were based on a first edition of the 1981-2010 Normals release. With the release of Service Pack 1 (SP1) new normals for 83 stations are available and now included. Additional information on SP1 is available at: <a href="http://www1.ncdc.noaa.gov/pub/data/normals/1981-2010/status.txt">http://www1.ncdc.noaa.gov/pub/data/normals/1981-2010/status.txt</a>.</li> </ol>
---	--

# 2012 BURLINGTON VERMONT (KBTW)

Burlington is located on the eastern shore of Lake Champlain at the widest part of the lake. About 35 miles to the west lie the highest peaks of the Adirondacks, while the foothills of the Green Mountains begin 10 miles to the east and southeast.

Its northerly latitude assures the variety and vigor of a true New England climate, while thanks to the modifying influence of the lake, the many rapid and marked weather changes are tempered in severity. Due to its location in the path of the St. Lawrence Valley storm track and the lake effects, the city is one of the cloudiest in the United States.

Lake Champlain exercises a tempering influence on the local temperature. During the winter months and prior to the lake freezing, temperatures along the lake shore are often 5-10 degrees warmer than at the airport 3 1/2 miles inland. At the airport the average occurrence of the last freeze in spring is around May 10th and that of the first in fall is early October, giving a growing season of 145 days. This location is justly proud of its delightful summer weather. On average, there are few days a year with maxima of 90 degrees or higher. This moderate summer heat gives way to a cooler, but none the less pleasant fall period, usually extending well into October. High pressure systems moving down rapidly from central Canada or Hudson Bay produce the coldest temperatures during the winter months, but extended periods of very cold weather are rare.

Precipitation, although generally plentiful and well distributed throughout the year, is less in the Champlain Valley than in other areas of Vermont due to the shielding effect of the mountain barriers to the east and west. The heaviest rainfall usually occurs during summer thunderstorms, but excessively heavy rainfall is quite uncommon. Droughts are infrequent.

Because of the trend of the Champlain Valley between the Adirondack and Green Mountain ranges, most winds have a northerly or southerly component. The prevailing direction most of the year is from the south. Winds of damaging force are very uncommon.

Smoke pollution is nearly non-existent since there is no concentration of heavy industry here, however, haze has been on the increase over the years due to the large increase in industry to the north and south. During the spring and fall months, fog occasionally forms along the Winooski River to the north and east and may drift over the airport with favorable winds. In spite of the high percentage of cloudiness, periods of low aircraft ceilings and visibilities are usually of short duration, allowing this area to have one of the highest percentages of flying weather in New England.

# Station History

BURLINGTON, VT

NAME	Begin Date	End Date	Latitude	Longitude	Elevation Feet	Relocation	Platform
BURLINGTON MUNICIPAL AP	1969-01-01	1969-04-01	44° 28'	-73° 9'	348		COOP, USHCN, WXSVC
BURLINGTON MUNICIPAL AP	1948-01-01	1950-01-01	44° 28'	-73° 9'	335		AIRWAYS, COOP, USHCN
BURLINGTON INTL AP	1996-02-01	2010-03-03	44° 28'	-73° 9'	330		ASOS, COOP, USHCN
BURLINGTON INTL AP	1994-08-18	1996-02-01	44° 28'	-73° 9'	330		COOP, USHCN
BURLINGTON INTL AP	1973-01-01	1981-12-31	44° 28'	-73° 9'	332		COOP, USHCN, WXSVC
BURLINGTON INTL AP	1981-12-31	1994-08-18	44° 28'	-73° 9'	332		COOP, USHCN
BURLINGTON MUNICIPAL AP	1950-01-01	1969-01-01	44° 28'	-73° 9'	348		AIRWAYS, COOP, USHCN
BURLINGTON INTL AP	1969-04-01	1973-01-01	44° 28'	-73° 9'	348		COOP, USHCN, WXSVC
BURLINGTON INTL AP	2010-03-03	Present	44° 28'	-73° 8'	330		ASOS, COOP, USHCN
ETHAN ALLEN AP	1932-12-01	1939-03-01	44° 28'	-73° 9'	340		AIRWAYS
BURLINGTON MUNICIPAL AP	1939-03-01	1948-01-01	44° 28'	-73° 9'	340		AIRWAYS

# Element History

Element	Begin Date	End Date	Frequency	Time Of Observation	Equipment *	Equipment * Modifications	Equipment Exposure
TEMP	1994-08-18	1995-07-01	DAILY	2400	HYGR		
PRECIP	1995-07-01	1996-02-01	DAILY	2400	UNIV	RCRD	
PRECIP	1996-02-01	2010-03-03	DAILY	2400	UNIV	RCRD	
TEMP	1932-12-01	1952-06-01	DAILY	2400			
TEMP	1952-06-01	1994-08-18	DAILY	2400			
PRECIP	1952-06-01	1994-08-18	DAILY	2400	UNIV	RCRD	
PRECIP	1995-07-01	1996-02-01	HOURLY	2400	UNIV	RCRD	
PRECIP	2010-03-03	Present	DAILY	2400	PCPNX		
PRECIP	1996-02-01	2010-03-03	HOURLY	2400	TB	RCRD	
TEMP	2010-03-03	Present	DAILY	2400	ATEMP		
PRECIP	2010-03-03	Present	HOURLY	2400	AWPAG	RCRD;HTD	
PRECIP	1994-08-18	1995-07-01	DAILY	2400	UNIV	RCRD	
TEMP	1995-07-01	1996-02-01	DAILY	2400	HYGR		
WIND	2010-03-03	Present	DAILY	2400	WINDX		
PRECIP	1994-08-18	1995-07-01	HOURLY	2400			
PRECIP	1952-06-01	1994-08-18	HOURLY	2400			
TEMP	1996-02-01	2010-03-03	DAILY	2400	HYGR		
PRECIP	1932-12-01	1952-06-01	DAILY	2400	UNIV	RCRD	

\* For explanation of codes and abbreviations see Station Metadata link below.

Other Station Information can be found at:

ASOS Implementation by NWS: <http://www.nws.noaa.gov/ops2/Surface/asosimplementation.htm>

Station Metadata website: <http://www.ncdc.noaa.gov/homr>

INQUIRES/COMMENTS CALL: (828) 271-4800, option 2

Fax Number : (828) 271-4876

TDD : (828) 271-4010

Email : [ncdc.orders@noaa.gov](mailto:ncdc.orders@noaa.gov)

NOAA/National Climatic Data Center

Attn: User Engagement & Services Branch

151 Patton Avenue

Asheville, NC 28801-5001

Visit our Web Site for other weather data: [www.ncdc.noaa.gov](http://www.ncdc.noaa.gov)