




2012 LOCAL CLIMATOLOGICAL DATA ANNUAL SUMMARY WITH COMPARATIVE DATA


ISSN 0198-4179

PENDLETON, OREGON (KPDT)


Daily Max/Min Temperature



Daily Precipitation



Daily Station Pressure



I CERTIFY THAT THIS IS AN OFFICIAL PUBLICATION OF THE NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION, AND IS COMPILED FROM RECORDS ON FILE AT THE NATIONAL CLIMATIC DATA CENTER.

NATIONAL
OCEANIC AND
ATMOSPHERIC ADMINISTRATION

NATIONAL
ENVIRONMENTAL SATELLITE, DATA
AND INFORMATION SERVICE

NATIONAL
CLIMATIC DATA CENTER
ASHEVILLE, NORTH CAROLINA

Thomas R. Karl
DIRECTOR
NATIONAL CLIMATIC DATA CENTER

METEOROLOGICAL DATA FOR 2012

PENDLETON (KPDT)

LATITUDE: 45° 41'N LONGITUDE: 118° 51'W ELEVATION (FT): GRND: 1486 BARO: 1516 TIME ZONE: PACIFIC (UTC -8) WBAN: 24155

ELEMENT		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	YEAR	
TEMPERATURE °F	MEAN DAILY MAXIMUM	46.2	45.0	54.8	64.1	70.1	74.8	89.1	90.6	81.6	63.8	50.0	43.9	64.5	
	HIGHEST DAILY MAXIMUM	69	67	68	87	90	90	104	101	94	82	70	60	104	
	DATE OF OCCURRENCE	04	24	09	23	15	21	08	06+	19+	01	05	04	JUL 08	
	MEAN DAILY MINIMUM	25.4	28.6	32.5	39.2	43.2	48.8	55.7	54.7	48.1	39.3	35.5	31.6	40.2	
	LOWEST DAILY MINIMUM	11	18	20	27	32	40	41	43	37	28	24	17	11	
	DATE OF OCCURRENCE	12	28	07	07	11	07+	04	25	12	05+	11	31	JAN 12	
	AVERAGE DRY BULB	35.8	36.8	43.7	51.7	56.7	61.8	72.4	72.7	64.9	51.6	42.8	37.8	52.4	
	MEAN WET BULB	31.8	33.5	38.5	45.1	47.1	52.5	58.2	55.5	50.2	44.5	40.2	34.5	44.3	
	MEAN DEW POINT	27.1	29.4	31.7	38.5	36.3	44.3	46.8	40.0	36.1	36.5	37.5	29.8	36.2	
	NUMBER OF DAYS WITH:														
	MAXIMUM >= 90°	0	0	0	0	1	1	14	17	4	0	0	0	0	37
	MAXIMUM <= 32°	1	4	0	0	0	0	0	0	0	0	2	4	11	
MINIMUM <= 32°	29	22	18	4	1	0	0	0	0	10	12	17	113		
MINIMUM <= 0°	0	0	0	0	0	0	0	0	0	0	0	0	0		
H/C	HEATING DEGREE DAYS	898	813	654	401	266	127	10	7	56	409	663	838	5142	
	COOLING DEGREE DAYS	0	0	0	5	13	36	247	253	57	0	0	0	611	
RH	MEAN (PERCENT)	76	79	67	66	51	57	44	34	39	63	85	75	61	
	HOUR 04 LST	83	87	78	84	72	79	73	58	59	74	91	77	76	
	HOUR 10 LST	65	71	57	50	37	45	32	25	28	50	78	69	51	
	HOUR 16 LST	74	72	53	51	33	41	25	17	22	57	83	75	50	
	HOUR 22 LST	82	85	75	77	63	66	55	40	47	70	89	81	69	
W/O	NUMBER OF DAYS WITH:														
	HEAVY FOG(VISBY <= 1/4 MI)	7	9	4	1	0	0	0	0	0	5	11	9	46	
	THUNDERSTORMS	0	0	0	2	2	1	4	1	0	0	0	0	10	
PR	MEAN STATION PRESS. (IN.)	28.50	28.48	28.25	28.35	28.41	28.33	28.34	28.34	28.45	28.40	28.41	28.32	28.38	
	MEAN SEA-LEVEL PRESS. (IN.)	30.12	30.10	29.85	29.94	30.00	29.91	29.90	29.90	30.03	29.99	30.02	29.93	29.97	
WINDS	RESULTANT SPEED (MPH)	3.5	4.6	4.8	3.4	4.6	6.7	3.1	2.2	0.5	2.1	1.7	5.3	3.3	
	RES. DIR. (TENS OF DEGS.)	24	24	23	25	26	26	27	28	18	22	21	21	25	
	MEAN SPEED (MPH)	7.6	8.1	9.3	8.3	9.2	10.3	8.0	7.5	6.7	7.4	6.1	9.8	8.2	
	PREVAIL.DIR.(TENS OF DEGS.)	26	26	26	26	26	26	27	30	15	15	17	18	26	
	MAXIMUM 2-MINUTE WIND														
	SPEED (MPH)	44	47	44	35	35	41	36	31	30	47	33	44	47	
	DIR. (TENS OF DEGS.)	23	27	27	29	30	27	27	26	28	27	28	25	27	
	DATE OF OCCURRENCE	17	22	13	30	22	23	22	23	10	16	17	17	OCT 16	
	MAXIMUM 3-SECOND WIND:														
	SPEED (MPH)	53	59	53	45	48	49	46	39	38	56	41	54	59	
DIR. (TENS OF DEGS.)	24	26	27	28	29	27	08	26	28	27	16	24	26		
DATE OF OCCURRENCE	30	25	13	23	22	23	08	23	10	16	19	17	FEB 25		
PRECIPITATION	WATER EQUIVALENT:														
	TOTAL (IN.)	1.54	1.39	1.93	2.50	0.67	1.55	0.42	T	T	1.58	1.67	1.19	14.44	
	GREATEST 24-HOUR (IN.)	0.60	0.45	0.55	0.44	0.49	0.46	0.18	T	T	0.35	0.57	0.53	0.60	
	DATE OF OCCURRENCE	19-20	24	20-21	16	03	04-05	19	21+	23+	15-16	12	01-02	JAN 19-20	
	NUMBER OF DAYS WITH:														
PRECIPITATION 0.01	11	11	12	12	4	10	4	0	0	13	14	12	103		
PRECIPITATION 0.10	5	5	8	9	2	5	2	0	0	5	4	5	50		
PRECIPITATION 1.00	0	0	0	0	0	0	0	0	0	0	0	0	0		
SNOWFALL	SNOW,ICE PELLETS,HAIL														
	TOTAL (IN.)	2.7	0.9	2.3	T	0.0	T	0.0	0.0	0.0	T	T	1.8	7.7	
	GREATEST 24-HOUR (IN.)	1.3	0.8	2.0	T	0.0	T	0.0	0.0	0.0	T	T	0.7	2.0	
	DATE OF OCCURRENCE	18	27	22	06		26+				25	28+	29	MAR 22	
	MAXIMUM SNOW DEPTH (IN.)	1	0	1	0	0	0	0	0	0	0	0	1	1	
	DATE OF OCCURRENCE	20+		22									29	DEC 29	
NUMBER OF DAYS WITH:															
SNOWFALL >= 1.0	2	0	1	0	0	0	0	0	0	0	0	0	3		

HEATING DEGREE DAYS (base 65°F) 2012 PENDLETON (KPDT)

YEAR	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	TOTAL
1983-84	42	1	180	381	569	1292	935	729	558	496	316	134	5633
1984-85	4	0	182	490	692	1065	1196	876	665	351	224	65	5810
1985-86	4	22	242	452	1149	1402	898	722	497	446	277	25	6136
1986-87	33	0	213	335	675	1031	1065	717	571	332	201	71	5244
1987-88	25	12	65	334	668	995	1004	689	637	387	264	126	5206
1988-89	22	4	120	208	616	957	821	1113	691	354	279	42	5227
1989-90	11	17	76	403	607	978	781	752	591	299	262	89	4866
1990-91	9	13	11	419	583	1211	1039	564	689	454	338	162	5492
1991-92	4	2	52	418	707	865	810	649	527	362	127	36	4559
1992-93	11	28	129	333	752	1015	1231	1025	709	432	153	98	5916
1993-94	27	35	114	318	908	903	736	838	559	321	174	83	5016
1994-95	15	0	30	406	731	915	928	644	602	473	237	126	5107
1995-96	1	26	51	452	560	941	938	840	664	387	321	64	5245
1996-97	8	4	153	423	733	909	998	733	599	488	185	84	5317
1997-98	13	0	73	415	662	927	832	611	585	442	273	37	4870
1998-99	0	3	56	429	578	887	738	628	662	522	336	108	4947
1999-00	17	20	117	433	565	830	905	740	640	324	219	57	4867
2000-01	7	12	137	468	892	1046	995	819	631	523	238	121	5889
2001-02	14	5	48	419	676	874	863	727	738	445	270	66	5145
2002-03	6	10	110	501	714	788	748	729	499	444	259	32	4840
2003-04	1	0	74	300	779	913	1125	729	483	368	195	69	5036
2004-05	0	3	87	293	656	785	906	764	556	429	196	98	4773
2005-06	1	3	133	370	782	1077	701	804	644	429	240	61	5245
2006-07	5	10	105	458	675	989	1058	739	568	462	212	74	5355
2007-08	0	14	145	470	757	903	1030	694	714	556	214	115	5612
2008-09	3	19	104	444	634	1116	969	809	760	473	228	33	5592
2009-10	0	5	68	526	684	1170	780	625	602	468	347	121	5396
2010-11	16	25	77	395	828	940	912	795	646	586	355	150	5725
2011-12	15	4	63	406	713	1013	898	813	654	401	266	127	5373
2012-	10	7	56	409	663	838							

WBAN : 24155

COOLING DEGREE DAYS (base 65°F) 2012 PENDLETON (KPDT)

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	TOTAL
1983	0	0	0	0	60	32	155	246	6	0	0	0	499
1984	0	0	0	0	7	55	256	231	51	3	0	0	603
1985	0	0	0	0	28	91	394	127	7	0	0	0	647
1986	0	0	0	2	88	184	121	341	35	1	0	0	772
1987	0	0	0	8	41	145	152	194	108	4	0	0	652
1988	0	0	0	0	16	98	246	164	78	9	0	0	611
1989	0	0	0	0	5	76	182	143	41	0	0	0	447
1990	0	0	0	0	4	92	330	245	114	3	0	0	788
1991	0	0	0	0	0	8	214	267	56	9	0	0	554
1992	0	0	0	1	52	204	229	275	45	4	0	0	810
1993	0	0	0	0	59	42	47	136	99	4	0	0	387
1994	0	0	0	8	29	72	341	214	103	0	0	0	767
1995	0	0	0	0	17	44	230	108	89	0	0	0	488
1996	0	0	0	0	0	42	312	230	39	0	0	0	623
1997	0	0	0	0	31	34	191	258	79	5	0	0	598
1998	0	0	0	6	5	56	390	309	144	0	0	0	910
1999	0	0	0	0	7	78	180	260	50	0	5	0	580
2000	0	0	0	0	17	89	215	196	40	0	0	0	557
2001	0	0	0	0	48	43	193	265	93	0	0	0	642
2002	0	0	0	0	9	129	323	178	70	0	0	0	709
2003	0	0	0	0	27	118	355	255	105	17	0	0	877
2004	0	0	0	0	4	135	337	300	19	4	0	0	799
2005	0	0	0	0	17	45	271	246	21	0	0	0	600
2006	0	0	0	0	58	79	338	202	79	0	3	0	759
2007	0	0	0	0	8	77	345	158	31	0	0	0	619
2008	0	0	0	0	37	75	218	207	29	7	0	0	573
2009	0	0	0	0	38	60	307	238	69	0	0	0	712
2010	0	0	0	0	10	43	220	196	31	4	0	0	504
2011	0	0	0	0	2	18	110	220	112	0	0	0	462
2012	0	0	0	5	13	36	247	253	57	0	0	0	611

SNOWFALL (inches) 2012 PENDLETON (KPDT)

YEAR	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	TOTAL
1983-84	0.0	0.0	0.0	0.0	T	26.6	1.0	1.2	T	T	0.0	0.0	28.8
1984-85	0.0	0.0	0.0	0.0	T	6.2	0.8	12.7	0.6	T	0.0	0.0	20.3
1985-86	0.0	0.0	0.0	0.0	14.9	9.1	T	7.6	0.0	0.0	T	0.0	31.6
1986-87	0.0	0.0	0.0	0.0	1.2	6.8	5.8	0.0	T	0.0	0.0	0.0	13.8
1987-88	0.0	0.0	0.0	0.0	0.3	2.3	10.6	0.0	1.5	0.0	0.0	0.0	14.7
1988-89	0.0	0.0	0.0	0.0	T	T	4.3	4.9	4.0	0.0	T	0.0	13.2
1989-90	0.0	0.0	0.0	0.0	0.0	1.0	T	2.0	1.3	0.0	0.0	0.0	4.3
1990-91	0.0	0.0	0.0	0.0	T	6.4	1.6	0.0	0.6	T	0.0	0.0	8.6
1991-92	0.0	0.0	0.0	2.3	1.0	T	0.8	T	0.0	0.0	0.0	0.0	4.1
1992-93	0.0	0.0	0.0	0.0	0.2	7.6	25.1	14.8	1.8	T	T	0.0	49.5
1993-94	T	0.0	0.0	0.0	0.7	0.4	T	16.8	0.2	0.0	0.0	T	18.1
1994-95	0.0	0.0	0.0	0.0	0.6	3.8	2.0	7.2	T	0.0	0.0	0.0	13.6
1995-96	0.0	0.0	0.0		0.0								
1996-97						10.1	3.2			T			
1997-98						4.2		0.0					
1998-99			0.0	0.0		0.8	0.0	2.4	T	T	T	0.0	
1999-00	0.0	0.0	0.0	0.0	0.0	0.5	5.7	4.5	1.0	0.0	T	0.0	11.7
2000-01	0.0	0.0	0.0	0.0	0.7	2.5	3.1	0.5	T	T	T	T	6.8
2001-02	0.0	0.0	0.0	0.0	T	3.0	1.5	T	0.3	0.0	0.0	T	4.8
2002-03	T	0.0	0.0	T	0.0	2.1	0.3	T	T	T	0.0	0.0	2.4
2003-04	0.0	0.0	0.0	T	0.1	13.9	10.0	2.2	T	0.0	T	0.0	26.2
2004-05	0.0	0.0	0.0	0.0	0.4	0.8	2.7	1.2	T	0.0	0.0	0.0	5.1
2005-06	0.0	0.0	0.0	0.0	0.2	1.6	T	0.0	T	0.0	0.0	0.0	1.8
2006-07	0.0	0.0	0.0	0.0	0.8	T	1.2	2.5	0.3	0.0	0.0	0.0	4.8
2007-08	0.0	0.0	0.0	0.0	8.7	8.1	10.7	4.3	2.8	T	0.0	0.0	34.6
2008-09	0.0	0.0	0.0	0.0	0.0	32.5	6.6	4.7	1.5	0.5	T	0.0	45.8
2009-10	0.0	0.0	0.0	0.0	T	6.7	0.0	0.0	T	T	T	0.0	6.7
2010-11	0.0	0.0	0.0	0.0	8.6	9.8	4.0	1.3	T	0.0	0.0	0.0	23.7
2011-12	0.0	0.0	0.0	0.0	1.6	0.1	2.7	0.9	2.3	T	0.0	T	7.6
2012-	0.0	0.0	0.0	T	T	1.8							
POR= 81 YRS	T	0.0	0.0	0.1	1.6	4.3	6.5	3.3	0.8	0.1	T	T	16.7

WBAN : 24155

REFERENCE NOTES :

<p>PAGE 1: THE TEMPERATURE GRAPH SHOWS NORMAL MAXIMUM AND NORMAL MINIMUM DAILY TEMPERATURES (SOLID CURVES) AND THE ACTUAL DAILY HIGH AND LOW TEMPERATURES (VERTICAL BARS).</p> <p>PAGE 2 AND 3: H/C INDICATES HEATING AND COOLING DEGREE DAYS. RH INDICATES RELATIVE HUMIDITY W/O INDICATES WEATHER AND OBSTRUCTIONS S INDICATES SUNSHINE. PR INDICATES PRESSURE. CLOUDINESS ON PAGE 3 IS THE SUM OF THE CEILOMETER AND SATELLITE DATA NOT TO EXCEED EIGHT EIGHTHS(OKTAS).</p> <p>GENERAL: T INDICATES TRACE PRECIPITATION, AN AMOUNT GREATER THAN ZERO BUT LESS THAN THE LOWEST REPORTABLE VALUE. + INDICATES THE VALUE ALSO OCCURS ON EARLIER DATES. BLANK ENTRIES DENOTE MISSING OR UNREPORTED DATA. ASOS INDICATES AUTOMATED SURFACE OBSERVING SYSTEM. PM INDICATES THE LAST DAY OF THE PREVIOUS MONTH. POR (PERIOD OF RECORD) BEGINS WITH THE JANUARY DATA MONTH AND IS THE NUMBER OF YEARS USED TO COMPUTE THE MEAN. INDIVIDUAL MONTHS WITHIN THE POR MAY BE MISSING. WHEN THE POR FOR A NORMAL IS LESS THAN 30 YEARS, THE NORMAL IS PROVISIONAL AND IS BASED ON THE NUMBER OF YEARS INDICATED. 0.* OR * INDICATES THE VALUE OR MEAN-DAYS-WITH IS BETWEEN 0.00 AND 0.05. CLOUDINESS FOR ASOS STATIONS DIFFERS FROM THE NON-ASOS OBSERVATION TAKEN BY A HUMAN OBSERVER. ASOS STATION CLOUDINESS IS BASED ON TIME-AVERAGED CEILOMETER DATA FOR CLOUDS AT OR BELOW 12,000 FEET CLEAR INDICATES 0 - 2 OKTAS, PARTLY CLOUDY INDICATES 3 - 6 OKTAS, AND CLOUDY INDICATES 7 OR 8 OKTAS.</p> <p>GENERAL CONTINUED: WIND DIRECTION IS RECORDED IN TENS OF DEGREES (2 DIGITS) CLOCKWISE FROM TRUE NORTH. "00" INDICATES CALM. "36" INDICATES TRUE NORTH. RESULTANT WIND IS THE VECTOR AVERAGE OF THE SPEED AND DIRECTION. AVERAGE TEMPERATURE IS THE SUM OF THE MEAN DAILY MAXIMUM AND MINIMUM TEMPERATURE DIVIDED BY 2. SNOWFALL DATA COMPRISE ALL FORMS OF FROZEN</p>	<p>PRECIPITATION, INCLUDING HAIL. A HEATING (COOLING) DEGREE DAY IS THE DIFFERENCE BETWEEN THE AVERAGE DAILY TEMPERATURE AND 65 F. DRY BULB IS THE TEMPERATURE OF THE AMBIENT AIR. DEW POINT IS THE TEMPERATURE TO WHICH THE AIR MUST BE COOLED TO ACHIEVE 100 PERCENT RELATIVE HUMIDITY. WET BULB IS THE TEMPERATURE THE AIR WOULD HAVE IF THE MOISTURE CONTENT WAS INCREASED TO 100 PERCENT RELATIVE HUMIDITY. ON JULY 1, 1996, THE NATIONAL WEATHER SERVICE BEGAN USING THE "METAR" OBSERVATION CODE THAT WAS ALREADY EMPLOYED BY MOST OTHER NATIONS OF THE WORLD. THE MOST NOTICEABLE DIFFERENCE IN THIS ANNUAL PUBLICATION WILL BE THE CHANGE IN UNITS FROM TENTHS TO EIGHTHS(OKTAS) FOR REPORTING THE AMOUNT OF SKY COVER. STATION HISTORY STOPPED WITH THE 2009 ANNUAL. IF YOU NEED STATION HISTORY INFORMATION GO TO "Historical Observing Metadata Repository", URL IS: http://www.ncdc.noaa.gov/homr/ SNOWFALL STOPPED MONTH & YEAR INDICATED ABOVE. NO FURTHER YEARS INCLUDED UNLESS RESTARTED.</p> <p>NOTE:</p> <p>The "Period of Record:(POR)" for all "averages" is based on "Summary of the Day First Order Station" and "Cooperative Summary of the Day" archives.</p> <p>The 2012 Annual Publications were reproduced on 6/05/13 to correct two problems that occurred when the Publications were first produced on 02/28/13.</p> <ol style="list-style-type: none"> 1) A small number of stations did not correctly show number of days with thunderstorms and heavy fog. 2) Climate Normals in the Annual Publications were based on a first edition of the 1981-2010 Normals release. With the release of Service Pack 1 (SP1) new normals for 83 stations are available and now included. Additional information on SP1 is available at: http://www1.ncdc.noaa.gov/pub/data/normals/1981-2010/status.txt.
---	--

2012 PENDLETON OREGON (KPDT)

Pendleton is located in the southeastern part of the Columbia Basin, that low country of northern Oregon and central and eastern Washington which is almost entirely surrounded by mountains. This Basin is bounded on the south by the high country of central Oregon, on the north by the mountains of western Canada, on the west by the Cascade Range and on the east by the Blue Mountains and the north Idaho plateau. The gorge in the Cascades through which the Columbia River reaches the Pacific is the most important break in the barriers surrounding this basin. These physical features have important influences on the general climate of Pendleton and the surrounding territory.

The Weather Service Office at Pendleton Airport is located in rolling country which slopes generally upward toward the Blue Mountains about 15 miles to the east and southeast. The Columbia River approaches the area from the northwest to its junction with the Walla Walla River at an elevation of 351 feet and some 25 miles north of Pendleton, then turns southwestward to be joined a few miles below by the Umatilla River. Both the Walla Walla and Umatilla Rivers have their sources in the Blue Mountains and flow westward to the Columbia. The observation station is at an elevation of nearly 1,500 feet, about 3 miles northwest of downtown Pendleton. The city of Pendleton lies in the shallow east-west valley of the Umatilla River, approximately 400 feet lower than the airport.

Precipitation in the Pendleton area is definitely seasonal in occurrence with an average of only 10 percent of the annual total occurring in the three-month period, July-September. Most precipitation reaching this area accompanies cyclonic storms moving in from the Pacific Ocean. These storms reach their greatest intensity and frequency from October through April. The Cascade Range west of the Columbia Basin reduces the amount of precipitation received from the Pacific cyclonic storms. This influence is felt, particularly, in the desert area of the central part of the Basin. A gradual rise in elevation from the Columbia River to the foothills of the Blue Mountains again results in increased precipitation. This increase supplies sufficient moisture for productive wheat, pea, and stock raising activity in the area surrounding Pendleton.

The lighter summertime precipitation usually accompanies thunderstorms which often move into the area from the south or southwest. On occasion, these storms are quite intense, causing flash flooding with resultant heavy property damage and even loss of life.

Seasonal temperature extremes are usually quite moderate for the latitude. The last occurrence in spring of temperatures as low as 32 degrees is mid-April, and the average last occurrence in the fall of 32 degrees is late October. At the city station, where cool air settles in the valley on still nights, temperatures of 32 degrees have been recorded later in the spring and earlier in the fall. Under usual atmospheric conditions, air from the Pacific, with moderate temperature characteristics, moves across the Cascades or through the Columbia Gorge resulting in mild temperatures in the Pendleton area. When this flow of air from the west is impeded by slow-moving high pressure systems over the interior of the continent, temperature conditions sometimes become rather severe, hot in summer and cold in winter. During the summer or early fall, if a stagnant high predominates to the north or east of Pendleton, the hot, dry conditions may prove detrimental to crops during late May and June, and cause fire danger in the forest and grassland areas during late summer and early fall. During winter, coldest temperatures occur when air from a cold high pressure system in central Canada moves southwestward across the Rockies and flows down into the Columbia Basin. Under this condition the heavy cold air sometimes remains at low levels in the Basin for several days while warmer air from the Pacific flows above it, causing comparatively mild temperatures at higher elevations. Extreme winter temperatures are not particularly common in the Pendleton area. Below zero readings are recorded in approximately 60 percent of winters. Maximum temperatures usually reach 100 degrees or slightly higher on a few days during the summer.

Station History

PENDLETON, OR

NAME	Begin Date	End Date	Latitude	Longitude	Elevation Feet	Relocation	Platform
PENDLETON MUNICIPAL AP	1934-01-01	1948-01-01	45° 40'	-118° 51'			AIRWAYS
PENDLETON MUNICIPAL AP	1981-12-31	1995-06-01	45° 40'	-118° 51'	1482		COOP
PENDLETON MUNICIPAL AP	1948-01-01	1948-07-01	45° 40'	-118° 51'	1493		AIRWAYS, COOP
PENDLETON FIELD	1948-07-01	1954-01-01	45° 40'	-118° 51'	1493		AIRWAYS, COOP
PENDLETON MUNICIPAL AP	1973-01-01	1981-12-31	45° 40'	-118° 51'	1482		COOP, WXSVC
PENDLETON E OR REGIONAL AP	1995-06-01	1996-03-01	45° 41'	-118° 51'	1486	.5 MI E	ASOS, COOP
PENDLETON FIELD	1954-01-01	1972-12-01	45° 40'	-118° 51'	1482		AIRWAYS, COOP
PENDLETON E OR REGIONAL AP	2010-05-24	Present	45° 41'	-118° 51'	1486		ASOS, COOP
PENDLETON MUNICIPAL AP	1972-12-01	1973-01-01	45° 40'	-118° 51'	1482		AIRWAYS, COOP
PENDLETON	1928-06-01	1933-12-31	45° 40'	-118° 43'			AIRWAYS
PENDLETON E OR REGIONAL AP	1996-03-01	2010-05-24	45° 41'	-118° 51'	1486		ASOS, COOP

Element History

Element	Begin Date	End Date	Frequency	Time Of Observation	Equipment *	Equipment * Modifications	Equipment Exposure
PRECIP	1982-01-01	1995-06-01	HOURLY	2400			
PRECIP	2003-05-08	2010-05-24	HOURLY	2400	TB	SHLD;RCRD	
TEMP	1928-06-01	1982-01-01	DAILY	2400			
PRECIP	2002-10-01	2003-05-08	HOURLY	2400	TB	RCRD	
PRECIP	2011-08-03	Present	HOURLY	2400	AHTB	SHLD;RCRD;HTD	
PRECIP	1928-06-01	1982-01-01	DAILY	2400	UNIV	RCRD	
TEMP	1982-01-01	1995-06-01	DAILY	2400			
PRECIP	1995-06-01	2002-10-01	HOURLY	2400	TB	RCRD	
PRECIP	1995-06-01	2002-10-01	DAILY	2400	TB	RCRD	
TEMP	2010-05-24	2011-08-03	DAILY	2400	HYGR		
TEMP	2011-08-03	Present	DAILY	2400	ATEMP	SHLD	
PRECIP	1982-01-01	1995-06-01	DAILY	2400	UNIV	RCRD	
PRECIP	2003-05-08	2010-05-24	DAILY	2400	TB	SHLD;RCRD	
TEMP	1995-06-01	2002-10-01	DAILY	2400			
TEMP	2003-05-08	2010-05-24	DAILY	2400	HYGR		
PRECIP	2010-05-24	2011-08-03	HOURLY	2400	TB	RCRD	
PRECIP	2010-05-24	2011-08-03	DAILY	2400	PCPN1		
PRECIP	2011-08-03	Present	DAILY	2400	PCPNX	SHLD	
TEMP	2002-10-01	2003-05-08	DAILY	2400	HYGR		
PRECIP	2002-10-01	2003-05-08	DAILY	2400	TB	RCRD	

* For explanation of codes and abbreviations see Station Metadata link below.

Other Station Information can be found at:

ASOS Implementation by NWS: <http://www.nws.noaa.gov/ops2/Surface/asosimplementation.htm>

Station Metadata website: <http://www.ncdc.noaa.gov/homr>

INQUIRES/COMMENTS CALL: (828) 271-4800, option 2

Fax Number : (828) 271-4876

TDD : (828) 271-4010

Email : ncdc.orders@noaa.gov

NOAA/National Climatic Data Center

Attn: User Engagement & Services Branch

151 Patton Avenue

Asheville, NC 28801-5001

Visit our Web Site for other weather data: www.ncdc.noaa.gov