




2013 LOCAL CLIMATOLOGICAL DATA ANNUAL SUMMARY WITH COMPARATIVE DATA


ISSN 0198-2710

INTERNATIONAL FALLS, MINNESOTA (KINL)


Daily Max/Min Temperature



Daily Precipitation



Daily Station Pressure



I CERTIFY THAT THIS IS AN OFFICIAL PUBLICATION OF THE NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION, AND IS COMPILED FROM RECORDS ON FILE AT THE NATIONAL CLIMATIC DATA CENTER.

NATIONAL
OCEANIC AND
ATMOSPHERIC ADMINISTRATION

NATIONAL
ENVIRONMENTAL SATELLITE, DATA
AND INFORMATION SERVICE

NATIONAL
CLIMATIC DATA CENTER
ASHEVILLE, NORTH CAROLINA

Thomas R. Karl
DIRECTOR
NATIONAL CLIMATIC DATA CENTER

METEOROLOGICAL DATA FOR 2013

INTERNATIONAL FALLS (KINL)

LATITUDE: 48° 33'N LONGITUDE: 93° 23'W ELEVATION (FT): GRND: 1183 BARO: 1185 TIME ZONE: CENTRAL (UTC -6) WBAN: 14918

ELEMENT		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	YEAR	
TEMPERATURE °F	MEAN DAILY MAXIMUM	16.5	20.9	30.4	41.1	61.5	73.3	76.4	76.8	69.7	51.3	32.9	7.5	46.5	
	HIGHEST DAILY MAXIMUM	48	42	50	67	82	87	89	89	84	74	47	34	89	
	DATE OF OCCURRENCE	10	26	29	27	29+	25	16	28+	06	08	04	27	AUG 28+	
	MEAN DAILY MINIMUM	-5.3	-5.4	1.6	21.3	38.0	47.2	53.4	49.4	45.8	31.6	17.3	-15.8	23.3	
	LOWEST DAILY MINIMUM	-36	-39	-28	-1	22	30	40	35	29	12	-7	-37	-39	
	DATE OF OCCURRENCE	24	02	17	03	12	03+	29	14	16	29	23	30	FEB 02	
	AVERAGE DRY BULB	5.6	7.8	16.0	31.2	49.7	60.2	64.9	63.1	57.8	41.4	25.1	-4.1	34.9	
	MEAN WET BULB	7.5		16.1	28.5	43.8	55.2	60.5	59.0	53.9	38.4	23.9	-1.5		
	MEAN DEW POINT	3.2		9.1	20.8	36.8	50.4	56.8	55.4	50.3	34.4	19.3	-6.7		
	NUMBER OF DAYS WITH:														
	MAXIMUM >= 90°	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	MAXIMUM <= 32°	28	25	20	4	0	0	0	0	0	0	12	30	119	
	MINIMUM <= 32°	31	28	31	26	12	2	0	0	1	17	27	31	206	
MINIMUM <= 0°	19	18	13	1	0	0	0	0	0	0	3	26	80		
H/C	HEATING DEGREE DAYS	1831	1595	1512	1007	468	169	85	135	222	726	1190	2137	11077	
	COOLING DEGREE DAYS	0	0	0	0	3	34	90	86	11	0	0	0	224	
RH	MEAN (PERCENT)	78	75	68	66	66	71	75	77	77	78	75	74	73	
	HOUR 00 LST	81	80	77	74	73	87	89	92	85	84	79	76	81	
	HOUR 06 LST	82	80	80	80	78	86	88	94	90	87	80	76	83	
	HOUR 12 LST	74	67	58	56	56	56	61	58	62	67	68	70	63	
	HOUR 18 LST	77	71	55	54	52	55	61	62	69	76	75	75	65	
W/O	NUMBER OF DAYS WITH:														
	HEAVY FOG(VISBY <= 1/4 MI)	1	6	2	3	2	1	5	2	1	1	0	1	25	
	THUNDERSTORMS	0	0	0	1	1	3	6	6	2	0	0	0	19	
PR	MEAN STATION PRESS. (IN.)	28.68	28.73	28.82	28.71	28.74	28.67	28.70	28.72	28.67	28.66	28.74	28.78	28.72	
	MEAN SEA-LEVEL PRESS. (IN.)	30.04	30.09	30.16	30.01	30.05	29.94	29.96	29.98	29.94	29.96	30.07	30.15	30.03	
WINDS	RESULTANT SPEED (MPH)	3.2	2.0	2.5	1.5	2.6	1.0	1.2	1.6	0.5	1.4	2.7	1.7	1.1	
	RES. DIR. (TENS OF DEGS.)	28	01	36	36	05	08	30	27	18	29	28	31	33	
	MEAN SPEED (MPH)	7.3	5.7	6.3	7.5	7.8	5.8	5.0	4.1	5.7	5.8	7.6	5.8	6.2	
	PREVAIL.DIR.(TENS OF DEGS.)	28	06	33	28	02	13	28	26	15	29	31	28	28	
	MAXIMUM 2-MINUTE WIND														
	SPEED (MPH)	28	24	25	30	28	22	30	40	23	29	25	25	40	
	DIR. (TENS OF DEGS.)	29	35	29	23	28	22	01	32	25	25	31	33	32	
	DATE OF OCCURRENCE	09	18	19	30	14	23	27	24	28	01	25	17	AUG 24	
	MAXIMUM 3-SECOND WIND:														
SPEED (MPH)	41	31	37	40	39	35	39	52	33	44	36	32	52		
DIR. (TENS OF DEGS.)	29	34	32	22	29	33	02	32	13	26	31	28	32		
DATE OF OCCURRENCE	09	18	31	30	14	16	27	24	23	01	25	05	AUG 24		
PRECIPITATION	WATER EQUIVALENT:														
	TOTAL (IN.)	2.15	1.51	1.15	1.87	5.70	1.60	7.40	3.73	2.01	2.07	1.21	1.44	31.84	
	GREATEST 24-HOUR (IN.)	0.77	0.72	0.46	0.45	2.41	0.36	2.70	1.08	0.68	0.65	0.40	0.50	2.70	
	DATE OF OCCURRENCE	10-11	10-11	17-18	11-12	19-20	26	25-26	18	09-10	14-15	08-09	04-05	JUL 25-26	
	NUMBER OF DAYS WITH:														
PRECIPITATION 0.01	18	9	7	12	16	13	16	10	9	17	13	15	155		
PRECIPITATION 0.10	7	5	3	6	8	7	9	7	5	7	3	5	72		
PRECIPITATION 1.00	0	0	0	0	2	0	2	1	0	0	0	0	5		
SNOWFALL	SNOW,ICE PELLETS,HAIL	24.2	20.8	14.7	13.6	T	0.0	0.0	0.0	0.0	1.6	9.3	26.4	110.6	
	TOTAL (IN.)	3.8	6.4	7.4	4.6	T	0.0	0.0	0.0	0.0	0.5	3.0	8.5	8.5	
	GREATEST 24-HOUR (IN.)	29	18	18	12	11					20+	08	04	DEC 04	
	DATE OF OCCURRENCE	21	28	30	22	T	0	0	0	0	T	3	13	30	
	MAXIMUM SNOW DEPTH (IN.)	30+	19	19	01	03+					24+	30+	30+	MAR 19	
	DATE OF OCCURRENCE														
	NUMBER OF DAYS WITH:														
SNOWFALL >= 1.0	8	5	3	5	0	0	0	0	0	0	3	6	30		

NORMALS, MEANS, AND EXTREMES INTERNATIONAL FALLS (KINL)

LATITUDE: 48° 33'N **LONGITUDE:** 93° 23'W **ELEVATION (FT):** GRND: 1183 BARO: 1185 **TIME ZONE:** CENTRAL (UTC -6) **WBAN: 14918**

ELEMENT		POR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	YEAR
TEMPERATURE °F	NORMAL DAILY MAXIMUM	30	15.4	22.0	34.7	51.5	64.8	73.2	77.8	75.9	65.4	51.1	33.7	19.0	48.7
	MEAN DAILY MAXIMUM	88	12.7	19.7	33.1	49.4	64.0	71.8	76.8	75.3	64.9	51.7	33.0	18.6	47.6
	HIGHEST DAILY MAXIMUM	74	48	58	79	93	95	99	98	95	95	88	73	57	99
	YEAR OF OCCURRENCE		2013	2000	2012	1952	1964	1995	1988	2003	1976	1963	1975	1939	JUN 1995
	MEAN OF EXTREME MAXS.	96	35.6	40.9	53.1	73.0	84.1	87.3	90.1	88.9	83.1	74.2	54.5	38.2	66.9
	NORMAL DAILY MINIMUM	30	-6.6	-1.3	12.5	27.1	38.7	48.4	52.6	50.7	41.8	31.0	17.4	0.4	26.1
	MEAN DAILY MINIMUM	88	-7.8	-2.3	10.7	27.1	38.8	48.2	53.5	50.9	41.6	32.5	17.4	0.7	25.9
	LOWEST DAILY MINIMUM	74	-46	-45	-38	-14	11	23	34	30	19	2	-32	-41	-46
	YEAR OF OCCURRENCE		2011	1996	1962	1954	1967	1964	2001	1982	2011	1988	1985	1955	JAN 2011
	MEAN OF EXTREME MINS.	96	-32.7	-28.2	-16.4	9.2	24.4	34.1	41.3	37.9	26.7	17.2	-5.3	-24.6	7.0
	NORMAL DRY BULB	30	4.4	10.3	23.6	39.3	51.8	60.8	65.2	63.3	53.6	41.1	25.5	9.7	37.4
	MEAN DRY BULB	88	2.5	8.7	21.9	38.3	51.4	60.0	65.1	63.1	53.2	42.3	25.2	9.7	36.8
	MEAN WET BULB	29	4.9	9.6	20.1	32.1	44.3	54.7	59.4	57.7	49.1	36.9	23.1	9.5	33.5
	MEAN DEW POINT	29	2.5	6.4	16.6	27.9	40.6	52.3	57.6	56.0	47.3	34.6	21.3	7.7	30.9
	NORMAL NO. DAYS WITH: MAXIMUM >= 90	30	0.0	0.0	0.0	0.0	0.0	0.0	0.9	1.0	0.8	0.1	0.0	0.0	2.8
	MAXIMUM <= 32	30	27.7	21.3	11.7	1.5	0.0	0.0	0.0	0.0	0.0	1.1	13.6	25.7	102.6
MINIMUM <= 32	30	31.0	27.6	29.4	21.8	7.7	0.3	0.0	0.2	4.1	17.8	27.6	30.8	198.3	
MINIMUM <= 0	30	19.9	14.9	6.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0	3.1	14.4	58.7	
H/C	NORMAL HEATING DEG. DAYS	30	1878	1530	1283	772	419	164	70	111	353	743	1184	1714	10221
	NORMAL COOLING DEG. DAYS	30	0	0	0	1	8	38	76	58	11	0	0	0	192
RH	NORMAL (PERCENT)	30	74	71	66	60	61	69	73	75	77	74	78	78	71
	HOURLY 00 LST	30	76	74	71	67	72	80	85	87	87	81	82	80	79
	HOURLY 06 LST	30	76	77	77	76	77	83	89	92	91	85	84	81	82
	HOURLY 12 LST	30	70	65	58	49	48	56	58	60	63	64	73	74	62
	HOURLY 18 LST	30	71	64	56	48	47	55	57	60	67	67	75	76	62
S	PERCENT POSSIBLE SUNSHINE														
W/O	MEAN NO. DAYS WITH: HEAVY FOG(VISBY <= 1/4 MI)	50	1.3	1.3	1.7	1.4	0.9	1.2	1.8	1.9	2.1	1.5	1.2	1.4	17.7
	THUNDERSTORMS	66	0.0	0.0	0.3	1.1	3.8	7.1	8.8	6.9	3.8	1.0	0.1	0.0	32.9
CLOUDINESS	MEAN: SUNRISE-SUNSET (OKTAS)	47	5.4	5.0	5.3	5.2	5.3	5.4	5.0	4.9	5.5	5.8	6.3	5.6	5.4
	MIDNIGHT-MIDNIGHT (OKTAS)	32	5.1	4.8	4.9	4.9	5.0	5.0	4.7	4.4	5.0	5.6	5.9	5.3	5.1
	MEAN NO. DAYS WITH: CLEAR	57	7.5	7.9	7.7	6.9	6.8	4.8	6.1	7.1	5.6	5.8	3.7	6.2	76.1
	PARTLY CLOUDY	57	7.3	6.4	7.6	8.3	9.0	10.8	13.2	11.3	8.8	7.1	5.2	5.8	100.8
	CLOUDY	57	16.2	14.1	15.6	14.8	15.2	14.4	11.2	12.1	15.3	18.1	21.1	18.9	187.0
PR	MEAN STATION PRESSURE(IN)	30	28.72	28.75	28.75	28.69	28.67	28.64	28.67	28.71	28.70	28.69	28.69	28.72	28.70
	MEAN SEA-LEVEL PRES. (IN)	30	30.06	30.08	30.06	29.98	29.94	29.90	29.74	29.77	29.79	29.98	30.00	30.05	29.95
WINDS	MEAN SPEED (MPH)	30	7.8	7.9	8.5	8.7	8.5	7.5	6.7	6.7	7.5	8.2	8.3	7.7	7.8
	PREVAIL.DIR.(TENS OF DEGS)	40	30	28	30	06	15	19	31	19	19	30	31	30	30
	MAXIMUM 2-MINUTE: SPEED (MPH)	17	43	35	35	35	41	48	47	43	38	35	37	36	48
	DIR. (TENS OF DEGS)	27	30	31	33	34	32	26	30	34	30	33	31	31	32
	YEAR OF OCCURRENCE		2009	2002	2007	2002	2008	2005	2003	2001	2002	1999	2005	1999	JUN 2005
	MAXIMUM 3-SECOND SPEED (MPH)	17	62	47	47	49	59	60	62	59	47	46	47	49	62
	DIR. (TENS OF DEGS)		27	28	17	30	35	32	33	32	31	31	24	30	27
YEAR OF OCCURRENCE		2009	2009	2008	2010	2008	2005	2007	2001	2011	1999	1999	1999	JAN 2009	
PRECIPITATION	NORMAL (IN)	30	0.62	0.57	0.95	1.53	2.86	3.92	3.70	2.81	2.99	2.08	1.38	0.81	24.22
	MAXIMUM MONTHLY (IN)	74	3.03	1.81	3.80	3.74	6.67	8.29	9.52	11.26	7.36	4.84	3.49	2.00	11.26
	YEAR OF OCCURRENCE		1975	1955	2009	2011	1985	2002	1966	1942	1961	1971	1977	2004	AUG 1942
	MINIMUM MONTHLY (IN)	74	0.07	0.04	0.13	0.08	0.20	0.70	1.00	0.58	0.28	0.14	0.10	0.16	0.04
	YEAR OF OCCURRENCE		2003	2002	2001	1987	1976	1961	1941	1991	1952	1992	1999	1940	FEB 2002
	MAXIMUM IN 24 HOURS (IN)	74	1.50	1.14	1.80	1.65	2.76	4.32	4.87	4.82	3.37	2.62	1.56	1.25	4.87
	YEAR OF OCCURRENCE		1975	1946	1957	2005	1991	2002	1966	1942	1973	1979	1977	1960	JUL 1966
	NORMAL NO. DAYS WITH: PRECIPITATION >= 0.01	30	9.3	7.9	8.8	8.7	12.4	13.7	11.9	11.0	11.9	11.7	10.0	10.7	128.0
PRECIPITATION >= 1.00	30	0.0	0.0	0.0	0.1	0.3	0.7	0.8	0.5	0.7	0.3	0.0	0.0	3.4	
SNOWFALL	NORMAL (IN)	30	15.0	10.8	7.6	6.4	0.2	0.0	0.0	0.0	0.1	2.2	13.7	15.0	71.0
	MAXIMUM MONTHLY (IN)	73	43.0	32.3	31.5	23.5	13.4	0.3	T	T	1.9	8.5	29.7	43.9	43.9
	YEAR OF OCCURRENCE		1975	1992	1951	2008	1954	1969	1992	1996	1942	1981	1965	1992	DEC 1992
	MAXIMUM IN 24 HOURS (IN)	73	17.7	12.1	17.0	13.9	7.7	0.3	T	T	1.5	5.9	14.7	14.4	17.7
	YEAR OF OCCURRENCE'		1975	1996	1966	1950	1954	1969	1992	1995	1951	1981	1991	1990	JAN 1975
	MAXIMUM SNOW DEPTH (IN)	64	38	35	38	25	12	0	0	0	0	5	26	25	38
	YEAR OF OCCURRENCE		1982	1969	1966	1975	1954					1988	1965	1985	JAN 1982
NORMAL NO. DAYS WITH: SNOWFALL >= 1.0	30	4.5	3.5	2.7	1.7	0.1	0.0	0.0	0.0	0.1	0.8	4.0	4.8	22.2	

PRECIPITATION (inches) 2013 INTERNATIONAL FALLS (KINL)

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
1984	0.30	0.76	0.22	0.89	1.77	6.50	2.14	1.30	1.14	4.11	0.91	1.27	21.31
1985	0.38	0.70	0.72	3.17	6.67	6.15	1.22	4.27	2.97	1.97	1.57	0.51	30.30
1986	0.61	0.95	0.26	3.33	0.50	3.67	2.59	1.52	2.42	0.64	1.27	0.35	18.11
1987	0.37	0.48	1.05	0.08	3.13	1.11	7.86	2.50	1.38	0.66	0.72	0.20	19.54
1988	0.44	0.14	1.71	0.30	1.18	4.39	3.04	6.66	3.93	1.03	1.39	0.76	24.97
1989	1.42	0.28	0.81	0.54	1.93	6.59	1.51	4.82	1.92	1.21	0.99	0.45	22.47
1990	0.62	0.50	1.35	1.47	0.98	5.50	3.13	2.15	1.23	1.42	0.75	1.21	20.31
1991	0.79	0.91	1.10	2.52	4.09	4.58	4.10	0.58	4.94	1.47	1.83	0.94	27.85
1992	0.78	1.57	0.56	1.43	2.08	2.17	4.00	5.48	2.34	0.14	1.17	1.70	23.42
1993	0.68	0.10	0.32	1.67	2.82	2.01	6.03	3.84	2.04	0.73	0.81	0.44	21.49
1994	0.46	0.34	0.58	1.47	1.65	4.56	4.02	2.73	3.67	1.97	2.46	0.67	24.58
1995	1.03	0.65	0.70	1.21	2.36	2.66	3.29	3.13	3.56	3.12	1.32	1.26	24.29
1996	1.78	1.47	0.43	1.54	2.10	4.41	3.05	3.52	2.64	3.17	3.00	1.48	28.59
1997	0.72	0.19	1.18	1.31	1.44	2.57	2.65	1.41	3.90	2.37	0.99	0.23	18.96
1998	0.64	1.04	0.30	0.73	4.81	4.33	2.18	1.95	0.28	4.20	1.70	0.37	22.53
1999	0.09	0.51	2.03	1.82	5.70	3.31	6.21	2.67	5.89	0.65	T	0.18	29.06
2000	0.60	0.23	0.73	1.66	2.57	4.05	2.71	4.11	2.00	1.20	2.75	0.20	22.81
2001	0.18	0.25	0.13	3.54	4.50	3.07	8.29	1.65	2.11	2.59	0.90	0.27	27.48
2002	0.07	0.04	0.29	1.48	2.08	8.29	3.79	4.35	1.19	1.07	0.22	0.26	23.13
2003	T	0.09	0.51	0.65	1.44	3.99	3.30	2.36	2.17	1.03	0.93	0.38	16.85
2004	0.65	0.14	0.63	0.90	5.00	1.54	4.33	1.50	5.99	3.98	0.31	2.00	26.97
2005	0.92	0.28	0.36	2.32	4.60	3.86	3.45	3.79	1.33	3.20	3.29	0.61	28.01
2006	0.91	0.62	2.20	1.16	2.12	2.20	3.14	1.03	1.38	1.19	1.09	0.99	18.03
2007	0.32	0.53	1.52	1.64	3.59	4.70	1.62	1.18	4.98	3.21	0.56	1.11	24.96
2008	0.19	0.38	0.70	2.95	3.62	4.94	3.13	0.85	4.19	2.40	2.81	1.42	27.58
2009	0.79	1.21	3.80	1.11	2.68	1.90	3.63	2.54	1.87	3.24	1.20	1.53	25.50
2010	0.83	0.25	0.63	1.32	3.01	3.01	8.81	3.83	6.02	1.22	2.24	1.57	32.74
2011	1.32	0.26	0.30	3.74	1.84	4.07	2.15	1.90	1.65	1.08	0.91	0.49	19.71
2012	0.75	0.79	2.81	1.64	2.60	2.43	5.50	2.70	0.85	2.87	1.07	1.14	25.15
2013	2.15	1.51	1.15	1.87	5.70	1.60	7.40	3.73	2.01	2.07	1.21	1.44	31.84
POR= 96 YRS	0.97	0.69	1.01	1.59	2.63	3.74	3.72	3.11	2.99	1.93	1.27	0.86	24.51

WBAN : 14918

AVERAGE TEMPERATURE (°F) 2013 INTERNATIONAL FALLS (KINL)

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
1984	0.7	20.7	17.5	44.0	48.9	61.5	65.1	67.7	49.0	44.6	25.6	3.4	37.4
1985	-0.1	4.7	26.7	41.7	54.4	54.5	63.6	60.1	51.2	42.1	14.3	0.2	34.5
1986	7.7	9.4	27.6	43.2	56.0	60.4	66.7	61.2	52.4	41.4	19.9	15.9	38.5
1987	11.0	23.5	29.8	47.9	55.8	64.1	67.9	62.5	56.2	38.6	31.0	18.6	42.2
1988	0.2	1.9	21.7	39.5	58.5	67.6	68.4	65.2	53.8	37.8	26.1	8.8	37.5
1989	8.0	-1.7	16.8	36.0	53.4	60.2	69.7	65.2	55.0	43.4	21.0	-1.5	35.5
1990	13.4	9.6	27.0	38.7	49.7	63.2	65.8	66.0	55.6	40.6	28.1	5.9	38.6
1991	-0.1	15.4	25.3	44.8	58.1	66.1	66.4	67.9	51.8	38.1	20.2	13.0	38.9
1992	12.3	16.5	23.9	35.6	55.0	57.7	59.4	60.3	53.0	40.4	25.4	8.6	37.3
1993	4.7	9.1	25.5	38.6	50.7	58.6	64.4	65.0	48.5	37.4	22.9	13.1	36.5
1994	-7.8	5.5	29.2	38.7	54.2	64.1	64.8	61.8	57.8	47.5	30.9	19.1	38.8
1995	9.6	6.4	27.0	33.9	52.5	68.1	65.9	67.1	53.2	41.6	15.4	6.5	37.3
1996	-5.4	7.3	15.2	32.0	49.9	63.8	65.0	66.1	55.5	42.5	17.5	6.1	34.6
1997	2.1	10.2	18.4	35.9	46.0	62.7	64.2	60.6	56.4	43.1	23.0	20.4	36.9
1998	12.0	27.1	25.9	44.0	56.0	60.0	64.3	66.2	56.5	44.2	27.2	10.7	41.2
1999	3.7	19.5	26.9	42.0	54.3	61.0	66.6	62.1	51.9	40.0	33.5	17.6	39.9
2000	4.7	18.9	32.2	39.2	53.7	57.5	66.2	63.8	52.1	44.3	28.8	-1.3	38.3
2001	14.0	3.3	23.1	40.8	54.0	62.4	66.3	65.6	54.3	40.4	36.9	18.7	40.0
2002	11.9	18.8	15.4	37.4	46.0	63.4	68.5	64.1	56.9	33.2	23.0	17.3	38.0
2003	4.9	4.1	20.8	39.5	53.2	61.0	64.2	66.7	54.2	42.4	22.3	16.6	37.5
2004	-4.1	14.2	24.1	37.3	45.1	56.1	62.9	56.0	58.5	43.6	30.7	9.1	36.1
2005	.9	13.8	19.5	44.2	49.8	62.6	66.0	61.4	55.8	43.1	27.4	15.0	38.3
2006	18.8	4.3	25.9	46.2	54.6	62.0	68.6	63.1	53.0	37.8	28.8	18.3	40.1
2007	9.5	2.6	26.3	37.2	55.1	63.0	65.6	61.6	53.9	44.4	26.0	8.6	37.8
2008	5.1	4.0	18.8	35.9	45.5	57.9	62.4	62.2	53.5	42.7	26.7	-0.2	34.5
2009	-3.0	8.0	21.7	38.6	46.4	57.8	58.8	60.3	59.7	37.8	34.3	7.8	35.7
2010	6.8	8.6	34.5	45.6	53.2	58.9	66.3	65.8	49.9	45.9	28.9	7.8	39.4
2011	-0.9	9.2	21.5	39.5	50.9	58.8	67.5	64.2	53.0	46.4	29.0	18.7	38.2
2012	14.0	19.6	38.2	39.9	53.0	62.9	69.0	62.0	51.5	39.1	26.2	11.5	40.6
2013	5.6	7.8	16.0	31.2	49.7	60.2	64.9	63.1	57.8	41.4	25.1	-4.1	34.9
POR= 88 YRS	2.5	8.7	21.9	38.3	51.4	60.0	65.1	63.1	53.2	42.3	25.2	9.7	36.8

HEATING DEGREE DAYS (base 65°F) 2013 INTERNATIONAL FALLS (KINL)

YEAR	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	TOTAL
1984-85	50	50	474	626	1176	1908	2015	1687	1182	688	324	307	10487
1985-86	74	163	411	704	1520	2011	1773	1555	1152	646	313	161	10483
1986-87	34	145	367	723	1346	1517	1671	1158	1084	513	299	103	8960
1987-88	31	127	257	809	1018	1433	2011	1828	1337	756	237	53	9897
1988-89	29	85	331	834	1162	1743	1765	1868	1490	863	363	170	10703
1989-90	11	73	308	670	1312	2062	1596	1548	1171	796	464	88	10099
1990-91	39	59	284	748	1101	1833	2017	1383	1219	601	261	35	9580
1991-92	44	43	393	826	1338	1610	1631	1404	1267	875	335	233	9999
1992-93	173	155	354	756	1178	1746	1868	1560	1221	787	434	211	10443
1993-94	58	73	492	845	1257	1606	2263	1666	1102	784	339	80	10565
1994-95	58	135	221	535	1019	1416	1714	1640	1174	924	390	80	9306
1995-96	50	36	358	719	1484	1809	2183	1672	1540	984	462	111	11408
1996-97	50	37	309	691	1419	1819	1943	1531	1436	865	579	88	10767
1997-98	105	164	262	677	1253	1377	1637	1053	1205	621	291	169	8814
1998-99	68	40	259	637	1129	1676	1895	1268	1174	682	339	153	9320
1999-00	57	110	387	768	936	1465	1865	1330	1011	767	351	223	9270
2000-01	49	70	384	634	1078	2051	1574	1723	1297	724	335	148	10067
2001-02	62	72	339	756	836	1429	1639	1288	1529	822	590	121	9483
2002-03	25	69	289	979	1254	1470	1856	1699	1363	758	358	150	10270
2003-04	65	52	332	699	1272	1494	2135	1466	1260	825	609	267	10476
2004-05	111	272	223	653	1022	1726	1979	1428	1404	620	464	115	10017
2005-06	71	151	296	676	1125	1542	1427	1692	1205	555	340	110	9190
2006-07	22	75	363	835	1083	1441	1716	1743	1194	820	315	122	9729
2007-08	75	135	343	632	1162	1744	1850	1761	1422	866	596	211	10797
2008-09	100	119	352	682	1143	2016	2102	1587	1334	785	571	228	11019
2009-10	186	177	165	836	912	1767	1796	1576	942	574	373	183	9487
2010-11	23	82	446	587	1075	1764	2040	1555	1342	760	429	196	10299
2011-12	39	69	364	574	1074	1428	1574	1310	829	747	372	94	8474
2012-13	5	121	401	795	1158	1651	1831	1595	1512	1007	468	169	10713
2013-	85	135	222	726	1190	2137							

WBAN : 14918

COOLING DEGREE DAYS (base 65°F) 2013 INTERNATIONAL FALLS (KINL)

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	TOTAL
1984	0	0	0	0	4	16	61	139	0	1	0	0	221
1985	0	0	0	0	0	1	41	19	2	0	0	0	63
1986	0	0	0	0	41	32	96	34	0	0	0	0	203
1987	0	0	0	7	20	83	130	56	0	0	0	0	296
1988	0	0	0	0	40	136	141	96	3	0	0	0	416
1989	0	0	0	0	11	32	165	85	14	5	0	0	312
1990	0	0	0	11	0	40	72	96	10	0	0	0	229
1991	0	0	0	0	54	76	90	137	6	0	0	0	363
1992	0	0	0	0	33	22	5	16	1	0	0	0	77
1993	0	0	0	0	0	26	47	81	0	0	0	0	154
1994	0	0	0	0	14	60	56	42	13	0	0	0	185
1995	0	0	0	0	9	180	84	108	9	0	0	0	390
1996	0	0	0	0	0	81	60	78	32	0	0	0	251
1997	0	0	0	0	0	24	85	37	10	4	0	0	160
1998	0	0	0	0	18	25	53	84	13	0	0	0	193
1999	0	0	0	0	14	40	112	26	2	0	0	0	194
2000	0	0	0	0	10	3	93	42	5	0	0	0	153
2001	0	0	0	4	0	78	109	98	26	0	0	0	315
2002	0	0	0	0	8	79	140	47	50	0	0	0	324
2003	0	0	0	0	0	35	44	114	16	4	0	0	213
2004	0	0	0	0	0	6	51	2	35	0	0	0	94
2005	0	0	0	0	0	49	109	47	26	4	0	0	235
2006	0	0	0	0	25	26	143	24	11	0	0	0	229
2007	0	0	0	0	15	70	98	35	17	0	0	0	235
2008	0	0	0	0	0	5	24	39	13	0	0	0	81
2009	0	0	0	0	0	20	1	37	13	0	0	0	71
2010	0	0	0	0	15	6	70	116	0	0	0	0	207
2011	0	0	0	0	0	15	124	49	12	7	0	0	207
2012	0	0	4	0	7	37	135	35	4	0	0	0	222
2013	0	0	0	0	3	34	90	86	11	0	0	0	224

SNOWFALL (inches) 2013 INTERNATIONAL FALLS (KINL)

YEAR	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	TOTAL
1984-85	0.0	0.0	T	2.1	10.9	12.4	9.8	15.3	13.9	2.0	T	0.0	66.4
1985-86	0.0	0.0	T	4.8	27.1	15.5	16.4	15.4	5.2	0.1	0.3	0.0	84.8
1986-87	0.0	0.0	0.0	0.7	11.5	8.4	14.1	12.6	6.9	0.5	0.0	0.0	54.7
1987-88	0.0	0.0	0.0	1.4	0.1	8.1	14.7	4.9	16.1	0.2	0.0	0.0	45.5
1988-89	0.0	0.0	0.0	5.4	20.8	21.4	28.9	6.7	12.5	7.1	1.9	0.0	104.7
1989-90	0.0	0.0	T	T	8.5	10.8	9.8	11.7	3.0	17.1	T	T	60.9
1990-91	T	0.0	T	2.5	7.8	31.1	18.5	18.3	12.1	5.1	1.8	0.0	97.2
1991-92	0.0	0.0	T	3.9	23.8	22.2	16.7	32.3	2.7	9.3	0.1	T	111.0
1992-93	T	0.0	0.1	1.8	24.9	43.9	17.6	1.6	6.8	2.0	T	0.0	98.7
1993-94	0.0	0.0	1.3	4.7	18.4	5.7	15.4	8.8	10.0	10.6	T	T	74.9
1994-95	0.0	T	T	1.1	10.6	10.1	17.5	13.8	4.0	12.8	T	0.0	69.9
1995-96	0.0	T	T	4.7	16.5	21.4	30.0	18.1	7.7	17.6	T	0.0	116.0
1996-97	0.0	T	T	5.4	23.9	24.7	11.3	5.4	13.0	1.4	0.2	0.0	85.3
1997-98	0.0	0.0	0.0	3.3	10.8	4.7	17.1	5.6	4.2	5.7	T	0.0	51.4
1998-99	0.0	0.0	0.0	T	22.4	12.9	4.0	9.2	11.4	5.9	T	0.0	65.8
1999-00	0.0	0.0	0.0	T	T	3.3	17.0	1.9	1.4	3.5	0.0	0.0	27.1
2000-01	0.0	0.0	0.0	T	3.4	15.4	7.7	10.4	2.9	21.6	0.0	0.0	61.4
2001-02	0.0	0.0	0.0	1.6	17.5		7.0	9.4	11.8	13.0	0.0	0.0	
2002-03													
2003-04	0.0	0.0	1.2	3.9	19.9	7.9	22.9	5.7	8.5	T	T	0.0	70.0
2004-05	0.0	0.0	0.0	T	1.8	17.5	28.2	8.1	2.9	0.8	0.1	0.0	59.4
2005-06	0.0	0.0	0.0	0.1	9.7	11.7	11.6	15.1	3.8	T	0.2	0.0	52.2
2006-07	0.0	0.0	0.0	4.0	3.5	9.5	4.4	8.9	4.3	4.7	T	0.0	39.3
2007-08	0.0	0.0	T	T	13.9	23.8	9.0	13.5	11.8	23.5	0.3	0.0	95.8
2008-09	0.0	0.0	0.0	0.3	10.9	35.9	21.3	24.6	30.1	1.9	0.6	0.0	125.6
2009-10	0.0	0.0	0.0	2.8	2.0	26.2	10.6	5.1	0.2	0.0	T	0.0	46.9
2010-11	0.0	0.0	0.0	0.2	29.0	19.2	22.9	4.4	2.5	10.0	0.4	0.0	88.6
2011-12	0.0	0.0	T	T	12.3	8.5	11.0	17.7	8.4	6.4	0.0	0.0	64.3
2012-13	0.0	0.0	T	1.7	9.2	14.4	24.2	20.8	14.7	13.6	T	0.0	98.6
2013-	0.0	0.0	0.0	1.6	9.3	26.4							
POR= 67 YRS	T	T	0.1	1.8	10.4	12.4	12.5	9.4	8.4	6.0	0.7	T	61.7

WBAN : 14918

REFERENCE NOTES :

<p>PAGE 1: THE TEMPERATURE GRAPH SHOWS NORMAL MAXIMUM AND NORMAL MINIMUM DAILY TEMPERATURES (SOLID CURVES) AND THE ACTUAL DAILY HIGH AND LOW TEMPERATURES (VERTICAL BARS).</p> <p>PAGE 2 AND 3: H/C INDICATES HEATING AND COOLING DEGREE DAYS. RH INDICATES RELATIVE HUMIDITY W/O INDICATES WEATHER AND OBSTRUCTIONS S INDICATES SUNSHINE. PR INDICATES PRESSURE. CLOUDINESS ON PAGE 3 IS THE SUM OF THE CEILOMETER AND SATELLITE DATA NOT TO EXCEED EIGHT EIGHTHS(OKTAS).</p> <p>GENERAL: T INDICATES TRACE PRECIPITATION, AN AMOUNT GREATER THAN ZERO BUT LESS THAN THE LOWEST REPORTABLE VALUE. + INDICATES THE VALUE ALSO OCCURS ON EARLIER DATES. BLANK ENTRIES DENOTE MISSING OR UNREPORTED DATA. ASOS INDICATES AUTOMATED SURFACE OBSERVING SYSTEM. PM INDICATES THE LAST DAY OF THE PREVIOUS MONTH. POR (PERIOD OF RECORD) BEGINS WITH THE JANUARY DATA MONTH AND IS THE NUMBER OF YEARS USED TO COMPUTE THE MEAN. INDIVIDUAL MONTHS WITHIN THE POR MAY BE MISSING. WHEN THE POR FOR A NORMAL IS LESS THAN 30 YEARS, THE NORMAL IS PROVISIONAL AND IS BASED ON THE NUMBER OF YEARS INDICATED. 0.* OR * INDICATES THE VALUE OR MEAN-DAYS-WITH IS BETWEEN 0.00 AND 0.05. CLOUDINESS FOR ASOS STATIONS DIFFERS FROM THE NON-ASOS OBSERVATION TAKEN BY A HUMAN OBSERVER. ASOS STATION CLOUDINESS IS BASED ON TIME-AVERAGED CEILOMETER DATA FOR CLOUDS AT OR BELOW 12,000 FEET CLEAR INDICATES 0 - 2 OKTAS, PARTLY CLOUDY INDICATES 3 - 6 OKTAS, AND CLOUDY INDICATES 7 OR 8 OKTAS.</p> <p>GENERAL CONTINUED: WIND DIRECTION IS RECORDED IN TENS OF DEGREES (2 DIGITS) CLOCKWISE FROM TRUE NORTH. "00" INDICATES CALM. "36" INDICATES TRUE NORTH. RESULTANT WIND IS THE VECTOR AVERAGE OF THE SPEED AND DIRECTION. AVERAGE TEMPERATURE IS THE SUM OF THE MEAN DAILY MAXIMUM AND MINIMUM TEMPERATURE DIVIDED BY 2. SNOWFALL DATA COMPRISE ALL FORMS OF FROZEN</p>	<p>PRECIPITATION, INCLUDING HAIL. A HEATING (COOLING) DEGREE DAY IS THE DIFFERENCE BETWEEN THE AVERAGE DAILY TEMPERATURE AND 65 F. DRY BULB IS THE TEMPERATURE OF THE AMBIENT AIR. DEW POINT IS THE TEMPERATURE TO WHICH THE AIR MUST BE COOLED TO ACHIEVE 100 PERCENT RELATIVE HUMIDITY. WET BULB IS THE TEMPERATURE THE AIR WOULD HAVE IF THE MOISTURE CONTENT WAS INCREASED TO 100 PERCENT RELATIVE HUMIDITY. ON JULY 1, 1996, THE NATIONAL WEATHER SERVICE BEGAN USING THE "METAR" OBSERVATION CODE THAT WAS ALREADY EMPLOYED BY MOST OTHER NATIONS OF THE WORLD. THE MOST NOTICEABLE DIFFERENCE IN THIS ANNUAL PUBLICATION WILL BE THE CHANGE IN UNITS FROM TENTHS TO EIGHTHS(OKTAS) FOR REPORTING THE AMOUNT OF SKY COVER. STATION HISTORY STOPPED WITH THE 2009 ANNUAL. IF YOU NEED STATION HISTORY INFORMATION GO TO "Historical Observing Metadata Repository", URL IS: http://www.ncdc.noaa.gov/homr/ SNOWFALL STOPPED MONTH & YEAR INDICATED ABOVE. NO FURTHER YEARS INCLUDED UNLESS RESTARTED.</p> <p>NOTE: The "Period of Record:(POR)" for all "averages" is based on "Summary of the Day First Order Station" and "Cooperative Summary of the Day" archives.</p>
---	---

2013

INTERNATIONAL FALLS

MINNESOTA (KINL)

Situated on the Canadian border, International Falls is subjected to frequent outbreaks of continental polar air throughout most of the year. These are tempered to mildness during June, July, and August, when the land and lake areas to the north and northwest have been warmed by long days of sunshine. Periods of fine, mild weather occur, interspersed with showers and an occasional three or four day period of cloudy, rainy weather. The area of small lakes, covering up to 30 percent of the area to the north and northwest, supplies a good deal of the moisture for the late afternoon and evening showers and stores heat that tempers southward flow of cold air during September and October. This prolongs the fall season until early November. In November the water surfaces freeze and snow returns to International Falls. From December through February, temperatures fall below zero on most days and occasionally fail to rise above zero for a week or more.

In winter, frost penetrates into the ground to depths of 36 to 60 inches. If winter begins abruptly so that a heavy blanket of snow covers the ground before protracted freezing occurs, it may freeze to only a few inches deep. This is very important to loggers, who depend upon deep soil freezing for road foundations into otherwise inaccessible places. The wide expanse of deep snow and ice prolongs winter. The transition to summer is rapid after the spring thaw. Spring lasts only about a month.

By June 1st, the ground generally is warm enough for successful planting, but vigilance against freezing temperatures is required through most of June. Crops that do not mature by September 1st have little chance of providing a harvest. Heaviest precipitation coincides with the growing season.

Based on the 1951-1980 period, the average first occurrence of 32 degrees Fahrenheit in the fall is September 15 and the average last occurrence in the spring is May 26.

Heavy deposits of glaze occur only about once a year at International Falls. Occasional storms that intensify over the southern plateau or plains states and move rapidly northeastward, drawing up moist gulf air, bring the most violent weather changes. They often produce severe thunderstorms and windstorms in early fall and blizzards with heavy snowfall and drifting in winter. Quite often such a storm brings an abrupt end to fall weather. During winter, a variation of 100 miles in the paths of such storms as they approach the border is of tremendous importance to local transportation and road maintenance.

Surrounding terrain is generally level. Forests of varying density and swampland surround the station for many miles to the east, south, and west. Rainy Lake, approximately 300 square miles in area, lies to the north. The lake is 5 miles from the station at its closest point.

Station History

INTERNATIONAL FALLS, MN

NAME	Begin Date	End Date	Latitude	Longitude	Elevation Feet	Relocation	Platform
INTERNATIONAL FALLS MUNICIPAL AP	1946-04-01	1948-01-01	48° 34'	-93° 22'	1181		AIRWAYS
INTERNATIONAL FALLS INTL AP	1996-11-01	1997-06-22	48° 34'	-93° 22'	1179		ASOS, COOP, WXSVC
INTERNATIONAL FALLS MUNICIPAL AP	1950-01-01	1967-01-01	48° 34'	-93° 22'	1179		AIRWAYS, COOP
INTERNATIONAL FALLS INTL AP	2005-10-01	Present	48° 33'	-93° 23'	1183		ASOS, COOP, WXSVC
INTERNATIONAL FALLS MUNICIPAL AP	1939-10-01	1940-02-28	48° 36'	-93° 24'			SYNOPTIC
INTERNATIONAL FALLS MUNICIPAL AP	1941-01-01	1941-12-31	48° 36'	-93° 24'			SYNOPTIC
INTERNATIONAL FALLS MUNICIPAL AP	1942-02-01	1945-12-31	48° 36'	-93° 24'			WXSVC
INTERNATIONAL FALLS MUNICIPAL AP	1967-01-01	1969-04-01	48° 34'	-93° 22'	1179		COOP, WXSVC
INTERNATIONAL FALLS INTL AP	1969-04-01	1996-11-01	48° 34'	-93° 22'	1179		COOP, WXSVC
INTERNATIONAL FALLS INTL AP	1997-06-22	2005-10-01	48° 33'	-93° 23'	1179		ASOS, COOP, WXSVC
INTERNATIONAL FALLS MUNICIPAL AP	1948-01-01	1950-01-01	48° 34'	-93° 22'	1181		AIRWAYS, COOP

Element History

Element	Begin Date	End Date	Frequency	Time Of Observation	Equipment *	Equipment * Modifications	Equipment Exposure
TEMPATOBS	1939-10-01	1945-12-31	ONCE DAILY - PM	UNKN	FRONTIER		
TEMP	1952-06-01	1989-09-06	DAILY	2400			
TEMPATOBS	1989-09-06	1995-07-01	TWICE DAILY - AM/PM	UNKN	FRONTIER		
PRECIP	1997-06-22	2005-10-01	HOURLY	2400	UNIV	RCRD	
TEMP	2005-10-01	Present	DAILY	2400	HYGR		
TEMPATOBS	1989-09-06	1995-07-01	ONCE DAILY - PM	UNKN	FRONTIER		
TEMPATOBS	1997-06-22	2005-10-01	TWICE DAILY - AM/PM	UNKN	FRONTIER		
TEMP	1997-06-22	2005-10-01	DAILY	2400	MXMN		
TEMPATOBS	1939-10-01	1945-12-31	TWICE DAILY - AM/PM	UNKN	FRONTIER		
TEMPATOBS	1952-06-01	1989-09-06	ONCE DAILY - PM	UNKN	FRONTIER		
PRECIP	1952-06-01	1989-09-06	HOURLY	2400			
PRECIP	1989-09-06	1995-07-01	DAILY		UNIV	RCRD	
TEMPATOBS	1995-07-01	1997-06-22	TWICE DAILY - AM/PM	UNKN	FRONTIER		
PRECIP	2005-10-01	Present	HOURLY	2400	AWPAG	RCRD;HTD	
TEMP	1939-10-01	1945-12-31	DAILY	2400			
PRECIP	1946-04-01	1952-06-01	DAILY		UNIV	RCRD	
TEMPATOBS	1946-04-01	1952-06-01	TWICE DAILY - AM/PM	UNKN	FRONTIER		
TEMPATOBS	1952-06-01	1989-09-06	TWICE DAILY - AM/PM	UNKN	FRONTIER		
PRECIP	1989-09-06	1995-07-01	HOURLY	2400			
TEMP	1995-07-01	1997-06-22	DAILY	2400	HYGR		
PRECIP	1995-07-01	1997-06-22	DAILY		UNIV	RCRD	
TEMPATOBS	1995-07-01	1997-06-22	ONCE DAILY - PM	UNKN	FRONTIER		
PRECIP	1939-10-01	1945-12-31	DAILY		UNIV	RCRD	
TEMPATOBS	1946-04-01	1952-06-01	ONCE DAILY - PM	UNKN	FRONTIER		
PRECIP	1952-06-01	1989-09-06	DAILY		UNIV	RCRD	
TEMP	1989-09-06	1995-07-01	DAILY	2400	HYGR		
PRECIP	1997-06-22	2005-10-01	DAILY	2400	UNIV	RCRD	
TEMPATOBS	1997-06-22	2005-10-01	ONCE DAILY - PM	UNKN	FRONTIER		
TEMP	1946-04-01	1952-06-01	DAILY	2400			
PRECIP	1995-07-01	1997-06-22	HOURLY	2400	UNIV	RCRD	
PRECIP	2005-10-01	Present	DAILY	2400	PCPNX		

* For explanation of codes and abbreviations see Station Metadata link below.

Other Station Information can be found at:

ASOS Implementation by NWS: <http://www.nws.noaa.gov/ops2/Surface/asosimplementation.htm>

Station Metadata website: <http://www.ncdc.noaa.gov/homr>

INQUIRES/COMMENTS CALL: (828) 271-4800, option 2

Fax Number : (828) 271-4876

TDD : (828) 271-4010

Email : ncdc.orders@noaa.gov

NOAA/National Climatic Data Center

Attn: User Engagement & Services Branch

151 Patton Avenue

Asheville, NC 28801-5001

Visit our Web Site for other weather data: www.ncdc.noaa.gov