




2014 LOCAL CLIMATOLOGICAL DATA ANNUAL SUMMARY WITH COMPARATIVE DATA


ISSN 0198-2818

MERIDIAN, MISSISSIPPI (KMEI)

Daily Max/Min Temperature



Daily Precipitation



Daily Station Pressure



I CERTIFY THAT THIS IS AN OFFICIAL PUBLICATION OF THE NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION, AND IS COMPILED FROM RECORDS ON FILE AT THE NATIONAL CLIMATIC DATA CENTER.

NATIONAL
OCEANIC AND
ATMOSPHERIC ADMINISTRATION

NATIONAL
ENVIRONMENTAL SATELLITE, DATA
AND INFORMATION SERVICE

NATIONAL
CLIMATIC DATA CENTER
ASHEVILLE, NORTH CAROLINA

Thomas R. Karl
DIRECTOR
NATIONAL CLIMATIC DATA CENTER

METEOROLOGICAL DATA FOR 2014

MERIDIAN (KMEI)

LATITUDE: 32° 20'N LONGITUDE: 88° 44'W ELEVATION (FT): GRND: 294 BARO: 292 TIME ZONE: CENTRAL (UTC -6) WBAN: 13865

ELEMENT		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	YEAR	
TEMPERATURE °F	MEAN DAILY MAXIMUM	51.8	58.9	66.9	75.1	82.8	88.8	89.6	92.7	88.4	79.8	63.3	61.2	74.9	
	HIGHEST DAILY MAXIMUM	67	81	80	87	90	94	98	99	94	89	79	77	99	
	DATE OF OCCURRENCE	11	20	31	26	25+	30+	02	24	07	08+	11	04	AUG 24	
	MEAN DAILY MINIMUM	24.2	35.1	40.3	50.3	58.4	68.1	67.2	68.3	65.8	52.3	35.2	39.6	50.4	
	LOWEST DAILY MINIMUM	6	22	28	35	45	61	56	59	52	39	20	28	6	
	DATE OF OCCURRENCE	30	27	26+	16	03+	12	30	14	23	30+	19	11	JAN 30	
	AVERAGE DRY BULB	38.0	47.0	53.6	62.7	70.6	78.4	78.4	80.5	77.1	66.0	49.3	50.4	62.7	
	MEAN WET BULB	33.1	43.4	48.1	57.0	63.7	71.6	70.7	71.8	69.8	59.2	43.5	47.0	56.6	
	MEAN DEW POINT	24.6	38.9	42.2	52.8	59.6	68.9	66.9	68.2	66.6	55.1	37.0	43.9	52.1	
	NUMBER OF DAYS WITH:														
	MAXIMUM >= 90°	0	0	0	0	2	14	16	24	16	0	0	0	0	72
	MAXIMUM <= 32°	4	0	0	0	0	0	0	0	0	0	0	0	0	4
	MINIMUM <= 32°	26	14	5	0	0	0	0	0	0	0	15	9	69	
MINIMUM <= 0°	0	0	0	0	0	0	0	0	0	0	0	0	0		
H/C	HEATING DEGREE DAYS	828	503	349	119	21	0	0	0	0	83	466	444	2813	
	COOLING DEGREE DAYS	0	7	2	59	202	410	425	488	369	123	0	0	2085	
RH	MEAN (PERCENT)	64	78	72	74	74	78	72	73	76	75	68	82	74	
	HOUR 00 LST	77	88	85	85	90	92	89	91	91	90	84	91	88	
	HOUR 06 LST	80	92	90	91	92	93	91	93	93	93	86	93	91	
	HOUR 12 LST	43	62	53	57	51	57	54	50	55	49	46	66	54	
	HOUR 18 LST	56	70	58	60	59	70	59	62	67	73	66	81	65	
W/O	NUMBER OF DAYS WITH:														
	HEAVY FOG(VISBY <= 1/4 MI)	1	4	1	4	3	1	1	0	1	4	0	8	28	
	THUNDERSTORMS	1	4	4	8	2	6	3	1	3	1	0	3	36	
PR	MEAN STATION PRESS. (IN.)	29.85	29.75	29.72	29.67	29.73	29.68	29.70	29.67	29.70	29.69	29.84	29.83	29.74	
	MEAN SEA-LEVEL PRESS. (IN.)	30.19	30.08	30.05	29.99	30.06	30.00	30.03	30.00	30.03	30.02	30.18	30.17	30.07	
WINDS	RESULTANT SPEED (MPH)	1.7	1.4	0.7	1.9	2.7	2.3	1.2	0.6	1.5	2.0	1.2	1.4	0.7	
	RES. DIR. (TENS OF DEGS.)	30	34	29	19	20	21	30	24	04	23	30	36	26	
	MEAN SPEED (MPH)	6.4	6.7	6.1	6.8	5.0	4.2	4.2	3.8	4.5	5.4	6.3	5.4	5.4	
	PREVAIL.DIR.(TENS OF DEGS.)	19	01	19	18	20	19	35	20	01	20	35	35	20	
	MAXIMUM 2-MINUTE WIND														
	SPEED (MPH)	28	35	30	35	26	30	28	28	30	32	28	25	35	
	DIR. (TENS OF DEGS.)	32	17	28	25	19	20	27	31	34	16	20	31	25	
	DATE OF OCCURRENCE	21	20	03	28	11	28	02	18	18	13	23	23	APR 28	
	MAXIMUM 3-SECOND WIND:														
	SPEED (MPH)	37	44	39	44	33	39	38	39	40	38	37	33	44	
DIR. (TENS OF DEGS.)	33	17	29	27	02	13	29	31	01	16	20	32	27		
DATE OF OCCURRENCE	21	20	03	28	15	18	02	18	18	13	23	23	APR 28		
PRECIPITATION	WATER EQUIVALENT:														
	TOTAL (IN.)	2.47	6.88	5.74	14.03	2.60	2.54	1.80	2.30	1.69	2.29	3.18	8.68	54.20	
	GREATEST 24-HOUR (IN.)	1.28	1.46	2.90	4.95	0.90	1.25	1.08	0.80	1.03	1.27	2.70	3.99	4.95	
	DATE OF OCCURRENCE	10-11	02-03	27-28	06-07	09-10	03	15	10-11	18	02-03	16-17	23-24	APR 06-07	
	NUMBER OF DAYS WITH:														
	PRECIPITATION 0.01	7	12	11	12	9	13	8	7	6	4	5	9	103	
PRECIPITATION 0.10	5	10	9	7	6	4	3	4	4	3	3	6	64		
PRECIPITATION 1.00	1	3	1	5	0	1	1	0	1	1	1	3	18		
SNOWFALL	SNOW,ICE PELLETS,HAIL														
	TOTAL (IN.)														
	GREATEST 24-HOUR (IN.)														
	DATE OF OCCURRENCE														
	MAXIMUM SNOW DEPTH (IN.)														
	DATE OF OCCURRENCE														
NUMBER OF DAYS WITH:															
SNOWFALL >= 1.0															

NORMALS, MEANS, AND EXTREMES MERIDIAN (KMEI)

LATITUDE: 32° 20'N LONGITUDE: 88° 44'W ELEVATION (FT): GRND: 294 BARO: 292 TIME ZONE: CENTRAL (UTC -6) WBAN: 13865

	ELEMENT	POR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	YEAR
TEMPERATURE °F	NORMAL DAILY MAXIMUM	30	56.5	61.0	69.0	76.2	83.2	89.2	91.8	91.5	86.8	77.3	67.7	58.8	75.8
	MEAN DAILY MAXIMUM	70	57.4	61.4	69.3	77.3	84.0	90.1	92.2	92.1	86.9	78.0	67.6	59.8	76.3
	HIGHEST DAILY MAXIMUM	69	83	85	90	95	99	104	107	106	105	97	87	84	107
	YEAR OF OCCURRENCE		1950	1982	1974	1987	1951	1988	1980	2000	1990	1954	2005	1998	JUL 1980
	MEAN OF EXTREME MAXS.	70	74.9	78.1	83.6	87.5	92.3	96.6	98.3	97.8	94.9	89.0	81.8	76.0	87.6
	NORMAL DAILY MINIMUM	30	33.1	36.4	42.3	49.1	58.5	66.1	69.4	69.0	62.9	51.0	41.6	35.6	51.3
	MEAN DAILY MINIMUM	70	34.7	37.2	43.8	51.1	59.4	66.7	70.1	69.4	63.8	51.0	41.5	36.4	52.1
	LOWEST DAILY MINIMUM	69	0	8	15	28	38	42	55	51	34	24	16	2	0
	YEAR OF OCCURRENCE		1962	1996	1980	1987	2013	1984	1967	2004	1967	1952	1976	1989	JAN 1962
	MEAN OF EXTREME MINS.	70	16.9	20.7	27.0	34.7	44.9	55.9	63.2	61.3	49.4	34.2	25.4	19.8	37.8
	NORMAL DRY BULB	30	44.8	48.7	55.6	62.7	70.8	77.6	80.6	80.3	74.8	64.1	54.7	47.2	63.5
	MEAN DRY BULB	70	46.1	49.3	56.5	64.2	71.7	78.5	81.2	80.8	75.4	64.5	54.6	48.1	64.2
	MEAN WET BULB	31	40.1	43.4	49.2	56.3	64.2	70.3	72.9	72.5	67.5	57.4	48.6	42.9	57.1
	MEAN DEW POINT	31	38.1	41.4	46.8	54.2	62.6	69.0	71.9	71.3	66.1	55.9	46.8	40.8	55.4
	NORMAL NO. DAYS WITH: MAXIMUM >= 90	30	0.0	0.0	0.0	0.2	2.9	13.8	21.2	20.4	9.6	0.9	0.0	0.0	69.0
	MAXIMUM <= 32	30	0.3	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.7
MINIMUM <= 32	30	15.9	10.2	4.7	0.8	0.0	0.0	0.0	0.0	0.0	0.7	6.5	14.1	52.9	
MINIMUM <= 0	30	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
H/C	NORMAL HEATING DEG. DAYS	30	629	460	307	130	19	0	0	0	7	117	326	558	2553
	NORMAL COOLING DEG. DAYS	30	3	4	17	59	200	380	484	473	303	90	16	6	2035
RH	NORMAL (PERCENT)	30	74	72	70	72	74	75	77	76	75	75	75	75	74
	HOURLY 00 LST	30	83	82	82	87	89	90	91	91	89	89	87	83	87
	HOURLY 06 LST	30	86	86	88	91	92	91	93	93	92	91	89	86	90
	HOURLY 12 LST	30	61	56	53	51	55	56	58	55	55	51	55	59	55
	HOURLY 18 LST	30	69	60	56	55	60	63	67	65	68	73	73	71	65
S	PERCENT POSSIBLE SUNSHINE														
W/O	MEAN NO. DAYS WITH: HEAVY FOG(VISBY <= 1/4 MI)	51	2.9	2.6	2.7	3.0	2.8	2.1	2.4	2.4	2.2	3.0	4.0	3.5	33.6
	THUNDERSTORMS	67	1.8	2.7	4.8	5.1	5.7	7.4	10.9	8.0	3.6	1.7	2.1	1.9	55.7
CLOUDINESS	MEAN: SUNRISE-SUNSET (OKTAS)	50	5.4	5.1	5.0	4.6	4.6	4.5	4.8	4.2	4.3	3.6	4.4	4.9	4.6
	MIDNIGHT-MIDNIGHT (OKTAS)	31	4.9	4.7	4.7	4.2	4.3	4.0	4.3	3.9	3.9	3.4	4.1	4.7	4.3
	MEAN NO. DAYS WITH: CLEAR	50	7.4	7.4	8.3	9.2	8.5	8.0	5.7	9.5	10.5	14.2	10.2	8.7	107.6
	PARTLY CLOUDY	50	6.5	6.3	7.4	8.1	10.6	12.8	15.3	13.0	9.1	7.2	7.1	6.7	110.1
	CLOUDY	50	17.1	14.5	15.4	12.7	11.9	9.2	10.0	8.6	10.8	9.7	12.7	15.6	148.2
PR	MEAN STATION PRESSURE(IN)	31	29.83	29.78	29.73	29.69	29.67	29.66	29.70	29.68	29.69	29.74	29.80	29.83	29.73
	MEAN SEA-LEVEL PRES. (IN)	31	30.18	30.11	30.06	30.01	30.00	29.99	30.02	30.00	30.01	30.07	30.13	30.16	30.06
WINDS	MEAN SPEED (MPH)	31	6.8	7.3	7.4	6.9	5.8	4.9	4.6	4.4	5.1	5.1	5.9	6.5	5.9
	PREVAIL.DIR.(TENS OF DEGS)	40	19	19	19	19	20	19	19	20	36	36	36	36	19
	MAXIMUM 2-MINUTE: SPEED (MPH)	19	41	39	41	48	33	40	51	41	43	39	37	37	51
	DIR. (TENS OF DEGS)		33	05	18	19	35	02	04	03	01	18	19	21	04
	YEAR OF OCCURRENCE		2002	2004	2006	1996	2012	2012	2002	2008	2004	2006	2001	2004	JUL 2002
	MAXIMUM 3-SECOND SPEED (MPH)	19	58	55	55	57	45	54	67	53	54	48	47	48	67
	DIR. (TENS OF DEGS)		32	31	21	18	33	33	04	30	36	28	23	08	04
	YEAR OF OCCURRENCE		2002	2008	2009	1996	2003	2013	2002	2010	2004	2009	2003	2002	JUL 2002
PRECIPITATION	NORMAL (IN)	30	5.13	5.60	5.42	4.78	4.50	4.40	5.14	3.99	3.43	3.76	4.95	5.06	56.16
	MAXIMUM MONTHLY (IN)	69	13.19	15.95	16.47	16.82	9.79	10.98	15.29	10.28	10.78	10.65	13.93	14.79	16.82
	YEAR OF OCCURRENCE		1998	1990	1976	1964	1980	2004	1959	1992	2002	1970	1948	1973	APR 1964
	MINIMUM MONTHLY (IN)	69	1.21	1.46	0.52	0.91	0.27	1.06	0.27	0.72	0.10	0.00	0.38	1.10	0.00
	YEAR OF OCCURRENCE		1986	2000	2007	1987	1951	2009	2000	1989	1982	1963	1956	1980	OCT 1963
	MAXIMUM IN 24 HOURS (IN)	69	5.74	9.23	7.00	6.36	5.84	3.12	6.95	5.29	5.21	6.04	4.93	8.13	9.23
	YEAR OF OCCURRENCE		1987	1990	1979	1964	1952	1992	1959	1992	1988	1970	2001	1973	FEB 1990
	NORMAL NO. DAYS WITH: PRECIPITATION >= 0.01	30	9.8	9.9	9.4	8.6	9.0	10.2	11.6	9.4	7.2	7.4	8.7	9.9	111.1
	PRECIPITATION >= 1.00	30	1.4	1.9	1.9	1.9	1.6	1.3	1.6	1.1	1.1	1.1	1.8	1.7	18.4
SNOWFALL	NORMAL (IN)	30	0.2	0.0	0.2	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.6
	MAXIMUM MONTHLY (IN)	51	5.8	3.1	5.7	2.7	T	0.0	T	0.0	0.0	0.0	T	17.6	17.6
	YEAR OF OCCURRENCE		1948	1960	1993	1987	1991		1989				1976	1963	DEC 1963
	MAXIMUM IN 24 HOURS (IN)	51	4.7	3.1	5.7	2.7	T	0.0	T	0.0	0.0	0.0	T	15.0	15.0
	YEAR OF OCCURRENCE		1948	1960	1993	1987	1991		1989				1976	1963	DEC 1963
	MAXIMUM SNOW DEPTH (IN)	48	15	10	6	1	0	0	0	0	0	0	0	4	15
	YEAR OF OCCURRENCE		1964	1963	1993	1987								1963	JAN 1964
NORMAL NO. DAYS WITH: SNOWFALL >= 1.0	30	0.1	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	

PRECIPITATION (inches) 2014 MERIDIAN (KMEI)

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
1985	2.45	6.84	3.10	4.57	1.83	2.76	5.29	7.41	5.41	7.46	0.81	4.33	52.26
1986	1.21	2.19	3.67	1.65	7.34	2.21	3.63	5.52	2.54	5.02	10.24	4.16	49.38
1987	8.76	11.33	3.96	0.91	5.73	7.60	1.25	2.69	4.41	0.01	4.05	4.49	55.19
1988	3.14	3.80	4.96	6.33	1.12	0.87	4.62	3.48	9.32	4.29	7.56	7.47	56.96
1989	3.94	3.07	9.82	3.01	7.37	8.91	11.08	0.72	7.10	2.68	5.97	6.68	70.35
1990	11.23	15.95	6.83	4.72	3.77	4.00	3.20	1.61	1.72	0.74	5.14	3.65	62.56
1991	5.78	7.41	6.52	11.78	9.02	3.57	3.80	6.65	6.04	1.13	5.03	6.83	73.56
1992	5.06	5.98	4.30	5.48	1.66	7.48	5.62	10.28	0.89	2.07	10.68	5.94	65.44
1993	11.37	3.11	7.30	4.20	2.91	3.50	2.80	3.52	1.75	5.67	5.01	3.29	54.43
1994	8.25	6.46	6.24	5.43	3.99	5.98	10.62	1.69	2.27	4.76	2.87	6.91	65.47
1995	3.60	3.80	5.24	7.71	5.85	2.29	1.89	4.91	1.44	7.17	4.84	4.83	53.57
1996	5.19	4.12	8.61	4.55	3.12	1.76	9.33	3.75	4.01	2.14	3.45	2.70	52.73
1997	4.44	6.12	3.73	7.82	8.24	5.15	4.84	1.32	1.94	3.68	3.02	4.69	54.99
1998	13.19	5.72	4.22	4.24	1.10	5.33	6.61	3.82	2.40	0.77	3.54	3.82	54.76
1999	7.78	2.34	6.06	1.42	3.80	3.42	2.91	1.39	2.35	4.25	0.65	3.61	39.98
2000	3.11	1.46	3.82	4.45	3.53	4.21	1.06	1.79	3.50	1.39	6.16	4.04	38.52
2001	5.98	4.26	7.92	4.51	4.00	6.39	3.45	9.32	6.14	5.32	6.40	5.33	69.02
2002	5.96	2.84	4.54	1.56	1.95	2.81	4.31	2.34	10.78	10.31	3.34	8.22	58.96
2003	1.58	6.78	3.71	10.25	6.01	10.94	10.05	7.52	1.98	4.90	5.62	2.63	71.97
2004	3.04	7.99	1.97	3.21	4.01	10.98	6.00	2.63	3.47	6.51	10.59	4.15	64.55
2005	3.94	6.67	6.58	5.95	2.64	3.63	9.62	2.23	3.35	0.03	2.39	3.36	50.39
2006	5.06	6.78	5.43	3.73	6.99	0.35	3.79	2.58	1.22	5.28	2.24	5.05	48.50
2007	3.23	2.53	0.52	3.28	2.66	2.96	6.60	3.17	1.95	3.46	1.94	3.16	35.46
2008	6.49	7.11	2.44	3.42	5.50	2.66	2.02	9.35	2.13	1.20	3.20	8.15	53.67
2009	3.37	3.19	8.83	2.71	7.27	0.27	5.47	1.60	9.26	5.39	2.53	7.96	57.85
2010	4.61	4.54	5.45	2.97	4.37	4.55	2.44	4.34	0.24	1.81	5.13	1.11	41.56
2011	4.33	2.41	9.85	4.18	1.23	3.75	9.99	1.25	6.04	0.49	2.94	5.41	51.87
2012	6.28	6.05	8.98	1.39	5.85	2.25	6.57	8.35	3.60	2.60	1.72	9.08	62.72
2013	9.76	9.07	3.75	5.22	6.83	6.59	4.61	3.69	2.73	2.90	4.77	7.35	67.27
2014	2.47	6.88	5.74	14.03	2.60	2.54	1.80	2.30	1.69	2.29	3.18	8.68	54.20
POR= 70 YRS	5.21	5.24	6.27	5.23	4.40	3.94	5.29	3.75	3.53	2.96	4.27	5.45	55.54

WBAN : 13865

AVERAGE TEMPERATURE (°F) 2014 MERIDIAN (KMEI)

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
1985	40.2	47.5	62.2	65.5	72.2	79.2	80.7	79.9	74.1	68.4	61.2	42.6	64.5
1986	44.0	52.4	56.5	62.8	72.5	79.6	83.2	79.7	78.3	65.1	59.4	46.5	65.0
1987	44.0	51.0	56.7	62.7	74.8	77.6	81.5	82.0	74.5	58.3	56.0	52.8	64.3
1988	41.7	46.9	55.0	64.5	68.7	78.3	80.1	81.6	76.2	59.7	58.5	48.3	63.3
1989	52.2	49.0	58.1	62.3	70.4	78.1	80.6	80.9	74.6	62.9	56.2	40.1	63.8
1990	50.9	56.6	60.5	63.9	71.7	79.9	81.0	82.5	78.6	64.4	58.1	53.0	66.8
1991	47.2	52.3	59.0	68.3	76.0	79.1	82.1	80.9	76.4	66.9	51.7	51.9	66.0
1992	45.8	53.5	57.1	64.1	70.7	77.9	82.3	78.8	76.4	64.7	53.5	49.9	64.6
1993	50.4	49.1	53.5	60.7	70.8	80.2	83.5	83.5	76.5	64.7	54.1	48.0	64.6
1994	43.0	51.5	57.9	68.1	71.9	81.1	80.5	80.9	75.7	67.0	60.4	52.7	65.9
1995	48.2	50.5	60.2	66.3	75.0	77.9	82.2	82.7	75.0	63.0	50.8	46.6	64.9
1996	44.9	48.4	52.3	60.6	74.4	77.5	80.6	78.5	73.1	64.2	55.1	50.3	63.3
1997	46.8	51.9	61.6	59.7	69.4	76.5	81.1	78.8	75.9	63.2	50.2	44.9	63.3
1998	48.0	49.9	55.2	61.9	73.1	80.4	82.1	80.9	78.5	67.3	58.1	51.4	65.6
1999	50.7	53.0	53.9	67.7	70.4	77.7	81.7	83.5	73.6	64.5	55.3	47.5	65.0
2000	47.9	54.2	59.4	61.1	74.5	77.7	83.0	83.2	75.3	64.9	52.5	39.1	64.4
2001	42.0	53.2	51.6	65.9	71.2	76.3	81.0	79.6	73.4	61.2	58.5	51.5	63.8
2002	48.7	45.9	56.7	66.9	71.1	77.9	81.3	80.8	78.7	69.3	52.7	47.4	64.8
2003	40.7	48.6	57.5	64.1	73.5	77.0	79.7	80.6	73.3	64.0	58.1	43.8	63.4
2004	45.9	46.4	59.9	62.4	72.6	77.7	80.1	76.6	74.5	70.8	59.0	45.9	64.3
2005	50.4	52.1	54.2	62.2	69.4	77.6	81.4	81.8	77.6	64.8	57.2	45.5	64.5
2006	52.7	48.2	57.9	68.9	72.5	79.6	83.2	83.0	74.2	63.9	53.2	48.8	65.5
2007	46.9	46.7	60.1	60.7	71.4	79.4	79.4	84.5	76.8	66.7	54.7	52.5	65.0
2008	44.0	50.8	57.4	63.5	71.2	79.0	81.0	78.6	74.8	62.2	51.9	51.2	63.8
2009	47.1	50.4	58.6	63.2	72.2	80.3	79.8	78.9	76.6	63.0	53.1	45.0	64.0
2010	40.1	41.0	51.5	64.0	74.2	81.3	82.6	83.0	76.4	64.5	55.0	42.8	63.0
2011	42.1	49.3	57.3	67.0	70.0	81.5	81.6	82.1	72.3	60.2	55.5	49.3	64.0
2012	51.2	53.0	65.0	65.6	73.6	78.2	81.7	79.4	73.8	62.3	51.3	51.0	65.5
2013	49.9	48.6	50.9	62.5	68.6	78.8	79.1	79.5	76.0	65.7	51.2	48.0	63.2
2014	38.0	47.0	53.6	62.7	70.6	78.4	78.4	80.5	77.1	66.0	49.3	50.4	62.7
POR= 70 YRS	46.1	49.3	56.5	64.2	71.7	78.5	81.2	80.8	75.4	64.5	54.6	48.1	64.2

HEATING DEGREE DAYS (base 65°F) 2014 MERIDIAN (KMEI)

YEAR	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	TOTAL
1985-86	0	0	11	53	154	689	644	359	274	100	9	0	2293
1986-87	0	0	0	99	196	566	644	385	258	142	0	0	2290
1987-88	0	0	0	215	282	387	714	517	308	73	10	0	2506
1988-89	0	0	1	179	223	511	401	469	248	148	40	0	2220
1989-90	0	0	11	125	282	765	433	255	185	110	12	0	2178
1990-91	0	0	7	121	219	391	543	349	223	27	1	0	1881
1991-92	0	0	3	65	414	411	587	327	246	111	21	0	2185
1992-93	0	0	0	50	351	461	444	441	353	153	7	0	2260
1993-94	0	0	3	125	350	521	676	379	239	64	2	0	2359
1994-95	0	0	1	55	161	379	520	401	187	50	12	0	1766
1995-96	0	0	3	122	422	568	613	492	408	181	6	0	2815
1996-97	0	0	11	98	314	458	568	372	141	173	18	0	2153
1997-98	0	0	0	151	435	615	519	419	335	130	3	1	2608
1998-99	0	0	0	56	209	443	444	340	336	68	6	0	1902
1999-00	0	0	12	103	284	537	527	324	187	126	0	0	2100
2000-01	0	0	7	74	398	796	704	337	411	82	1	0	2810
2001-02	0	0	21	170	208	416	523	528	315	67	34	0	2282
2002-03	0	0	0	38	374	540	747	455	231	78	1	0	2464
2003-04	0	0	13	72	230	649	595	534	173	128	24	0	2418
2004-05	0	0	0	21	214	590	452	360	337	111	31	0	2116
2005-06	0	0	0	120	278	597	375	470	251	28	10	0	2129
2006-07	0	0	5	128	354	494	558	506	176	166	4	0	2391
2007-08	0	0	0	95	309	401	644	424	264	110	14	0	2261
2008-09	0	0	0	150	390	445	550	408	222	114	11	0	2290
2009-10	0	0	5	139	352	613	766	666	414	66	6	0	3027
2010-11	0	0	0	86	304	682	703	442	260	70	60	0	2607
2011-12	0	0	0	172	304	484	421	352	90	67	0	0	1890
2012-13	0	0	1	120	406	429	477	454	434	136	55	0	2512
2013-14	0	0	0	88	413	544	828	503	349	119	21	0	2865
2014-	0	0	0	83	466	444							

WBAN : 13865

COOLING DEGREE DAYS (base 65°F) 2014 MERIDIAN (KMEI)

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	TOTAL
1985	0	5	56	102	233	435	494	472	289	165	47	4	2302
1986	0	13	14	39	247	444	573	460	405	111	38	1	2345
1987	0	0	6	76	310	388	514	533	289	14	16	13	2159
1988	0	2	7	66	131	408	475	519	345	20	35	0	2008
1989	9	26	42	75	215	399	493	500	305	67	26	0	2157
1990	3	29	51	85	226	454	502	549	423	112	19	26	2479
1991	0	2	47	131	349	430	537	502	352	129	21	13	2513
1992	0	0	6	88	208	392	542	434	349	50	13	0	2082
1993	0	4	2	32	193	459	581	581	356	121	27	0	2356
1994	1	10	23	165	222	491	486	498	331	126	29	5	2387
1995	5	2	41	94	329	393	542	556	308	68	6	4	2348
1996	0	21	19	56	302	384	491	427	261	78	24	6	2069
1997	10	12	43	19	163	354	505	433	334	104	0	0	1977
1998	0	0	38	46	265	470	538	499	413	132	6	30	2437
1999	10	12	0	157	179	389	529	584	275	93	0	1	2229
2000	6	16	20	19	304	389	564	573	321	79	31	0	2322
2001	0	13	0	117	200	346	504	462	280	61	17	3	2003
2002	21	0	68	134	231	391	513	497	418	175	12	0	2460
2003	0	3	5	60	271	364	464	493	271	48	29	0	2008
2004	10	0	22	57	265	389	475	366	294	209	42	4	2133
2005	7	4	11	34	175	383	516	527	386	123	53	0	2219
2006	2	4	36	155	252	445	572	568	288	103	5	0	2430
2007	2	0	32	45	209	441	454	612	360	154	6	21	2336
2008	1	16	32	75	211	425	503	428	300	69	2	22	2084
2009	0	6	32	67	241	465	464	435	362	85	0	0	2157
2010	0	0	3	40	296	498	553	562	349	80	11	1	2393
2011	0	11	28	136	221	505	522	535	226	30	25	2	2241
2012	0	10	96	91	276	404	526	454	271	44	4	0	2176
2013	16	0	3	67	174	420	444	456	340	116	5	25	2066
2014	0	7	2	59	202	410	425	488	369	123	0	0	2085

SNOWFALL (inches) 2014 MERIDIAN (KMEI)

YEAR	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	TOTAL
1976-77	0.0	0.0	0.0	0.0	T	0.0	5.0	0.0	0.0	0.0	0.0	0.0	5.0
1977-78	0.0	0.0	0.0	0.0	0.0	0.0	1.0	T	T	0.0	0.0	0.0	1.0
1978-79	0.0	0.0	0.0	0.0	0.0	0.0	T	T	0.0	0.0	0.0	0.0	T
1979-80	0.0	0.0	0.0	0.0	0.0	0.0	T	0.0	T	0.0	0.0	0.0	T
1980-81	0.0	0.0	0.0	0.0	0.0	T	T	T	0.0	0.0	0.0	0.0	T
1981-82	0.0	0.0	0.0	0.0	0.0	0.0	1.8	0.0	T	0.0	0.0	0.0	1.8
1982-83	0.0	0.0	0.0	0.0	0.0	0.0	0.0	T	T	0.0	0.0	0.0	T
1983-84	0.0	0.0	0.0	0.0	0.0	T	T	T	T	0.0	0.0	0.0	T
1984-85	0.0	0.0	0.0	0.0	0.0	T	T	T	0.0	0.0	0.0	0.0	T
1985-86	0.0	0.0	0.0	0.0	0.0	0.0	0.0	T	0.0	0.0	0.0	0.0	T
1986-87	0.0	0.0	0.0	0.0	0.0	0.0	2.3	0.0	0.0	2.7	0.0	0.0	5.0
1987-88	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1988-89	0.0	0.0	0.0	0.0	0.0	0.0	0.0	T	0.0	T	0.0	0.0	T
1989-90	T	0.0	0.0	0.0	0.0	T	0.0	0.0	0.0	T	0.0	0.0	T
1990-91	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	T	T	0.0	T
1991-92	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.2
1992-93	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.7	0.0	0.0	0.0	5.7
1993-94	0.0	0.0	0.0	0.0	0.0	0.8	0.0	0.0	0.0	T	0.0	0.0	0.8
1994-95	0.0	0.0	0.0	0.0	0.0	0.0	0.0	T	0.0	0.0	0.0	0.0	T
1995-96	0.0	0.0	0.0	0.0	0.0	0.0	T						
1996-97													
1997-98													
1998-99													
1999-00													
2000-01													
2001-02													
2002-03													
2003-04													
2004-05													
2005-													
POR= 51 YRS	T	0.0	0.0	0.0	T	0.4	0.5	0.2	0.1	0.1	T	0.0	1.3

WBAN : 13865

REFERENCE NOTES :

<p>PAGE 1: THE TEMPERATURE GRAPH SHOWS NORMAL MAXIMUM AND NORMAL MINIMUM DAILY TEMPERATURES (SOLID CURVES) AND THE ACTUAL DAILY HIGH AND LOW TEMPERATURES (VERTICAL BARS).</p> <p>PAGE 2 AND 3: H/C INDICATES HEATING AND COOLING DEGREE DAYS. RH INDICATES RELATIVE HUMIDITY W/O INDICATES WEATHER AND OBSTRUCTIONS S INDICATES SUNSHINE. PR INDICATES PRESSURE. CLOUDINESS ON PAGE 3 IS THE SUM OF THE CEILOMETER AND SATELLITE DATA NOT TO EXCEED EIGHT EIGHTHS(OKTAS).</p> <p>GENERAL: T INDICATES TRACE PRECIPITATION, AN AMOUNT GREATER THAN ZERO BUT LESS THAN THE LOWEST REPORTABLE VALUE. + INDICATES THE VALUE ALSO OCCURS ON EARLIER DATES. BLANK ENTRIES DENOTE MISSING OR UNREPORTED DATA. ASOS INDICATES AUTOMATED SURFACE OBSERVING SYSTEM. PM INDICATES THE LAST DAY OF THE PREVIOUS MONTH. POR (PERIOD OF RECORD) BEGINS WITH THE JANUARY DATA MONTH AND IS THE NUMBER OF YEARS USED TO COMPUTE THE MEAN. INDIVIDUAL MONTHS WITHIN THE POR MAY BE MISSING. WHEN THE POR FOR A NORMAL IS LESS THAN 30 YEARS, THE NORMAL IS PROVISIONAL AND IS BASED ON THE NUMBER OF YEARS INDICATED. 0.* OR * INDICATES THE VALUE OR MEAN-DAYS-WITH IS BETWEEN 0.00 AND 0.05. CLOUDINESS FOR ASOS STATIONS DIFFERS FROM THE NON-ASOS OBSERVATION TAKEN BY A HUMAN OBSERVER. ASOS STATION CLOUDINESS IS BASED ON TIME-AVERAGED CEILOMETER DATA FOR CLOUDS AT OR BELOW 12,000 FEET CLEAR INDICATES 0 - 2 OKTAS, PARTLY CLOUDY INDICATES 3 - 6 OKTAS, AND CLOUDY INDICATES 7 OR 8 OKTAS.</p> <p>GENERAL CONTINUED: WIND DIRECTION IS RECORDED IN TENS OF DEGREES (2 DIGITS) CLOCKWISE FROM TRUE NORTH. "00" INDICATES CALM. "36" INDICATES TRUE NORTH. RESULTANT WIND IS THE VECTOR AVERAGE OF THE SPEED AND DIRECTION. AVERAGE TEMPERATURE IS THE SUM OF THE MEAN DAILY MAXIMUM AND MINIMUM TEMPERATURE DIVIDED BY 2. SNOWFALL DATA COMPRISE ALL FORMS OF FROZEN</p>	<p>PRECIPITATION, INCLUDING HAIL. A HEATING (COOLING) DEGREE DAY IS THE DIFFERENCE BETWEEN THE AVERAGE DAILY TEMPERATURE AND 65 F. DRY BULB IS THE TEMPERATURE OF THE AMBIENT AIR. DEW POINT IS THE TEMPERATURE TO WHICH THE AIR MUST BE COOLED TO ACHIEVE 100 PERCENT RELATIVE HUMIDITY. WET BULB IS THE TEMPERATURE THE AIR WOULD HAVE IF THE MOISTURE CONTENT WAS INCREASED TO 100 PERCENT RELATIVE HUMIDITY. ON JULY 1, 1996, THE NATIONAL WEATHER SERVICE BEGAN USING THE "METAR" OBSERVATION CODE THAT WAS ALREADY EMPLOYED BY MOST OTHER NATIONS OF THE WORLD. THE MOST NOTICEABLE DIFFERENCE IN THIS ANNUAL PUBLICATION WILL BE THE CHANGE IN UNITS FROM TENTHS TO EIGHTHS(OKTAS) FOR REPORTING THE AMOUNT OF SKY COVER. STATION HISTORY STOPPED WITH THE 2009 ANNUAL. IF YOU NEED STATION HISTORY INFORMATION GO TO "Historical Observing Metadata Repository", URL IS: http://www.ncdc.noaa.gov/homr/ SNOWFALL STOPPED MONTH & YEAR INDICATED ABOVE. NO FURTHER YEARS INCLUDED UNLESS RESTARTED.</p> <p>NOTE: The "Period of Record:(POR)" for all "averages" is based on "Summary of the Day First Order Station" and "Cooperative Summary of the Day" archives.</p>
---	---

2014 MERIDIAN MISSISSIPPI (KMEI)

Mild winters and warm summers describe the general temperature pattern for Meridian. However, the terrain features exert a pronounced influence, particularly during the winter months. The hills to the north, east, and west leave Meridian in a valley. During periods of near calm winds, cold air drainage brings temperatures which may be as much as 10 degrees lower than for other locations in the area. January is usually the coldest month, followed closely by December and February. Sub-zero temperatures are very rare. Summer temperatures are consistently warm. Prolonged periods with above 100 degrees readings are rare.

Precipitation is distributed evenly throughout the year. The widespread rains of the winter months reach a maximum in March. Spring showers reach a minimum in May, followed by localized summer thunderstorms in July and August. The driest period of the year is in late September and October, followed by the onset of winter-type precipitation in late November. This pattern is ideally suited to agricultural operations since the spring rains are conducive to crop growth in the early stages and the dry period in the fall is ideal for harvesting operations. Summer thunderstorms are highly localized and occur on one in three days during July and August.

The long growing season averages 235 days, nearly eight months. The average date of the first occurrence of a temperature as low as 32 degrees in autumn is November 7, and the occurrence of 32 degrees before October 20 is very rare. The average date of the last occurrence of 32 degrees in spring is March 19, although 32 degrees has been recorded in late April. Some portions of the area not affected by cold air drainage may have slightly longer average growing seasons.

The nearby Gulf of Mexico provides an abundant supply of moisture to the Meridian area and results in high humidities for prolonged periods.

Humidities of greater than 90 percent occur nightly during every month except for short periods during the autumn and winter when cool continental air is flowing from the north. Lowest humidities are observed during the early afternoons, but seldom reach below 40 percent except for short periods.

March is generally the windiest month of the year due to the frequent occurrence of late winter and spring storms across the Gulf States. October has the lowest average wind speed. Prevailing winds are from the north and northeast during the autumn and winter months, and from the south and southwest during the spring and summer. Local thunderstorms produce short periods of high winds during the spring and summer months and can be quite destructive. Severe thunderstorms and tornadoes have caused considerable loss of life and property in this area. The highest sustained wind speed recorded was 50 mph, but there have been short periods with winds in excess of 50 mph.

Fifty years of record show that December, January, and February receive the smallest amount of possible sunshine. About 40 to 45 percent of the days during these months are cloudy. Sunshine reaches a maximum during the dry period in the fall, September and October. These months are characterized by long periods of cloudless skies.

Thunderstorms normally occur during every month in the year, but most occur during the summer months. These summer thunderstorms provide most of the precipitation during the crop growing season. Cloudiness associated with these thunderstorms brings relief from the oppressive heat. Although thunderstorm occurrence is high, hail damage is infrequent and usually confined to a small area.

Station History

MERIDIAN, MS

NAME	Begin Date	End Date	Latitude	Longitude	Elevation Feet	Relocation	Platform
MERIDIAN KEY FIELD	1949-01-01	1959-01-01	32° 19'	-88° 45'	299		AIRWAYS, COOP
MERIDIAN KEY FIELD	1991-01-01	1995-07-01	32° 19'	-88° 45'	294		COOP
MERIDIAN KEY FIELD	1959-01-01	1973-01-01	32° 19'	-88° 45'	290		AIRWAYS, COOP
MERIDIAN KEY FIELD	1973-01-01	1981-12-31	32° 19'	-88° 45'	290		COOP, WXSVC
MERIDIAN KEY FIELD	1948-01-01	1949-01-01	32° 19'	-88° 45'	312		AIRWAYS, COOP
MERIDIAN KEY FIELD	1981-12-31	1991-01-01	32° 19'	-88° 45'	290		COOP
MERIDIAN KEY FIELD	1995-07-01	1997-03-07	32° 19'	-88° 45'	294		ASOS, COOP
MERIDIAN KEY FIELD	1935-07-01	1937-12-31	32° 19'	-88° 45'			AIRWAYS
MERIDIAN KEY FIELD	1938-02-01	1948-01-01	32° 19'	-88° 45'			AIRWAYS
MERIDIAN KEY FIELD	1997-03-07	2004-08-25	32° 20'	-88° 44'	294		ASOS, COOP
MERIDIAN KEY FIELD	2004-08-25	Present	32° 20'	-88° 44'	294		ASOS, COOP

Element History

Element	Begin Date	End Date	Frequency	Time Of Observation	Equipment *	Equipment * Modifications	Equipment Exposure
PRECIP	1933-08-01	1937-12-31	DAILY	2400	UNIV	RCRD	
PRECIP	1938-02-01	1951-10-01	DAILY	2400	UNIV	RCRD	
PRECIP	1951-10-01	1995-07-01	DAILY	2400	UNIV	RCRD	
TEMP	1997-03-07	1999-11-08	DAILY	2400	HYGR		
TEMP	2004-08-25	2007-06-06	DAILY	0400	HYGR		
PRECIP	2004-08-25	2007-06-06	HOURLY	0400	AWPAG	RCRD;HTD	
WIND	2007-06-06	Present	HOURLY	UNKN	ANEMSONIC		
TEMP	1951-10-01	1995-07-01	DAILY	2400			
TEMP	2007-06-06	Present	DAILY	0400	HYGR		
PRECIP	2007-06-06	Present	DAILY	2400	PCPNX		
PRECIP	1951-10-01	1995-07-01	HOURLY	2400			
WIND	1995-07-01	1997-03-07	HOURLY	UNKN	ANEMCUP		
PRECIP	1997-03-07	1999-11-08	DAILY	2400	UNIV	RCRD	
PRECIP	1997-03-07	1999-11-08	HOURLY	2400	UNIV	RCRD	
TEMP	1999-11-08	2004-08-25	DAILY	2400	HYGR		
TEMP	2004-08-25	2007-06-06	DAILY	2400	HYGR		
PRECIP	2004-08-25	2007-06-06	HOURLY	2400	AWPAG	RCRD;HTD	
TEMP	2007-06-06	Present	DAILY	2400	HYGR		
WIND	1999-11-08	2004-08-25	HOURLY	UNKN	ANEMCUP		
TEMP	1933-08-01	1937-12-31	DAILY	2400			
TEMP	1938-02-01	1951-10-01	DAILY	2400			
TEMP	1995-07-01	1997-03-07	DAILY	2400			
WIND	1997-03-07	1999-11-08	HOURLY	UNKN	ANEMCUP		
PRECIP	1999-11-08	2004-08-25	DAILY	2400	TB	RCRD	
PRECIP	2004-08-25	2007-06-06	DAILY	2400	PCPNX		
PRECIP	2007-06-06	Present	HOURLY	0400	AWPAG	RCRD;HTD	
WIND	2004-08-25	2007-06-06	HOURLY	UNKN	ANEMCUP		
PRECIP	2007-06-06	Present	HOURLY	2400	AWPAG	RCRD;HTD	
PRECIP	1995-07-01	1997-03-07	DAILY	2400	UNIV	RCRD	
PRECIP	1995-07-01	1997-03-07	HOURLY	2400	UNIV	RCRD	
PRECIP	1999-11-08	2004-08-25	HOURLY	2400	TB	RCRD	

* For explanation of codes and abbreviations see Station Metadata link below.

Other Station Information can be found at:

ASOS Implementation by NWS: <http://www.nws.noaa.gov/ops2/Surface/asos2implementation.htm>

Station Metadata website: <http://www.ncdc.noaa.gov/homr>

INQUIRES/COMMENTS CALL: (828) 271-4800, option 2

Fax Number : (828) 271-4876

TDD : (828) 271-4010

Email : ncdc.orders@noaa.gov

NOAA/National Climatic Data Center

Attn: User Engagement & Services Branch

151 Patton Avenue

Asheville, NC 28801-5001

Visit our Web Site for other weather data: www.ncdc.noaa.gov