


2014 LOCAL CLIMATOLOGICAL DATA


ANNUAL SUMMARY WITH COMPARATIVE DATA

MELBOURNE, FLORIDA (KMLB)






Daily Precipitation



Daily Station Pressure



I CERTIFY THAT THIS IS AN OFFICIAL PUBLICATION OF THE NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION,

AND IS COMPILED FROM RECORDS ON FILE AT THE NATIONAL CLIMATIC DATA CENTER.

NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION

NATIONAL ENVIRONMENTAL SATELLITE, DATA AND INFORMATION SERVICE NATIONAL CLIMATIC DATA CENTER ASHEVILLE, NORTH CAROLINA

DIRECTOR
NATIONAL CLIMATIC DATA CENTER

NOAA

ISSN 2160-9713

METEOROLOGICAL DATA FOR 2014 MELBOURNE (KMLB)

ELEVATION (FT): GRND: 27 BARO: 60 LATITUDE: LONGITUDE: TIME ZONE: **WBAN: 12838** 80° 38'W EASTERN (UTC -5) 28° 6'N **ELEMENT** JAN **FEB** MAY JUN JUL AUG SEP OCT NOV DEC YEAR MAR APR MEAN DAILY MAXIMUM 70.1 81.3 91.2 76.7 76.7 84.7 88.7 90.5 87.7 85.2 76.1 75.5 82.0 95 HIGHEST DAILY MAXIMUM 84 86 85 91 95 89 85 AUG 24 DATE OF OCCURRENCE 11+23 22+ 07 244 07 27 24 16 02 17 24 MEAN DAILY MINIMUM 56.9 63.5 69.3 71.6 74.5 75.9 67.3 57.2 49.6 56.6 73.8 57.1 64.4 LOWEST DAILY MINIMUM 30 39 45 47 59 71 72 71 56 41 67 44 30 DATE OF OCCURRENCE 19 14 26 01 17+ 05+05 08 21 26 19+ 11 **JAN 19** AVERAGE DRY BULB 82.5 59.9 66.7 66.8 72.4 77.0 80.1 83.6 80.8 76.2 66.6 66.3 73.2 MEAN WET BULB 55.5 61.5 67.2 70.6 73.2 76.2 75.3 69.5 62.176.7 61.3 61.267.5 MEAN DEW POINT 51.1 59.0 57.1 63.8 66.9 70.3 73.9 74.4 73.0 65.9 57.5 58.0 64.2 NUMBER OF DAYS WITH: $MAXIMUM >= 90^{\circ}$ 0 0 0 3 16 16 25 5 0 0 0 66 MAXIMUM <= 32° 0 0 0 0 0 0 0 0 0 0 0 0 0 MINIMUM <= 32° 1 0 0 0 0 0 0 0 0 n 0 0 1 MINIMUM <= 0° 0 0 0 0 0 HEATING DEGREE DAYS 207 60 49 3 0 0 0 0 0 0 65 82 466 COOLING DEGREE DAYS 57 111 232 382 461 550 583 479 356 121 131 3574 111 MEAN (PERCENT) 80 72 80 78 76 HOUR 01 LST 85 92 84 86 82 88 89 88 88 83 83 88 86 HOUR 07 LST 92 Ξ 85 81 81 73 77 82 80 82 79 82 29 82 HOUR 13 LST 58 59 54 60 59 62 68 67 70 57 59 60 61 HOUR 19 LST 82 75 71 77 73 77 82 79 82 76 76 78 81 NUMBER OF DAYS WITH: HEAVY FOG(VISBY <= 1/4 MI) 0 0 2 0 2 20 4 5 1 1 1 1 3 THUNDERSTORMS 0 5 3 5 5 15 19 11 11 4 3 0 81 30.08 30.02 29.99 29.99 30.04 30.01 30.01 29.97 29.97 29.96 30.06 30.08 30.02 MEAN STATION PRESS. (IN.) 30.11 30.05 30.02 30.02 30.07 30.03 30.04 30.00 30.00 29.99 30.09 30.11 30.04 MEAN SEA-LEVEL PRESS. (IN.) 29 0.5 37 5 5 2.5 3.2 1.1 1.5 15 23 23 12 0.8 RESULTANT SPEED (MPH) 30 30 30 12 10 13 18 14 11 05 35 35 10 RES. DIR. (TENS OF DEGS.) 7.8 9.6 10.0 9.3 7.8 7.0 7.1 6.2 7.0 9.3 7.0 8.4 8.0 MEAN SPEED (MPH) 31 14 27 12 11 09 21 21 10 30 32 29 11 PREVAIL.DIR.(TENS OF DEGS.) MAXIMUM 2-MINUTE WIND 31 33 37 33 28 37 35 36 38 21 32 30 38 SPEED (MPH) 25 DIR. (TENS OF DEGS.) 29 27 28 26 15 26 29 30 29 27 29 30 21 13 29 01 SEP 05 15 15 12 16 16 05 14 24 DATE OF OCCURRENCE MAXIMUM 3-SECOND WIND: 39 43 45 45 36 47 43 44 50 26 39 38 50 SPEED (MPH) 29 28 27 26 14 26 25 29 29 13 27 30 29 DIR. (TENS OF DEGS.) 2.1 12 29 12 16 05 14 01 24 SEP 05 15 15 16 DATE OF OCCURRENCE WATER EQUIVALENT: 5.78 1.28 2.02 3.57 3.57 6.06 11.20 4.35 12.53 1.82 3.08 1.62 56.88 TOTAL (IN.) 2.56 0.63 0.80 1.69 1.07 2.09 1.08 2.82 0.93 1.16 0.70 2.82 1.75 GREATEST 24-HOUR (IN.) 29-30 12-13 29 18-19 02-03 11 15-16 16 19-20 14-15 17-18 08 SEP 19-20 DATE OF OCCURRENCE NUMBER OF DAYS WITH: 12 10 9 20 145 12 9 15 20 12 8 11 PRECIPITATION 0.01 3 4 6 10 17 9 13 2 5 86 5 PRECIPITATION 0.10 2 2 18 6 PRECIPITATION 1.00 SNOW,ICE PELLETS,HAIL TOTAL (IN.) GREATEST 24-HOUR (IN.) DATE OF OCCURRENCE MAXIMUM SNOW DEPTH (IN.) DATE OF OCCURRENCE NUMBER OF DAYS WITH: SNOWFALL >= 1.0

NORMALS, MEANS, AND EXTREMES MELBOURNE (KMLB)

TIME ZONE:

WBAN: 12838

ELEVATION (FT): GRND: 27 BARO: 60 80° 38'W (UTC -5) 28° 6'N EASTERN SEP **ELEMENT** POR JAN MAY JUN JUL OCT NOV DEC FEB MAR APR AUG YEAR NORMAL DAILY MAXIMUM 30 71.4 73.6 76.7 80.8 85.6 89.1 90.7 90.5 88.4 84.1 78.5 73.3 81.9 MEAN DAILY MAXIMUM 31 72.3 74.3 77.5 80.8 85.8 89.0 90.3 90.2 88.2 83.8 77.8 73.5 82.0 HIGHEST DAILY MAXIMUM 32 88 90 93 97 97 101 100 101 97 94 91 87 101 YEAR OF OCCURRENCE 1991 2012 1994 1999 2000 1998 2010 2009 1992 2009 AUG 1999 2010 1999 MEAN OF EXTREME MAXS. 31 88.4 89.5 93.0 95.2 95.0 93.3 85.9 83.3 83.1 84.9 95.3 90.1 89.8 NORMAL DAILY MINIMUM 30 49.2 517 55.1 60.0 67.0 71.7 72.6 73.2 72.7 67.9 59.5 52.8 62.8 MEAN DAILY MINIMUM 31 51.4 53.6 56.8 61.3 67.6 71.7 73.1 73.5 73.0 68.1 59.4 54.1 63.6 TEMPERATURE 32 LOWEST DAILY MINIMUM 28 41 47 45 32 22 22 25 33 61 67 67 60 YEAR OF OCCURRENCE 2010 1996 2013 1997 1992 1990 1950 1994 2006 2012 1950 1989 DEC 1989 MEAN OF EXTREME MINS. 31 47.4 58.6 70.0 34.5 36.9 42.2 66.4 69.1 67.8 53.8 43.8 37.1 52.3 NORMAL DRY BULB 30 60.3 62.7 65.9 70.4 76.3 80.4 81.7 81.8 80.6 76.0 69.0 63.0 72.3 31 MEAN DRY BULB 62.1 64.2 67.4 71.2 76.8 80.4 81.7 81.9 80.7 75.9 68.7 64.0 72.9 MEAN WET BULB 62.9 71.5 74.5 72.6 65.2 59.3 55.5 64.0 4 53.2 57.2 55.6 66.8 73.8 MEAN DEW POINT 4 57.6 61.1 60.6 66.9 70.4 74.2 76.2 76.7 75.0 68.8 63.1 59.5 67.5 NORMAL NO. DAYS WITH: 30 0.0 0.2 0.6 5.7 11.8 18.3 18.9 8.2 1.9 0.1 0.0 65.7 MAXIMUM >= 900.0 MAXIMUM <= 32 30 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 MINIMUM <= 32 30 1.6 0.5 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.7 2.8 $MINIMUM \le 0$ 30 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 NORMAL HEATING DEG. DAYS 30 190 120 71 16 1 0 0 0 0 38 137 577 <u>5</u>22 345 30 44 99 178 351 462 466 158 NORMAL COOLING DEG. DAYS 54 516 76 3271 NORMAL (PERCENT) 30 30 HOUR 01 LST RH HOUR 07 LST 30 HOUR 13 LST 30 30 HOUR 19 LST PERCENT POSSIBLE SUNSHINE MEAN NO. DAYS WITH: 0/M 0.5 1.9 0.2 1.3 21.9 6.5 3.2 1.3 0.5 1.0 0.7 1.3 3.5 HEAVY FOG(VISBY <= 1/4 MI) 11 11 0.7 0.8 2.3 3.5 3.5 10.6 14.5 6.5 8.2 2.5 1.0 0.4 54.5 THUNDERSTORMS MEAN: CLOUDINESS SUNRISE-SUNSET (OKTAS) MIDNIGHT-MIDNIGHT (OKTAS) MEAN NO. DAYS WITH: CLEAR PARTLY CLOUDY CLOUDY 30.06 MEAN STATION PRESSURE(IN) 30.00 30.01 30.08 30.01 4 30.10 30.05 29 98 29 97 29 95 29 94 29 95 30.05 MEAN SEA-LEVEL PRES. (IN) 4 30.13 30.09 30.08 30.03 30.01 30.00 30.04 29.98 29.97 29.98 30.08 30.11 30.04 MEAN SPEED (MPH) 8.1 8.2 9.5 9.0 8.0 7.1 7.2 7.2 9.6 8.3 93 8.4 PREVAIL.DIR(TENS OF DEGS) 4 22 28 14 10 11 10 10 07 07 08 29 10 MAXIMUM 2-MINUTE: 5 41 36 33 39 45 32 43 36 38 43 32 45 36 SPEED (MPH) 32 27 29 29 28 28 30 29 30 03 27 28 29 DIR. (TENS OF DEGS) 2011 2014 2011 2011 2011 2010 2012 2014 2014 2011 2014 2010 APR 2011 YEAR OF OCCURRENCE MAXIMUM 3-SECOND 5 SPEED (MPH) 46 44 59 58 47 51 51 47 50 56 39 45 59 DIR. (TENS OF DEGS) 29 29 22 29 29 30 04 29 30 14 05 27 27 YEAR OF OCCURRENCE 2011 2010 2011 2012 2011 2010 2012 2012 2014 2012 2014 2011 MAR 2011 2.27 2.53 3.29 3.28 2.13 6.71 5.96 7.68 7.64 5.06 2.88 2.57 52.00 NORMAL (IN) MAXIMUM MONTHLY (IN) 32 13.38 10.07 5.78 6.14 11.58 8.15 11.72 12.87 15.05 26.87 19.72 8.78 26.87 2014 1998 1951 2009 2005 2008 1948 1999 1994 2002 AUG 2008 YEAR OF OCCURRENCE 1996 2007 PRECIPITATION MINIMUM MONTHLY (IN) 32 Т 0.21 0.28 0.27 0.29 0.16 1.20 1.34 1.80 0.38 0.24 0.16 YEAR OF OCCURRENCE 2012 1990 2010 1998 1999 2007 2002 2010 2009 2000 2011 2006 JUN 1998 MAXIMUM IN 24 HOURS (IN) 32 2 97 3.76 5.24 3.88 5.21 6.57 3 59 11.85 7 98 5.72 4.70 6.77 11.85 YEAR OF OCCURRENCE 1998 2005 1996 2013 2009 2007 2007 2008 1999 2011 1997 2002 AUG 2008 NORMAL NO. DAYS WITH: 30 7.3 12.9 7.9 PRECIPITATION >= 0.01 7.8 7.3 5.8 7.4 12.1 14.4 13.7 11.0 8.5 116.1 PRECIPITATION >= 1.00 30 0.6 0.7 1.0 0.5 0.8 2.1 2.3 2.5 0.7 15.0 1.8 1.4 0.6 NORMAL (IN) 0.0 30 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 MAXIMUM MONTHLY (IN) YEAR OF OCCURRENCE MAXIMUM IN 24 HOURS (IN) SNOWFALI YEAR OF OCCURRENCE MAXIMUM SNOW DEPTH (IN) YEAR OF OCCURRENCE NORMAL NO. DAYS WITH: 30 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 SNOWFALL >= 1.0

LATITUDE:

LONGITUDE:

PRECIPITATION (inches) 2014 MELBOURNE (KMLB)

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
1950 1951 1952 1953 1989	0.57 0.24 2.30 1.97	2.02 3.04 2.97 3.25	6.06 1.05 4.11 2.92	2.10 8.15 0.35 7.37	5.08 3.16 3.12 1.75	1.44 2.62 1.64 5.39	3.95 6.02 3.94 4.58	2.93 2.18 4.15 10.88	3.91 9.81 10.40 8.83	10.45 5.52 11.31 10.72	0.93 4.19 0.70 4.87 0.80	0.93 1.49 1.05 1.49 3.84	40.37 47.47 46.04 64.02
1990	0.78	3.50	0.49	0.27	2.08	7.22	8.51	6.46	6.93	9.80	1.21	0.77	48.02
1991	2.95	1.11	4.90	4.27	5.97	6.25	11.32	6.14	9.15	4.45	1.59	0.48	58.58
1992	1.41	3.26	4.01	4.21	1.46	12.30	2.88	5.83	7.22	2.67	2.59	1.52	49.36
1993	5.24	1.75	8.55	1.75	2.01	1.30	3.97	3.01	5.37	4.63	1.22	0.49	39.29
1994	3.20	3.34	0.74	2.73	2.42	11.17	6.90	10.09	9.21	6.92	8.78	4.35	69.85
1995	2.57	2.04	2.82	3.08	4.58	8.65	7.86	19.05	7.94	10.05	0.65	0.82	70.11
1996	3.64	0.81	11.58	0.95	2.44	8.98	3.18	5.58	3.57	5.07	1.97	1.75	49.52
1997	1.99	1.78	1.65	5.19	5.35	5.85	8.86	9.04	8.62	3.77	5.95	6.57	64.62
1998	5.40	6.14	4.90	0.84	0.85	0.16	9.11	8.04	10.36	1.30	5.53	2.55	55.18
1999	3.63	0.47	0.61	1.25	6.50	5.67	1.20	6.82	17.10	13.38	2.47	2.41	61.51
2000	2.34	0.34	2.18	2.64	0.41	7.03	9.77	3.46	8.41	5.21	0.36	0.25	42.40
2001	0.34	1.21	3.58	0.64	5.51	6.21	11.33	6.06	11.60	4.70	5.26	0.66	57.10
2002	2.05	2.78	0.50	2.59	1.46	8.70	4.85	9.35	1.62	5.11	1.92	10.28	51.21
2003	0.76	1.68	3.05	1.51	1.78	10.69	5.30	8.05	4.47	0.89	2.05	2.73	42.96
2004	2.12	2.56	1.04	1.03	0.99	10.59	2.48	10.56	16.63	4.89	1.21	3.01	57.11
2005	1.67	3.50	4.09	2.25	4.09	11.37	2.35	7.16	8.00	11.85	1.19	2.23	59.75
2006	0.53	2.15	0.25	1.15	1.73	7.05	8.18	6.92	5.98	1.02	3.67	1.32	39.95
2007	2.01	1.75	0.52	1.46	1.36	9.49	11.46	1.17	8.95	4.14	0.93	0.68	43.92
2008	2.97	2.20	2.70	2.17	0.46	6.33	11.01	21.06	3.31	9.06	2.43	0.75	64.45
2009	0.92	1.05	0.86	2.16	9.28	3.97	7.61	3.49	8.99	0.74	0.37	5.52	44.96
2010	0.94	2.57	8.74	2.13	0.29	2.90	1.23	5.59	5.94	T	3.43	1.95	35.71
2011	4.09	0.21	4.47	1.74	0.50	5.90	4.23	7.49	2.43	9.54	1.24	3.29	45.13
2012	T	1.28	3.03	2.45	6.17	8.16	3.53	5.20	4.05	3.04	0.66	2.14	39.71
2013	1.66	1.00	0.58	5.70	6.39	6.74	6.91	2.21	4.54	0.26	4.69	2.15	42.83
2014	5.78	1.28	2.02	3.57	3.57	6.06	11.20	4.35	12.53	1.82	3.08	1.62	56.88
POR= 31 YRS	2.21	2.06	3.10	2.57	3.17	6.52	6.13	7.07	8.24	5.45	2.46	2.33	51.31

WBAN: 12838

AVERAGE TEMPERATURE (°F) 2014 MELBOURNE (KMLB)

				` ′			` .						
YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
1950 1951 1952 1953 1989	68.8 60.6 63.5 61.1	65.6 60.5 62.5 64.9	67.2 66.3 68.8 69.9	66.1 69.4 68.7 71.0	76.1 75.5 76.3 78.3	80.8 79.8 81.0 79.3	80.2 80.7 81.6 80.9	80.9 82.5 81.5 81.1	79.9 81.2 80.2 79.4	77.1 76.5 74.7 73.0	64.6 66.1 67.4 68.0 68.9	58.3 67.6 59.7 64.6 56.2	72.1 72.2 72.2 72.6
1990	65.7	68.8	68.4	71.2	78.1	80.1	81.5	81.4	80.7	77.0	69.7	66.6	74.1
1991	66.6	63.9	67.1	74.2	78.3	80.1	81.4	81.4	80.6	75.6	66.7	65.7	73.5
1992	59.3	64.6	65.5	69.2	73.4	79.9	82.1	80.7	80.5	74.1	71.2	64.3	72.1
1993	67.0	60.6	64.7	67.4	75.2	80.0	82.2	81.8	80.4	76.1	69.6	59.2	72.0
1994	62.3	67.3	68.6	74.5	76.0	80.0	80.6	80.1	79.2	76.7	72.9	65.9	73.7
1995	59.2	61.2	68.6	71.8	79.1	79.6	81.3	82.2	80.9	77.9	66.6	61.3	72.5
1996	60.4	60.4	63.6	68.9	77.1	79.1	81.8	80.9	80.6	74.7	69.3	62.9	71.6
1997	62.0	68.2	72.3	70.1	76.1	79.5	81.6	81.7	80.5	74.6	67.1	62.4	73.0
1998	63.5	62.1	64.2	71.5	77.7	85.1	83.9	83.1	81.4	78.3	72.1	68.0	74.2
1999	64.6	63.8	64.6	72.9	74.6	79.5	82.3	83.1	80.5	76.4	70.2	63.1	73.0
2000	61.6	62.7	69.9	70.1	77.4	80.2	81.3	81.01	81.0	73.8	66.2	60.8	72.2
2001	56.1	67.9	67.2	70.8	75.6	79.7	81.1	80.7	78.8	75.1	70.1	67.9	72.6
2002	62.6	62.6	69.3	74.5	78.1	79.2	80.7	80.9	81.8	78.0	66.1	60.5	72.9
2003	54.1	63.9	72.0	70.3	78.6	80.3	81.2	80.7	80.0	76.2	72.1	61.2	72.6
2004	60.4	63.8	68.2	69.2	76.2	81.1	81.5	81.5	82.0	75.4	70.4	61.8	72.6
2005	62.3	63.2	65.1	67.8	74.9	79.6	82.9	83.0	80.5	75.4	69.7	61.3	72.1
2006	62.6	59.8	66.3	74.0	75.9	80.3	81.0	81.9	80.2	74.6	67.0	69.8	72.8
2007	65.5	62.2	69.8	71.1	77.1	80.8	82.7	84.2	82.4	80.7	69.3	68.9	74.6
2008	64.0	68.2	68.2	70.4	78.1	80.8	80.3	81.2	80.8	74.7	64.4	65.4	73.0
2009	60.0	61.5	67.9	72.2	78.2	81.1	81.6	82.6	80.7	77.1	69.5	65.0	73.1
2010	55.2	55.5	61.5	70.9	78.6	83.0	83.8	83.9	82.3	74.8	68.7	54.0	71.0
2011	61.5	66.7	67.7	74.0	77.3	81.3	82.6	83.9	81.4	74.0	70.7	67.7	74.1
2012	61.3	67.3	71.6	72.3	77.6	79.1	81.7	82.1	80.4	75.6	65.0	65.9	73.3
2013	66.7	65.1	60.6	74.0	75.3	81.3	81.8	82.8	81.3	77.1	73.2	68.7	74.0
2014	59.9	66.7	66.8	72.4	77.0	80.1	82.5	83.6	80.8	76.2	66.6	66.3	73.2
POR= 31 YRS	62.1	64.2	67.4	71.2	76.8	80.4	81.7	81.9	80.7	75.9	68.7	64.0	72.9 N · 12838

HEATING DEGREE DAYS (base 65°F) 2014 MELBOURNE (KMLB)

YEAR	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	TOTAL
1950-51 1951-52 1952-53 1953-54 1989-90													
1990-91 1991-92 1992-93 1993-94 1994-95													
1995-96 1996-97 1997-98 1998-99 1999-00													
2000-01 2001-02 2002-03 2003-04 2004-05													
2005-06 2006-07 2007-08 2008-09 2009-10							338	273	124	1	0	0	
2010-11 2011-12 2012-13 2013-14 2014-	0 0 0 0	0 0 0 0	0 0 0 0	0 6 19 0	31 18 54 14 65	338 42 75 25 82	147 145 44 207	58 51 92 60	36 15 179 49	3 9 0 3	0 0 0	0 0 0	613 286 463 358

WBAN: 12838

COOLING DEGREE DAYS (base 65°F) 2014 MELBOURNE (KMLB)

COOL	COOLING DEGREE DAYS (base 65°F) 2014 MELBOURNE (KMLB)												
YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	TOTAL
1950 1951 1952 1953 1989													
1990 1991 1992 1993 1994													
1995 1996 1997 1998 1999													
2000 2001 2002 2003 2004													
2005 2006 2007 2008 2009													
2010 2011 2012 2013 2014	41 45 36 104 57	11 111 122 102 111	24 128 226 52 111	186 281 234 276 232	431 389 396 327 382	547 497 431 498 461	590 554 523 530 550	592 591 536 560 583	527 497 470 497 479	309 292 357 382 356	145 195 63 269 121	5 133 111 151 131	3408 3713 3505 3748 3574

SNOWFALL (inches) 2014 MELBOURNE (KMLB)

YEAR	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	TOTAL
1948-49 1949-50	0.0 0.0												
1950-51 1951-52 1952-53 1953-54 1989-90	0.0 0.0 0.0 0.0	0.0 0.0 0.0 0.0	0.0 0.0 0.0 0.0	0.0 0.0 0.0 0.0	0.0 0.0 0.0 0.0 0.0	0.0 0.0 0.0 0.0 0.0	0.0 0.0 0.0 0.0						
1990-91 1991-92 1992-93 1993-94 1994-95	0.0 0.0 0.0 0.0 0.0												
1995-96 1996-97 1997-98 1998-99 1999-00	0.0 0.0 0.0 0.0 0.0												
2000-01 2001-02 2002-03 2003-04 2004-05	0.0 0.0 0.0 0.0 0.0												
2005-06 2006-07 2007-08 2008-09 2009-10	0.0 0.0 0.0 0.0 0.0	0.0 0.0 0.0 0.0	0.0 0.0 0.0 0.0	0.0 0.0 0.0 0.0	0.0 0.0 0.0 0.0								
POR= 26 YRS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

WBAN: 12838

REFERENCE NOTES:

PAGE 1:

THE TEMPERATURE GRAPH SHOWS NORMAL MAXIMUM AND NORMAL MINIMUM DAILY TEMPERATURES (SOLID CURVES) AND THE ACTUAL DAILY HIGH AND LOW TEMPERATURES (VERTICAL BARS). PAGE 2 AND 3:

H/C INDICATES HEATING AND COOLING DEGREE DAYS.

RH INDICATES RELATIVE HUMIDITY

W/O INDICATES WEATHER AND OBSTRUCTIONS

S INDICATES SUNSHINE.

PR INDICATES PRESSURE

CLOUDINESS ON PAGE 3 IS THE SUM OF THE CEILOMETER AND SATELLITE DATA NOT TO EXCEED EIGHT EIGHTHS(OKTAS). GENERAL:

T INDICATES TRACE PRECIPITATION, AN AMOUNT GREATER THAN ZERO BUT LESS THAN THE LOWEST REPORTABLE VALUE.

+ INDICATES THE VALUE ALSO OCCURS ON EARLIER DATES. BLANK ENTRIES DENOTE MISSING OR UNREPORTED DATA.

ASOS INDICATES AUTOMATED SURFACE OBSERVING SYSTEM. PM INDICATES THE LAST DAY OF THE PREVIOUS MONTH.

POR (PERIOD OF RECORD) BEGINS WITH THE JANUARY DATA MONTH AND IS THE NUMBER OF YEARS USED TO COMPUTE THE MEAN. INDIVIDUAL MONTHS WITHIN THE POR MAY BE MISSING

WHEN THE POR FOR A NORMAL IS LESS THAN 30 YEARS, THE NORMAL IS PROVISIONAL AND IS BASED ON THE NUMBER OF YEARS INDICATED.

0.* OR * INDICATES THE VALUE OR MEAN-DAYS-WITH IS BETWEEN 0.00 AND 0.05.

CLOUDINESS FOR ASOS STATIONS DIFFERS FROM THE NON-ASOS OBSERVATION TAKEN BY A HUMAN OBSERVER. ASOS STATION CLOUDINESS IS BASED ON TIME-AVERAGED CEILOMETER DATA FOR CLOUDS AT OR BELOW 12,000 FEET

CLEAR INDICATES 0 - 2 OKTAS, PARTLY CLOUDY INDICATES 3 - 6 OKTAS, AND CLOUDY INDICATES 7 OR 8 OKTAS.

GENERAL CONTINUED:

WIND DIRECTION IS RECORDED IN TENS OF DEGREES (2 DIGITS) CLOCKWISE FROM TRUE NORTH. "00" INDICATES CALM. "36" INDICATES TRUE NORTH.

RESULTANT WIND IS THE VECTOR AVERAGE OF THE SPEED AND DIRECTION.

AVERAGE TEMPERATURE IS THE SUM OF THE MEAN DAILY MAXIMUM AND MINIMUM TEMPERATURE DIVIDED BY 2.

SNOWFALL DATA COMPRISE ALL FORMS OF FROZEN

PRECIPITATION, INCLUDING HAIL.

A HEATING (COOLING) DEGREE DAY IS THE DIFFERENCE BETWEEN THE AVERAGE DAILY TEMPERATURE AND 65 F.

DRY BULB IS THE TEMPERATURE OF THE AMBIENT AIR.

DEW POINT IS THE TEMPERATURE TO WHICH THE AIR MUST BE COOLED TO ACHIEVE 100 PERCENT RELATIVE HUMIDITY.

WET BULB IS THE TEMPERATURE THE AIR WOULD HAVE IF THE MOISTURE CONTENT WAS INCREASED TO 100 PERCENT RELATIVE

ON JULY 1, 1996, THE NATIONAL WEATHER SERVICE BEGAN USING THE "METAR" OBSERVATION CODE THAT WAS ALREADY EMPLOYED BY MOST OTHER NATIONS OF THE WORLD. THE MOST NOTICEABLE DIFFERENCE IN THIS ANNUAL PUBLICATION WILL BE THE CHANGE IN UNITS FROM TENTHS TO EIGHTS(OKTAS) FOR REPORTING THE AMOUNT OF SKY COVER.

STATION HISTORY STOPPED WITH THE 2009 ANNUAL. IF YOU NEED SATION HISTORY INFORMATION GO TO "Historical Observing Metadata Repository", URL IS:

http://www.ncdc.noaa.gov/homr/

SNOWFALL STOPPED MONTH & YEAR INDICATED ABOVE. NO FURTHER YEARS INCLUDED UNLESS RESTARTED.

NOTE:

The "Period of Record:(POR)" for all "averages" is based on "Summary of the Day First Order Station" and "Cooperative Summary of the Day" archives.

2014 MELBOURNE FLORIDA (KMLB)

Melbourne is located along the east central Florida coastline and is separated from the Atlantic Ocean by the Intracoastal Waterway and a narrow barrier island to the east. Its climate is strongly influenced by this maritime environment, especially during the summer when the sea breeze boundary is highly pronounced during the afternoon hours.

Normal high temperatures during the summer range from 87-91 degrees Fahrenheit with normal summer lows ranging from 70-73 degrees. Humid conditions during the summer, with average dew points in the low to mid 70s, can easily allow for heat index values to reach around 100 degrees many afternoons. In contrast, during the winter months normal highs vary from 71-75 degrees and normal lows range from 50-55 degrees. While freezing temperatures during the winter months are not common, they do occur an average of two nights each year. However, some years freezing temperatures may not occur at all. This has happened with generally one third of all years in the period of record. The hottest maximum temperature ever recorded at this station is 102 degrees on July 14, 1980, and the coldest temperature ever recorded was 17 degrees on January 19, 1977.

There are generally two rainfall regimes across Florida: the wet season and the dry season. The wet season generally runs from late May through mid October and is characterized by an increase in rainfall due to daily, mainly midday to evening, sea breeze generated showers and thunderstorms. Normal rainfall from May through October is around 33 inches total, with generally around 5 to 7 inches of rainfall experienced each month during this time frame.

The dry season, which normally occurs from late October through early May, is marked by lower humidity values and a general lack of sea breeze boundary activity. Therefore these months tend to be drier, with the main source of precipitation being from storm systems and frontal boundaries that cross the area. Normal rainfall from November through April is around 15 inches with generally around 2 to 3 inches of rainfall observed during each of these months.

Rainfall can vary widely during the dry season as the number of storm systems that impact the region is usually heavily dependent on the phase of the El-Nino and Southern Oscillation (ENSO) pattern over the equatorial Pacific waters. During times of El Nino, or warmer than normal sea surface temperatures (SSTs) over the tropical Pacific, a higher number of storm systems typically push across Florida, which brings above normal rainfall, cooler temperatures and generally more severe weather to the region. This pattern is reversed during times of La Nina, or cooler than normal SSTs over the tropical Pacific waters, with the passage of fewer storm systems and ordinarily below normal rainfall amounts during the winter and much of the spring.

The Atlantic tropical season, which runs from June 1st through November 30th, can also have a huge influence on rainfall amounts across the area. The greatest precipitation total from a tropical system came with Tropical Storm Fay in August of 2008. During the course of that storm from the 18th through the 24th, 19.08 inches was observed at the Melbourne Airport with even higher totals up to 20-27 inches farther north of the station. Most of the hurricane activity that impacts Melbourne occurs during the peak of the tropical season from August through October. Many of the Atlantic basin hurricanes tend to recurve northward well offshore of the Florida east coast or move farther south of the area, either moving into the Gulf or making landfall over south Florida. From 1900-2010, only 16 hurricanes have passed within 65 nautical miles of Melbourne with 6 of these being major hurricanes (Category 3-5).

Station History

MELBOURNE, FL

NAME	Begin Date	End Date	Latitude	Longitude	Elevation Feet	Relocation	Platform

Element History

Element	Begin	End	Frequency	Time Of	Equipment *	Equipment *	Equipment
,	Date	Date		Observation	•	Modifications	Exposure

Other Station Information can be found at:

ASOS Implementation by NWS: http://www.nws.noaa.gov/ops2/Surface/asos2implementation.htm Station Metadata website: http://www.ncdc.noaa.gov/homr

INQUIRES/COMMENTS CALL: (828) 271-4800, option 2

Fax Number : (828) 271-4876

TDD : (828) 271-4010

Email : ncdc.orders@noaa.gov

NOAA/National Climatic Data Center Attn: User Engagement & Services Branch

151 Patton Avenue

Asheville, NC 28801-5001

^{*} For explanation of codes and abbrevitions see Station Metadata link below.