




# 2006 LOCAL CLIMATOLOGICAL DATA ANNUAL SUMMARY WITH COMPARATIVE DATA


ISSN 0197-9825

## KOTZEBUE, ALASKA (PAOT)

### Daily Max/Min Temperature



### Daily Precipitation



### Daily Station Pressure



I CERTIFY THAT THIS IS AN OFFICIAL PUBLICATION OF THE NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION, AND IS COMPILED FROM RECORDS ON FILE AT THE NATIONAL CLIMATIC DATA CENTER.

NATIONAL  
OCEANIC AND  
ATMOSPHERIC ADMINISTRATION

NATIONAL  
ENVIRONMENTAL SATELLITE, DATA  
AND INFORMATION SERVICE

NATIONAL  
CLIMATIC DATA CENTER  
ASHEVILLE, NORTH CAROLINA

*Thomas R. Karl*  
DIRECTOR  
NATIONAL CLIMATIC DATA CENTER

# METEOROLOGICAL DATA FOR 2006

## KOTZEBUE (PAOT)

LATITUDE: 66° 53'N      LONGITUDE: -162° 35'W      ELEVATION (FT): GRND: 7      BARO: 19      TIME ZONE: ALASKA (UTC -9)      WBAN: 26616

ELEMENT		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	YEAR	
TEMPERATURE °F	MEAN DAILY MAXIMUM	-9.3	13.4	5.8	15.3	36.2	49.2	57.3	52.4	50.3	35.9	15.5	8.7	27.6	
	HIGHEST DAILY MAXIMUM	17	37	29	32	49	63	75	58	61	47	29	31	75	
	DATE OF OCCURRENCE	05	14	31	10	27	27+	24	04	04	10	13	01	JUL 24	
	MEAN DAILY MINIMUM	-25.6	-2.9	-6.6	-0.4	25.8	37.6	48.1	43.6	43.7	29.4	4.8	-1.7	-1.7	16.3
	LOWEST DAILY MINIMUM	-46	-44	-30	-12	9	26	41	37	34	12	-11	-25	-25	-46
	DATE OF OCCURRENCE	21	02	10	20+	01	03	31+	31+	30	31	19	27	27	JAN 21
	AVERAGE DRY BULB	-17.3	5.3	-0.3	7.5	31.0	43.4	52.7	48.0	47.0	32.7	10.2	3.5	3.5	22.0
	MEAN WET BULB			-1.0	6.9	29.9	40.3	49.7	45.7	44.7	31.1	9.8	3.1	3.1	
	MEAN DEW POINT			-6.5	2.8	27.7	37.6	47.2	43.1	42.3	28.4	6.0	-0.1	-0.1	
	NUMBER OF DAYS WITH:														
	MAXIMUM >= 70	0	0	0	0	0	0	0	1	0	0	0	0	0	1
	MAXIMUM <= 32°	31	24	31	30	7	0	0	0	0	8	30	31	31	192
	MINIMUM <= 32°	31	27	31	30	27	8	0	0	0	18	30	31	31	233
MINIMUM <= 0°	30	14	25	18	0	0	0	0	0	0	12	16	16	115	
H/C	HEATING DEGREE DAYS	2548	1666	2019	1715	1044	640	374	518	531	998	1639	1899	15591	
	COOLING DEGREE DAYS	0	0	0	0	0	0	1	0	0	0	0	0	1	
RH	MEAN (PERCENT)	76	82	73	79	88	84	83	84	85	85	80	81	82	
	HOUR 03 LST	76	86	73	80	91	88	89	88	88	86	80	81	84	
	HOUR 09 LST	75	81	73	79	89	86	85	86	89	88	80	81	83	
	HOUR 15 LST	77	81	72	77	84	81	78	79	80	82	81	80	79	
	HOUR 21 LST	75	83	74	81	87	80	81	81	83	84	81	82	81	
S	PERCENT POSSIBLE SUNSHINE														
W/O	NUMBER OF DAYS WITH:														
	HEAVY FOG(VISBY <= 1/4 MI)	5	2	0	1	11	3	1	4	3	0	1	0	31	
	THUNDERSTORMS	0	0	0	0	0	0	0	0	0	0	0	0	0	
CLOUDNESS	SUNRISE-SUNSET: (OKTAS)														
	CEILOMETER (<= 12,000 FT.)														
	SATELLITE (> 12,000 FT.)														
	MIDNIGHT-MIDNIGHT: (OKTAS)														
	CEILOMETER (<= 12,000 FT.)														
SATELLITE (> 12,000 FT.)															
NUMBER OF DAYS WITH:															
CLEAR															
PARTLY CLOUDY															
CLOUDY															
PR	MEAN STATION PRESS. (IN.)	29.83	29.73	30.03	29.83	29.98	29.85	29.79	29.81	29.70	29.67	30.11	29.40	29.81	
	MEAN SEA-LEVEL PRESS. (IN.)	29.85	29.77	30.05	29.85	30.01	29.87	29.81	29.83	29.72	29.68	30.13	29.42	29.83	
WINDS	RESULTANT SPEED (MPH)	2.4	8.1	8.4	3.2	3.7	4.4	3.7	6.1	3.8	9.5	9.4	2.9	1.9	
	RES. DIR. (TENS OF DEGS.)	31	12	09	32	25	22	22	30	12	10	09	04	11	
	MEAN SPEED (MPH)	4.5	17.1	16.1	10.2	9.6	9.9	10.0	9.9	10.5	14.2	14.5	9.5	11.3	
	PREVAIL.DIR.(TENS OF DEGS.)	29	11	09	30	28	27	28	28	12	11	11	01	09	
	MAXIMUM 2-MINUTE WIND														
	SPEED (MPH)	37	59	41	35	29	35	36	26	31	38	51	35	59	
	DIR. (TENS OF DEGS.)	30	21	10	11	30	29	13	28	12	08	11	07	21	
	DATE OF OCCURRENCE	22	19	02	08	20	02	28	16	07	09	26	03	03	FEB 19
	MAXIMUM 5-SECOND WIND:														
	SPEED (MPH)	40	68	52	39	33	39	40	30	38	47	59	39	68	
DIR. (TENS OF DEGS.)	30	21	10	09	30	30	12	28	12	08	11	07	21		
DATE OF OCCURRENCE	22	19	02	08	20	02	28	16	07	09	26	03	03	FEB 19	
PRECIPITATION	WATER EQUIVALENT:														
	TOTAL (IN.)	0.06	0.92	0.20	0.13	0.50	1.21	1.61	0.75	2.33	2.25	0.42	0.35	10.73	
	GREATEST 24-HOUR (IN.)	0.03	0.28	0.23	0.06	0.21	0.48	0.45	0.23	0.66	0.54	0.11	0.16	0.66	
	DATE OF OCCURRENCE	04	25	01-02	09	20	27-28	18	06-07	07	08-09	30	09	09	SEP 07
	NUMBER OF DAYS WITH:														
PRECIPITATION 0.01	3	15	4	5	7	10	11	13	19	18	11	12	128		
PRECIPITATION 0.10	0	4	0	0	2	3	4	2	6	5	1	1	28		
PRECIPITATION 1.00	0	0	0	0	0	0	0	0	0	0	0	0	0		
SNOWFALL	SNOW,ICE PELLETS,HAIL														
	TOTAL (IN.)	2.8	12.7	7.4	2.7	3.0	0.5	0.0	0.0	0.0	7.1	8.9	8.5	53.6	
	GREATEST 24-HOUR (IN.)	0.8	5.2	3.5	0.9	1.3	0.5	0.0	0.0	0.0	3.3	2.2	3.0	5.2	
	DATE OF OCCURRENCE	04	25	01	09	08	05				27	08	09	FEB 25	
	MAXIMUM SNOW DEPTH (IN.)	13	12	17	9	7	T	0	0	0	3	11	18	18	
	DATE OF OCCURRENCE	23+	28+	20+	28+	03+	07+				31+	30	18+	DEC 18+	
NUMBER OF DAYS WITH:															
SNOWFALL >= 1.0	0	3	3	0	2	0	0	0	0	1	4	2	15		

# NORMALS, MEANS, AND EXTREMES KOTZEBUE (PAOT)

**LATITUDE:** 66° 53'N      **LONGITUDE:** -162° 35'W      **ELEVATION (FT):** GRND: 7    BARO: 19      **TIME ZONE:** ALASKA (UTC -9)      **WBAN: 26616**

ELEMENT		POR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	YEAR
<b>TEMPERATURE °F</b>	NORMAL DAILY MAXIMUM	30	3.7	3.0	7.2	19.6	37.8	50.8	60.0	56.7	46.4	27.5	13.3	6.0	27.7
	MEAN DAILY MAXIMUM	77	3.1	3.8	8.8	21.2	37.7	49.7	58.9	56.2	45.6	28.5	13.0	4.5	27.6
	HIGHEST DAILY MAXIMUM	64	39	40	39	48	74	85	85	80	69	54	40	37	85
	YEAR OF OCCURRENCE		1961	1989	1973	1988	1947	1991	1958	1968	1978	2003	2003	1982	JUN 1991
	MEAN OF EXTREME MAXS.	77	28.8	27.2	30.0	38.0	55.2	68.5	73.4	68.9	58.5	42.3	31.3	28.8	45.9
	NORMAL DAILY MINIMUM	30	-8.6	-9.9	-7.7	3.3	25.3	38.8	49.4	47.4	37.2	18.8	3.2	-6.4	15.9
	MEAN DAILY MINIMUM	77	-9.4	-9.5	-7.0	4.3	24.4	37.5	48.0	46.0	35.9	19.3	2.8	-7.4	15.4
	LOWEST DAILY MINIMUM	64	-49	-52	-48	-44	-18	20	30	29	13	-19	-36	-47	-52
	YEAR OF OCCURRENCE		1989	1968	1956	1943	1945	1948	1976	1994	1992	1975	1948	1974	FEB 1968
	MEAN OF EXTREME MINS.	77	-31.0	-31.3	-27.3	-17.6	7.9	28.4	39.3	37.9	25.3	0.8	-16.1	-28.0	-0.9
	NORMAL DRY BULB	30	-2.5	-3.5	-3	11.5	31.6	44.8	54.7	52.1	41.8	23.2	8.3	-2	21.8
	MEAN DRY BULB	77	-3.0	-2.6	0.9	12.8	31.0	43.9	53.4	51.1	40.8	23.9	7.9	-1.2	21.6
	MEAN WET BULB	22	-0.6	-0.0	0.5	12.2	29.7	42.2	51.0	48.5	39.3	23.1	7.8	1.7	21.3
	MEAN DEW POINT	22	-5.5	-4.9	-4.2	8.4	26.8	39.3	48.1	45.9	35.7	19.9	4.0	-2.1	17.6
	NORMAL NO. DAYS WITH: MAXIMUM >= 70	30	0.0	0.0	0.0	0.0	0.1	0.8	2.8	1.2	0.0	0.0	0.0	0.0	4.9
	MAXIMUM <= 32	30	30.4	27.2	30.4	23.7	8.1	0.1	0.0	0.0	0.7	20.3	28.4	30.4	199.7
MINIMUM <= 32	30	31.0	28.3	31.0	29.7	24.4	5.2	0.1	0.2	6.8	28.0	29.9	31.0	245.6	
MINIMUM <= 0	30	20.8	20.1	21.4	13.7	0.7	0.0	0.0	0.0	0.0	1.4	12.9	21.3	112.3	
<b>H/C</b>	NORMAL HEATING DEG. DAYS	30	2092	1918	2008	1606	1037	607	327	407	696	1297	1703	2022	15720
	NORMAL COOLING DEG. DAYS	30	0	0	0	0	0	0	8	4	0	0	0	0	12
<b>RH</b>	NORMAL (PERCENT)	30	74	74	73	78	82	81	80	81	78	80	78	76	78
	HOURLY 03 LST	30	73	75	74	80	86	86	84	86	82	81	78	76	80
	HOURLY 09 LST	30	74	75	73	78	82	82	81	83	81	82	78	77	79
	HOURLY 15 LST	30	74	74	70	74	78	78	76	76	72	76	78	77	75
	HOURLY 21 LST	30	74	74	74	79	81	78	77	80	78	81	78	77	78
<b>S</b>	PERCENT POSSIBLE SUNSHINE														
<b>W/O</b>	MEAN NO. DAYS WITH: HEAVY FOG (VISBY <= 1/4 MI)	43	0.9	1.0	0.7	1.6	4.0	4.3	1.8	1.0	0.9	0.5	0.6	0.8	18.1
	THUNDERSTORMS	58	0.0	0.0	0.0	0.0	0.0	0.1	0.2	0.2	0.0	0.0	0.0	0.0	0.5
<b>CLOUDNESS</b>	MEAN: SUNRISE-SUNSET (OKTAS)	53	4.6	4.2	4.3	4.6	5.0	5.3	5.7	6.2	5.8	5.5	5.1	4.7	5.1
	MIDNIGHT-MIDNIGHT (OKTAS)	32	4.0	3.5	3.8	4.2	4.6	4.9	5.7	5.9	5.5	5.1	4.6	4.3	4.7
	MEAN NO. DAYS WITH: CLEAR	53	11.3	12.3	12.2	10.2	7.8	5.6	4.3	3.4	5.6	7.6	8.6	10.6	99.5
	PARTLY CLOUDY	53	4.1	3.4	5.6	6.7	8.9	10.5	8.0	6.3	5.0	4.5	4.0	4.2	71.2
	CLOUDY	53	15.6	12.6	13.2	13.1	14.2	13.8	18.6	20.7	18.9	18.4	16.8	15.6	191.5
<b>PR</b>	MEAN STATION PRESSURE (IN)	23	29.85	29.89	29.95	29.91	29.89	29.87	29.87	29.82	29.76	29.76	29.79	29.72	29.84
	MEAN SEA-LEVEL PRES. (IN)	23	29.86	29.91	29.97	29.93	29.91	29.88	29.89	29.83	29.78	29.78	29.81	29.74	29.86
<b>WINDS</b>	MEAN SPEED (MPH)	23	12.2	13.0	11.2	11.2	10.6	11.1	11.9	12.6	12.8	13.3	14.1	12.6	12.2
	PREVAIL. DIR (TENS OF DEGS)	26	11	12	11	12	28	29	30	30	12	11	11	11	11
	MAXIMUM 2-MINUTE: SPEED (MPH)	9	51	59	46	56	37	35	37	39	43	53	52	52	59
	DIR. (TENS OF DEGS)		10	21	10	08	10	29	08	13	12	10	09	22	21
	YEAR OF OCCURRENCE		2005	2006	2002	2001	2002	2006	1998	1998	2005	2004	2003	2004	FEB 2006
	MAXIMUM 5-SECOND SPEED (MPH)	9	55	68	53	60	40	43	43	47	51	61	60	60	68
	DIR. (TENS OF DEGS)		10	21	11	08	09	10	08	13	10	09	09	21	21
YEAR OF OCCURRENCE		2005	2006	2002	2001	2004	2005	1998	1998	2005	2004	2003	2004	FEB 2006	
<b>PRECIPITATION</b>	NORMAL (IN)	30	0.55	0.42	0.38	0.41	0.33	0.57	1.43	2.00	1.70	0.95	0.71	0.60	10.05
	MAXIMUM MONTHLY (IN)	64	1.77	1.24	1.23	1.84	1.38	1.76	3.51	5.26	4.31	3.20	2.22	2.34	5.26
	YEAR OF OCCURRENCE		1973	1996	1954	2002	2004	1998	1981	1998	1977	1993	1990	2004	AUG 1998
	MINIMUM MONTHLY (IN)	64	T	0.00	T	T	T	0.01	0.01	0.08	0.03	0.04	0.01	0.02	0.00
	YEAR OF OCCURRENCE		1966	1979	1986	1943	1979	1956	1977	1991	1967	1999	1999	1956	FEB 1979
	MAXIMUM IN 24 HOURS (IN)	64	0.81	0.68	0.47	0.55	0.56	1.23	1.78	1.48	1.65	1.32	0.53	19.00	19.00
	YEAR OF OCCURRENCE		1963	1951	1954	2001	1963	1998	1946	1954	1978	1997	1982	2003	DEC 2003
	NORMAL NO. DAYS WITH: PRECIPITATION >= 0.01	30	8.5	7.0	6.7	6.5	5.5	5.9	9.9	14.0	12.3	10.9	9.5	9.6	106.3
PRECIPITATION >= 1.00	30	0.0	0.0	0.0	0.0	0.0	0.0	0.0	*	0.1	*	0.0	0.0	0.1	
<b>SNOWFALL</b>	NORMAL (IN)	30	8.0	5.2	5.4	4.4	1.2	0.*	0.*	0.*	1.1	6.6	8.9	8.6	49.4
	MAXIMUM MONTHLY (IN)	63	23.9	31.8	21.9	19.6	12.0	2.4	0.2	0.3	7.4	18.0	45.6	34.0	45.6
	YEAR OF OCCURRENCE		1973	2003	1954	1999	1964	1963	2002	1962	1957	1971	2003	2004	NOV 2003
	MAXIMUM IN 24 HOURS (IN)	63	10.7	6.8	8.6	8.5	4.7	2.1	0.2	0.3	5.7	7.4	11.3	11.0	11.3
	YEAR OF OCCURRENCE		1999	1951	1954	1999	1984	1963	2002	1962	1996	1973	2003	1995	NOV 2003
	MAXIMUM SNOW DEPTH (IN)	57	41	45	48	53	43	8	0	0	4	11	22	35	53
	YEAR OF OCCURRENCE		1995	2005	1973	1973	1973	1966			1957	1973	1993	1994	APR 1973
NORMAL NO. DAYS WITH: SNOWFALL >= 1.0	30	3.0	1.6	2.0	1.5	0.4	0.0	0.0	0.0	0.4	2.2	3.2	3.2	17.5	

**PRECIPITATION (inches) 2006 KOTZEBUE (PAOT)**

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
1977	0.45	0.26	0.31	0.42	0.31	0.02	0.01	0.71	4.31	1.13	0.12	0.53	8.58
1978	0.07	0.10	0.10	0.37	T	0.82	1.43	0.59	2.49	0.30	0.69	0.71	7.67
1979	0.01	0.00	0.10	0.38	T	1.43	0.79	2.79	1.61	0.46	1.79	0.51	9.87
1980	0.71	0.60	0.62	0.35	0.03	1.12	1.52	0.92	0.54	0.52	0.15	0.33	7.41
1981	0.89	0.48	0.60	0.44	0.16	0.09	3.51	1.12	0.39	0.58	0.43	0.61	9.30
1982	1.29	0.60	0.52	0.33	0.22	0.70	1.24	1.38	1.76	1.12	1.12	0.36	10.64
1983	0.29	0.15	0.27	0.72	0.13	0.55	1.63	3.36	1.68	0.99	1.04	0.51	11.32
1984	0.54	0.01	0.11	0.24	0.64	0.38	2.11	2.98	1.70	0.35	0.50	0.69	10.25
1985	0.39	0.11	0.77	0.46	0.50	0.60	0.06	2.03	2.18	2.39	0.69	0.56	10.74
1986	0.43	0.44	T	0.22	0.01	0.34	1.42	2.39	3.29	0.26	0.30	0.87	9.97
1987	0.47	0.57	0.21	0.09	0.05	0.71	1.15	0.66	1.99	0.41	0.34	1.40	8.05
1988	0.19	0.31	0.77	0.05	0.83	0.15	0.91	2.35	0.99	0.64	0.28	1.37	8.84
1989	0.27	1.23	0.14	1.41	1.05	0.25	2.41	3.17	1.80	1.04	0.36	0.55	13.68
1990	0.36	0.55	0.75	0.45	0.37	0.85	0.92	2.30	3.01	1.91	2.22	1.07	14.76
1991	1.01	0.56	1.00	0.51	0.22	0.12	1.99	0.08	1.07	1.69	0.12	0.29	8.66
1992	0.26	0.80	0.88	0.10	0.40	0.50	0.37	3.00	0.59	0.84	1.16	0.92	9.82
1993	0.59	0.25	0.64	0.08	0.18	0.93	0.69	1.78	2.45	3.20	2.00	0.62	13.41
1994	0.47	0.18	0.91	0.29	0.39	0.24	3.07	4.70	0.86	1.10	0.75	0.63	13.59
1995	0.52	0.39	0.13	1.22	0.92	1.18	0.71	0.87	1.11	1.12	0.56	0.64	9.37
1996	0.43	1.24	0.18	0.08	0.58	0.88	1.18	1.73	1.69	.83	1.10	.35	10.27
1997	0.84	0.67	0.03	0.81	0.62	0.07	1.11	3.23	2.83	2.19	0.84	0.49	13.73
1998	0.30	0.44	0.20	1.02	0.90	1.76	1.15	5.26	1.66	0.57	0.31	0.62	14.19
1999	0.96	0.27	0.23	1.49	0.08	0.12	1.93	0.70	2.18	T	0.01	0.42	8.39
2000	1.38	0.56	0.10	0.04	0.22	0.49	1.80	3.38	1.82	0.63	0.72	0.82	11.96
2001	0.70	0.91	0.07	1.42	0.09	0.50	1.41	3.09	0.70	0.87	0.02	0.35	10.13
2002	0.96	0.55	0.34	1.84	0.15	0.28	1.46	0.73	2.16	0.54	0.63	0.72	10.36
2003	0.21	0.78	0.47	0.59	0.46	0.80	2.06	2.16	1.12	1.45	1.84	0.65	12.59
2004	0.15	0.51	0.12	0.11	1.38	0.74	0.89	2.05	0.82	0.70	0.51	2.34	10.32
2005	0.49	1.06	0.63	0.17	0.52	0.35	0.94	2.46	1.97	0.72	0.15	1.07	10.53
2006	0.06	0.92	0.20	0.13	0.50	1.21	1.61	0.75	2.33	2.25	0.42	0.35	10.73
POR= 69 YRS	0.46	0.39	0.33	0.40	0.36	0.55	1.42	1.94	1.39	0.75	0.52	0.48	8.99

WBAN : 26616

**AVERAGE TEMPERATURE (°F) 2006 KOTZEBUE (PAOT)**

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
1977	12.9	4.3	-13.3	3.6	30.5	43.8	58.8	58.9	43.9	24.6	3.5	1.1	22.7
1978	12.9	0.5	1.0	17.8	36.4	46.8	58.5	56.3	46.4	20.3	15.8	2.1	26.2
1979	11.9	-9.6	7.8	18.8	33.5	48.7	54.0	55.6	42.0	27.1	18.1	-11.3	24.7
1980	-6.3	7.3	10.8	15.9	38.5	47.4	55.6	50.3	38.9	28.8	10.8	-10.2	24.0
1981	15.2	1.0	10.9	14.6	34.9	48.5	51.4	51.4	40.7	24.2	8.9	-1.3	25.0
1982	0.0	4.6	3.1	6.6	28.8	47.6	56.3	53.5	42.8	20.1	12.2	7.3	23.6
1983	-5.2	-2.0	7.5	22.2	37.6	42.3	54.1	47.8	38.7	19.4	15.6	12.1	24.2
1984	-3.3	-21.0	5.8	0.4	24.1	42.2	51.3	47.0	45.0	28.2	8.0	5.1	19.4
1985	16.2	-7.0	-4.3	-5.4	26.6	39.3	54.1	53.4	40.3	20.8	10.9	12.9	21.5
1986	-3.0	7.1	-4.9	4.1	29.7	43.6	53.3	50.0	41.2	21.3	9.6	9.8	21.8
1987	-2.0	-0.4	4.2	7.8	32.7	47.9	56.6	53.4	37.7	30.7	5.3	-2.6	22.6
1988	7.5	1.7	-2.3	17.7	34.4	44.7	52.2	52.0	42.9	18.1	1.5	3.9	22.8
1989	-19.9	14.7	5.3	21.0	29.6	44.1	54.2	53.9	45.6	23.6	0.4	5.6	23.4
1990	-8.6	-24.1	1.8	15.9	38.3	45.7	58.8	56.8	40.1	24.5	4.0	-6.9	20.5
1991	-3.0	-4.7	-2.9	14.5	33.1	50.3	54.4	51.8	45.8	29.3	7.6	-4.7	22.6
1992	1.2	-8.7	-4.9	9.3	23.2	43.8	57.4	49.9	32.2	18.8	6.6	-2.4	18.9
1993	-9.0	4.5	0.7	19.5	33.5	47.8	59.0	49.4	38.4	29.0	11.2	8.9	24.4
1994	0.8	2.8	-7.3	11.4	32.8	43.7	55.6	50.6	39.9	18.3	2.5	-2.8	20.7
1995	-0.5	2.3	-7.3	15.0	36.3	44.9	55.8	50.7	47.6	26.1	6.6	-0.3	23.1
1996	-3.5	-3.5	8.3	10.8	34.7	46.1	54.6	48.8	38.2	16.9	12.4	-1.6	21.9
1997	-3.7	3.7	-4.5	17.9	37.4	47.7	54.2	53.6	47.2	19.0	15.7	-2.2	23.8
1998	-5.2	-2.7	13.5	24.1	33.5	46.9	56.0	48.5	43.4	29.3	13.9	1.1	25.2
1999	-13.7	-8.9	-5.3	10.5	28.0	45.1	52.6	52.9	44.6	21.0	2.6	-12.5	18.1
2000	-8.9	10.0	6.5	11.5	25.3	44.0	49.3	47.8	38.8	23.9	14.3	12.9	23.0
2001	8.7	13.4	1.5	15.5	21.6	43.1	54.1	49.8	44.6	18.0	6.7	-6.7	22.5
2002	-6.9	1.6	12.4	12.8	37.6	45.1	53.0	50.2	43.8	32.1	20.2	10.2	26.0
2003	5.7	5.9	-1.8	21.2	33.1	50.7	51.0	51.5	40.6	31.1	13.5	-6	25.2
2004	-1.4	-1.7	3.1	24.9	39.4	53.4	59.9	58.6	38.9	28.4	13.2	2.0	26.6
2005	-3	-4.4	8.0	8.1	35.2	47.9	56.4	55.8	45.0	25.9	1.8	-2	23.3
2006	-17.3	5.3	-0.3	7.5	31.0	43.4	52.7	48.0	47.0	32.7	10.2	3.5	22.0
POR= 77 YRS	-3.0	-2.6	0.9	12.8	31.0	43.9	53.4	51.1	40.8	23.9	7.9	-1.2	21.6

**HEATING DEGREE DAYS (base 65°F) 2006 KOTZEBUE (PAOT)**

YEAR	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	TOTAL
1977-78	204	183	622	1247	1845	1984	1612	1807	1985	1408	883	537	14317
1978-79	199	264	550	1379	1470	1953	1639	2093	1772	1380	969	485	14153
1979-80	332	282	685	1168	1400	2372	2207	1674	1679	1464	812	520	14595
1980-81	284	451	778	1119	1618	2336	1536	1793	1668	1505	925	489	14502
1981-82	419	416	721	1258	1676	2055	2013	1692	1920	1753	1120	526	15569
1982-83	269	348	660	1384	1580	1783	2177	1879	1779	1278	841	675	14653
1983-84	333	527	786	1408	1472	1638	2117	2500	1834	1937	1262	675	16489
1984-85	418	550	591	1133	1706	1858	1509	2019	2153	2115	1184	765	16001
1985-86	333	352	737	1363	1617	1610	2112	1619	2171	1825	1088	634	15461
1986-87	354	458	709	1345	1661	1710	2080	1830	1883	1712	993	508	15243
1987-88	263	356	811	1054	1787	2094	1784	1846	2089	1418	944	603	15049
1988-89	390	395	658	1447	1905	1894	2635	1321	1844	1313	1090	619	15511
1989-90	331	336	577	1275	1936	1843	2283	2499	1961	1468	822	580	15911
1990-91	199	249	739	1249	1827	2229	2107	1952	2106	1509	986	451	15603
1991-92	321	403	568	1098	1719	2164	1977	2135	2166	1667	1291	627	16136
1992-93	236	460	977	1423	1752	2090	2297	1693	1995	1361	970	511	15765
1993-94	184	476	788	1110	1609	1733	1991	1745	2244	1606	991	630	15107
1994-95	290	440	746	1441	1873	2102	2027	1755	2243	1495	880	595	15887
1995-96	278	435	517	1198	1750	2021	2130	1991	1756	1626	929	562	15193
1996-97	312	496	796	1484	1574	2057	2123	1709	2149	1407	849	514	15470
1997-98	330	347	527	1416	1471	2076	2168	1889	1589	1220	971	536	14540
1998-99	280	505	641	1102	1525	1971	2435	2062	2174	1627	1140	591	16053
1999-00	376	371	606	1356	1865	2397	2281	1589	1809	1597	1222	625	16094
2000-01	477	526	779	1267	1515	1608	1740	1442	1962	1479	1342	648	14785
2001-02	332	462	606	1452	1744	2216	2220	1769	1625	1558	841	587	15412
2002-03	363	451	630	1015	1336	1692	1830	1649	2065	1307	984	423	13745
2003-04	426	414	724	1045	1538	2025	2052	1926	1912	1197	787	353	14399
2004-05	165	201	778	1126	1550	1946	2017	1939	1762	1699	916	506	14605
2005-06	269	279	594	1207	1888	2015	2548	1666	2019	1715	1044	640	15884
2006-	374	518	531	998	1639	1899							

WBAN : 26616

**COOLING DEGREE DAYS (base 65°F) 2006 KOTZEBUE (PAOT)**

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	TOTAL
1977	0	0	0	0	0	0	18	1	0	0	0	0	19
1978	0	0	0	0	0	0	1	0	0	0	0	0	1
1979	0	0	0	0	0	0	1	0	0	0	0	0	1
1980	0	0	0	0	0	0	0	0	0	0	0	0	0
1981	0	0	0	0	0	0	5	0	0	0	0	0	5
1982	0	0	0	0	0	12	3	0	0	0	0	0	15
1983	0	0	0	0	0	0	0	0	0	0	0	0	0
1984	0	0	0	0	0	0	0	0	0	0	0	0	0
1985	0	0	0	0	0	0	3	1	0	0	0	0	4
1986	0	0	0	0	0	0	0	0	0	0	0	0	0
1987	0	0	0	0	0	5	9	0	0	0	0	0	14
1988	0	0	0	0	0	0	0	0	0	0	0	0	0
1989	0	0	0	0	0	0	0	0	0	0	0	0	0
1990	0	0	0	0	0	4	15	1	0	0	0	0	20
1991	0	0	0	0	0	17	1	0	0	0	0	0	18
1992	0	0	0	0	0	0	8	0	0	0	0	0	8
1993	0	0	0	0	0	0	9	0	0	0	0	0	9
1994	0	0	0	0	0	0	3	1	0	0	0	0	4
1995	0	0	0	0	0	0	0	0	0	0	0	0	0
1996	0	0	0	0	0	0	0	0	0	0	0	0	0
1997	0	0	0	0	0	0	0	0	0	0	0	0	0
1998	0	0	0	0	0	0	5	0	0	0	0	0	5
1999	0	0	0	0	0	0	0	0	0	0	0	0	0
2000	0	0	0	0	0	0	0	0	0	0	0	0	0
2001	0	0	0	0	0	0	0	0	0	0	0	0	0
2002	0	0	0	0	0	0	0	0	0	0	0	0	0
2003	0	0	0	0	0	0	0	0	0	0	0	0	0
2004	0	0	0	0	0	13	15	11	0	0	0	0	39
2005	0	0	0	0	0	0	11	3	0	0	0	0	14
2006	0	0	0	0	0	0	1	0	0	0	0	0	1

## SNOWFALL (inches) 2006 KOTZEBUE (PAOT)

YEAR	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	TOTAL
1977-78	0.0	0.0	0.2	0.5	2.0	5.6	1.1	1.3	2.2	2.9	T	0.0	15.8
1978-79	0.0	0.0	T	5.1	7.4	9.6	0.1	0.0	1.0	1.9	T	T	25.1
1979-80	0.0	0.0	T	4.0	15.0	4.4	7.2	3.8	6.0	3.3	0.0	T	43.7
1980-81	0.0	0.0	2.1	4.1	2.5	3.3	9.6	5.2	7.3	6.3	0.9	0.0	41.3
1981-82	0.0	0.0	0.4	5.3	4.5	6.1	12.9	2.3	6.4	3.3	T	T	41.2
1982-83	0.0	0.0	0.4	12.7	12.3	3.0	3.0	1.8	2.7	2.8	T	T	38.7
1983-84	0.0	T	1.6	4.1	12.3	6.1	6.1	0.2	2.8	5.2	6.7	0.0	45.1
1984-85	0.0	0.0	T	5.6	7.8	9.4	5.3	1.6	9.3	5.3	4.4	0.0	48.7
1985-86	0.0	0.0	1.5	4.1	8.0	6.5	10.1	3.3	T	3.8	T	0.0	37.3
1986-87	0.0	0.0	2.0	4.1	2.9	11.6	6.0	9.2	3.7	1.0	T	T	40.5
1987-88	0.0	0.0	T	3.8	4.7	21.7	2.8	4.8	9.4	0.6	T	T	47.8
1988-89	0.0	0.0	0.4	6.6	4.9	23.6	4.3	11.3	2.0	16.0	3.4	T	72.5
1989-90	0.0	0.0	T	8.8	4.7	8.6	5.8	6.7	9.5	5.1	0.4	0.0	49.6
1990-91	0.0	0.0	3.1	9.6	22.8	15.4	12.7	6.2	13.4	6.9	0.4	T	90.5
1991-92	0.0	0.0	0.0	6.6	1.1	4.4	5.7	6.8	14.0	1.7	3.7	0.0	44.0
1992-93	0.0	0.0	0.4	10.0	14.8	10.8	7.2	3.1	10.2	1.3	0.3	T	58.1
1993-94	0.0	0.0	5.0	4.1	24.3	11.0	7.0	1.9	10.4	3.7	0.6	T	68.0
1994-95	0.0	0.0	T	14.9	8.2	7.8	5.1	4.0	1.4	2.6	0.5	T	44.5
1995-96	0.0	0.0	0.0	7.1	7.6	17.9	6.5	19.1	2.1	1.9	T	T	62.2
1996-97	0.0	0.0	6.3	9.2	12.4	3.8	11.3	6.4	0.3	7.9	0.1	0.0	57.7
1997-98	0.0	0.0	0.0	7.5	12.6	5.2	3.2	4.9	2.6	10.5	3.1	T	49.6
1998-99	0.0	0.0	0.0	2.5	6.6	6.4	22.8	10.0	4.5	19.6	1.7	T	74.1
1999-00	0.0	0.0	T	T	0.4	4.3	18.9	7.3	1.1	0.6	1.0	0.0	33.6
2000-01	T	0.0	T	7.1	10.4	9.3	13.7	9.6	1.5	15.1	1.2	0.8	68.7
2001-02	0.0	0.0	0.6	2.1	0.6	6.9	22.4	16.7	5.1	18.4	1.0	T	73.8
2002-03	0.2	0.0	0.9	0.9	10.8	12.8	8.0	22.2	7.7	4.4	T	0.0	67.9
2003-04	0.0	0.0	T	4.6	45.6	19.0	4.0	11.6	2.9	2.7	T	0.0	90.4
2004-05	0.0	0.0	0.7	7.0	17.4	34.0	10.5	31.8	15.9	2.2	0.3	T	119.8
2005-06	0.0	0.0	0.0	6.9	5.2	21.1	2.8	12.7	7.4	2.7	3.0	0.5	62.3
2006-	0.0	0.0	0.0	7.1	8.9	8.5							
POR= 66 YRS	T	0.0	1.1	6.1	8.2	7.7	7.6	6.8	6.3	5.2	1.4	0.2	50.6

WBAN : 26616

### REFERENCE NOTES :

<p>PAGE 1: THE TEMPERATURE GRAPH SHOWS NORMAL MAXIMUM AND NORMAL MINIMUM DAILY TEMPERATURES (SOLID CURVES) AND THE ACTUAL DAILY HIGH AND LOW TEMPERATURES (VERTICAL BARS).</p> <p>PAGE 2 AND 3: H/C INDICATES HEATING AND COOLING DEGREE DAYS. RH INDICATES RELATIVE HUMIDITY W/O INDICATES WEATHER AND OBSTRUCTIONS S INDICATES SUNSHINE. PR INDICATES PRESSURE. CLOUDINESS ON PAGE 3 IS THE SUM OF THE CEILOMETER AND SATELLITE DATA NOT TO EXCEED EIGHT EIGHTHS(OKTAS).</p> <p>GENERAL: T INDICATES TRACE PRECIPITATION, AN AMOUNT GREATER THAN ZERO BUT LESS THAN THE LOWEST REPORTABLE VALUE. + INDICATES THE VALUE ALSO OCCURS ON EARLIER DATES. BLANK ENTRIES DENOTE MISSING OR UNREPORTED DATA. NORMALS ARE 30-YEAR AVERAGES (1971 - 2000). ASOS INDICATES AUTOMATED SURFACE OBSERVING SYSTEM. PM INDICATES THE LAST DAY OF THE PREVIOUS MONTH. POR (PERIOD OF RECORD) BEGINS WITH THE JANUARY DATA MONTH AND IS THE NUMBER OF YEARS USED TO COMPUTE THE MEAN. INDIVIDUAL MONTHS WITHIN THE POR MAY BE MISSING. WHEN THE POR FOR A NORMAL IS LESS THAN 30 YEARS, THE NORMAL IS PROVISIONAL AND IS BASED ON THE NUMBER OF YEARS INDICATED. 0.* OR * INDICATES THE VALUE OR MEAN-DAYS-WITH IS BETWEEN 0.00 AND 0.05. CLOUDINESS FOR ASOS STATIONS DIFFERS FROM THE NON-ASOS OBSERVATION TAKEN BY A HUMAN OBSERVER. ASOS STATION CLOUDINESS IS BASED ON TIME-AVERAGED CEILOMETER DATA FOR CLOUDS AT OR BELOW 12,000 FEET AND ON SATELLITE DATA FOR CLOUDS ABOVE 12,000 FEET. THE NUMBER OF DAYS WITH CLEAR, PARTLY CLOUDY, AND CLOUDY CONDITIONS FOR ASOS STATIONS IS THE SUM OF THE CEILOMETER AND SATELLITE DATA FOR THE SUNRISE TO SUNSET PERIOD.</p>	<p>GENERAL CONTINUED: CLEAR INDICATES 0 - 2 OKTAS, PARTLY CLOUDY INDICATES 3 - 6 OKTAS, AND CLOUDY INDICATES 7 OR 8 OKTAS. WHEN AT LEAST ONE OF THE ELEMENTS (CEILOMETER OR SATELLITE) IS MISSING, THE DAILY CLOUDINESS IS NOT COMPUTED. WIND DIRECTION IS RECORDED IN TENS OF DEGREES (2 DIGITS) CLOCKWISE FROM TRUE NORTH. "00" INDICATES CALM. "36" INDICATES TRUE NORTH. RESULTANT WIND IS THE VECTOR AVERAGE OF THE SPEED AND DIRECTION. AVERAGE TEMPERATURE IS THE SUM OF THE MEAN DAILY MAXIMUM AND MINIMUM TEMPERATURE DIVIDED BY 2. SNOWFALL DATA COMPRISE ALL FORMS OF FROZEN PRECIPITATION, INCLUDING HAIL. A HEATING (COOLING) DEGREE DAY IS THE DIFFERENCE BETWEEN THE AVERAGE DAILY TEMPERATURE AND 65 F. DRY BULB IS THE TEMPERATURE OF THE AMBIENT AIR. DEW POINT IS THE TEMPERATURE TO WHICH THE AIR MUST BE COOLED TO ACHIEVE 100 PERCENT RELATIVE HUMIDITY. WET BULB IS THE TEMPERATURE THE AIR WOULD HAVE IF THE MOISTURE CONTENT WAS INCREASED TO 100 PERCENT RELATIVE HUMIDITY.</p> <p>ON JULY 1, 1996, THE NATIONAL WEATHER SERVICE BEGAN USING THE "METAR" OBSERVATION CODE THAT WAS ALREADY EMPLOYED BY MOST OTHER NATIONS OF THE WORLD. THE MOST NOTICEABLE DIFFERENCE IN THIS ANNUAL PUBLICATION WILL BE THE CHANGE IN UNITS FROM TENTHS TO EIGHTS(OKTAS) FOR REPORTING THE AMOUNT OF SKY COVER.</p> <p><b>NOTE:</b> The "Period of Record:(POR) for all "averages" is based on the "Summary of the Day First Order Station" and "Cooperative Summary of the Day" archives.</p>
---	--

# 2006 KOTZEBUE ALASKA (PAOT)

Kotzebue is located 26 miles inside the Arctic Circle and very near the north end of a long narrow peninsula bounded on the north and west by Kotzebue Sound and on the east by Hotham Inlet, known locally as Kobuk Lake. These water bodies produce a maritime type of climate when the water is ice-free, which is roughly from late May to late October, although the western portion of the sound is not completely frozen until about December and not completely free of ice again until the middle of July. Local topography is nearly uniform with a general low relief, so that there are no significant terrain barriers in the immediate area to impede surface air flow or produce pronounced local variations in temperature and precipitation. The mountainous Seward Peninsula to the south, however, does deflect some low pressure systems which originate in or beyond the Bering Sea area and move toward this region.

During the ice-free period cloudy skies prevail, fog occurs, daily temperatures are relatively uniform, relative humidity is high, and westerly winds predominate. These normal conditions are altered only by cyclonic storms or by pressure systems strong enough to overcome local circulation tendencies.

When the water surrounding the peninsula becomes frozen, the climatic characteristics approach the continental type. The change from maritime to approximately continental conditions becomes progressively more pronounced as the ice cover advances across the sound toward the Arctic Ocean. A similar, but inverse, change occurs as the ice diminishes.

Average winter temperatures are not as severe as might be expected at this latitude. Cyclonic storms and the influence of the Arctic Ocean, which is often relatively free of ice, moderate the winter temperatures.

Precipitation is very light. Snow generally falls in every month of the year except July and August. The total for a normal year is 8 inches.

Cyclonic storms are frequent, especially from October to April, and many of them are accompanied by high winds and blizzard conditions during the winter months. The absence of pronounced sheltering terrain results in unimpeded air movement throughout the year. Windy weather, somewhat characteristic of the area, results largely from the numerous cyclonic storms and uneven heat radiation of adjoining land and water areas.

# Station Location

# KOTZEBUE

LOCATION	Occupied From	Occupied To	Airline Distances and Directions from previous Location	Latitude		Longitude		ELEVATION ABOVE								REMARKS
				NORTH	WEST	GROUND TEMPERATURE SITE	WIND INSTRUMENT	EXTREME THERMOMETERS	PSYCHROMETER	SUNSHINE SWITCH	TIPPING BUCKET RAIN GAUGE	WEIGHING RAIN GAUGE	8 INCH RAIN GAUGE	HYGROTHERMOMETER	AUTOMATIC OBSERVING EQUIPMENT *	
*NOTE:																
AIRPORT																
Signal Corps ACS Radio Building	9/01/30	8/06/41	.5 mi. W	66° 52'	16° >38	11	24	5						3		Shelter over tundra, 15 feet from building. Station about 100 yards from Kotzebue Sound.
Signal Corps ACS Radio Building	8/06/41	10/26/42	No Change	66° 52'	16° >38	12	29	5	5					5		Instrument shelter 27 feet S of the station. Rain gage 30 feet SW of station and 28 feet from the instrument shelter.
Control Building Federal Aviation Agency Airport + +Later named Ralph Wien Memorial Airport	10/26/42	12/01/97	.75 mi. SSW	66° 52'	16° >38	10	31 c20 d33	5	5			a8	4	b6 e6		First Order Weather Bureau. Instrument shelter over sod within 60 feet of the edge of Kotzebue Sound. a. Installed 11/1/60 and removed in 1961. b. Installed 12/6/78. c. Moved 1 mi. S 12/11/80. d. Minor move 11/23/82. e. Type change 10/20/85.
Wien Memorial Airport	12/01/97	Present	NA	66° 53'	16° >36	f16									S	ASOS Commissioned 12/01/97 f. Ground elevation.

**For Hard Copy Subscription:**

Price and ordering information: NCDC Subscribing Service Center, 310 State Route 956, Building 300, Rocket Center, WV 26726.

**INQUIRES/COMMENTS CALL: Toll Free (866) 742-3322**

Visit our Web Site for other weather data: [www.ncdc.noaa.gov](http://www.ncdc.noaa.gov)

**Non-Subscription Request:**

NCDC Customer Services;  
Phone: 828-271-4800  
Fax: 828-271-4876  
Email: [ncdc.orders@noaa.gov](mailto:ncdc.orders@noaa.gov)

OFFICIAL BUSINESS  
PENALTY FOR PRIVATE USE \$300  
CHANGE SERVICE REQUESTED

**FIRST CLASS**  
**POSTAGE & FEES PAID**  
**United States Department of Commerce**  
**NOAA Permit No. G - 19**

\* NOTES: For earlier station history see previous edition.